602

singularities

S. Yu and G.W. Wei

205	A current density conservative scheme for incompressible MHD flows at a low magnetic Reynolds number. Part II: On an arbitrary collocated mesh MJ. Ni, R. Munipalli, P. Huang, N.B. Morley and M.A. Abdou
229	Filtering the eigenvalues at infinite from the linear stability analysis of incompressible flows J.V. Valério, M.S. Carvalho and C. Tomei
244	Linear multifrequency-grey acceleration recast for preconditioned Krylov iterations J.E. Morel, TY. Brian Yang and J.S. Warsa
264	An incompressible multi-phase SPH method X.Y. Hu and N.A. Adams
279	A continuum-atomistic simulation of heat transfer in micro- and nano-flows J. Liu, S. Chen, X. Nie and M.O. Robbins
292	A direct-forcing fictitious domain method for particulate flows Z. Yu and X. Shao
315	A first-order system approach for diffusion equation. I: Second-order residual-distribution schemes H. Nishikawa
353	Generator estimation of Markov jump processes P. Metzner, E. Dittmer, T. Jahnke and Ch. Schütte
376	Numerical method satisfying the first two conservation laws for the Korteweg-de Vries equation Y. Cui and Dk. Mao
400	Block structured adaptive mesh and time refinement for hybrid, hyperbolic $+ N$ -body systems F. Miniati and P. Colella
431	An inverse scattering problem from an impedance obstacle KM. Lee
440	Self-similar radiation from numerical Rosenau-Hyman compactons F. Rus and F.R. Villatoro
455	3D quantum transport solver based on the perfectly matched layer and spectral element methods for the simulation of semiconductor nanodevices C. Cheng, JH. Lee, K.H. Lim, H.Z. Massoud and Q.H. Liu
472	Local discontinuous Galerkin methods for the Cahn-Hilliard type equations Y. Xia, Y. Xu and CW. Shu
492	Monotone finite volume schemes for diffusion equations on unstructured triangular and shape-regular polygonal meshes K. Lipnikov, M. Shashkov, D. Svyatskiy and Yu. Vassilevski
513	The effect of the 2-D Laplacian operator approximation on the performance of finite-difference time-domain schemes for Maxwell's equations A.H. Panaretos, J.T. Aberle and R.E. Díaz
537	A perfectly matched layer approach to the nonlinear Schrödinger wave equations C. Zheng
557	A faster aggregation for 3D fast evanescent wave solvers using rotations I. Bogaert, D. Pissoort and F. Olyslager
574	On a well-balanced high-order finite volume scheme for shallow water equations with topography and dry areas J.M. Gallardo, C. Parés and M. Castro

Three-dimensional matched interface and boundary (MIB) method for treating geometric