

Cumulative Subject Index of Volume 113–118

AAC-MP2

Theoretical calculation of heat of formation for a number of moderate sized fluorinated compounds, (117) 47

Ab initio calculation

Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147

Statistical and theoretical studies of fluorophilicity, (115) 119

Calculations of ¹⁹F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121

Theoretical calculation of heat of formation for a number of moderate sized fluorinated compounds, (117) 47

Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149

Ab initio

Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227

Acid catalysts

Chemistry and key structural features of oxyhydroxy-fluorides: relationships with the acidic character, thermal stability and surface area, (114) 229

Acids

Reactivite D' α -bromoacides et esters *F*-alkyles: synthese de *F*-alkyl acides ethanoiques et *F*-alkyl acides 3-fluoroprop-2-enoiques, (114) 47

Acrylate/styrene monomers and polymers

New aromatic pentafluoro- λ^6 -sulfanyl (SF₅) derivatives, *m*-SF₅(CF₂)₂C₆H₄X: (X = N₃, Br, OC(O)CH|CH₂, CH|CH₂), (115) 101

Acrylates

Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (117) 161

Activation barriers

On the structure of the perfluorinated F-4-ethyl-3,4-dimethyl-hexan-3-yl carbanion: a structural dynamic ¹⁹F-DNMR study, (113) 17

Acyl fluoride

Preparation of acyl fluorides with hydrogen fluoride-pyridine and 1,3-dicyclohexylcarbodiimide, (115) 75

Addition-elimination

Synthesis of α -trifluoromethyl unsaturated acids and derivatives, (113) 167

Adsorption kinetics

Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41

Adsorption

Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41

Property control of new forms of carbon materials by fluorination, (114) 181

Aldehyde

Reactions of fluorine-containing 3-oxo esters with aldehydes, (117) 1
Radical polyaddition reaction of bis(α -trifluoromethyl- β , β -difluorovinyl) terephthalate onto diformylalkane, (117) 67

Aldehydes

Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (117) 161

Aldol reactions

Synthesis of stereo-defined α -trifluoromethyl (Tfm)-malic units, (114) 215

Alkali metal fluorides

¹⁹F-NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193

Alkali metal trimethylsilanolates

N-(Trifluoromethylsulfonyl)trifluoromethanesulfinimidic acid and its salts, (115) 129

Alkaline halides

Mechanochemical reactions of telluric acid with alkaline fluorides, (113) 93

Alkaloids

Fluorination in superacids: a novel access to biologically active compounds, (114) 139

Alkenol

Unexpected selective monoadduct formation from 2-methyl-3-butyn-2-ol and α,ω -diiodoperfluorobutane, (113) 55

β -Alkoxyvinyl trifluoromethylketone

1,3-Dipolar cycloaddition of β -alkoxyvinyl trifluoromethylketones with aryl (or benzyl) azides. Synthesis of 4-trifluoroacetylated 1*H*-1,2,3-triazoles, (116) 81

Alkyl isocyanide

Reaction between alkyl isocyanides and 1,1,1,5,5,5-hexafluoropentane-2,4-dione in the presence of water: one-pot synthesis of highly fluorinated γ -dihydroxy- α -hydroxy amides and γ -keto- α -hydroxy amides, (116) 93

1-(*F*-Alkyl)-2-(disopropylamino)ethanols

Addition d' aminoalcools hautement fluorés sur les isocyanates d' alcoxy et d' aroxy-sulfonyle, (115) 161

F-alkyl

Reactivite D' α -bromoacides et esters *F*-alkyles: synthese de *F*-alkyl acides ethanoiques et *F*-alkyl acides 3-fluoroprop-2-enoiques, (114) 47

Alkylammonium

Ammonium hexafluorosilicate salts, (115) 155

F-alkylated carbamates

Addition d' aminoalcools hautement fluorés sur les isocyanates d' alcoxy et d' aroxy-sulfonyle, (115) 161

Alkylcerium chlorides

Facile synthesis of 1,1-*gem*-dialkylperfluoroalkylamines, (117) 9

Alkylthiazylamide

The first *N*-alkyl-*N'*-polyfluorohetaryl sulfur diimide, (115) 165

Alkynol

Unexpected selective monoadduct formation from 2-methyl-3-butyn-2-ol and α,ω -diiodoperfluorobutane, (113) 55

α -Allyl- α -fluoro- β -hydroxy ester

Stereoselective synthesis of 3-fluorotetrahydrofuran-3-carboxylate derivatives via the intramolecular cyclization reaction of erythro- and threo- α -allylated α -fluoro- β -hydroxy esters, (115) 55

- Aluminum bromide
Direct synthesis of polyfluorinated allyl halides from fluoroolefins and AlX_3 ($X = Cl, Br$), (117) 23
- Aluminum chloride
Direct synthesis of polyfluorinated allyl halides from fluoroolefins and AlX_3 ($X = Cl, Br$), (117) 23
- AM 1 calculations
On the structure of the perfluorinated F-4-ethyl-3,4-dimethyl-hexan-3-yl carbanion: a structural dynamic ^{19}F -DNMR study, (113) 17
- Amination
Reaction of α -halogen substituted β -ethoxyvinyl trifluoromethyl ketones with 2-aminopyridine: new route to trifluoroacetyl-containing heterocycles, (117) 193
- Amino alcohols
Nucleophilic fluorination of amino alcohols and diols using Deoxo-fluor, (116) 23
- Aminofluoroalkylation
Convenient synthesis of α -trifluoromethyl amines via aminofluoroalkylation of arenes with *N*-trimethylsilyl α -trifluoroacetaldehyde hemiaminal, (116) 103
- Amorphous fluoropolymers
Amorphous fluoropolymers from tetrafluoroethylene and bulky vinyl esters or vinyl ethers, (118) 95
- Amphiphilic
Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
- Amplifier
Fluorine in optics, (114) 113
- Anaerobic systems
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Anisole
Friedel–Crafts reaction catalyzed by perfluorinated rare earth metals, (116) 143
- Antibacterials
Important fluorinated drugs in experimental and clinical use, (118) 27
- Anticancer
Important fluorinated drugs in experimental and clinical use, (118) 27
- Antimalarials
Important fluorinated drugs in experimental and clinical use, (118) 27
- Antimonates(V)
Coordination compounds with XeF_2 , AsF_3 and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, (114) 143
- Antimony pentafluoride
Cationoid rearrangements in reactions of perfluoro-1-arylbenzocyclobutenes with antimony pentafluoride, (117) 73
- Antiparasitic
Important fluorinated drugs in experimental and clinical use, (118) 27
- Antitumor compounds
Fluorination in superacids: a novel access to biologically active compounds, (114) 139
- Applications
New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Aromatic compounds
Perfluorinated rare earth metals catalyzed nitration of aromatic compounds, (113) 207
- Arsenates(V)
Coordination compounds with XeF_2 , AsF_3 and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, (114) 143
- Artificial neural network
Artificial neural network study for the estimation of the C–H bond dissociation enthalpies, (116) 163
- AsF_3
Coordination compounds with XeF_2 , AsF_3 and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, (114) 143
- Asymmetric synthesis
Synthesis of stereo-defined α -trifluoromethyl (Tfm)-malic units, (114) 215
Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- Atom-transfer reaction
Copper(I)-catalyzed addition of trifluoromethylated benzyl radicals derived from aryltrifluoroethyl bromides to terminal olefins, (114) 91
- Azide
1,3-Dipolar cycloaddition of β -alkoxyvinyl trifluoromethylketones with aryl (or benzyl) azides. Synthesis of 4-trifluoroacetylated 1*H*-1,2,3-triazoles, (116) 81
- BAC-MP2
Theoretical calculation of heat of formation for a number of moderate sized fluorinated compounds, (117) 47
- Baylis–Hillman reaction
Synthesis of fluoromethylated materials in ionic liquids, (115) 49
- Benzenediazonium tetrafluoroborates
A new application of (polyfluoroorgano)trifluoroborate salts: the palladium-catalysed cross-coupling reaction with substituted benzenediazonium tetrafluoroborates, (117) 115
- 1,3-Benzoxazine-4-ones
1-Aryl-1-chloro-2,2,2-trifluoroethylisocyanates—convenient reagents for synthesis of 2-aryl-2-trifluoromethyl-2,3-dihydro-4*H*-benzo[e][1,3]oxazin-4-ones, (116) 97
- 2-Benzoxypentafluoropropene
Radical polyaddition reaction of bis(α -trifluoromethyl- β , β -difluorovinyl) terephthalate onto diformylalkane, (117) 67
Radical polyaddition reaction of bis(α -trifluoromethyl- β , β -difluorovinyl) terephthalate with ethylamine compounds, (117) 55
- Benzylic and tertiary fluoro-alkanes
A simple method for the displacement of bromine by fluorine at tertiary, benzylic or non-classical secondary sites, (117) 177
- Bicyclic heterocyclic compounds
Reaction of α -halogen substituted β -ethoxyvinyl trifluoromethyl ketones with 2-aminopyridine: new route to trifluoroacetyl-containing heterocycles, (117) 193
- Biological activity
Synthesis and biological activities of *N*-(1,2,4-triazole-4-yl)-*N'*-(fluorine-containing-phenyl)carbamimidothioates, (115) 79
- Bioreactors
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Biotechnology
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Biradical
1-Vinyl-1,2,2,3,3-pentafluorocyclopropane: an extraordinarily rapid vinylcyclopropane rearrangement, (117) 199
- 1,2-Bis(2,2,2-trifluoroethoxy)-1,1,2,2-tetrafluoroethane
Reactions of oxalyl fluoride with electrophiles, (113) 97
- Bis(3-*F*-alkylallyl) polyoxyethylene ethers
F-alkylation of bis(allyl) polyoxyethylene ethers, (114) 43
- Bis(allyl) polyoxyethylene ethers
F-alkylation of bis(allyl) polyoxyethylene ethers, (114) 43
- Bis(dialkylamino)difluorosulfuranes
Advances in the chemistry of organylfluorosulfuranes at the Institute of Organic Chemistry, Kiev, Ukraine, (117) 85
- Bis(fluoroalkyl) phosphite
Fluorinated phosphorus compounds. Part 6. The synthesis of bis(fluoroalkyl) phosphites and bis(fluoroalkyl) phosphorohalidates, (113) 65

- Bis(fluoroalkyl) phosphoramidate
Fluorinated phosphorus compounds. Part 7. The reactions of bis(fluoroalkyl) phosphorochloridates with nitrogen nucleophiles, (113) 111
- Bis(fluoroalkyl) phosphorochloridate
Fluorinated phosphorus compounds. Part 6. The synthesis of bis(fluoroalkyl) phosphites and bis(fluoroalkyl) phosphorohalidates, (113) 65
Fluorinated phosphorus compounds. Part 7. The reactions of bis(fluoroalkyl) phosphorochloridates with nitrogen nucleophiles, (113) 111
- Bis(2-methoxyethyl)aminosulfur trifluoride
Exploratory study of the reaction of bis(2-methoxyethyl)aminosulfur trifluoride (Deoxofluor™ reagent) with diaryl sulfoxides: novel routes to Ar₂SF₂ and Ar₂SF(OTf) via sulfoxide activation, (115) 169
Nucleophilic fluorination of amino alcohols and diols using Deoxofluor, (116) 23
- Bis(trifluoroethyl) *N*-alkoxyphosphoramidate
Fluorinated phosphorus compounds. Part 7. The reactions of bis(fluoroalkyl) phosphorochloridates with nitrogen nucleophiles, (113) 111
- Bis(trifluoroethyl) phosphorazidate
Fluorinated phosphorus compounds. Part 7. The reactions of bis(fluoroalkyl) phosphorochloridates with nitrogen nucleophiles, (113) 111
- Bis(trifluoroethyl) phosphorobromidate
Fluorinated phosphorus compounds. Part 6. The synthesis of bis(fluoroalkyl) phosphites and bis(fluoroalkyl) phosphorohalidates, (113) 65
- Bis(trifluoroethyl) phosphorofluoridate
Fluorinated phosphorus compounds. Part 6. The synthesis of bis(fluoroalkyl) phosphites and bis(fluoroalkyl) phosphorohalidates, (113) 65
- Bis(trifluoroethyl) phosphoriodidate
Fluorinated phosphorus compounds. Part 6. The synthesis of bis(fluoroalkyl) phosphites and bis(fluoroalkyl) phosphorohalidates, (113) 65
- Bis(trifluoroethyl) phosphoroisocyanidate
Fluorinated phosphorus compounds. Part 7. The reactions of bis(fluoroalkyl) phosphorochloridates with nitrogen nucleophiles, (113) 111
- Bis(trifluoromethanesulfonyl)amine
Bismuth(III) bis(trifluoromethanesulfonyl)amide, (116) 129
- 3,6-Bis(trifluoromethyl)-3,6-bis(pentafluorophenyl)-1,4-dioxan-2,5-dione
1,1,3,3,3-Pentafluoro-2-pentafluorophenyl-1,2-epoxypropane and trimethylphosphite: unusual 1,4-dioxan-2,5-dione ring formation, (114) 99
- Bis(trifluoromethyl)nitroxide
The molecular configuration of bis(trifluoromethyl)nitroxide (CF₃)₂NO, (113) 51
- Bis(α-trifluoromethyl-β,β-difluorovinyl) terephthalate
Radical polyaddition reaction of bis(α-trifluoromethyl-β,β-difluorovinyl) terephthalate with ethylamine compounds, (117) 55
Radical polyaddition reaction of bis(α-trifluoromethyl-β,β-difluorovinyl) terephthalate onto diformylalkane, (117) 67
- Bis-adduct
Unexpected selective monoadduct formation from 2-methyl-3-butyn-2-ol and α,ω-diiodoperfluorobutane, (113) 35
- bis-Alkylation
Facile synthesis of 1,1-*gem*-dialkylperfluoroalkylamines, (117) 9
- Bischelating ligands
Access to the structures of fluoromagnesium compounds: synthesis and structural characterization of the β-diketiminato magnesium fluoride [{CH(CMeNAr)₂}Mg(μ-F)(THF)]₂-toluene, (115) 143
- Bismuth bis(trifluoromethanesulfonyl)amides
Bismuth(III) bis(trifluoromethanesulfonyl)amide, (116) 129
- Bismuthates(V)
Coordination compounds with XeF₂, AsF₃ and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, (114) 143
- Bis-nucleophiles
A novel approach to the synthesis of 5-trifluoromethyl-3-substituted pyrazoles, (115) 9
- Bisquinolines
Important fluorinated drugs in experimental and clinical use, (118) 27
- Blood substitute
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Bond dissociation enthalpy
Artificial neural network study for the estimation of the C–H bond dissociation enthalpies, (116) 163
- Borohydride reduction
2,4,4,5,7,7,8,8,9,9,9-Undecafluoro-2,5-bis(trifluoromethyl)-3,6-dioxanonyl methacrylate, (114) 51
- Boron
Trifluoromethylation of carbon and boron with CF₃SiMe₃/NMe₄F: formation of NMe₄[*trans*-CF₃]CF[CFB(CF₃)₃], (115) 115
- Boron–nitrogen compounds
Pentafluorophenylboron halides: 40 years later, (115) 1
- Brain uptake
The effect of aromatic fluorine substitution in L-DOPA on the in vivo behaviour of [¹⁸F]2-, [¹⁸F]5- and [¹⁸F]6-fluoro-L-DOPA in the human brain, (115) 33
- Brønsted/Lewis sites
Chemistry and key structural features of oxyhydroxy-fluorides: relationships with the acidic character, thermal stability and surface area, (114) 229
- Bromine/fluorine displacement
A simple method for the displacement of bromine by fluorine at tertiary, benzylic or non-classical secondary sites, (117) 177
- Brønsted acids
Mechanochemical reactions of telluric acid with alkaline fluorides, (113) 93
- ¹³C NMR
The regioselectivity of the formation of 2-pyrazolylthiazoles and their precursors from the reaction of 2-hydrazinothiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ¹H, ¹³C, ¹⁹F and ³⁵Cl NMR chemical shifts, (118) 69
- Carbocation intermediates
A simple method for the displacement of bromine by fluorine at tertiary, benzylic or non-classical secondary sites, (117) 177
- Carbon-fluorine activation
A review of Mg metal-promoted C|F bond activation; a reliable synthetic approach to difluorinated organic compounds, (114) 127
- Carbonitrile
Syntheses of fluorinated phencyclidine analogs, (114) 39
- Carboxylates
Fluorophenylantimony carboxylates(II): synthetic and spectroscopic studies (UV, IR, ¹H, ¹⁹F and ¹³C NMR) of pentafluorophenylantimony(V) di- and tetracarboxylates, (113) 155
- Cell cultures
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Cesium fluoride
Reactions of oxalyl fluoride with electrophiles, (113) 97
- α-CF₃ furanones
Synthesis of α-trifluoromethyl unsaturated acids and derivatives, (113) 167
- α-CF₃ pyranones
Synthesis of α-trifluoromethyl unsaturated acids and derivatives, (113) 167
- α-CF₃ unsaturated acids
Synthesis of α-trifluoromethyl unsaturated acids and derivatives, (113) 167
- CFC substitutes
Fluorinated phosphonium ylides: versatile in situ Wittig intermediates in the synthesis of hydrofluorocarbons, (116) 75

- CFC-11
Medical aerosol propellants, (118) 35
- CFC-12
Medical aerosol propellants, (118) 35
- Characterization
Fluorophenylantimony carboxylates(II): synthetic and spectroscopic studies (UV, IR, ^1H , ^{19}F and ^{13}C NMR) of pentafluorophenylantimony(V) di- and tetracarboxylates, (113) 155
Syntheses of fluorinated phencyclidine analogs, (114) 39
- Chemical shift anisotropy
On the structure of the perfluorinated F-4-ethyl-3,4-dimethyl-hexan-3-yl carbanion: a structural dynamic ^{19}F -DNMR study, (113) 17
- 2-C-heptafluoropropyl D-ribose
Synthesis of homochiral 2-C-perfluoroalkyl substituted D- and L-ribose, (115) 149
- Chiral capillary gas chromatography
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- Chiral fluorinated compounds
Nucleophilic fluorination of amino alcohols and diols using Deoxo-fluor, (116) 23
- 2-Chloro-1,1,2,2-tetrafluoro-1-methoxyethane
Preparation and application of porous calcium fluoride—a novel fluorinating reagent and support of catalyst, (116) 65
- Chlorofluorocarbon
CFC phase-out: have we met the challenge?, (114) 237
- Chloroform
The reaction of xenon difluoride with chloroform, (116) 71
- ^{35}Cl NMR
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ^1H , ^{13}C , ^{19}F and ^{35}Cl NMR chemical shifts, (118) 69
- Claisen rearrangement
Pyrolysis reactions of 4-methyl-tetrafluorophenyl and pentafluorophenyl prop-2-enyl ethers: isomeric tetrahydroinden-1-ones from both intra-molecular Diels–Alder adducts of the Claisen rearrangement reaction from the 4-Me derivative. Mechanistic implications of a thermal retro $\pi 4s + \pi 2s$ reaction of one of the adducts and recyclications by $\pi 4s + \pi 2s$ and/or $\pi 2s + \pi 2a$ routes, (113) 123
- Close intermolecular C|H \cdots F|C contacts
Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- Clustering
 ^{19}F NMR investigation of the $\text{Pb}_{1-x}\text{Mg}_x\text{F}_2$ solid solution, (113) 185
The nature of anionic clusters in anion excess fluorite-type oxide fluoride solid solutions in MF–BiF₃–BiOF systems (M = Na, K), (113) 37
- 2-C-nonafluorobutyl L-ribose
Synthesis of homochiral 2-C-perfluoroalkyl substituted D- and L-ribose, (115) 149
- Compounding
Melt-processable poly(tetrafluoroethylene)—compounding, fillers and dyes, (114) 133
- Condensation
Reaction between alkyl isocyanides and 1,1,1,5,5,5-hexafluoropentane-2,4-dione in the presence of water: one-pot synthesis of highly fluorinated γ -dihydroxy- α -hydroxy amides and γ -keto- α -hydroxy amides, (116) 93
Reactions of fluorine-containing 3-oxo esters with aldehydes, (117) 1
- Conformations
Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227
- Copolymers
New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Correlation analysis
Fluorinated nitroxides as ESR probes of solvation, (116) 109
- Covalency of bonding
 ^{19}F -NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193
- Cross-coupling reactions
A new application of (polyfluoroorgano)trifluoroborate salts: the palladium-catalysed cross-coupling reaction with substituted benzene-diazonium tetrafluoroborates, (117) 115
- Crystal structure
Synthesis of polyfluorodibenz[*b,f*][1,4]oxazepines by the cyclization of 2-[(polyfluorobenzylidene)amino]phenols, (115) 91
- Cu(I) catalysts
Copper(I)-catalyzed addition of trifluoromethylated benzyl radicals derived from aryltrifluoroethyl bromides to terminal olefins, (114) 91
- Cyclization
Synthesis of polyfluorodibenz[*b,f*][1,4]oxazepines by the cyclization of 2-[(polyfluorobenzylidene)amino]phenols, (115) 91
Reaction of α -halogen substituted β -ethoxyvinyl trifluoromethyl ketones with 2-aminopyridine: new route to trifluoroacetyl-containing heterocycles, (117) 193
- 1,3-Cycloaddition
Regiospecific synthesis of perfluoroalkylated pyrrolo[2,1-*a*]isoquinolinyl phosphonates, (116) 157
- Cycloaddition
Pyrolysis reactions of 4-methyl-tetrafluorophenyl and pentafluorophenyl prop-2-enyl ethers: isomeric tetrahydroinden-1-ones from both intra-molecular Diels–Alder adducts of the Claisen rearrangement reaction from the 4-Me derivative. Mechanistic implications of a thermal retro $\pi 4s + \pi 2s$ reaction of one of the adducts and recyclications by $\pi 4s + \pi 2s$ and/or $\pi 2s + \pi 2a$ routes, (113) 123
- Cyclocarbonylation
Synthesis of difluoromethylated γ - and β -lactones through the palladium-catalyzed cyclocarbonylation, (114) 177
- Cyclopropanation
Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- 4,4,5,5,6,6,7,8,8,8-Decafluoro-1-isopropylamino-1-phenyl-oct-1-en-3-one
Unusual conversion of perfluoromethylepoxycyclopentane into a linear β -aminovinylketone by C–C bond cleavage, (113) 101
- 1,3-Dehydroadamantane
Synthesis of 1,3-bis(*N,N*-difluoroamino)adamantane: addition of difluoroamino radicals to 1,3-dehydroadamantane, (117) 103
- Demnum
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (118) 81
- Deshielding
The ^{19}F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Dewetting
Synthesis and surface properties of a fluorinated polyether, (116) 59
- DFT calculation
Reactions of oxalyl fluoride with electrophiles, (113) 97
Etude théorique par la méthode DFT des structures non-classiques des systèmes $\text{X}_2\text{H}_2\text{F}_2$ (X = Si, Ge, Sn), (114) 17
Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la *C,N*-diphénylnitronne avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
- DFT
Artificial neural network study for the estimation of the C–H bond dissociation enthalpies, (116) 163
- Diagnosis
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Dialkylaminoselenonium salts
Advances in the chemistry of organylfluorosulfuranes at the Institute of Organic Chemistry, Kiev, Ukraine, (117) 85

- Dialkylaminosulfonium salts
Advances in the chemistry of organylfluorosulfuranates at the Institute of Organic Chemistry, Kiev, Ukraine, (117) 85
- Dialkylaminotrifluorosulfuranates
Advances in the chemistry of organylfluorosulfuranates at the Institute of Organic Chemistry, Kiev, Ukraine, (117) 85
- Diaryl sulfoxides
Exploratory study of the reaction of bis(2-methoxyethyl)aminosulfur trifluoride (Deoxofluor™ reagent) with diaryl sulfoxides: novel routes to Ar₂SF₂ and Ar₂SF(OTf) via sulfoxide activation, (115) 169
- Diastereoselectivity
Stereoselective synthesis of 3-fluorotetrahydrofuran-3-carboxylate derivatives via the intramolecular cyclization reaction of erythro- and threo- α -allylated α -fluoro- β -hydroxy esters, (115) 55
- Diazo lamps
The direct synthesis of trifluoronitromethane, CF₃NO₂, (117) 181
- Dibenzoxazepine
Synthesis of polyfluorodibenz[*b,f*][1,4]oxazepines by the cyclization of 2-[(polyfluorobenzylidene)amino]phenols, (115) 91
- 2,3-Dibromo-2-trifluoromethyl-butanoate
Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, (113) 177
- Dicarboxamido anilines
A simple and facile method for the synthesis of novel 5/7 trifluoromethyl-substituted 4(3H)-quinazolone regioisomers, (118) 73
- 1,2-Dichloro-1,1,2-trifluoro-1-methoxyethane
Preparation and application of porous calcium fluoride—a novel fluorinating reagent and support of catalyst, (116) 65
- 1,1-Dicyano-2,2-bis(trifluoromethyl)ethylene
Synthesis and some heterocyclisation reactions of CF₂H- and CF₂Cl-substituted 1,1-dicyanoethylenes, (114) 63
- 2,6-Dicyanoanilines
A simple and facile method for the synthesis of novel 5/7 trifluoromethyl-substituted 4(3H)-quinazolone regioisomers, (118) 73
- 1,3-Dicyclohexylcarbodiimide
Preparation of acyl fluorides with hydrogen fluoride-pyridine and 1,3-dicyclohexylcarbodiimide, (115) 75
- Diels-Alder adducts
Pyrolysis reactions of 4-methyl-tetrafluorophenyl and pentafluorophenyl prop-2-enyl ethers: isomeric tetrahydroinden-1-ones from both intra-molecular Diels-Alder adducts of the Claisen rearrangement reaction from the 4-Me derivative. Mechanistic implications of a thermal retro $\pi 4s + \pi 2s$ reaction of one of the adducts and recyclications by $\pi 4s + \pi 2s$ and/or $\pi 2s + \pi 2a$ routes, (113) 123
- Diels-Alder reaction
Synthesis and reactivity of (1-fluorovinyl) phenyl sulfoxide as a dienophile, (118) 99
- Difluoramino radicals
Synthesis of 1,3-bis(*N,N*-difluoroamino)adamantane: addition of difluoramino radicals to 1,3-dehydroadamantane, (117) 103
- Difluorinated organics
A review of Mg metal-promoted C|F bond activation; a reliable synthetic approach to difluorinated organic compounds, (114) 127
- Difluorohomoallyl alcohol
Preparation of δ -fluorinated homoallylic alcohol derivatives via regioselective hydride reduction of allylic alcohol derivatives, (117) 143
- 2 α ,3 β -Difluoro-7-oxabicyclo[2.2.1]heptane-5 α ,6 α -sulfite
Fluorination of (+)-*chiro*-inositol with SF₄/HF to give 2 α ,3 β -difluoro-7-oxabicyclo[2.2.1]heptane-5 α ,6 α -sulfite, (115) 13
- Difunctional fluorination reagents
Synthesis of the first difunctional *N*-fluoro perfluoroalkylsulfonyl-imides, CF₃SO₂NFSO₂(CF₂)_{*n*}SO₂NFSO₂CF₃, (116) 45
- 1,4-Dihydropyrimidines
Synthesis and some heterocyclisation reactions of CF₂H- and CF₂Cl-substituted 1,1-dicyanoethylenes, (114) 63
- α,ω -Diiodoperfluorobutane
Unexpected selective monoadduct formation from 2-methyl-3-butyne-2-ol and α,ω -diiodoperfluorobutane, (113) 55
- β -Diketiminato ligands
Access to the structures of fluoromagnesium compounds: synthesis and structural characterization of the β -diketiminato magnesium fluoride [[CH(CMeNAr)₂]Mg(μ -F)(THF)]₂-toluene, (115) 143
- 1,3-Diketones
The regioselectivity of the formation of 2-pyrazolylthiazoles and their precursors from the reaction of 2-hydrazinethiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
- Dilithiation
Facile preparation and synthetic applications of LiCH₂C(CF₃)₂OLi, (117) 121
- 1,2-Dimethylhydrazine
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ¹H, ¹³C, ¹⁹F and ³⁵Cl NMR chemical shifts, (118) 69
- N,N*-dimethylperfluoroacylamides
Electrochemical fluorination of *N,N*-dimethylperfluoroacylamides, (113) 201
- N,N*-Dimethylperfluoroarylamines
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- Dimethylsulfoxonium methylene
Reactions of novel mono- and difluoroacetyltrialkylsilanes with sulfur and phosphorus ylides, (117) 207
- Diols
Nucleophilic fluorination of amino alcohols and diols using Deoxofluor, (116) 23
- 1,3-Diphenylisobenzofuran
Synthesis and reactivity of (1-fluorovinyl) phenyl sulfoxide as a dienophile, (118) 99
- 1,3-Dipolar cycloaddition
1,3-Dipolar cycloaddition of β -alkoxyvinyl trifluoromethylketones with aryl (or benzyl) azides. Synthesis of 4-trifluoroacetylated 1*H*-1,2,3-triazoles, (116) 81
- Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la *C,N*-diphénylnitroène avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
- Displacive transition
Role of metal fluoride octahedra in the mechanism of phase transitions in A₂BMF₆ elpasolites, (116) 9
- Di-*tert*-butylnitroxide
The molecular configuration of bis(trifluoromethyl)nitroxide (CF₃)₂NO|, (113) 51
- Dithiocarboxylic acids
1,1-Dihydropolyfluoroalkylsulfides—versatile synthons in fluororganic chemistry, (114) 157
- DMAD
Studies on inverse electron demand hetero Diels-Alder reaction of perfluoroalkyl 2(1*H*) pyridones with different dienophiles under microwave irradiation, (113) 133
- Drug delivery
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Drug
Important fluorinated drugs in experimental and clinical use, (118) 27
- DSC
Behavior of 10-(perfluorohexyl)-decanol, a partially fluorinated analog of hexadecanol, at the air-water interface, (117) 17
- Dyes
Melt-processable poly(tetrafluoroethylene)—compounding, fillers and dyes, (114) 133
- Dynamic NMR
On the structure of the perfluorinated F-4-ethyl-3,4-dimethyl-hexan-3-yl carbanion: a structural dynamic ¹⁹F-DNMR study, (113) 17

- E* and *Z* isomers
Polyfluorinated aryl nitrosamines, (114) 55
- Electrochemical fluorination
Cleavage path way and the product distribution pattern during the electrochemical perfluorination of tripropylamine, (115) 21
Electrochemical fluorination of *N,N*-dimethylperfluoroacrylamides, (113) 201
- Electrochemical fluorine doping
Property control of new forms of carbon materials by fluorination, (114) 181
- Electrochemical property
Electrochemical properties and structures of surface-fluorinated graphite for the lithium ion secondary battery, (114) 209
- Electrochemistry
Organoelement compounds in the electrochemical synthesis of fluorooorganics, (114) 225
Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoroniobate(V) and hexafluorotantalate(V), (115) 133
- Electron affinity
How anomalous are the anomalous properties of fluorine? Ionization energy and electron affinity revisited, (116) 35
- Electron paramagnetic resonance
The molecular configuration of bis(trifluoromethyl)nitroxide (CF₃)₂NO|, (113) 51
- Electronegativity
Fluorinated nitroxides as ESR probes of solvation, (116) 109
- Electrophilic fluorine
A new synthetic route to substituted 1-fluoro-1-cyclopropanecarboxylates, (114) 35
- Electrophilic substitution
The reaction of xenon difluoride with chloroform, (116) 71
- Electrostatic potential-derived charge
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Elimination
A new synthetic route to substituted 1-fluoro-1-cyclopropanecarboxylates, (114) 35
- Emulsion
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Enamine
Synthesis of fluoromethylated materials in ionic liquids, (115) 49
- Enamino ketones
Novel and facile synthesis of fluorinated enamino ketones and amino alcohols, (116) 87
- Enantiomer separation
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- Enantiopure bis(oxazoline) copper complexes
Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- Enflurane
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- Enol silyl ether
Reactions of novel mono- and difluoroacetyltrialkylsilanes with sulfur and phosphorus ylides, (117) 207
- Enones
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ¹H, ¹³C, ¹⁹F and ³⁵Cl NMR chemical shifts, (118) 69
Reaction of α -halogen substituted β -ethoxyvinyl trifluoromethyl ketones with 2-aminopyridine: new route to trifluoroacetyl-containing heterocycles, (117) 193
- Enthalpy of formation
Ab initio and density functional theory study of the enthalpies of formation of F₂SO_x and FCISO_x (*x* = 1, 2), (116) 135
- Entropy
Role of metal fluoride octahedra in the mechanism of phase transitions in A₂BMF₆ elpasolites, (116) 9
- Eschenmoser salt
Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (117) 161
- ESR
Fluorinated nitroxides as ESR probes of solvation, (116) 109
- Ester condensation
Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (117) 161
- Ester enol silyl ether
Simple procedure for preparation of α -fluoro esters by fluorination of ester enol silyl ethers with perchloryl fluoride, (117) 173
- Esterification
Synthesis, characterisation and mass spectrometric fragmentation of *O*-(chlorodifluoroacylated) alcohols, (113) 47
- Esters
Reactivite D' α -bromoacides et esters *F*-alkyles: synthese de *F*-alkyl acides ethanoiques et *F*-alkyl acides 3-fluoroprop-2-enoiques, (114) 47
- Ether oxidation
Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (117) 161
- Ethyl glyoxylate
Friedel–Crafts reaction catalyzed by perfluorinated rare earth metals, (116) 143
- Ethylperfluoroalkynoate
Easy synthesis of (*E*)- or (*Z*)-perfluorinated β -enaminoesters, (117) 35
- Extraction
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- F⁻ ion conductivity
¹⁹F NMR investigation of the Pb_{1-x}Mg_xF₂ solid solution, (113) 185
- F⁻ ion conductors
The nature of anionic clusters in anion excess fluorite-type oxidefluoride solid solutions in MF–BiF₃–BiOF systems (M = Na, K), (113) 37
- ¹⁹F NMR calculation
Calculations of ¹⁹F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121
- ¹⁹F NMR diffusion
¹⁹F NMR investigation of the Pb_{1-x}Mg_xF₂ solid solution, (113) 185
- ¹⁹F NMR shifts
The ¹⁹F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- ¹⁹F NMR spectroscopy
The nature of anionic clusters in anion excess fluorite-type oxidefluoride solid solutions in MF–BiF₃–BiOF systems (M = Na, K), (113) 37
2,6-Difluorophenylxenon(II)bis(fluorsulfonyl)amid-, -bis(trifluoromethylsulfonyl)amid-, -tris(fluorsulfonyl)methanid und -bis(trifluoromethylsulfonyl)methanid—neue C–Xe–N- und C–Xe–C-Verbindungen?, (113) 143
Low-temperature ¹⁹F NMR spectroscopy of 1-fluoro-1-lithioethenes. Stability, shifts and unexpected coupling constants, (113) 211
- ¹⁹F NMR
Synthesis, characterisation and mass spectrometric fragmentation of *O*-(chlorodifluoroacylated) alcohols, (113) 47
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ¹H, ¹³C, ¹⁹F and ³⁵Cl NMR chemical shifts, (118) 69
- ¹⁸F Positron emission tomography
Important fluorinated drugs in experimental and clinical use, (118) 27
- ¹⁸F
The effect of aromatic fluorine substitution in L-DOPA on the in vivo behaviour of [¹⁸F]2-, [¹⁸F]5- and [¹⁸F]6-fluoro-L-DOPA in the human brain, (115) 33

- ¹⁹F
The regioselectivity of the formation of 2-pyrazolylthiazoles and their precursors from the reaction of 2-hydrazinothiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
- FCISO
Ab initio and density functional theory study of the enthalpies of formation of F₂SO_x and FCISO_x (x = 1, 2), (116) 135
- FCISO₂
Ab initio and density functional theory study of the enthalpies of formation of F₂SO_x and FCISO_x (x = 1, 2), (116) 135
- Ferroelastics
Role of metal fluoride octahedra in the mechanism of phase transitions in A₂BMF₆ elpasolites, (116) 9
- Finkelstein reaction
Direct synthesis of polyfluorinated allyl halides from fluoroolefins and AlX₃ (X = Cl, Br), (117) 23
- Fire fighting foams
Fluorinated surfactants: synthesis, properties, effluent treatment, (114) 149
- Flavour
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- Fluoride ion affinity
The direct synthesis of trifluoronitromethane, CF₃NO₂, (117) 181
- Fluoride ion
The ¹⁹F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Fluoride removal
Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41
- Fluoride
¹⁹F NMR investigation of the Pb_{1-x}Mg_xF₂ solid solution, (113) 185
Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41
Access to the structures of fluoromagnesium compounds: synthesis and structural characterization of the β-diketiminato magnesium fluoride [{CH(CMeNAr)₂Mg(μ-F)(THF)}₂-toluene], (115) 143
Ammonium hexafluorosilicate salts, (115) 155
- Fluorinated acetylsilanes
Reactions of novel mono- and difluoroacetyltrialkylsilanes with sulfur and phosphorus ylides, (117) 207
- Fluorinated amide
Reaction between alkyl isocyanides and 1,1,1,5,5,5-hexafluoropentane-2,4-dione in the presence of water: one-pot synthesis of highly fluorinated γ-dihydroxy-α-hydroxy amides and γ-keto-α-hydroxy amides, (116) 93
- Fluorinated anesthetics
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- Fluorinated carbanion
Low-temperature ¹⁹F NMR spectroscopy of 1-fluoro-1-lithioethenes. Stability, shifts and unexpected coupling constants, (113) 211
- Fluorinated carbenoid
Low-temperature ¹⁹F NMR spectroscopy of 1-fluoro-1-lithioethenes. Stability, shifts and unexpected coupling constants, (113) 211
- Fluorinated colloid
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Fluorinated cyclopropanecarboxylates
Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- Fluorinated dipolarophiles
Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la C,N-diphénylnitrone avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
- Fluorinated α-enamino ketones
Reaction of α-halogen substituted β-ethoxyvinyl trifluoromethyl ketones with 2-aminopyridine: new route to trifluoroacetyl-containing heterocycles, (117) 193
- Fluorinated ethylenic compounds
Etude théorique par la méthode DFT des structures non-classiques des systèmes X₂H₂F₂ (X = Si, Ge, Sn), (114) 17
- Fluorinated fluids
Thermodynamic and other physical properties of several hydrofluorocompounds, (118) 149
- Fluorinated ketones
1,1-Dihydropolyfluoroalkylsulfides—versatile synthons in fluororganic chemistry, (114) 157
- Fluorinated metabolites
Syntheses of 6-fluoro-*meta*-tyrosine and of its metabolites, (115) 27
- Fluorinated nitroxide
Fluorinated nitroxides as ESR probes of solvation, (116) 109
- Fluorinated phencyclidine analogs
Syntheses of fluorinated phencyclidine analogs, (114) 39
- Fluorinated phosphonates
The preparation of α,α-difluoropropargylphosphonates, (116) 15
- Fluorinated polyetherimide
Synthesis of aliphatic diamine and polyetherimide with long perfluoroalkyl side chain, (117) 27
- Fluorinated surfactant
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Fluorinated ylides
Fluorinated phosphonium ylides: versatile in situ Wittig intermediates in the synthesis of hydrofluorocarbons, (116) 75
Convenient synthesis of methyl 4-carboethoxy-3-perfluoroalkyl-5-methoxyhexa-2,4-dienoates, (116) 117
- Fluorinated
Behavior of 10-(perfluorohexyl)-decanol, a partially fluorinated analog of hexadecanol, at the air–water interface, (117) 17
- Fluorinated-alkylmethyldiamines
Synthesis of aliphatic diamine and polyetherimide with long perfluoroalkyl side chain, (117) 27
- Fluorination agent
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Fluorination by elemental fluorine
Property control of new forms of carbon materials by fluorination, (114) 181
- Fluorination
Fluorination in superacids: a novel access to biologically active compounds, (114) 139
Fluorination of (+)-*chiro*-inositol with SF₄/HF to give 2α,3β-difluoro-7-oxabicyclo[2.2.1]heptane-5α,6α-sulfite, (115) 13
Selective formation of C₆₀F₁₈(g) and C₆₀F₃₆(g) by reaction of [60]fullerene with molecular fluorine, (113) 219
Synthesis of fluorinated heterocycles, (118) 135
- Fluorine compounds
The preparation of α,α-difluoropropargylphosphonates, (116) 15
- Fluorine substitution
1-Vinyl-1,2,2,3,3-pentafluorocyclopropane: an extraordinarily rapid vinylcyclopropane rearrangement, (117) 199
The effect of fluorine substitution on the structure of oxiranes and on the energetics of the oxiranylcarbonyl radical ring opening, (114) 107
- Fluorine
Perfluorocarbon–hydrocarbon self-assembly. Part 16. ¹⁹F NMR study of the halogen bonding between halo-perfluorocarbons and heteroatom containing hydrocarbons, (114) 27
Fluorine in optics, (114) 113
Fluorinated surfactants: synthesis, properties, effluent treatment, (114) 149

- Practice of fluorous biphasic chemistry: convenient synthesis of novel fluorophilic ethers via a Mitsunobu reaction, (114) 199
- Trifluoromethylation of carbon and boron with $\text{CF}_3\text{SiMe}_3/\text{NMe}_4\text{F}$: formation of $\text{NMe}_4[\text{trans-CF}_3|\text{CF}|\text{CFB}(\text{CF}_3)_3]$, (115) 115
- Statistical and theoretical studies of fluorophilicity, (115) 119
- Selective direct fluorination of quinoline derivatives, (117) 99
- Important fluorinated drugs in experimental and clinical use, (118) 27
- α -Fluoro ester
- Simple procedure for preparation of α -fluoro esters by fluorination of ester enol silyl ethers with perchloryl fluoride, (117) 173
- Fluoroacetimidoyl chlorides
- Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- Fluoroalkenes
- New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Fluoroalkoxide
- New synthesis of polyfluorodiols: nine new derivatives of $\text{HOC}(\text{2-OH-C}_6\text{H}_4)(\text{CF}_3)_2$, (118) 103
- Fluoroalkyl methacrylate
- 2,4,4,5,7,7,8,8,9,9,9-Undecafluoro-2,5-bis(trifluoromethyl)-3,6-dioxanonyl methacrylate, (114) 51
- Fluoroallenes
- Synthesis and X-ray information of substituted *gem*-difluoroallenyl amines, (117) 131
- 1-Fluorobicyclo[2.2.1]heptanes
- A simple method for the displacement of bromine by fluorine at tertiary, benzylic or non-classical secondary sites, (117) 177
- Fluorocarbanion
- Calculations of ^{19}F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121
- Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147
- 1-Fluoro-1-cyclopropanecarboxylates
- A new synthetic route to substituted 1-fluoro-1-cyclopropanecarboxylates, (114) 35
- Fluoro electrophiles
- The first *N*-alkyl-*N'*-polyfluorohetaryl sulfur diimide, (115) 165
- Fluoro-elpasolites
- Role of metal fluoride octahedra in the mechanism of phase transitions in A_2BMF_6 elpasolites, (116) 9
- Fluoroethene
- Calculations of ^{19}F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121
- Fluoroethylolithium
- Calculations of ^{19}F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121
- Low-temperature ^{19}F NMR spectroscopy of 1-fluoro-1-lithioethenes. Stability, shifts and unexpected coupling constants, (113) 211
- Fluorofullerenes
- Selective formation of $\text{C}_{60}\text{F}_{18}(\text{g})$ and $\text{C}_{60}\text{F}_{36}(\text{g})$ by reaction of [60]fullerene with molecular fluorine, (113) 219
- Fluorohalocarbanion
- Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147
- Fluorohalolithiomethane
- Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147
- Fluorohalomethylolithium
- Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147
- Fluorohomoallyl alcohol
- Preparation of δ -fluorinated homoallylic alcohol derivatives via regioselective hydride reduction of allylic alcohol derivatives, (117) 143
- Fluoroimidazoles
- Syntheses of *E*- and *Z*- and 4-fluorourocanic acids, (115) 137
- Fluoro-L-DOPA
- The effect of aromatic fluorine substitution in L-DOPA on the in vivo behaviour of ^{18}F 2-, ^{18}F 5- and ^{18}F 6-fluoro-L-DOPA in the human brain, (115) 33
- 1-Fluoro-1-lithioalkene
- Low-temperature ^{19}F NMR spectroscopy of 1-fluoro-1-lithioethenes. Stability, shifts and unexpected coupling constants, (113) 211
- Fluorolithioethene
- Calculations of ^{19}F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121
- Fluorolithiomethane
- Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147
- 2-Fluoro-4-methoxymethylbenzyl (\pm)-*cis*-permethrinates
- Syntheses of 4-methoxymethylbenzyl permethrinates containing fluorine and their insecticidal activity, (116) 173
- 3-Fluoro-4-methoxymethylbenzyl (\pm)-*cis*-permethrinates
- Syntheses of 4-methoxymethylbenzyl permethrinates containing fluorine and their insecticidal activity, (116) 173
- Fluoromethylolithium
- Equilibrium structures of isolated (halogenated) fluorolithio-methanes, (113) 147
- Fluoroolefins
- Fluorinated phosphonium ylides: versatile in situ Wittig intermediates in the synthesis of hydrofluorocarbons, (116) 75
- Fluorophenylxenon
- 2,6-Difluorophenylxenon(II)bis(fluorsulfonyl)amid-, -bis(trifluoromethylsulfonyl)amid-, -tris(fluorsulfonyl)methanid und -bis(trifluoromethylsulfonyl)methanid—neue C–Xe–N- und C–Xe–C-Verbindungen?, (113) 143
- Fluorophilic
- Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
- N*-Fluorosulfonyl imides
- Synthesis of the first difunctional *N*-fluoro perfluoroalkylsulfonylimides, $\text{CF}_3\text{SO}_2\text{NFSO}_2(\text{CF}_2)_n\text{SO}_2\text{NFSO}_2\text{CF}_3$, (116) 45
- Fluorosurfactant
- Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- 3-Fluorotetrahydrofuran-3-carboxylate
- Stereoselective synthesis of 3-fluorotetrahydrofuran-3-carboxylate derivatives via the intramolecular cyclization reaction of erythro- and threo- α -allylated α -fluoro- β -hydroxy esters, (115) 55
- Fluorous biphasic catalysis
- Fluorous phase chemistry: a new industrial technology, (118) 3
- Fluorous partition coefficient
- Statistical and theoretical studies of fluorophilicity, (115) 119
- Fluorous synthesis
- Fluorous phase chemistry: a new industrial technology, (118) 3
- Fluorous
- Fluorous phase chemistry: a new industrial technology, (118) 3
- Fluorovinyl amides
- Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- Fluorovinyl phosphonates
- Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- (1-Fluorovinyl) phenyl sulfoxide
- Synthesis and reactivity of (1-fluorovinyl) phenyl sulfoxide as a dienophile, (118) 99
- Fluorovinylolithium
- Low-temperature ^{19}F NMR spectroscopy of 1-fluoro-1-lithioethenes. Stability, shifts and unexpected coupling constants, (113) 211

- FMO analysis
Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la *C,N*-diphénylnitronne avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
- ¹⁹F-NMR chemical shift
Influence of the nature of the solvent on the ¹⁹F chemical shift of the [BF₄][−] anion, (116) 41
- Fomblin
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (118) 81
- Fragrance
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- Free fluoride ion
¹⁹F-NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193
- Free radical
A new route for synthesizing cholesterol analogs with fluorocarbon side chains and their liquid-crystalline aliphatic esters, (113) 13
- Freezing out of rotations
On the structure of the perfluorinated F-4-ethyl-3,4-dimethyl-hexan-3-yl carbanion: a structural dynamic ¹⁹F-DNMR study, (113) 17
- Friedel–Crafts reaction
Friedel–Crafts reaction catalyzed by perfluorinated rare earth metals, (116) 143
- F₂SO
Ab initio and density functional theory study of the enthalpies of formation of F₂SO_x and FClSO_x (x = 1, 2), (116) 135
- F₂SO₂
Ab initio and density functional theory study of the enthalpies of formation of F₂SO_x and FClSO_x (x = 1, 2), (116) 135
- ¹⁹F-solid state NMR
¹⁹F-NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193
- FTIR
Chemistry and key structural features of oxyhydroxy-fluorides: relationships with the acidic character, thermal stability and surface area, (114) 229
- Fullerene C₆₀
Property control of new forms of carbon materials by fluorination, (114) 181
- Functional macromolecules
Perfluoropolyether functional oligomers: unusual reactivity in organic chemistry, (118) 107
- Functionalized fluoromonomers
New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Gas chromatography
New synthesis of polyfluorodiols: nine new derivatives of HOC(2-OH-C₆H₄)(CF₃)₂, (118) 103
- Gas supply
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Gas-phase ¹⁹F NMR
1-Vinyl-1,2,2,3,3-pentafluorocyclopropane: an extraordinarily rapid vinylcyclopropane rearrangement, (117) 199
- Gaussian-2
Theoretical calculation of heat of formation for a number of moderate sized fluorinated compounds, (117) 47
- Gel
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- 1,1-*gem*-Dialkylperfluoroalkylamines
Facile synthesis of 1,1-*gem*-dialkylperfluoroalkylamines, (117) 9
- Global warming
CFC phase-out: have we met the challenge?, (114) 237
- GPC
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (118) 81
- Graphite electrode
Electrochemical properties and structures of surface-fluorinated graphite for the lithium ion secondary battery, (114) 209
- Grignard reaction
Syntheses of fluorinated pencyclidine analogs, (114) 39
Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
- ¹H and ¹³C NMR
Study of the interaction of KF with carbohydrates in DMSO-d₆ by ¹H and ¹³C NMR spectroscopy, (113) 7
- ¹H NMR
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ¹H, ¹³C, ¹⁹F and ³⁵Cl NMR chemical shifts, (118) 69
- 2(1H) pyridones
A novel approach to the synthesis of 5-trifluoromethyl-3-substituted pyrazoles, (115) 9
- 4(3H)-Quinazolones
A simple and facile method for the synthesis of novel 5/7 trifluoromethyl-substituted 4(3H)-quinazolone regioisomers, (118) 73
- ¹H
The regioselectivity of the formation of 2-pyrazolylthiazoles and their precursors from the reaction of 2-hydrazinothiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
- Hagemann's ester
Trifluoro analog of Hagemann's ester: access to angularly CF₃-substituted heterobicyclic compounds, (117) 137
- Halogen bonding
Perfluorocarbon–hydrocarbon self-assembly. Part 16. ¹⁹F NMR study of the halogen bonding between halo-perfluorocarbons and heteroatom containing hydrocarbons, (114) 27
- Halogens
How anomalous are the anomalous properties of fluorine? Ionization energy and electron affinity revisited, (116) 35
- Halothane
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- Heat of formation
Theoretical calculation of heat of formation for a number of moderate sized fluorinated compounds, (117) 47
- Hemin with fluorides
Mechanochemical reactions of fluorides with hemin, (113) 1
- Hemoglobin
Mechanochemical reactions of fluorides with hemin, (113) 1
- 1,1,2,2,3,3,4-Heptafluorocyclopentane
Preparation and application of porous calcium fluoride—a novel fluorinating reagent and support of catalyst, (116) 65
- 2,3,3,4,4,5,5-Heptafluoro-1-trifluoromethyl-1,2-epoxycyclopentane
Unusual conversion of perfluoromethylepoxycyclopentane into a linear β-aminovinylketone by C–C bond cleavage, (113) 101
- N*-heterocycles
1,1-Dihydropolyfluoroalkylsulfides—versatile synthons in fluororganic chemistry, (114) 157
- Heterocycles
Trifluoro analog of Hagemann's ester: access to angularly CF₃-substituted heterobicyclic compounds, (117) 137
- Hexadecanol
Behavior of 10-(perfluorohexyl)-decanol, a partially fluorinated analog of hexadecanol, at the air–water interface, (117) 17
- Hexadienoates
Convenient synthesis of methyl 4-carboethoxy-3-perfluoroalkyl-5-methoxyhexa-2,4-dienoates, (116) 117

- 1,1,1,5,5,5-Hexafluoropentane-2,4-dione
Reaction between alkyl isocyanides and 1,1,1,5,5,5-hexafluoropentane-2,4-dione in the presence of water: one-pot synthesis of highly fluorinated γ -dihydroxy- α -hydroxy amides and γ -keto- α -hydroxy amides, (116) 93
- Hexafluoroniobate
Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoroniobate(V) and hexafluorotantalate(V), (115) 133
- Hexafluoropropene-1,2-oxide
Methyl 3,3,3-trifluoropyruvate: an improved procedure starting from hexafluoropropene-1,2-oxide; identification of byproducts, (115) 67
- Hexafluorosilicate
Ammonium hexafluorosilicate salts, (115) 155
- Hexafluorotantalate
Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoroniobate(V) and hexafluorotantalate(V), (115) 133
- Hexagonal-tungsten-bronze
Chemistry and key structural features of oxyhydroxy-fluorides: relationships with the acidic character, thermal stability and surface area, (114) 229
- 1,1,1,3,3,3-Hexamethyldisilazane
Convenient synthesis of α -trifluoromethyl amines via aminofluoroalkylation of arenes with *N*-trimethylsilyl α -trifluoroacetaldehyde hemiaminal, (116) 103
- HF/pyridine
Exploratory study of the reaction of bis(2-methoxyethyl)aminosulfur trifluoride (DeoxofluorTM reagent) with diaryl sulfoxides: novel routes to Ar₂SF₂ and Ar₂SF(OTf) via sulfoxide activation, (115) 169
- HF
Coordination compounds with XeF₂, AsF₃ and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, (114) 143
- HFC-134a
Medical aerosol propellants, (118) 35
- HFC-227ea
Medical aerosol propellants, (118) 35
- HFCs
Artificial neural network study for the estimation of the C–H bond dissociation enthalpies, (116) 163
- HFES
Artificial neural network study for the estimation of the C–H bond dissociation enthalpies, (116) 163
- High temperature water
Synthesis of trifluoroethyl ethers from 2,2,2-trifluoroethyl chloride (HCFC-133a) in high temperature aqueous medium, (113) 79
- Homonuclear dipolar interaction
¹⁹F-NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193
- Horner–Emmons reaction
Reactions of novel mono- and difluoroacetyltrialkylsilanes with sulfur and phosphorus ylides, (117) 207
- Horner–Wadsworth–Emmons olefination
Syntheses of *E*- and *Z*-2- and 4-fluorourocenic acids, (115) 137
- HPLC standards
Syntheses of 6-fluoro-*meta*-tyrosine and of its metabolites, (115) 27
- HPLC
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- HRMS and MS
New pentafluoro- λ^6 -sulfanyl (SF₅) perfluoroalkyl benzene derivatives, (114) 3
- 2-Hydrazinothiazoles
The regioselectivity of the formation of 2-pyrazolythiazoles and their precursors from the reaction of 2-hydrazinothiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
- Hydrochlorofluorocarbon
CFC phase-out: have we met the challenge?, (114) 237
- Hydrofluorocarbon
CFC phase-out: have we met the challenge?, (114) 237
Thermodynamic and other physical properties of several hydrofluorocompounds, (118) 149
- Hydrofluoroethers
Thermodynamic and other physical properties of several hydrofluorocompounds, (118) 149
- Hydrofluoropolyethers
Thermodynamic and other physical properties of several hydrofluorocompounds, (118) 149
- Hydrogen bonding
Ammonium hexafluorosilicate salts, (115) 155
Study of the interaction of KF with carbohydrates in DMSO-*d*₆ by ¹H and ¹³C NMR spectroscopy, (113) 7
- Hydrogen fluoride-pyridine
Preparation of acyl fluorides with hydrogen fluoride-pyridine and 1,3-dicyclohexylcarbodiimide, (115) 75
- Hydrogen peroxide
Photochemical induced polymerization of vinylidene fluoride (VDF) with hydrogen peroxide to obtain original telechelic PVDF, (116) 27
- Hydrolysis
Simple access to novel β -hydroxy- β -trifluoromethyl imines, (113) 105
- Hydrophobic non-porous films
Synthesis of aliphatic diamine and polyetherimide with long perfluoroalkyl side chain, (117) 27
- β -Hydroxy- β -trifluoromethyl imines
Simple access to novel β -hydroxy- β -trifluoromethyl imines, (113) 105
- Hypervalent
The reaction of xenon difluoride with chloroform, (116) 71
- Imidazolium
Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoroniobate(V) and hexafluorotantalate(V), (115) 133
- Imines
Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- Imino ketones
Novel and facile synthesis of fluorinated enamino ketones and amino alcohols, (116) 87
- Inorganic oxide fluoride
Poly(vinylidene fluoride) as a reagent for the synthesis of K₂NiF₄-related inorganic oxide fluorides, (117) 43
- Inositols
Fluorination of (+)-*chiro*-inositol with SF₄/HF to give 2 α ,3 β -difluoro-7-oxabicyclo[2.2.1]heptane-5 α ,6 α -sulfite, (115) 13
- Insecticidal activity
Syntheses and insecticidal activity of new 2-(5-(trifluoromethyl)pyridyloxymethyl)-1,3,4-oxadiazoles, (117) 63
- Intramolecular cyclization
Stereoselective synthesis of 3-fluorotetrahydrofuran-3-carboxylate derivatives via the intramolecular cyclization reaction of erythro- and threo- α -allylated α -fluoro- β -hydroxy esters, (115) 55
- Intramolecular rearrangement
Unusual conversion of perfluoromethylepoxycyclopentane into a linear β -aminovinylketone by C–C bond cleavage, (113) 101
- Intraparticle diffusion
Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41
- Iodoetherification
Stereoselective synthesis of 3-fluorotetrahydrofuran-3-carboxylate derivatives via the intramolecular cyclization reaction of erythro- and threo- α -allylated α -fluoro- β -hydroxy esters, (115) 55
- Ionic liquid
Synthesis of fluoromethylated materials in ionic liquids, (115) 49

- Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoroniobate(V) and hexafluorotantalate(V), (**115**) 133
- Ionization energy
How anomalous are the anomalous properties of fluorine? Ionization energy and electron affinity revisited, (**116**) 35
- IR and NMR spectroscopy
New pentafluoro- λ^6 -sulfanyl (SF₅) perfluoroalkyl benzene derivatives, (**114**) 3
- IR
Fluorine in optics, (**114**) 113
- Isocyanates
1-Aryl-1-chloro-2,2,2-trifluoroethylisocyanates—convenient reagents for synthesis of 2-aryl-2-trifluoromethyl-2,3-dihydro-4H-benzo[e][1,3]oxazin-4-ones, (**116**) 97
- Isoflurane
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (**118**) 47
- Isomerization
1-Aryl-1-chloro-2,2,2-trifluoroethylisocyanates—convenient reagents for synthesis of 2-aryl-2-trifluoromethyl-2,3-dihydro-4H-benzo[e][1,3]oxazin-4-ones, (**116**) 97
- 2-Isopropyl-acetophenone imine
Unusual conversion of perfluoromethylepoxycyclopentane into a linear β -aminovinylketone by C–C bond cleavage, (**113**) 101
- Isoquinolinium *N*-ylides
Regiospecific synthesis of perfluoroalkylated pyrrolo[2,1-*a*]isoquinolinyl phosphonates, (**116**) 157
- Isoxazole
Synthesis of fluorinated heterocycles, (**118**) 135
- Johnson–Claisen rearrangement
Trifluoro analog of Hagemann's ester: access to angularly CF₃-substituted heterobicyclic compounds, (**117**) 137
- Ketenedithioacatales
1,1-Dihydropolyfluoroalkylsulfides—versatile synthons in fluororganic chemistry, (**114**) 157
- Ketimines
Novel and facile synthesis of fluorinated enamino ketones and amino alcohols, (**116**) 87
- β -Ketoiminato ligand
Synthesis and structure of a new fluorinated β -ketoiminato ligand and its lithium derivative, (**118**) 131
- Ketones
Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (**117**) 161
- Kinases
Important fluorinated drugs in experimental and clinical use, (**118**) 27
- Kinetics of copolymerization
New approaches to the synthesis of functionalized fluorine-containing polymers, (**114**) 171
- Kinetics
1-Vinyl-1,2,2,3,3-pentafluorocyclopropane: an extraordinarily rapid vinylcyclopropane rearrangement, (**117**) 199
Investigation of perfluoroperoxy radicals self-coupling reactions by kinetic EPR spectroscopy, (**114**) 9
- K₂NiF₄
Poly(vinylidene fluoride) as a reagent for the synthesis of K₂NiF₄-related inorganic oxide fluorides, (**117**) 43
- Krytox
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (**118**) 81
- Lactones
Synthesis of trifluoromethylated γ - and β -lactones through the palladium-catalyzed cyclocarbonylation, (**114**) 177
- Langmuir isotherms
Behavior of 10-(perfluorohexyl)-decanol, a partially fluorinated analog of hexadecanol, at the air–water interface, (**117**) 17
- Lanthanoid tetrafluorides
Room temperature syntheses of lanthanoid tetrafluorides (LnF₄, Ln = Ce, Pr, Tb), (**118**) 127
- Laser
Fluorine in optics, (**114**) 113
- L-DOPA
The effect of aromatic fluorine substitution in L-DOPA on the in vivo behaviour of [¹⁸F]2-, [¹⁸F]5- and [¹⁸F]6-fluoro-L-DOPA in the human brain, (**115**) 33
- Lewis acids
Pentafluorophenylboron halides: 40 years later, (**115**) 1
- Ligands to metal ions
Coordination compounds with XeF₂, AsF₃ and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, (**114**) 143
- Line width
¹⁹F-NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (**115**) 193
- Linear extrapolation
How anomalous are the anomalous properties of fluorine? Ionization energy and electron affinity revisited, (**116**) 35
- Liposome
Blood substitutes and other potential biomedical applications of fluorinated colloids, (**114**) 119
- Liquid crystals
A new route for synthesizing cholesterol analogs with fluorocarbon side chains and their liquid-crystalline aliphatic esters, (**113**) 13
- Liquid surface tension
Fluorinated surfactants: synthesis, properties, effluent treatment, (**114**) 149
- Liquid–liquid extraction
Fluorous phase chemistry: a new industrial technology, (**118**) 3
- Lithium cells
Property control of new forms of carbon materials by fluorination, (**114**) 181
- Lithium ion battery
Electrochemical properties and structures of surface-fluorinated graphite for the lithium ion secondary battery, (**114**) 209
- Lithiumaluminum hydride
Preparation of δ -fluorinated homoallylic alcohol derivatives via regioselective hydride reduction of allylic alcohol derivatives, (**117**) 143
- Low-temperature fluorination
Poly(vinylidene fluoride) as a reagent for the synthesis of K₂NiF₄-related inorganic oxide fluorides, (**117**) 43
- Lubricant
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (**118**) 81
- LUMO energy
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (**117**) 149
- Magic angle spinning
¹⁹F NMR characterization of electron beam irradiated vinylidene fluoride–trifluoroethylene copolymers, (**113**) 27
- Magnesium
A review of Mg metal-promoted C|F bond activation; a reliable synthetic approach to difluorinated organic compounds, (**114**) 127
Access to the structures of fluoromagnesium compounds: synthesis and structural characterization of the β -diketiminato magnesium fluoride [{CH(CMeNAr)₂}Mg(μ -F)(THF)]₂-toluene, (**115**) 143
- Magnetic recording
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (**118**) 81

- MALDI–TOF–MS
Molecular structure investigations on fluorine containing polyazomethines by means of the MALDI–TOF–MS technique, (113) 85
- Manganese fluorides
Selective formation of $C_{60}F_{18}(g)$ and $C_{60}F_{36}(g)$ by reaction of [60]fullerene with molecular fluorine, (113) 219
Room temperature syntheses of MnF_3 , MnF_4 and hexafluoromanganate(IV) salts of alkali cations, (114) 75
- MAS ^{19}F NMR spectra of $N(CH_3)_4F$ and $P(CH_3)_4F$
The ^{19}F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Mass spectrometric fragmentation
Synthesis, characterisation and mass spectrometric fragmentation of *O*-(chlorodifluoroacetylated) alcohols, (113) 47
- Mass spectrometry
Fluorinated surfactants: synthesis, properties, effluent treatment, (114) 149
New synthesis of polyfluorodiols: nine new derivatives of $HOC(2-OH-C_6H_4)(CF_3)_2$, (118) 103
- Mass transfer
Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41
- Mechanochemical reactions
Mechanochemical reactions of fluorides with hemin, (113) 1
- Meerwein salt
Synthesis and structure of a new fluorinated β -ketoiminato ligand and its lithium derivative, (118) 131
- Melt-processing
Melt-processable poly(tetrafluoroethylene)—compounding, fillers and dyes, (114) 133
- 2-Mercaptothiazole
Preparation, characterization and thiol–thione tautomeric studies of 2-thiono-4-methyl-5-(2,2,2-trifluoro-1-trifluoromethylethyl)-1,3-thiazoline, (117) 185
- Merz–Kollman–Singh scheme
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Metered Dose Inhaler
Medical aerosol propellants, (118) 35
- Methoxybenzene
Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227
- Methyl 2,3,3,3-tetrafluoro-2-methoxypropanoate
Methyl 3,3,3-trifluoropyruvate: an improved procedure starting from hexafluoropropene-1,2-oxide; identification of byproducts, (115) 67
- Methyl 3,3,3-trifluoropyruvate hemiacetal
Methyl 3,3,3-trifluoropyruvate: an improved procedure starting from hexafluoropropene-1,2-oxide; identification of byproducts, (115) 67
- Methyl 3,3,3-trifluoropyruvate preparation
Methyl 3,3,3-trifluoropyruvate: an improved procedure starting from hexafluoropropene-1,2-oxide; identification of byproducts, (115) 67
- Methyl 3,3,3-trifluoropyruvate
Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, (113) 177
- Methyl chlorodifluoroacetate
Preparation and application of porous calcium fluoride—a novel fluorinating reagent and support of catalyst, (116) 65
- Methyl 3-perfluoroalkyl-2-propiolates
Convenient synthesis of methyl 4-carboethoxy-3-perfluoroalkyl-5-methoxyhexa-2,4-dienoates, (116) 117
- Methylbenzophenone
Bismuth(III) bis(trifluoromethanesulfonyl)amide, (116) 129
- Methyldiphenyl sulfone
Bismuth(III) bis(trifluoromethanesulfonyl)amide, (116) 129
- Methylphosphonic acid fluoride
1,1,3,3,3-Pentafluoro-2-pentafluorophenyl-1,2-epoxypropane and trimethylphosphite: unusual 1,4-dioxan-2,5-dione ring formation, (114) 99
- Methylthiobenzene
Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227
- Micela addition
Synthesis of fluoromethylated materials in ionic liquids, (115) 49
- Mitsunobu reaction
Practice of fluorous biphasic chemistry: convenient synthesis of novel fluorophilic ethers via a Mitsunobu reaction, (114) 199
- Molecular complexes
Molecular complexes of octafluoronaphthalene with acyclic and heterocyclic sulfur–nitrogen compounds, (116) 149
- Molecular fluorine
Selective formation of $C_{60}F_{18}(g)$ and $C_{60}F_{36}(g)$ by reaction of [60]fullerene with molecular fluorine, (113) 219
- Molecular mechanism
Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la *C,N*-diphénylnitronne avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
- Molecular properties
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Molecular structure
On the structure of the perfluorinated F-4-ethyl-3,4-dimethylhexan-3-yl carbanion: a structural dynamic ^{19}F -DNMR study, (113) 17
- Monoadduct
Unexpected selective monoadduct formation from 2-methyl-3-butyn-2-ol and α,ω -diiodoperfluorobutane, (113) 55
- Monodentate
Fluorophenylantimony carboxylates(II): synthetic and spectroscopic studies (UV, IR, 1H , ^{19}F and ^{13}C NMR) of pentafluorophenylantimony(V) di- and tetracarboxylates, (113) 155
- Mono-fluorinated building block
Synthesis and reactivity of (1-fluorovinyl) phenyl sulfoxide as a dienophile, (118) 99
- Montreal Protocol
CFC phase-out: have we met the challenge?, (114) 237
- Multifunctional groups compound
Synthesis of perfluoroalkyl-containing multifunctional groups compounds for textile finishing, (113) 139
- Multiwall carbon nanotubes
Property control of new forms of carbon materials by fluorination, (114) 181
- Mutarotation
Study of the interaction of KF with carbohydrates in $DMSO-d_6$ by 1H and ^{13}C NMR spectroscopy, (113) 7
- ^{15}N enriched
The direct synthesis of trifluoronitromethane, CF_3NO_2 , (117) 181
- N-adducts
Studies on inverse electron demand hetero Diels–Alder reaction of perfluoroalkyl 2(1H) pyridones with different dienophiles under microwave irradiation, (113) 133
- Naked fluoride
The ^{19}F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Natural
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55

- Nature of anomalies
How anomalous are the anomalous properties of fluorine? Ionization energy and electron affinity revisited, (116) 35
- NBO analysis
Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227
- Nitration
Perfluorinated rare earth metals catalyzed nitration of aromatic compounds, (113) 207
- Nitric and sulphuric acids
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- Nitrogen heterocycles
New strategies in the synthesis of regioselectively trifluoromethyl- and trifluoromethoxy-substituted arenes as building blocks for biologically active molecules, (117) 167
- N*-Nitro-*N*-methylperfluoroarylamines
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- Nitrene
Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la *C,N*-diphénylnitrene avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
- Nitronium tetrafluoroborate
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- Nitrosation
Polyfluorinated arylnitrosamines, (114) 55
- N*-nitroso-*N*-*n*-butyl-
Polyfluorinated arylnitrosamines, (114) 55
- N*-nitroso-*N*-*t*-butylperfluoroarylamines
Polyfluorinated arylnitrosamines, (114) 55
- N*-nitroso-*N*-methyl-
Polyfluorinated arylnitrosamines, (114) 55
- N*-Nitroso-*N*-methylperfluoroarylamines
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- Nitrous acid
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- NMR data
Trifluoromethylation of carbon and boron with $\text{CF}_3\text{SiMe}_2/\text{NMe}_2\text{F}$: formation of $\text{NMe}_4[\text{trans-CF}_3\text{CF}(\text{CF}_3)_3]$, (115) 115
- NMR spectroscopy
Cationoid rearrangements in reactions of perfluoro-1-arylbenzocyclobutenes with antimony pentafluoride, (117) 73
A new application of (polyfluoroorgano)trifluoroborate salts: the palladium-catalysed cross-coupling reaction with substituted benzene-diazonium tetrafluoroborates, (117) 115
- NMR
Ammonium hexafluorosilicate salts, (115) 155
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ^1H , ^{13}C , ^{19}F and ^{35}Cl NMR chemical shifts, (118) 69
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (118) 81
- Non-classical resonance stabilization
A simple method for the displacement of bromine by fluorine at tertiary, benzylic or non-classical secondary sites, (117) 177
- Noncovalent interactions
Perfluorocarbon–hydrocarbon self-assembly. Part 16. ^{19}F NMR study of the halogen bonding between halo-perfluorocarbons and heteroatom containing hydrocarbons, (114) 27
- N*-substituted 2(1H) pyridones
Studies on inverse electron demand hetero Diels–Alder reaction of perfluoroalkyl 2(1H) pyridones with different dienophiles under microwave irradiation, (113) 133
- Nuclear magnetic resonance
 ^{19}F NMR characterization of electron beam irradiated vinylidene fluoride–trifluoroethylene copolymers, (113) 27
Perfluorocarbon–hydrocarbon self-assembly. Part 16. ^{19}F NMR study of the halogen bonding between halo-perfluorocarbons and heteroatom containing hydrocarbons, (114) 27
Photochemical induced polymerization of vinylidene fluoride (VDF) with hydrogen peroxide to obtain original telechelic PVDF, (116) 27
- Nucleophiles
Synthesis and X-ray information of substituted *gem*-difluoroallenyl amines, (117) 131
- Nucleophilic addition
Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Nucleophilic fluorination
Nucleophilic fluorination of amino alcohols and diols using Deoxo-fluor, (116) 23
- Octafluoronaphthalene
Molecular complexes of octafluoronaphthalene with acyclic and heterocyclic sulfur–nitrogen compounds, (116) 149
- Oligomers
Molecular structure investigations on fluorine containing polyazomethines by means of the MALDI–TOF–MS technique, (113) 85
- Optical fiber
Fluorine in optics, (114) 113
- Optional site selectivity
New strategies in the synthesis of regioselectively trifluoromethyl- and trifluoromethoxy-substituted arenes as building blocks for biologically active molecules, (117) 167
- Order–disorder
Role of metal fluoride octahedra in the mechanism of phase transitions in A_2BMF_6 elpasolites, (116) 9
- Ordered perovskites
Role of metal fluoride octahedra in the mechanism of phase transitions in A_2BMF_6 elpasolites, (116) 9
- Organic synthesis
Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoronitrate(V) and hexafluorotantalate(V), (115) 133
- Organofluoro compounds
Organoelement compounds in the electrochemical synthesis of fluorooorganics, (114) 225
- Organolithium compounds
New strategies in the synthesis of regioselectively trifluoromethyl- and trifluoromethoxy-substituted arenes as building blocks for biologically active molecules, (117) 167
- Organomercury compounds
Organoelement compounds in the electrochemical synthesis of fluorooorganics, (114) 225
- Organometallic reagents
The preparation of α,α -difluoropropargylphosphonates, (116) 15
- Organosilicon compounds
Organoelement compounds in the electrochemical synthesis of fluorooorganics, (114) 225
- 1,3,4-Oxadiazoles
Syntheses and insecticidal activity of new 2-(5-(trifluoromethyl)pyridyloxymethyl)-1,3,4-oxadiazoles, (117) 63
- Oxalyl fluoride
Reactions of oxalyl fluoride with electrophiles, (113) 97
- Oxathiin
Synthesis of 5,6-dihydro-2H-thiins and 2,3-dihydro-1,4-oxathiins based on 1-benzylsulfonyl-1,1-dihydropolyfluoroalkane-2-ones, (115) 175

- Oxazolidinones
Synthesis of stereo-defined α -trifluoromethyl (Tfm)-malic units, (114) 215
- Oxidefluorides
The nature of anionic clusters in anion excess fluorite-type oxidefluoride solid solutions in MF–BiF₃–BiOF systems (M = Na, K), (113) 37
- Oxiranes
The effect of fluorine substitution on the structure of oxiranes and on the energetics of the oxiranylcarbanyl radical ring opening, (114) 107
- Oxiranylcarbanyl radical
The effect of fluorine substitution on the structure of oxiranes and on the energetics of the oxiranylcarbanyl radical ring opening, (114) 107
- 3-Oxo ester
Reactions of fluorine-containing 3-oxo esters with aldehydes, (117) 1
- 4-Oxo-2-(trifluoromethyl)alk-2-enoates
Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, (113) 177
- Oxygen carrier
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Oxygenation
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Oxyhydroxy-fluorides
Chemistry and key structural features of oxyhydroxy-fluorides: relationships with the acidic character, thermal stability and surface area, (114) 229
- Ozone depletion
CFC phase-out: have we met the challenge?, (114) 237
- P,O-ligands
Facile preparation and synthetic applications of LiCH₂C(CF₃)₂OLi, (117) 121
- Palladium-catalyzed
Synthesis of trifluoromethylated γ - and β -lactones through the palladium-catalyzed cyclocarbonylation, (114) 177
- Pd-catalysis
A new application of (polyfluoroorgano)trifluoroborate salts: the palladium-catalysed cross-coupling reaction with substituted benzene-diazonium tetrafluoroborates, (117) 115
- 1,1,3,3,3-Pentafluoro-2-pentafluorophenyl-1,2-epoxypropane
1,1,3,3,3-Pentafluoro-2-pentafluorophenyl-1,2-epoxypropane and trimethylphosphite: unusual 1,4-dioxan-2,5-dione ring formation, (114) 99
- Pentafluorophenylantimony(V)
Fluorophenylantimony carboxylates(II): synthetic and spectroscopic studies (UV, IR, ¹H, ¹⁹F and ¹³C NMR) of pentafluorophenylantimony(V) di- and tetracarboxylates, (113) 155
- Pentafluorophenylboron compounds
Pentafluorophenylboron halides: 40 years later, (115) 1
- 1,1,3,3,3-Pentafluoropropene
Synthesis of α -trifluoromethyl unsaturated acids and derivatives, (113) 167
- Pentafluorosulfanyl
Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, (115) 107
- Pentafluorothiofluoroalkyl benzene derivatives
New pentafluoro- λ^6 -sulfanyl (SF₅) perfluoroalkyl benzene derivatives, (114) 3
New aromatic pentafluoro- λ^6 -sulfanyl (SF₅) derivatives, *m*-SF₅(CF₂)₂C₆H₄X: (X = N₃, Br, OC(O)CH[CH₂, CH[CH₂]), (115) 101
- Peptide isosteres
Synthesis of stereo-defined α -trifluoromethyl (Tfm)-malic units, (114) 215
- Perchloryl fluoride
Simple procedure for preparation of α -fluoro esters by fluorination of ester enol silyl ethers with perchloryl fluoride, (117) 173
- Perfluorinated carbanion
On the structure of the perfluorinated F-4-ethyl-3,4-dimethyl-hexan-3-yl carbanion: a structural dynamic ¹⁹F-DNMR study, (113) 17
- Perfluorinated β -enaminoesters
Easy synthesis of (*E*)- or (*Z*)-perfluorinated β -enaminoesters, (117) 35
- Perfluorinated epoxides
Novel and facile synthesis of fluorinated enamino ketones and amino alcohols, (116) 87
- Perfluorinated monomer
Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, (115) 107
- Perfluorinated rare earth metal catalyst
Friedel–Crafts reaction catalyzed by perfluorinated rare earth metals, (116) 143
Perfluorinated rare earth metals catalyzed nitration of aromatic compounds, (113) 207
- Perfluoro vinyl ether
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Perfluoro-*N,N*-dimethylacylamides
Electrochemical fluorination of *N,N*-dimethylperfluoroacylamides, (113) 201
- Perfluoroacrylate
Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, (115) 107
- Perfluoroalcohols
Perfluoroalcohols, (118) 123
- Perfluoroalkyl
A new route for synthesizing cholesterol analogs with fluorocarbon side chains and their liquid-crystalline aliphatic esters, (113) 13
- Perfluoroalkylated pyrrolo[2,1-*a*]isoquinoliny phosphonates
Regiospecific synthesis of perfluoroalkylated pyrrolo[2,1-*a*]isoquinoliny phosphonates, (116) 157
- Perfluoroalkylcarboxamides
Facile synthesis of 1,1-*gem*-dialkylperfluoroalkylamines, (117) 9
- Perfluoroalkyl-containing compound
Synthesis of perfluoroalkyl-containing multifunctional groups compounds for textile finishing, (113) 139
- Perfluoroalkylmagnesium iodide
Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
- Perfluoroalkylmethyl triflates
Practice of fluorous biphasic chemistry: convenient synthesis of novel fluorophilic ethers via a Mitsunobu reaction, (114) 199
- Perfluoroalkylsulfonic acid derivatives
Perfluoroalkylsulfone reactions with nucleophiles, (117) 13
- Perfluoroalkynyl phosphonates
Regiospecific synthesis of perfluoroalkylated pyrrolo[2,1-*a*]isoquinoliny phosphonates, (116) 157
- Perfluoroaromatic chemistry
Polyfluorinated aryl nitrosamines, (114) 55
- Perfluoroarylbenzocyclobutenes
Cationoid rearrangements in reactions of perfluoro-1-arylbenzocyclobutenes with antimony pentafluoride, (117) 73
- Perfluorocarbon
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Perfluorochemicals
Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Perfluorodialkylsulfones
Perfluoroalkylsulfone reactions with nucleophiles, (117) 13

- (Perfluoroethenyl)trifluoroborate
A new application of (polyfluoroorgano)trifluoroborate salts: the palladium-catalysed cross-coupling reaction with substituted benzene-diazonium tetrafluoroborates, (117) 115
- Perfluoroperoxyls
Investigation of perfluoroperoxy radicals self-coupling reactions by kinetic EPR spectroscopy, (114) 9
- Perfluoropolyether
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (118) 81
Perfluoropolyether functional oligomers: unusual reactivity in organic chemistry, (118) 107
- Perfluoro-*i*-propylethylene
Direct synthesis of polyfluorinated allyl halides from fluoroolefins and AlX_3 (X = Cl, Br), (117) 23
- Perfluorotripropylamine
Cleavage path way and the product distribution pattern during the electrochemical perfluorination of tripropylamine, (115) 21
- PET scanning agents
Synthesis of 6-fluoro-*meta*-tyrosine and of its metabolites, (115) 27
- Phenols
1-Aryl-1-chloro-2,2,2-trifluoroethylisocyanates—convenient reagents for synthesis of 2-aryl-2-trifluoromethyl-2,3-dihydro-4H-benzo[1,3]oxazin-4-ones, (116) 97
- Phosphonates
The preparation of α,α -difluoropropargylphosphonates, (116) 15
- Phosphorylation
The preparation of α,α -difluoropropargylphosphonates, (116) 15
- Phosphodiesterase inhibitors
Important fluorinated drugs in experimental and clinical use, (118) 27
- Photo- α,β -didehalogenation
Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, (113) 177
- Photochemical initiation
Photochemical induced polymerization of vinylidene fluoride (VDF) with hydrogen peroxide to obtain original telechelic PVDF, (116) 27
- Photochemical reactions
Room temperature syntheses of lanthanoid tetrafluorides (LnF_4 , Ln = Ce, Pr, Tb), (118) 127
Room temperature syntheses of MnF_3 , MnF_4 and hexafluoromanganate(IV) salts of alkali cations, (114) 75
- Photochemistry
Room temperature syntheses of MnF_3 , MnF_4 and hexafluoromanganate(IV) salts of alkali cations, (114) 75
- Photolysis
The direct synthesis of trifluoronitromethane, CF_3NO_2 , (117) 181
- Photosensitizers
Synthesis and photosensitizing properties of fluoroalkoxyl phthalocyanine metal complexes, (113) 161
- Phthalimidodisulfenyl chloride
Synthesis of 5,6-dihydro-2H-thiins and 2,3-dihydro-1,4-oxathiins based on 1-benzylsulfonyl-1,1-dihydropolyfluoroalkan-2-ones, (115) 175
- Phthalocyanine
Synthesis and photosensitizing properties of fluoroalkoxyl phthalocyanine metal complexes, (113) 161
- Physical properties
Thermodynamic and other physical properties of several hydrofluorocompounds, (118) 149
- Polarization effect
 ^{19}F -NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193
- Poly(vinylidene fluoride)
Poly(vinylidene fluoride) as a reagent for the synthesis of K_2NiF_4 -related inorganic oxide fluorides, (117) 43
- Poly(vinylidene fluoride–trifluoroethylene)
 ^{19}F NMR characterization of electron beam irradiated vinylidene fluoride–trifluoroethylene copolymers, (113) 27
- Polyaddition
Radical polyaddition reaction of bis(α -trifluoromethyl- β,β -difluorovinyl) terephthalate onto diformylalkane, (117) 67
Radical polyaddition reaction of bis(α -trifluoromethyl- β,β -difluorovinyl) terephthalate with ethylamine compounds, (117) 55
- Polyamine
Radical polyaddition reaction of bis(α -trifluoromethyl- β,β -difluorovinyl) terephthalate with ethylamine compounds, (117) 55
- Polyazomethines
Molecular structure investigations on fluorine containing polyazomethines by means of the MALDI–TOF–MS technique, (113) 85
- Polycondensation
Synthesis and surface properties of a fluorinated polyether, (116) 59
- Polyether
Synthesis and surface properties of a fluorinated polyether, (116) 59
- Polyfluoroalkylsulfonylethylenes
1,1-Dihydropolyfluoroalkylsulfides—versatile synthons in fluororganic chemistry, (114) 157
- Polyfluorinated alcohols
Synthesis, characterisation and mass spectrometric fragmentation of *O*-(chlorodifluoroacylated) alcohols, (113) 47
- Polyfluorinated diols
Facile preparation and synthetic applications of $\text{LiCH}_2\text{C}(\text{C}-\text{F}_3)_2\text{OLi}$, (117) 121
- Polyfluorinated phosphines
Facile preparation and synthetic applications of $\text{LiCH}_2\text{C}(\text{C}-\text{F}_3)_2\text{OLi}$, (117) 121
- Polyfluorinated polyol
Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
- Polyfluorinated
The first *N*-alkyl-*N'*-polyfluoroheptyl sulfur diimide, (115) 165
- Polyfluoroalkoxy(dialkylamino)difluorosulfuranes
Advances in the chemistry of organylfluorosulfuranes at the Institute of Organic Chemistry, Kiev, Ukraine, (117) 85
- Polyfluoroalkoxytrifluorosulfuranes
Advances in the chemistry of organylfluorosulfuranes at the Institute of Organic Chemistry, Kiev, Ukraine, (117) 85
- Polyfluoroalkyl ketone
Synthesis of 5,6-dihydro-2H-thiins and 2,3-dihydro-1,4-oxathiins based on 1-benzylsulfonyl-1,1-dihydropolyfluoroalkan-2-ones, (115) 175
- Polyfluoroalkylsulfides
1,1-Dihydropolyfluoroalkylsulfides—versatile synthons in fluororganic chemistry, (114) 157
- Polyfluoroaromatic chemistry
Interaction of *N,N*-dimethylperfluoroarylamines with nitric and nitrous acids, (116) 3
- Polyfluoroorganometallic
Synthesis of fluorinated amphiphiles by the reaction of protected hydroxy carbaldehyde with perfluorinated organomagnesium compounds, (113) 195
- (Polyfluorophenyl)trifluoroborates
A new application of (polyfluoroorgano)trifluoroborate salts: the palladium-catalysed cross-coupling reaction with substituted benzene-diazonium tetrafluoroborates, (117) 115
- Polyhydroxy amide
Reaction between alkyl isocyanides and 1,1,1,5,5,5-hexafluoropentane-2,4-dione in the presence of water: one-pot synthesis of highly fluorinated γ -dihydroxy- α -hydroxy amides and γ -keto- α -hydroxy amides, (116) 93
- Polyketone
Radical polyaddition reaction of bis(α -trifluoromethyl- β,β -difluorovinyl) terephthalate onto diformylalkane, (117) 67

- Polymer film
Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, (115) 107
- Polymer index of refraction
Perfluoropolyether characterization by nuclear magnetic resonance spectroscopy and gel permeation chromatography, (118) 81
- Polymerization
Photochemical induced polymerization of vinylidene fluoride (VDF) with hydrogen peroxide to obtain original telechelic PVDF, (116) 27
- Porous calcium fluoride
Preparation and application of porous calcium fluoride—a novel fluorinating reagent and support of catalyst, (116) 65
- Positron emission tomography
The effect of aromatic fluorine substitution in L-DOPA on the in vivo behaviour of [¹⁸F]2-, [¹⁸F]5- and [¹⁸F]6-fluoro-L-DOPA in the human brain, (115) 33
- Potassium fluoride
Study of the interaction of KF with carbohydrates in DMSO-d₆ by ¹H and ¹³C NMR spectroscopy, (113) 7
- Pressure effect
Role of metal fluoride octahedra in the mechanism of phase transitions in A₂BMF₆ elpasolites, (116) 9
- Propargylphosphonates
The preparation of α,α-difluoropropargylphosphonates, (116) 15
- [1.1.1]-Propellane
Synthesis of 1,3-bis(*N,N*-difluoroamino)adamantane: addition of difluoramino radicals to 1,3-dehydroadamantane, (117) 103
- Properties
New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Proton transfer
Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- PTFE homopolymer
Melt-processable poly(tetrafluoroethylene)—compounding, fillers and dyes, (114) 133
- Pyrano[2,3-*c*]pyrazoles
Synthesis and some heterocyclisation reactions of CF₂H- and CF₂Cl-substituted 1,1-dicyanoethylenes, (114) 63
- Pyrazole
A novel approach to the synthesis of 5-trifluoromethyl-3-substituted pyrazoles, (115) 9
Synthesis of fluorinated heterocycles, (118) 135
- Pyrazolines
A new synthetic route to substituted 1-fluoro-1-cyclopropanecarboxylates, (114) 35
- Pyrazolium chlorides
5-Trifluoromethyl-1,2-dimethyl-1H-pyrazolium chlorides: synthesis and ¹H, ¹³C, ¹⁹F and ³⁵Cl NMR chemical shifts, (118) 69
- Pyrazolo[3,4-*b*]pyridines
Synthesis and some heterocyclisation reactions of CF₂H- and CF₂Cl-substituted 1,1-dicyanoethylenes, (114) 63
- Pyrazolo[1,5-*a*]pyrimidines
Synthesis and some heterocyclisation reactions of CF₂H- and CF₂Cl-substituted 1,1-dicyanoethylenes, (114) 63
- Pyrazolythiazoles
The regioselectivity of the formation of 2-pyrazolythiazoles and their precursors from the reaction of 2-hydrazinothiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
- Pyrethroid
Syntheses of 4-methoxymethylbenzyl permethrinates containing fluorine and their insecticidal activity, (116) 173
- Pyrimidine
Synthesis of fluorinated heterocycles, (118) 135
- Quantum chemical calculations
Ab initio and density functional theory study of the enthalpies of formation of F₂SO_x and FCISO_x (*x* = 1, 2), (116) 135
- Quinoline
Selective direct fluorination of quinoline derivatives, (117) 99
Synthesis of fluorinated heterocycles, (118) 135
- 1,3-Radical addition
Synthesis of 1,3-bis(*N,N*-difluoroamino)adamantane: addition of difluoramino radicals to 1,3-dehydroadamantane, (117) 103
- Radical addition
Copper(I)-catalyzed addition of trifluoromethylated benzyl radicals derived from aryltrifluoroethyl bromides to terminal olefins, (114) 91
Radical polyaddition reaction of bis(α-trifluoromethyl-β,β-difluorovinyl) terephthalate with ethylamine compounds, (117) 55
Radical polyaddition reaction of bis(α-trifluoromethyl-β,β-difluorovinyl) terephthalate onto diformylalkane, (117) 67
- Radical cyclization
New strategies in the synthesis of regioselectively trifluoromethyl- and trifluoromethoxy-substituted arenes as building blocks for biologically active molecules, (117) 167
- Radical initiation
Unexpected selective monoadduct formation from 2-methyl-3-butyn-2-ol and α,ω-diiodoperfluorobutane, (113) 55
- Radicals
Investigation of perfluoroperoxy radicals self-coupling reactions by kinetic EPR spectroscopy, (114) 9
- Reactivity ratios
New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Reactivity
The molecular configuration of bis(trifluoromethyl)nitroxide (CF₃)₂NO|, (113) 51
Perfluoropolyether functional oligomers: unusual reactivity in organic chemistry, (118) 107
- Rearrangements
Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- Recrystallization
Synthesis and X-ray information of substituted *gem*-difluoroallenyl amines, (117) 131
- Reduction
Organoelement compounds in the electrochemical synthesis of fluorooorganics, (114) 225
Simple access to novel β-hydroxy-β-trifluoromethyl imines, (113) 105
- Refrigerant
CFC phase-out: have we met the challenge?, (114) 237
- Regioselectivity
Etude DFT du mécanisme des réactions de cycloaddition dipolaire-1,3 de la *C,N*-diphénylnitroène avec des dipolarophiles fluorés de type éthylénique et acétylénique, (114) 81
The regioselectivity of the formation of 2-pyrazolythiazoles and their precursors from the reaction of 2-hydrazinothiazoles with 4,4,4-trifluoro-1-hetaryl-1,3-butanediones, (115) 183
- Room temperature molten salt
Room temperature molten fluorometallates: 1-ethyl-3-methylimidazolium hexafluoronioabate(V) and hexafluorotantalate(V), (115) 133
- π4s + π2s and/or π2s + π2a cyclisations
Pyrolysis reactions of 4-methyl-tetrafluorophenyl and pentafluorophenyl prop-2-enyl ethers: isomeric tetrahydroinden-1-ones from *both* intra-molecular Diels–Alder adducts of the Claisen rearrangement reaction from the 4-Me derivative. Mechanistic implications of a *thermal* retro π4s + π2s reaction of *one* of the adducts and recyclisations by π4s + π2s and/or π2s +, (113) 123

- Selective borohydride reduction
Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, (113) 177
- Selective fluorination
Selective direct fluorination of quinoline derivatives, (117) 99
Synthesis of the first difunctional *N*-fluoro perfluoroalkylsulfonylimides, $\text{CF}_3\text{SO}_2\text{NFSO}_2(\text{CF}_2)_n\text{SO}_2\text{NFSO}_2\text{CF}_3$, (116) 45
- Selective formation
Selective formation of $\text{C}_{60}\text{F}_{18}(\text{g})$ and $\text{C}_{60}\text{F}_{36}(\text{g})$ by reaction of [60]fullerene with molecular fluorine, (113) 219
- Self-assembly
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Self-coupling
Investigation of perfluoroperoxy radicals self-coupling reactions by kinetic EPR spectroscopy, (114) 9
- Sevoflurane
Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- SF_5
New aromatic pentafluoro- λ^6 -sulfanyl (SF_5) derivatives, *m*- $\text{SF}_5(\text{CF}_2)_2\text{C}_6\text{H}_4\text{X}$: (X = N₃, Br, OC(O)CH[CH₂, CH[CH₂]), (115) 101
- SF_5 -fluoroalkyl aromatics
An improved and facile preparation of ω - SF_5 -(perfluoroethyl)benzene ($\text{SF}_5\text{CF}_2\text{CF}_2\text{C}_6\text{H}_5$), (118) 157
- Shielding constants
Calculations of ^{19}F NMR shieldings in polyfluoro-1-lithioethenes. Role of geometry, solvation and comparison with experimental shifts, (116) 121
- [3,3]-Sigmatropic rearrangement
Synthesis of α -trifluoromethyl unsaturated acids and derivatives, (113) 167
- Silicon
Trifluoromethylation of carbon and boron with $\text{CF}_3\text{SiMe}_3/\text{NMe}_4\text{F}$: formation of $\text{NMe}_4[\text{trans-CF}_3\text{CF}[\text{CFB}(\text{CF}_3)_3]]$, (115) 115
- Simons process
Electrochemical fluorination of *N,N*-dimethylperfluoroacrylamides, (113) 201
- Skeletal transformations
Cationoid rearrangements in reactions of perfluoro-1-arylbenzocyclobutenes with antimony pentafluoride, (117) 73
- Small ring
Trifluoromethylation of carbon and boron with $\text{CF}_3\text{SiMe}_3/\text{NMe}_4\text{F}$: formation of $\text{NMe}_4[\text{trans-CF}_3\text{CF}[\text{CFB}(\text{CF}_3)_3]]$, (115) 115
- $\text{S}_\text{N}\text{Ar}$
Synthesis of polyfluorodibenzo[*b,f*][1,4]oxazines by the cyclization of 2-[(polyfluorobenzylidene)amino]phenols, (115) 91
- Soda lime
Preparation and application of porous calcium fluoride—a novel fluorinating reagent and support of catalyst, (116) 65
- Sodium chlorodifluoroacetate
Synthesis, characterisation and mass spectrometric fragmentation of *O*-(chlorodifluoroacetylated) alcohols, (113) 47
- Solid state effects
The ^{19}F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Solid-liquid extraction
Fluorous phase chemistry: a new industrial technology, (118) 3
- Solvation
Fluorinated nitroxides as ESR probes of solvation, (116) 109
- Solvatochromic
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- Solvency
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- Solvent effect
Influence of the nature of the solvent on the ^{19}F chemical shift of the $[\text{BF}_4]^-$ anion, (116) 41
The ^{19}F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Solvent free
Friedel-Crafts reaction catalyzed by perfluorinated rare earth metals, (116) 143
- Solvent
1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- Specific fluorophilicity
Practice of fluorous biphasic chemistry: convenient synthesis of novel fluorophilic ethers via a Mitsunobu reaction, (114) 199
- Spent bleaching earth
Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41
- Spin density
The molecular configuration of bis(trifluoromethyl)nitroxide $(\text{CF}_3)_2\text{NO}$, (113) 51
- π -Stacking interactions
Molecular complexes of octafluoronaphthalene with acyclic and heterocyclic sulfur–nitrogen compounds, (116) 149
- Stereoselective fluoroalkylation reactions
Synthesis of homochiral 2-*C*-perfluoroalkyl substituted D- and L-ribose, (115) 149
- Stereoselectivity
Easy synthesis of (*E*)- or (*Z*)-perfluorinated β -aminoesters, (117) 35
Synthesis and rearrangements of *N*-trichloroacetylfluoroacetimidoyl chloride and its phosphorylation products, (117) 107
- Steroid
A new route for synthesizing cholesterol analogs with fluorocarbon side chains and their liquid-crystalline aliphatic esters, (113) 13
- Structural phase transitions
Role of metal fluoride octahedra in the mechanism of phase transitions in A_2BMF_6 elpasolites, (116) 9
- Structural study
Etude théorique par la méthode DFT des structures non-classiques des systèmes $\text{X}_2\text{H}_2\text{F}_2$ (X = Si, Ge, Sn), (114) 17
- Structure–activity relations
Statistical and theoretical studies of fluorophilicity, (115) 119
- Succinimidodisulfonyl chloride
Synthesis of 5,6-dihydro-2H-thiins and 2,3-dihydro-1,4-oxathiins based on 1-benzylsulfonyl-1,1-dihydropolyfluoroalkan-2-ones, (115) 175
- Sugars
Study of the interaction of KF with carbohydrates in DMSO- d_6 by ^1H and ^{13}C NMR spectroscopy, (113) 7
- Sulfonylamides
2,6-Difluorophenylxenon(II)bis(fluorsulfonyl)amid-, -bis(trifluoromethylsulfonyl)amid-, -tris(fluorsulfonyl)methanid und -bis(trifluoromethylsulfonyl)methanid—neue C–Xe–N- und C–Xe–C-Verbindungen?, (113) 143
- Sulfonylisocyanates
Addition d'aminoalcools hautement fluorés sur les isocyanates d'alcoxy et d'aroxysulfonyle, (115) 161
- Sulfonmethanides
2,6-Difluorophenylxenon(II)bis(fluorsulfonyl)amid-, -bis(trifluoromethylsulfonyl)amid-, -tris(fluorsulfonyl)methanid und -bis(trifluoromethylsulfonyl)methanid—neue C–Xe–N- und C–Xe–C-Verbindungen?, (113) 143
- Sulfur diimides
The first *N*-alkyl-*N'*-polyfluoroheptyl sulfur diimide, (115) 165
- Sulfur hexafluoride derivatives
An improved and facile preparation of ω - SF_5 -(perfluoroethyl)benzene ($\text{SF}_5\text{CF}_2\text{CF}_2\text{C}_6\text{H}_5$), (118) 157
- Sulfur tetrafluoride
How to purify commercial sulfur tetrafluoride, (114) 103

- Fluorination of (+)-*chiro*-inositol with SF₄/HF to give 2 α ,3 β -difluoro-7-oxabicyclo[2.2.1]heptane-5 α ,6 α -sulfite, (115) 13
- Sulfur–nitrogen compounds
- Molecular complexes of octafluoronaphthalene with acyclic and heterocyclic sulfur–nitrogen compounds, (116) 149
- Superacids
- Fluorination in superacids: a novel access to biologically active compounds, (114) 139
- Supercritical medium
- Chemistry and key structural features of oxyhydroxy-fluorides: relationships with the acidic character, thermal stability and surface area, (114) 229
- Supramolecular chemistry
- Perfluorocarbon–hydrocarbon self-assembly. Part 16. ¹⁹F NMR study of the halogen bonding between halo-perfluorocarbons and heteroatom containing hydrocarbons, (114) 27
- Suprane
- Fluorinated anesthetics show how advances in technology control pharmaceutical development, (118) 47
- Surface analysis
- Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, (115) 107
- Surface energy
- Synthesis and surface properties of a fluorinated polyether, (116) 59
- Surface enrichment
- Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, (115) 107
- Surface fluorination
- Electrochemical properties and structures of surface-fluorinated graphite for the lithium ion secondary battery, (114) 209
- Surface modification
- Electrochemical properties and structures of surface-fluorinated graphite for the lithium ion secondary battery, (114) 209
- Surfactant
- Fluorinated surfactants: synthesis, properties, effluent treatment, (114) 149
- Perfluorochemical respiratory gas carriers: benefits to cell culture systems, (118) 19
- Synthesis
- Fluorophenylantimony carboxylates(II): synthetic and spectroscopic studies (UV, IR, ¹H, ¹⁹F and ¹³C NMR) of pentafluorophenylantimony(V) di- and tetracarboxylates, (113) 155
- Synthesis and photosensitizing properties of fluoroalkoxyl phthalocyanine metal complexes, (113) 161
- Syntheses of fluorinated phenacylidine analogs, (114) 39
- Synthesis and biological activities of *N*-(1,2,4-triazole-4-yl)-*N'*-(fluorine-containing-phenyl)carbamimidothioates, (115) 79
- Syntheses of 4-methoxymethylbenzyl permethrinates containing fluorine and their insecticidal activity, (116) 173
- Syntheses and insecticidal activity of new 2-(5-(trifluoromethyl)pyridyloxymethyl)-1,3,4-oxadiazoles, (117) 63
- Perfluoropolyether functional oligomers: unusual reactivity in organic chemistry, (118) 107
- Room temperature syntheses of lanthanoid tetrafluorides (LnF₄, Ln = Ce, Pr, Tb), (118) 127
- Tandem mass spectrometry
- Synthesis, characterisation and mass spectrometric fragmentation of *O*-(chlorodifluoroacetylated) alcohols, (113) 47
- Tautomerism
- N*-(Trifluoromethylsulfonyl)trifluoromethanesulfinimidic acid and its salts, (115) 129
- Telechelics (or α,ω -difunctional compounds)
- Photochemical induced polymerization of vinylidene fluoride (VDF) with hydrogen peroxide to obtain original telechelic PVDF, (116) 27
- Telluric acid
- Mechanochemical reactions of telluric acid with alkaline fluorides, (113) 93
- Telomerization
- New approaches to the synthesis of functionalized fluorine-containing polymers, (114) 171
- Tetra-alkylammonium fluorides
- ¹⁹F-NMR solid state investigations of monovalent alkali metal fluorides and tetra-alkylammonium fluorides, (115) 193
- Tetrafluoroborate anion
- Influence of the nature of the solvent on the ¹⁹F chemical shift of the [BF₄][−] anion, (116) 41
- 1,1,1,2-Tetrafluoroethane
- 1,1,1,2-Tetrafluoroethane; from refrigerant and propellant to solvent, (118) 55
- Tetrafluoroethylene copolymers
- Amorphous fluoropolymers from tetrafluoroethylene and bulky vinyl esters or vinyl ethers, (118) 95
- Tetrafluorohydrazine
- Synthesis of 1,3-bis(*N,N*-difluoroamino)adamantane: addition of difluoroamino radicals to 1,3-dehydroadamantane, (117) 103
- Tetrahydropyranes
- Reactions of fluorine-containing 3-oxo esters with aldehydes, (117) 1
- Textile finishing
- Synthesis of perfluoroalkyl-containing multifunctional groups compounds for textile finishing, (113) 139
- Theoretical calculations
- The ¹⁹F NMR shifts are not a measure for the nakedness of the fluoride anion, (116) 49
- Thermally annealing
- Synthesis and surface properties of a fluorinated polyether, (116) 59
- Thermodynamic properties
- Thermodynamic and other physical properties of several hydrofluoro-compounds, (118) 149
- Thiin
- Synthesis of 5,6-dihydro-2H-thiins and 2,3-dihydro-1,4-oxathiins based on 1-benzylsulfonyl-1,1-dihydropolyfluoroalkan-2-ones, (115) 175
- Thiol–thione tautomerism
- Preparation, characterization and thiol–thione tautomeric studies of 2-thiono-4-methyl-5-(2,2,2-trifluoro-1-trifluoromethylethyl)-1,3-thiazoline, (117) 185
- 2-Thiono-4-methyl-5-(2,2,2-trifluoro-1-trifluoromethylethyl)-1,3-thiazoline
- Preparation, characterization and thiol–thione tautomeric studies of 2-thiono-4-methyl-5-(2,2,2-trifluoro-1-trifluoromethylethyl)-1,3-thiazoline, (117) 185
- α -Thioxoketone
- Synthesis of 5,6-dihydro-2H-thiins and 2,3-dihydro-1,4-oxathiins based on 1-benzylsulfonyl-1,1-dihydropolyfluoroalkan-2-ones, (115) 175
- Three-centre, two-electron bond
- The reaction of xenon difluoride with chloroform, (116) 81
- Tin hydride reduction
- Copper(I)-catalyzed addition of trifluoromethylated benzyl radicals derived from aryltrifluoroethyl bromides to terminal olefins, (114) 91
- Transition metal-catalyzed reactions
- Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- 1*H*-1,2,3-Triazoles
- 1,3-Dipolar cycloaddition of β -alkoxyvinyl trifluoromethylketones with aryl (or benzyl) azides. Synthesis of 4-trifluoroacetylated 1*H*-1,2,3-triazoles, (116) 81
- N*-(1,2,4-Triazole-4-yl)-*N'*-(fluorine-containing-phenyl)carbamimidothioates
- Synthesis and biological activities of *N*-(1,2,4-triazole-4-yl)-*N'*-(fluorine-containing-phenyl)carbamimidothioates, (115) 79

- Tributyltin hydride
New strategies in the synthesis of regioselectively trifluoromethyl- and trifluoromethoxy-substituted arenes as building blocks for biologically active molecules, (117) 167
- Triethylamine monohydrofluoride
Perfluoroalcohols, (118) 123
- Triethylamine
Radical polyaddition reaction of bis(α -trifluoromethyl- β,β -difluorovinyl) terephthalate with ethylamine compounds, (117) 55
- Trifluoroacetate
CFC phase-out: have we met the challenge?, (114) 237
- 2,2,2-Trifluoroethyl chloride (HCFC-133a)
Synthesis of trifluoroethyl ethers from 2,2,2-trifluoroethyl chloride (HCFC-133a) in high temperature aqueous medium, (113) 79
- Trifluoroethyl ethers
Synthesis of trifluoroethyl ethers from 2,2,2-trifluoroethyl chloride (HCFC-133a) in high temperature aqueous medium, (113) 79
- 3,3,3-Trifluoro-2-hydroxy-2-(2,3,4,5,6-pentafluorophenyl)propionic acid
1,1,3,3,3-Pentafluoro-2-pentafluorophenyl-1,2-epoxypropane and trimethylphosphite: unusual 1,4-dioxan-2,5-dione ring formation, (114) 99
- Trifluoromethoxy group
Synthesis of 2-trifluoromethoxyethyl trifluoromethoxyacetate and derived 2-trifluoromethoxyacrylates, (117) 161
- Trifluoromethoxybenzene
Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227
- α -Trifluoromethyl amine
Convenient synthesis of α -trifluoromethyl amines via aminofluoroalkylation of arenes with *N*-trimethylsilyl α -trifluoroacetaldehyde hemiaminal, (116) 103
- Trifluoromethyl compound
Copper(I)-catalyzed addition of trifluoromethylated benzyl radicals derived from aryltrifluoroethyl bromides to terminal olefins, (114) 91
- Trifluoro analog of Hagemann's ester: access to angularly CF₃-substituted heterobicyclic compounds, (117) 137
- Trifluoromethyl group
Synthesis of stereo-defined α -trifluoromethyl (Tfm)-malic units, (114) 215
- Trifluoromethyl ketones
Simple access to novel β -hydroxy- β -trifluoromethyl imines, (113) 105
- Trifluoromethyl 2-mercapto-1,3-thiadiazole
Preparation, characterization and thiol–thione tautomeric studies of 2-thiono-4-methyl-5-(2,2,2-trifluoro-1-trifluoromethylethyl)-1,3-thiazoline, (117) 185
- 2-(Trifluoromethyl)butan-4-olides
Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, (113) 177
- Trifluoromethyl-containing compounds
Synthesis of trifluoromethylated γ - and β -lactones through the palladium-catalyzed cyclocarbonylation, (114) 177
- Trifluoromethylpyridyl
Syntheses and insecticidal activity of new 2-(5-(trifluoromethyl)pyridyloxymethyl)-1,3,4-oxadiazoles, (117) 63
- N*-(trifluoromethylsulfonyl)trifluoromethanesulfonimidic acid
N-(Trifluoromethylsulfonyl)trifluoromethanesulfonimidic acid and its salts, (115) 129
- Trifluoromethylthiobenzene
Torsion potentials and electronic structure of trifluoromethoxy- and trifluoromethylthiobenzene: an ab initio study, (113) 227
- Trifluoronitromethane
The direct synthesis of trifluoronitromethane, CF₃NO₂, (117) 181
- Trimethylaluminum
Preparation of δ -fluorinated homoallylic alcohol derivatives via regioselective hydride reduction of allylic alcohol derivatives, (117) 143
- Trimethylphosphite
1,1,3,3,3-Pentafluoro-2-pentafluorophenyl-1,2-epoxypropane and trimethylphosphite: unusual 1,4-dioxan-2,5-dione ring formation, (114) 99
- Triphenylbismuth
Bismuth(III) bis(trifluoromethanesulfonyl)amide, (116) 129
- Tripropylamine
Cleavage path way and the product distribution pattern during the electrochemical perfluorination of tripropylamine, (115) 21
- Tri-*p*-tolylbismuth
Bismuth(III) bis(trifluoromethanesulfonyl)amide, (116) 129
- Tritylation
Syntheses of *E*- and *Z*- and 4-fluorourocenic acids, (115) 137
- Ultrasound contrast
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- 2,4,4,5,7,7,8,8,9,9,9-Undecafluoro-2,5-bis(trifluoromethyl)-3,6-dioxanonyl methacrylate
2,4,4,5,7,7,8,8,9,9,9-Undecafluoro-2,5-bis(trifluoromethyl)-3,6-dioxanonyl methacrylate, (114) 51
- Urocanic acid
Syntheses of *E*- and *Z*- and 4-fluorourocenic acids, (115) 137
- UV
Fluorine in optics, (114) 113
- (Valence) isoelectronic congeners
How anomalous are the anomalous properties of fluorine? Ionization energy and electron affinity revisited, (116) 35
- Vesicle
Blood substitutes and other potential biomedical applications of fluorinated colloids, (114) 119
- Vinyl ester copolymers
Amorphous fluoropolymers from tetrafluoroethylene and bulky vinyl esters or vinyl ethers, (118) 95
- Vinyl ether copolymers
Amorphous fluoropolymers from tetrafluoroethylene and bulky vinyl esters or vinyl ethers, (118) 95
- Vinyl fluorides
Synthesis, reactions and structural features of monofluorinated cyclopropanecarboxylates, (114) 189
- Vinylcyclopropane rearrangement
1-Vinyl-1,2,2,3,3-pentafluorocyclopropane: an extraordinarily rapid vinylcyclopropane rearrangement, (117) 199
- Vinylc fluorine displacement
Reactivity study of 1,1,2,4,4,5,7,7,8,8,9,9,9-tridecafluoro-5-trifluoromethyl-3,6-dioxanon-1-ene in nucleophilic reactions: fluorination properties of secondary amine adducts, (117) 149
- Vinylidene fluoride
Photochemical induced polymerization of vinylidene fluoride (VDF) with hydrogen peroxide to obtain original telechelic PVDF, (116) 27
- Waste water treatment
Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth, (115) 41
- Waste water
Fluorinated surfactants: synthesis, properties, effluent treatment, (114) 149
- Water treatment
Fluorinated surfactants: synthesis, properties, effluent treatment, (114) 149
- Welding
Melt-processable poly(tetrafluoroethylene)—compounding, fillers and dyes, (114) 133

Wittig reaction

Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, **(113)** 177

Reactions of novel mono- and difluoroacetyltrialkylsilanes with sulfur and phosphorus ylides, **(117)** 207

¹²⁹Xe NMR spectroscopy

2,6-Difluorophenylxenon(II)bis(fluorsulfonyl)amid, -bis(trifluormethylsulfonyl)amid, -tris(fluorsulfonyl)methanid und -bis(trifluormethylsulfonyl)methanid—neue C–Xe–N- und C–Xe–C-Verbindungen?, **(113)** 143

XeF₂

Coordination compounds with XeF₂, AsF₃ and HF as ligands to metal ions: a review of reaction systematics, Raman spectra and metal, fluoro-ligand polyhedra, **(114)** 143

Xenon difluoride

The reaction of xenon difluoride with chloroform, **(116)** 71

Xenon–carbon compounds

Pentafluorophenylboron halides: 40 years later, **(115)** 1

XPS

Perfluorinated polymer surfaces comprising SF₅-terminated long-chain perfluoroacrylate, **(115)** 107

X-ray crystal structure of *N*-nitroso-*N*-methylperfluoro-4-toluidine

Polyfluorinated arylnitrosamines, **(114)** 55

X-ray structure determination

Molecular complexes of octafluoronaphthalene with acyclic and heterocyclic sulfur–nitrogen compounds, **(116)** 149

The first *N*-alkyl-*N'*-polyfluorohetaryl sulfur diimide, **(115)** 165

X-ray

Ammonium hexafluorosilicate salts, **(115)** 155

Ylides

Reactions of novel mono- and difluoroacetyltrialkylsilanes with sulfur and phosphorus ylides, **(117)** 207

Zinc borohydride

Fluorinated butanolides and butenolides. Part 9. Synthesis of 2-(trifluoromethyl)butan-4-olides by Wittig reaction using methyl 3,3,3-trifluoropyruvate, **(113)** 177