

## Cumulative Subject Index of Volumes 119–124

### Ab initio calculations

Calculated structures of thiopyrylium-S-fluoride and S-trifluoride and attempts of their preparation, (120) 49

The steric and electronic effects of aliphatic fluoroalkyl groups, (123) 65

### Ab initio Hartree-Fock

Ab initio investigations of the C<sub>2</sub>F<sub>4</sub>S isomers and of their interconversions, (124) 99

### 3-Acetyl-4,6-dimethyl-2-pyridone

The first synthesis of 8-aza-2-polyfluoroalkylchromones, (120) 25

### Acetylcholinesterase

Bis(fluoroalkyl)acrylic and methacrylic phosphate monomers, their polymers and some of their properties, (121) 23

### Acid catalyzed lactonization

Radical addition of R<sub>p</sub>I to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the δ-iodoalkanoic esters to γ-lactones, (123) 237

### Acrylic monomers

Synthesis of fluoro-substituted monomers bearing a functionalised lateral chain. Part 2. Preparation of sulfoxides and sulfones containing monomers, (124) 139

### Activation energy

Ab initio investigations of the C<sub>2</sub>F<sub>4</sub>S isomers and of their interconversions, (124) 99

### Acylation reaction

Preparation of α- or β-trifluoromethylated vinylstannanes and their cross-coupling reactions, (120) 195

### Acylperoxides

Perfluoropolyether (PFPE) (poly)diacyl peroxides: synthesis and applications, (121) 65

### Adamantane derivatives

Synthesis of halo-fluoro-substituted adamantanes by electrophilic trans-annular cyclization of bicyclo[3.3.1]nonane dienes, (123) 207

### 1,4-Addition

1,4-Addition reaction of ethyl bromodifluoroacetate to Michael acceptors in the presence of copper powder. Improvement of the reaction using TMEDA as an additive, (121) 105

### Addition reactions

Enantioselective carbon-carbon bond forming reactions using fluororous chiral catalysts, (120) 121

### Adhesion

Thermal imidization of poly(pyromellitic dianhydride-4,4'-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151

### AF4

Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97

### Aggregation number

Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189

### AIMPRO

The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193

### Aldehydes

Preparation of TMS protected trifluoromethylated alcohols using trimethylamine *N*-oxide and trifluoromethyltrimethylsilane (TMSCF<sub>3</sub>), (123) 61

### Aldol reaction

Synthesis of fluorinated materials catalyzed by proline or antibody 38C2 in ionic liquid, (121) 205

### Aldolase antibody

Synthesis of fluorinated materials catalyzed by proline or antibody 38C2 in ionic liquid, (121) 205

### Alkyl

Symmetry of chloronium ions from ionic reaction of chlorine, chlorine monofluoride gas, and chlorine monofluoride complex with terminal alkenes, (124) 17

### *O*-Alkyl *O*-fluoroalkyl *S*-alkyl phosphorothiolate

Fluorinated phosphorus compounds. Part 8. The reactions of bis(fluoroalkyl) phosphorochloridates with sulfur nucleophiles, (119) 161

### Alkyl hexanoates

Haloacetylated enol ethers: 18. Synthesis of alkyl 6-[azol-3(5)-yl]hexanoates, (123) 249

### 1-Alkyl-4-(methoxycarbonylalkyl)-1,4-homopiperazines

Simons electrochemical fluorination of substituted homopiperazine-*s*(hexahydro-1,4-diazepines) and piperazines, (119) 27

### 1-Alkyl-3-methylimidazolium tetrafluoroborate

Physical and electrochemical properties of 1-alkyl-3-methylimidazolium tetrafluoroborate for electrolyte, (120) 135

### Alkylthiolation

Synthesis and thiolation of 1,3-difluoro-2,4,6-trihaloanilines and benzenes, (124) 39

### Alkynes

New approaches to side-chain fluorinated bioimidazoles: 4-alkynylimidazoles as substrates for fluorination, (124) 105

### Allyl alcohol

Johnson-Claisen rearrangement of γ-fluoro-γ-(di- or tri-fluoromethyl)allyl alcohols affording stereoselective access to β-fluoro-β-di- or tri-fluoromethylated γ,δ-unsaturated carboxylic acid esters, (122) 237

### Allylic alcohol

A novel reaction of allylic alcohols with hexafluoropropene-diethylamine adduct (PPDA) to form 2-fluoro-2-trifluoromethyl-4-alkenamides, (124) 69

### Aluminum

Stepwise fluorination of [MeAlN(2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)<sub>3</sub>] using trimethyltin fluoride as fluorinating agent, (120) 59

Organoaluminum fluorides, (122) 125

### Amide

The C-F bond as a tool in the conformational control of amides, (119) 9

### Amidrazones

Reactions of β-methoxyvinyl trifluoromethyl ketones with 2-pyridinecarboxamidrazones. A convenient route to trifluoromethylated 4,5-dihydro-1*H*-1-picolinoylpyrazole hydrochlorides, (122) 159

### Amine

The chemistry of tetrafluoroallene: nucleophilic addition reactions with phenols and amines, (123) 189

- Amine–HF complexes  
Electrochemical partial fluorination of phenylacetic acids esters and 1-tetralone, (121) 227
- Amino acid  
Nucleophilic replacement of *p*-(1-chloro-2,2,2-trifluoroethyl)phenols: novel synthesis of  $\beta$ -trifluoromethyl-tyrosine, (121) 141
- Amino alcohol  
Intermolecular oxygen atom  $\cdots\pi$  interaction in the crystal packing of chiral amino alcohol bearing a pentafluorophenyl group, (122) 201
- Amino-terminated semifluorinated long-chain alkanethiols  
Synthesis of amino terminated semifluorinated long-chain alkanethiols, (124) 169
- Ammonium fluoro-elpasolites  
Orientation disorder in ammonium elpasolites. Crystal structures of  $(\text{NH}_4)_3\text{AlF}_6$ ,  $(\text{NH}_4)_3\text{TiOF}_5$  and  $(\text{NH}_4)_3\text{FeF}_6$ , (124) 5
- 2- and 3-Fluoro derivatives  
Synthesis and NMR studies of 2- and 3-fluorosubstituted five-membered heterocycles, (124) 159
- Anion receptor  
Lithium-ion-conductive polyethylene oxide based polymer electrolytes containing tris(pentafluorophenyl)borane, (123) 279
- Anodic fluorination  
Electrolytic partial fluorination of organic compounds Part 62. Highly diastereoselective anodic fluorination of chiral 1,3-oxathiolan-5-ones derived from camphorsulfonamides, (121) 93
- Anodic overvoltage  
Electrochemistry of fluorine production, (119) 173
- Antibacterial activity  
Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Anti-HIV-1 activity  
Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Antimicrobial activity  
Synthesis and antimicrobial activity of a perfluoroalkyl-containing quaternary ammonium salt, (124) 89
- Antimony  
Some reactions and spectroscopic studies of tris(pentafluorophenyl)arsenic and -antimony(III and V) derivatives, (122) 165
- Armyworm  
Syntheses and insecticidal activities of novel 2,5-disubstituted 1,3,4-oxadiazoles, (123) 163
- Aromatic interaction  
Intermolecular oxygen atom  $\cdots\pi$  interaction in the crystal packing of chiral amino alcohol bearing a pentafluorophenyl group, (122) 201
- Arsenic  
Some reactions and spectroscopic studies of tris(pentafluorophenyl)arsenic and -antimony(III and V) derivatives, (122) 165
- Arsenic species  
Chemical analysis of main arsenic species in mixtures of  $\text{As}^{\text{III}}$  and  $\text{AsF}_6^-$ , (122) 215
- Arsenic(III)  
Chemical analysis of main arsenic species in mixtures of  $\text{As}^{\text{III}}$  and  $\text{AsF}_6^-$ , (122) 215
- Aryl iodide  
Reaction of Halothane with *sec*-butyllithium in the presence of zinc halides—one-pot preparation of chlorodifluorovinylzinc reagent and its derivatization to  $\alpha$ -chloro- $\beta$ , $\beta$ -difluorostyrene, (122) 247
- Aryl(*N*-trifluoromethylsulfonylimino)thiodifluoroacetic acids  
Synthesis and optical activity of aryl(*N*-trifluoromethylsulfonylimino)thiodifluoroacetic acids and their derivatives, (123) 287
- Arylation reaction  
Preparation of  $\alpha$ - or  $\beta$ -trifluoromethylated vinylstannanes and their cross-coupling reactions, (120) 195
- Arylethers  
Functionalized fluorinated arylethers by ring-opening of 1,2,3,4-tetrafluorodibenz[*b,f*][1,4]oxazepine, (119) 15
- $\text{AsF}_6^-$   
Chemical analysis of main arsenic species in mixtures of  $\text{As}^{\text{III}}$  and  $\text{AsF}_6^-$ , (122) 215
- Asymmetric allylation  
6,6'-Bis(perfluoroalkylated) BINOLs promoted asymmetric allylation of aldehydes, (120) 117
- Asymmetric fluorination  
Electrolytic partial fluorination of organic compounds Part 62. Highly diastereoselective anodic fluorination of chiral 1,3-oxathiolan-5-ones derived from camphorsulfonamides, (121) 93
- Asymmetric reactions  
Enantioselective carbon–carbon bond forming reactions using fluorous chiral catalysts, (120) 121
- Asymmetric synthesis  
Enantioselective Diels–Alder reactions of  $\alpha$ -fluorinated  $\alpha,\beta$ -unsaturated carbonyl compounds. Part 5. Chemical consequences of fluorine substitution, (121) 163
- Intermolecular oxygen atom  $\cdots\pi$  interaction in the crystal packing of chiral amino alcohol bearing a pentafluorophenyl group, (122) 201
- Attractive interaction  
Intermolecular oxygen atom  $\cdots\pi$  interaction in the crystal packing of chiral amino alcohol bearing a pentafluorophenyl group, (122) 201
- 8-Aza-2-polyfluoroalkylchromones  
The first synthesis of 8-aza-2-polyfluoroalkylchromones, (120) 25
- Baeyer–Villiger oxidation  
Lanthanide bis(trifluoromethanesulfonyl)amides, synthesis, characterization and catalytic activity, (121) 233
- Base strength  
The coordination chemistry of  $(\text{py})_2\text{BF}_2^+$  and related difluoroboron cations, (119) 125
- Benzaldehydes  
Synthesis and anticancer activity of fluorinated analogues of combretastatin A-4, (123) 101
- Benzene ring  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Benzimidazoles  
Studies on the reaction of unsymmetrical trifluoromethyl 1,2-phenylenediamine with various ketones leading to novel fluorinated heterocycles, (124) 203
- Benzothiazines  
Synthesis of 2-amino-5-chloro-3-(trifluoromethyl)benzenethiol and conversion into 4H-1,4-benzothiazines and their sulfones, (122) 207
- Benzoylthiourea  
Synthesis and insecticidal activity of new substituted *N*-aryl-*N'*-benzoylthiourea compounds, (121) 51
- Biologically active compounds  
New synthesis of 3-fluoropyridine derivatives, (123) 71
- Biosensors  
Synthesis of amino terminated semifluorinated long-chain alkanethiols, (124) 169
- Bis(fluoroalkyl) alkyl phosphate  
Bis(fluoroalkyl)acrylic and methacrylic phosphate monomers, their polymers and some of their properties, (121) 23
- O,O*-bis(fluoroalkyl) *S*-alkyl phosphorothiolate  
Fluorinated phosphorus compounds. Part 8. The reactions of bis(fluoroalkyl) phosphorochloridates with sulfur nucleophiles, (119) 161
- Bis(fluoroalkyl) phosphorobromidate  
Fluorinated phosphorus compounds. Part 8. The reactions of bis(fluoroalkyl) phosphorochloridates with sulfur nucleophiles, (119) 161
- Bis(fluoroalkyl) phosphorochloridate  
Fluorinated phosphorus compounds. Part 8. The reactions of bis(fluoroalkyl) phosphorochloridates with sulfur nucleophiles, (119) 161

- 3,5-bis(Heptafluoropropyl)-1,2,4-triazole  
Solvolytic reactions of perfluoro-5-aza-4-nonene,  $C_3F_7-CF=N-C_4F_9$ , (122) 175
- Bis(pentafluorophenyl)antimony(V) cations  
Synthesis and characterisation of bis(pentafluorophenyl)antimony(V) cations,  $[(C_6F_5)_2SbL_3]^{3+}$ , (122) 229
- Bis(trifluoromethanesulfonyl)amide  
Lanthanide bis(trifluoromethanesulfonyl)amides, synthesis, characterization and catalytic activity, (121) 233
- bis(Trifluoromethyl)peroxy dicarbonate  
Use of bis(trifluoromethyl)peroxy dicarbonate as initiator in the radical homopolymerisation of vinylidene fluoride (VDF) and copolymerisation of VDF with hexafluoropropylene, (123) 85
- Bis( $\alpha$ -trifluoromethyl- $\beta$ , $\beta$ -difluorovinyl) terephthalate  
Novel fluorinated polymer from 18-crown-6 by radical polyaddition, (124) 197
- Bisphosphonates  
Stereoselective synthesis of substituted trifluoromethylated ethenylphosphonates via sequential transformations of bisphosphonate, (121) 219
- Bond  
The C–F bond as a tool in the conformational control of amides, (119) 9
- Boron-11 NMR  
The coordination chemistry of  $(py)_2BF_2^+$  and related difluoroboron cations, (119) 125
- Bromine  
Comparison of the electrophilic and free-radical addition of halogens with hexafluoro-1,3-butadiene and 1,3-butadiene, (123) 171
- 1-Bromo-1,2,2-trifluoroethane  
Preparation of 1,1,2-trifluoro-2-trimethylsilylethylene, (121) 75
- 1-Bromo-1-chlorotrifluoroethane  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- Bromodifluoroacetate  
1,4-Addition reaction of ethyl bromodifluoroacetate to Michael acceptors in the presence of copper powder. Improvement of the reaction using TMEDA as an additive, (121) 105
- 1,3-Butadiene  
Comparison of the electrophilic and free-radical addition of halogens with hexafluoro-1,3-butadiene and 1,3-butadiene, (123) 171
- Butyllithium  
Reaction of halothane with carbonyl compounds in the presence of bases, (123) 283
- Cadmium  
Syntheses and crystal structures of bis(4-dimethylaminopyridine) group 12 trifluoroacetates —  $M(OCOCF_3)_2 \cdot 2DMAP$  ( $M = Zn, Cd, Hg$ ), (120) 13
- Calcium fluoride  
Fluorine—an enabler in advanced photolithography, (122) 3
- Camphor thiosemicarbazone  
From oxides of internal perfluoroolefins to fluorocontaining camphor thiazolinyldiazones, (120) 41
- Camphorsulfonamide  
Electrolytic partial fluorination of organic compounds Part 62. Highly diastereoselective anodic fluorination of chiral 1,3-oxathiolan-5-ones derived from camphorsulfonamides, (121) 93
- Carbenes  
A facile carbene route to 2-fluoro-2-pyrrolines via fluorinated azomethine ylides, (123) 177
- Carbocyclization  
Carbocyclization reactions of terminally difluorinated alkenyl active methine compounds mediated by  $SnCl_4$  and amine, (123) 75
- Carbohydrates  
Organofluorine compounds and fluorinating agents. Part 28. New perfluoroalkyl substituted chiral mesogens, (120) 85
- Carbon  
Electrochemistry of fluorine production, (119) 173
- Carbonyl compounds  
Reaction of halothane with carbonyl compounds in the presence of bases, (123) 283  
A novel direct synthesis of (2,2-difluorovinyl)benzenes from aromatic aldehydes, (124) 115
- Catalysis  
Dynamic behaviour of chlorofluoroethanes at fluorinated chromia aerogels and fluorinated zinc(II) or magnesium(II) doped chromia aerogels, (121) 83  
Lanthanide bis(trifluoromethanesulfonyl)amides, synthesis, characterization and catalytic activity, (121) 233  
A novel direct synthesis of (2,2-difluorovinyl)benzenes from aromatic aldehydes, (124) 115
- Catalytic  $CF_3$  transfer  
Preparation of TMS protected trifluoromethylated alcohols using trimethylamine *N*-oxide and trifluoromethyltrimethylsilane ( $TMSCF_3$ ), (123) 61
- Cationic complexes  
On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131
- Cerium tetrafluoride  
Reaction between cerium trifluoride and elemental fluorine, (120) 111
- Cerium trifluoride  
Reaction between cerium trifluoride and elemental fluorine, (120) 111  
 $[(C_6F_5)_2SbL_3]^{3+}$   
Synthesis and characterisation of bis(pentafluorophenyl)antimony(V) cations,  $[(C_6F_5)_2SbL_3]^{3+}$ , (122) 229
- CFC  
Dynamic behaviour of chlorofluoroethanes at fluorinated chromia aerogels and fluorinated zinc(II) or magnesium(II) doped chromia aerogels, (121) 83  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- $CF_3CH_3$  (R143a)  
Vapour–liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15
- $CF_3CHF_2$  (R125)  
Vapour–liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15
- $CF_3CH_2F$  (R134a)  
Vapour–liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15
- CFCs hydrodechlorination  
 $MgF_2$  as a non-conventional catalyst support, (120) 1
- Chalcogens  
Structures of perfluorodiphenylether substituted chalcogen compounds, (123) 133
- Characterization  
Stable trifluoromethylselenates(0),  $[A]SeCF_3$ —synthesis, characterizations and properties, (123) 183
- Chemical vapor deposition  
Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105  
Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97  
Structural investigations of copper(II) complexes containing fluorine-substituted  $\beta$ -diketonate ligands, (123) 109
- Chemically amplified resists  
Retrospective of work at Bell Laboratories on the effect of fluorine substitution on the properties of photoacid generators, (122) 47
- Chemoselectivity in epoxide formation  
Fluorinated epoxides. 6. Chemoselectivity in the preparation of 2-[(heptafluoroisopropyl)methyl]oxirane from iodoacetate and iodo-hydrin precursors, (121) 101

- CH<sub>2</sub>F<sub>2</sub> (R32)  
Vapour–liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15
- Chiral ligand  
Intermolecular oxygen atom · · π interaction in the crystal packing of chiral amino alcohol bearing a pentafluorophenyl group, (122) 201
- Chlorination  
Symmetry of chloronium ions from ionic reaction of chlorine, chlorine monofluoride gas, and chlorine monofluoride complex with terminal alkenes, (124) 17
- Chlorine  
Comparison of the electrophilic and free-radical addition of halogens with hexafluoro-1,3-butadiene and 1,3-butadiene, (123) 171
- 1-Chloro-2,2,2-trifluoroethane (HCFC-133a)  
A facile synthetic method for 2-fluoroindolizines from 1-chloro-2,2,2-trifluoroethane (HCFC-133a) and 1,1,1,2-tetrafluoroethane (HFC-134a), (122) 171
- Chlorodifluorostyrene  
Reaction of Halothane with *sec*-butyllithium in the presence of zinc halides—one-pot preparation of chlorodifluorovinylzinc reagent and its derivatization to α-chloro-β,β-difluorostyrene, (122) 247
- Chlorofluorocarbon  
Kinetics of tetrachloromethane fluorination by hydrogen fluoride in the presence of antimony pentachloride, (119) 89  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- Chlorofluoroether  
Defluorination of homologous chlorofluoroethers to chlorofluoroacetates, (120) 131
- Chloroformamidine  
*N*-Bis(methylthio)methylene-trifluoromethanesulfonylamide CF<sub>3</sub>SO<sub>2</sub>N=C(SCH<sub>3</sub>)<sub>2</sub>: new reagent for the preparation of *N*-trifluoromethylsulfonylimino carbonic and thiocarbonic acids derivatives, (124) 151
- <sup>35</sup>Cl NMR  
Reactions of β-methoxyvinyl trifluoromethyl ketones with 2-pyridine-carboxamidrazone. A convenient route to trifluoromethylated 4,5-dihydro-1*H*-1-picolinoylpyrazole hydrochlorides, (122) 159
- Claisen rearrangement  
A novel reaction of allylic alcohols with hexafluoropropene-diethylamine adduct (PPDA) to form 2-fluoro-2-trifluoromethyl-4-alkenamides, (124) 69
- Climate change  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- <sup>13</sup>C-NMR  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d'hydrazones *N*-fluoroalkylées β-phosphonées, (121) 177
- Combretastatin A-4  
Synthesis and anticancer activity of fluorinated analogues of combretastatin A-4, (123) 101
- Combretum caffrum*  
Synthesis and anticancer activity of fluorinated analogues of combretastatin A-4, (123) 101
- Condensation  
The first synthesis of 8-aza-2-polyfluoroalkylchromones, (120) 25  
A new synthetic route of 4,4'-hexafluoroisopropylidene-2,2-bis(phthalic acid anhydride) and characterization of 4,4'-hexafluoroisopropylidene-2,2-bis(phthalic acid anhydride)-containing polyimides, (123) 221
- Conformation  
The C–F bond as a tool in the conformational control of amides, (119) 9
- Conformational minima  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193
- Coordination chemistry  
Synthesis and coordination chemistry of perfluoroalkyl-derivatised β-diketonates, (119) 65
- Copolymerization  
Tacticity control in the radical polymerization of 2,2,2-trifluoroethyl methacrylate with fluoroalcohol, (123) 147
- Copper  
A novel direct synthesis of (2,2-difluorovinyl)benzenes from aromatic aldehydes, (124) 115
- Copper complexes  
Structural investigations of copper(II) complexes containing fluorine-substituted β-diketonate ligands, (123) 109
- Coupling  
Coupling between a fluorinated olefin and a perfluorinated iodide: a model study on the reaction mechanism of perfluorinated polymer cross-linking, (123) 119
- Critical micelle concentration  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Cross-coupling  
Synthesis of 4,6-disubstituted pyrimidines via Suzuki and Kumada coupling reaction of 4,6-dichloropyrimidine, (120) 21  
The palladium-catalysed cross-coupling reaction of lithium polyfluorophenyltrimethoxyborates with 4-fluoroiodobenzene, (122) 195
- Cross-coupling reaction  
Preparation of α- or β-trifluoromethylated vinylstannanes and their cross-coupling reactions, (120) 195  
Reaction of Halothane with *sec*-butyllithium in the presence of zinc halides—one-pot preparation of chlorodifluorovinylzinc reagent and its derivatization to α-chloro-β,β-difluorostyrene, (122) 247
- Crosslinking  
Poly-silafluoroalkyleneoligosiloxanes: a class of fluoroelastomers with low glass transition temperature, (124) 131
- Crown ether  
Novel fluorinated polymer from 18-crown-6 by radical polyaddition, (124) 197
- Crystal structure  
Functionalized fluorinated arylethers by ring-opening of 1,2,3,4-tetrafluorodibenz[*b*,*j*][1,4]oxazepine, (119) 15  
Syntheses and crystal structures of bis(4-dimethylaminopyridine) group 12 trifluoroacetates — M(OCOCF<sub>3</sub>)<sub>2</sub>·2DMAP (M = Zn, Cd, Hg), (120) 13  
Syntheses and crystal structures of [Mg(HF)<sub>2</sub>](SbF<sub>6</sub>)<sub>2</sub> and [Ca(HF)<sub>2</sub>](SbF<sub>6</sub>)<sub>2</sub>: new examples of HF acting as a ligand to metal centres, (121) 245  
Synthesis and structural characterization of a sterically crowded acylguanidinate: R<sub>F</sub>C(=O)N=C(NMe<sub>2</sub>)<sub>2</sub> (R<sub>F</sub> ≡ 2,4,6-tris(trifluoromethyl)phenyl), (121) 79  
Structural investigations of copper(II) complexes containing fluorine-substituted β-diketonate ligands, (123) 109  
Orientation disorder in ammonium elpasolites. Crystal structures of (NH<sub>4</sub>)<sub>3</sub>AlF<sub>6</sub>, (NH<sub>4</sub>)<sub>3</sub>TiOF<sub>5</sub> and (NH<sub>4</sub>)<sub>3</sub>FeF<sub>6</sub>, (124) 5
- γ-Cyano-β-perfluoroalkyl-β,γ-unsaturated ester  
Stereoselective synthesis of (*Z*)-γ-cyano-β-perfluoroalkyl-β,γ-unsaturated esters, (124) 65
- Cyclic carbonates  
Sodium carbonate as carbon dioxide source for the synthesis of cyclic carbonates containing the trifluoromethyl group, (123) 57
- Cyclic vinyl ether  
Reactions of fluoroalkanesulfonyl azides with cyclic vinyl ethers, (120) 65
- Cyclization  
Cyclocondensation reaction of 4-aryl-4-methoxy-1,1,1-trifluoro-3-buten-2-ones with urea. Synthesis of novel 6-aryl(5-methyl)-4-trifluoromethyl-2(1*H*)-pyrimidinones, (120) 29

- Reactions of highly branched fluoroolefins with methylolithium and methylmagnesium bromide: formations of unexpected polyfluorocyclobutene and polyfluoropentadiene compounds, (120) 93
- [4+2]-Cycloaddition  
Enantioselective Diels–Alder reactions of  $\alpha$ -fluorinated  $\alpha,\beta$ -unsaturated carbonyl compounds. Part 5. Chemical consequences of fluorine substitution, (121) 163
- Cycloaddition  
A facile carbene route to 2-fluoro-2-pyrrolines via fluorinated azomethine ylides, (123) 177  
First separation and characterization of *cis* and *trans* 1,2-bisaryloxy perfluorocyclobutanes, (123) 139  
Synthesis and some chemical properties of the 6-arylsulfonyl-6-polyfluoroalkanoyl-5,6-dihydro-2H-thiins—new fluorine-containing ketones, (123) 197
- [2 + 2] Cycloadditions  
New synthesis of 3-fluoropyridine derivatives, (123) 71
- Cycloalkanones  
2,4-Bridged 1,5-bis(fluoroalkyl)-1,3,5-triketones: synthesis and properties, (123) 267
- Cycloimmonium *N*-ylide  
A facile synthetic method for 2-fluoroindolizines from 1-chloro-2,2,2-trifluoroethane (HCFC-133a) and 1,1,1,2-tetrafluoroethane (HFC-134a), (122) 171
- Cyclopropanation  
A photoprecursor for difluorocarbene, (119) 75
- Cyclopropyleneate  
Facile access to stereodefined dienates and cyclopropyleneates containing a trifluoromethyl group, (124) 93
- Deamination  
Synthesis and thiolation of 1,3-difluoro-2,4,6-trihaloanilines and benzenes, (124) 39
- Decomposition kinetics  
Perfluoropolyether (PFPE) (poly)diacyl peroxides: synthesis and applications, (121) 65
- Defluorination  
Defluorination of homologous chlorofluoroethers to chlorofluoroacetates, (120) 131  
Reactions of highly branched fluoroolefins with methylolithium and methylmagnesium bromide: formations of unexpected polyfluorocyclobutene and polyfluoropentadiene compounds, (120) 93
- DeNO<sub>x</sub>  
MgF<sub>2</sub> as a non-conventional catalyst support, (120) 1
- Density functional calculations  
Calculated structures of thiopyrylium-S-fluoride and S-trifluoride and attempts of their preparation, (120) 49  
Fluorotriss(trifluoromethylsulfonyl)methane: synthesis, characterization and reactivity, (122) 233
- Density functional theory  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193  
Time-dependent density functional theory calculations of the photoabsorption of fluorinated alkanes, (122) 27
- DFT  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193
- DFT calculations  
Reactivity and regiochemical behavior in the solvolysis reactions of (2,2-difluorocyclopropyl)methyl tosylates, (119) 39  
Synthesis and NMR studies of 2- and 3-fluorosubstituted five-membered heterocycles, (124) 159
- Diamines  
A new synthetic route of 4,4'-hexafluoroisopropylidene-2,2-bis-(phthalic acid anhydride) and characterization of 4,4'-hexafluoroisopropylidene-2,2-bis-(phthalic acid anhydride)-containing polyimides, (123) 221
- Dibenzoxazepine  
Functionalized fluorinated arylethers by ring-opening of 1,2,3,4-tetrafluorodibenz[*b,f*][1,4]oxazepine, (119) 15
- Dibromodifluoromethane  
A novel direct synthesis of (2,2-difluorovinyl)benzenes from aromatic aldehydes, (124) 115
- 1,3-Dicarbonyl compounds  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173
- Dielectric films  
Fluorocarbon dielectrics via hot filament chemical vapor deposition, (122) 93
- Dienamines  
Reaction of  $\beta$ -trifluoroethoxy vinamidinium salts with carbon nucleophiles, (120) 33
- 1,3-Dienes  
Enantioselective Diels–Alder reactions of  $\alpha$ -fluorinated  $\alpha,\beta$ -unsaturated carbonyl compounds. Part 5. Chemical consequences of fluorine substitution, (121) 163
- Dienes of bicyclo[3.3.1]nonane series  
Synthesis of halo-fluoro-substituted adamantanes by electrophilic transannular cyclization of bicyclo[3.3.1]nonane dienes, (123) 207
- Dienoate  
Facile access to stereodefined dienates and cyclopropyleneates containing a trifluoromethyl group, (124) 93
- N,N*-Diethyl-2-fluoro-2-trifluoromethyl-4-alkenamides  
A novel reaction of allylic alcohols with hexafluoropropene-diethylamine adduct (PPDA) to form 2-fluoro-2-trifluoromethyl-4-alkenamides, (124) 69
- Difluoro(organylsulfinyl)acetates  
A new one-pot synthesis of difluoro(organylsulfinyl)acetic acid esters, (119) 59
- 4,4-Difluoro-1,3-dioxolan-2-one  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- Difluoroalkenes  
A novel direct synthesis of (2,2-difluorovinyl)benzenes from aromatic aldehydes, (124) 115
- 2,4-Difluorobenzoic acid  
Regio-selective hydroxysubstitution of fluorobenzoic acid derivatives: facile synthesis of fluorosalicylic acid derivatives, (121) 97
- Difluorobis(pyridine)boron(III) cation  
The coordination chemistry of (py)<sub>2</sub>BF<sub>2</sub><sup>+</sup> and related difluoroboron cations, (119) 125
- Difluorocarbene  
A photoprecursor for difluorocarbene, (119) 75  
(2,2-Difluorocyclopropyl)methyl radical and cation  
Reactivity and regiochemical behavior in the solvolysis reactions of (2,2-difluorocyclopropyl)methyl tosylates, (119) 39
- 4,5-Difluoro-1,3-dioxolan-2-one  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- Difluoromethanesulfonyl fluoride  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- Difluoromethyl  
Johnson–Claisen rearrangement of  $\gamma$ -fluoro- $\gamma$ -(di- or tri-fluoromethyl)allyl alcohols affording stereoselective access to  $\beta$ -fluoro- $\beta$ -di- or tri-fluoromethylated  $\gamma,\delta$ -unsaturated carboxylic acid esters, (122) 237
- Difluoroolefin  
Carbocyclization reactions of terminally difluorinated alkenyl active methine compounds mediated by SnCl<sub>4</sub> and amine, (123) 75
- 4,5-Dihydroisoxazoles  
Haloacetylated enol ethers: 18. Synthesis of alkyl 6-[azol-3(5)-yl]hexanoates, (123) 249

- $\alpha,\omega$ -Dihydroperfluoropolyethers  
A study of the thermal decarboxylation of three perfluoropolyether salts, (124) 123
- 4,5-Dihydropyrazole derivatives  
Synthesis of polyfluorophenyl substituted-4,5-dihydropyrazole derivatives via 1,3-dipolar cycloaddition of nitrile imine with ethyl acrylate, (124) 211
- Dihydroxybiaryls  
Thia-Fries rearrangement of aryl triflinates to trifluoromethanesulfinylphenols, (123) 51
- $\alpha,\omega$ -Diiodoperfluoroalkane  
Synthesis of amino terminated semifluorinated long-chain alkanethiols, (124) 169
- $\beta$ -Diketonate ligands  
Synthesis and coordination chemistry of perfluoroalkyl-derivatised  $\beta$ -diketonates, (119) 65  
Structural investigations of copper(II) complexes containing fluorine-substituted  $\beta$ -diketonate ligands, (123) 109
- Dimethylaminopropyl rotamers  
“Single tail” and “twin tail” 3-(perfluoroalkylethanethia)alkylsuccinic anhydrides give  $R_F$  segmented diacids, amic acids, imides, esters, and salts. Unusual  $^1H$  NMR of the succinamic acids, (121) 33
- 1,3,2-dioxaphosphorinanes  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d’hydrazones *N*-fluoroalkylées  $\beta$ -phosphonates, (121) 177
- Dioxygenyl cation  
Structural and vibrational characterization of  $[KrF][AuF_6]$  and  $\alpha$ - $[O_2][AuF_6]$  using single crystal X-ray diffraction, Raman spectroscopy and electron structure calculations, (119) 109
- Dioxygenyl salts and ozone  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- 1,3-Dipolar addition  
A facile synthetic method for 2-fluoroindolizines from 1-chloro-2,2,2-trifluoroethane (HCFC-133a) and 1,1,1,2-tetrafluoroethane (HFC-134a), (122) 171
- 1,3-Dipolar cycloaddition  
Reactions of fluoroalkanesulfonyl azides with cyclic vinyl ethers, (120) 65  
Synthesis of polyfluorophenyl substituted-4,5-dihydropyrazole derivatives via 1,3-dipolar cycloaddition of nitrile imine with ethyl acrylate, (124) 211
- Direct fluorination  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105  
Fluorotris(trifluoromethylsulfonyl)methane: synthesis, characterization and reactivity, (122) 233  
An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233
- Dissolution inhibitor  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- Domains  
Orientation disorder in ammonium elpasolites. Crystal structures of  $(NH_4)_3AlF_6$ ,  $(NH_4)_3TiOF_5$  and  $(NH_4)_3FeF_6$ , (124) 5
- Domino reaction  
A facile carbene route to 2-fluoro-2-pyrrolines via fluorinated azomethine ylides, (123) 177
- D-Phenylglycine  
Enantiospecific enzymatic synthesis of *N*-carbamoyl-D-*p*-fluorophenylglycine and *N*-carbamoyl-D-*p*-trifluoromethylphenylglycine, (121) 55
- Durability  
Characterization of fibril reinforced membranes for fuel cells, (120) 151
- Electrochemical fluorination  
Carbon-chain isomerization during the electrochemical fluorination in anhydrous hydrogen fluoride—a mechanistic study, (124) 21
- Electrochemical partial fluorination  
Electrochemical partial fluorination of phenylacetic acids esters and 1-tetralone, (121) 227
- Electrocyclic equilibrium  
A photoprecursor for difluorocarbene, (119) 75
- Electrolysis  
Electrochemical fluorosulfation of perfluoroallylbenzene, (122) 183
- Electrolyte salts  
Novel electrolyte salts based on perfluoroalkyltrifluoroborate anions. 1. Synthesis and characterization, (123) 127
- 1:3 Electrolytes  
Synthesis and characterisation of bis(pentafluorophenyl)antimony(V) cations,  $[(C_6F_5)_2SbL_3]^{3+}$ , (122) 229
- Electron structure calculations  
Structural and vibrational characterization of  $[KrF][AuF_6]$  and  $\alpha$ - $[O_2][AuF_6]$  using single crystal X-ray diffraction, Raman spectroscopy and electron structure calculations, (119) 109
- Electronic effect  
The steric and electronic effects of aliphatic fluoroalkyl groups, (123) 65
- Electron-rich molecules  
Increased valence (qualitative valence bond) descriptions of the electronic structures of electron-rich fluorine-containing molecules, (123) 5
- Electrophilic  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173
- Electrophilic fluorination  
A general method of halogenation for synthesis of  $\alpha$ -halodifluoromethyl ketones and  $[^{18}F]$ -labeled trifluoromethyl ketones, (121) 239  
Fluorotris(trifluoromethylsulfonyl)methane: synthesis, characterization and reactivity, (122) 233  
1-Fluoro-2,4,6-trichloro-1,3,5-triazinium tetrafluoroborate: synthesis, characterization, and ability to effect electrophilic aromatic substitution, (124) 229
- Elemental chemical analyses  
Chemical analysis of main arsenic species in mixtures of  $As^{III}$  and  $AsF_6^-$ , (122) 215
- Elemental fluorine  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105  
Reaction between cerium trifluoride and elemental fluorine, (120) 111
- Enamines  
Reaction of  $\beta$ -trifluoroethoxy vinamidinium salts with carbon nucleophiles, (120) 33
- Enantiopure titanium TADDOLate complexes  
Enantioselective Diels–Alder reactions of  $\alpha$ -fluorinated  $\alpha,\beta$ -unsaturated carbonyl compounds. Part 5. Chemical consequences of fluorine substitution, (121) 163
- Enantioselective electrophilic fluorination  
Enantioselective electrophilic fluorination: a study of the fluorine-transfer from achiral N–F reagents to cinchona alkaloids, (122) 189
- Enantioselective reduction  
Kinetic aspects involved in the simultaneous enzymatic synthesis of (*S*)-3-fluoroalanine and (*R*)-3-fluorolactic acid, (124) 219
- Enantiospecific  
Enantiospecific enzymatic synthesis of *N*-carbamoyl-D-*p*-fluorophenylglycine and *N*-carbamoyl-D-*p*-trifluoromethylphenylglycine, (121) 55
- Enantiospecific desaminative oxidation  
Kinetic aspects involved in the simultaneous enzymatic synthesis of (*S*)-3-fluoroalanine and (*R*)-3-fluorolactic acid, (124) 219

- End-capped fluoroalkyl  
 Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Enol ethers  
 Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- Enones  
 Cyclocondensation reaction of 4-aryl-4-methoxy-1,1,1-trifluoro-3-buten-2-ones with urea. Synthesis of novel 6-aryl(5-methyl)-4-trifluoromethyl-2(1*H*)-pyrimidinones, (120) 29  
 Solvent effects on the <sup>17</sup>O NMR chemical shifts of 4-dimethylsulfoximide-1,1,1-trifluoro-3-alken-2-ones, (121) 135  
 Reactions of β-methoxyvinyl trifluoromethyl ketones with 2-pyridine-carboxamidrazone. A convenient route to trifluoromethylated 4,5-dihydro-1*H*-1-picolinoylpyrazole hydrochlorides, (122) 159  
 Haloacetylated enol ethers: 18. Synthesis of alkyl 6-[azol-3(5)-yl]hexanoates, (123) 249
- Enthalpy of formation  
 Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Entropy  
 Orientation disorder in ammonium elpasolites. Crystal structures of (NH<sub>4</sub>)<sub>3</sub>AlF<sub>6</sub>, (NH<sub>4</sub>)<sub>3</sub>TiOF<sub>5</sub> and (NH<sub>4</sub>)<sub>3</sub>FeF<sub>6</sub>, (124) 5
- Epoxides  
 Lewis acids catalyzed ring-opening reactions of methylenecyclopropanes and epoxides in supercritical carbon dioxide or modified supercritical carbon dioxide with perfluorocarbon, (122) 219
- EPR spectroscopy  
 The radiation chemistry of acyclic hydrofluoro and perhalogenated ether and hydrocarbon compounds, (121) 153
- Esterification  
 Syntheses and properties of novel non-ionic fluorinated multichains “star-like” surfactants, (119) 191
- Ethers  
 Isolation and characterisation of both the first fluoroxyfluorofullerene C<sub>60</sub>F<sub>17</sub>OF and oxahomofluorofullerenol C<sub>60</sub>F<sub>17</sub>O.OH, (121) 185
- Ethyl acrylate  
 Synthesis of polyfluorophenyl substituted-4,5-dihydropyrazole derivatives via 1,3-dipolar cycloaddition of nitrile imine with ethyl acrylate, (124) 211
- <sup>19</sup>F NMR  
 Organoaluminum fluorides, (122) 125  
 Synthesis and <sup>19</sup>F NMR study of R<sub>F</sub>-oleic acid-F<sub>13</sub>, (123) 255  
 First separation and characterization of *cis* and *trans* 1,2-bisaryloxy perfluorocyclobutanes, (123) 139  
 Isolation of C<sub>60</sub>(CF<sub>3</sub>)<sub>*n*</sub> (*n* = 2, 4, 6, 8, 10) with high compositional purity, (124) 61
- <sup>19</sup>F nuclear magnetic resonance  
 Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53
- Fabrication  
 The use of fluoropolymers to protect semiconductor materials, (122) 121
- “FBr” addition  
 Preparation of β-fluoro- and β,β-difluoro-histidinols, (123) 95  
 New approaches to side-chain fluorinated bioimidazoles: 4-alkynylimidazoles as substrates for fluorination, (124) 105
- FEP  
 Thermal imidization of poly(pyromellitic dianhydride-4,4'-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151
- Ferrocene  
 Selective mono- and di{(perfluoroalkyl)acylation} of ferrocene, (124) 177
- Fibril reinforced membrane  
 Characterization of fibril reinforced membranes for fuel cells, (120) 151
- Fire-retardant  
 Bis(fluoroalkyl)acrylic and methacrylic phosphate monomers, their polymers and some of their properties, (121) 23
- Fluoride  
 The analytical and descriptive inorganic chemistry of the hydrolysis of hexafluoropnictate ions, PnF<sub>6</sub><sup>−</sup> (Pn = P, As, Sb, Bi), (123) 217
- Fluoride active phases  
 MgF<sub>2</sub> as a non-conventional catalyst support, (120) 1
- Fluoride ion  
 Ionic liquids as media for nucleophilic fluorination, (123) 81
- Fluoride-modified alumina  
 Fluoride modification of Mo/Al<sub>2</sub>O<sub>3</sub> catalysts. Characterization of the changes induced in support and Mo phases, (122) 151
- Fluorinated 1,3,5-triketones  
 2,4-Bridged 1,5-bis(fluoroalkyl)-1,3,5-triketones: synthesis and properties, (123) 267
- Fluorinated alcohols  
 Design of very transparent fluoropolymer resists for semiconductor manufacture at 157 nm, (122) 11
- Fluorinated alkanes  
 Time-dependent density functional theory calculations of the photo-absorption of fluorinated alkanes, (122) 27
- Fluorinated 2-aminobenzenethiol  
 Synthesis of 2-amino-5-chloro-3-(trifluoromethyl)benzenethiol and conversion into 4*H*-1,4-benzothiazines and their sulfones, (122) 207
- Fluorinated beta-sultones  
 Fluorinated olefins and oleum, (121) 147
- Fluorinated chromia aerogel  
 Dynamic behaviour of chlorofluoroethanes at fluorinated chromia aerogels and fluorinated zinc(II) or magnesium(II) doped chromia aerogels, (121) 83
- Fluorinated compounds  
 Organofluorine compounds and fluorinating agents. Part 28. New perfluoroalkyl substituted chiral mesogens, (120) 85
- Fluorinated conducting polymers  
 Fluorinated molecules relevant to conducting polymer research, (120) 77
- Fluorinated dienes  
 The stereospecific preparation of two perfluoro-1,3-butadiene synthons; (*E*)-1-trimethylsilyl-1,2,3,4,4-pentafluoro-1,3-butadiene and (*E*)-1-tributylstannyl-1,2,3,4,4-pentafluoro-1,3-butadiene, (119) 21
- Fluorinated gases  
 Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105
- Fluorinated heterocycles  
 Regiospecific synthesis of polyfluorinated heterocycles, (123) 261
- Fluorinated lubricants  
 Synthesis and characterization of a new class of polyfluorinated alkanes: tetrakis(perfluoroalkyl)alkane, (121) 57
- Fluorinated monomers  
 Fluorinated molecules relevant to conducting polymer research, (120) 77
- Fluorinated phosphate  
 Bis(fluoroalkyl)acrylic and methacrylic phosphate monomers, their polymers and some of their properties, (121) 23
- Fluorinated polymer  
 A novel perfluoromonomer: perfluoro-2,3-dihydro-1,4-benzodioxin, (124) 183
- Fluorinated polyphenylenevinylene  
 Fluorinated molecules relevant to conducting polymer research, (120) 77
- Fluorinated polysiloxanes  
 Poly-silafluoroalkyleneoligosiloxanes: a class of fluoroelastomers with low glass transition temperature, (124) 131
- Fluorinated precursors  
 Fluorinated compounds for advanced IC interconnect applications: a survey of chemistries and processes, (122) 87

- Fluorinated surfactants  
Syntheses and properties of novel non-ionic fluorinated multichains “star-like” surfactants, (119) 191
- Fluorinated synthons  
The stereospecific preparation of two perfluoro-1,3-butadiene synthons; (*E*)-1-trimethylsilyl-1,2,3,4,4-pentafluoro-1,3-butadiene and (*E*)-1-tributylstannyl-1,2,3,4,4-pentafluoro-1,3-butadiene, (119) 21
- Fluorinated thin films  
Fluorinated compounds for advanced IC interconnect applications: a survey of chemistries and processes, (122) 87
- Fluorinated vinyl silanes  
Preparation of 1,1,2-trifluoro-2-trimethylsilylethylene, (121) 75
- Fluorinated vinylsilanes  
The stereospecific preparation of two perfluoro-1,3-butadiene synthons; (*E*)-1-trimethylsilyl-1,2,3,4,4-pentafluoro-1,3-butadiene and (*E*)-1-tributylstannyl-1,2,3,4,4-pentafluoro-1,3-butadiene, (119) 21
- Fluorinated vinylstannanes  
The stereospecific preparation of two perfluoro-1,3-butadiene synthons; (*E*)-1-trimethylsilyl-1,2,3,4,4-pentafluoro-1,3-butadiene and (*E*)-1-tributylstannyl-1,2,3,4,4-pentafluoro-1,3-butadiene, (119) 21
- Fluorinating agent  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173
- Fluorination  
Kinetics of tetrachloromethane fluorination by hydrogen fluoride in the presence of antimony pentachloride, (119) 89  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173  
Surface properties of fluorinated single-walled carbon nanotubes, (120) 99
- Fluorination reagents  
Fluorotris(trifluoromethylsulfonyl)methane: synthesis, characterization and reactivity, (122) 233
- Fluorine  
Electrochemistry of fluorine production, (119) 173  
Microreactors for oxidations using fluorine, (119) 81  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173  
1,4-Addition reaction of ethyl bromodifluoroacetate to Michael acceptors in the presence of copper powder. Improvement of the reaction using TMEDA as an additive, (121) 105
- Fluorine-18  
A general method of halogenation for synthesis of  $\alpha$ -halodifluoromethyl ketones and [<sup>18</sup>F]-labeled trifluoromethyl ketones, (121) 239  
Syntheses of [<sup>18</sup>F]5-fluoro-3-nitro-L-tyrosine, (121) 9
- Fluorine  
Organoaluminum fluorides, (122) 125  
Reaction of haloethane with carbonyl compounds in the presence of bases, (123) 283  
1-Fluoro-2,4,6-trichloro-1,3,5-triazinium tetrafluoroborate: synthesis, characterization, and ability to effect electrophilic aromatic substitution, (124) 229
- Fluorine and compounds  
Enantioselective carbon–carbon bond forming reactions using fluorous chiral catalysts, (120) 121
- Fluorine compounds  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Fluorine coordination polyhedron  
Reaction between cerium trifluoride and elemental fluorine, (120) 111
- Fluorine laser  
Fluorine—an enabler in advanced photolithography, (122) 3
- Fluorine melts  
Potassium fluorotantalate in solid, dissolved and molten conditions, (123) 155
- Fluorine-19 NMR  
The coordination chemistry of (py)<sub>2</sub>BF<sub>2</sub><sup>+</sup> and related difluoroboron cations, (119) 125
- Fluorine NMR  
Isolation and characterisation of both the first fluoroxyfluorofullerene C<sub>60</sub>F<sub>17</sub>OF and oxahomofluorofullerenol C<sub>60</sub>F<sub>17</sub>O.OH, (121) 185
- Fluorine solutions  
Potassium fluorotantalate in solid, dissolved and molten conditions, (123) 155
- Fluorine substitution  
Structural investigations of copper(II) complexes containing fluorine-substituted  $\beta$ -diketonate ligands, (123) 109
- Fluorine-containing internal acetylene derivative  
A highly regio- and stereo-selective hydrostannation reaction of various fluorine-containing internal acetylene derivatives, (120) 185
- Fluorine-doping  
Properties and production of F-doped silica glass, (122) 81
- Fluorine–graphite intercalation compound  
A study on the formation mechanism of graphite fluorides by Raman spectroscopy, (120) 143
- N*-Fluoro compounds  
Enantioselective electrophilic fluorination: a study of the fluorine-transfer from achiral *N*-F reagents to cinchona alkaloids, (122) 189
- 4-Fluoro-1,3-dioxolan-2-one  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- $\alpha$ -Fluoro- $\alpha,\beta$ -unsaturated ester  
Microreactors for the synthesis of fluorinated materials, (122) 243
- (*S*)-3-Fluoroalanine  
Kinetic aspects involved in the simultaneous enzymatic synthesis of (*S*)-3-fluoroalanine and (*R*)-3-fluorolactic acid, (124) 219
- Fluoroalcohol  
Tacticity control in the radical polymerization of 2,2,2-trifluoroethyl methacrylate with fluoroalcohol, (123) 147  
The steric and electronic effects of aliphatic fluoroalkyl groups, (123) 65
- Fluoroalkanesulfonyl azide  
Reactions of fluoroalkanesulfonyl azides with cyclic vinyl ethers, (120) 65
- N*-Fluoroalkanesulfonyl-tetrahydropyranon-2-imine  
Reactions of fluoroalkanesulfonyl azides with cyclic vinyl ethers, (120) 65
- Fluoroalkenes  
The unusual reactivity of C<sub>3</sub>F<sub>7</sub>OCF=CF<sub>2</sub> with PBu<sub>3</sub> and the complex hydrides M[EH<sub>4</sub>] (M: Li, Na; E: B, Al); preparation of potassium perfluoro-2-propoxyeth-1-enyltrifluoroborate K[C<sub>3</sub>F<sub>7</sub>OCF=CFBF<sub>3</sub>], (123) 43
- Fluoroalkyl  
The steric and electronic effects of aliphatic fluoroalkyl groups, (123) 65  
Synthesis of fluoro-substituted monomers bearing a functionalised lateral chain. Part 2. Preparation of sulfoxides and sulfones containing monomers, (124) 139
- O*-Fluoroalkyl *S,S*-dialkyl phosphorothiolate  
Fluorinated phosphorus compounds. Part 8. The reactions of bis(fluoroalkyl) phosphorochloridates with sulfur nucleophiles, (119) 161
- N*-fluoroalkylated  $\beta$ -phosphonylated hydrazones  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d'hydrazones *N*-fluoroalkylées  $\beta$ -phosphonées, (121) 177
- Fluoroalkylated vinylstannane  
A highly regio- and stereo-selective hydrostannation reaction of various fluorine-containing internal acetylene derivatives, (120) 185
- Fluoroalkylhydrazines  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d'hydrazones *N*-fluoroalkylées  $\beta$ -phosphonées, (121) 177
- Fluoroaromatic  
Can fluorine chemistry be green chemistry?, (123) 31



- 1-Fluoro-2,4,6-trichloro-1,3,5-triazinium tetrafluoroborate: synthesis, characterization, and ability to effect electrophilic aromatic substitution, (124) 229
- Fluoroaryl  
Syntheses and insecticidal activities of novel 2,5-disubstituted 1,3,4-oxadiazoles, (123) 163
- Fluorobenzene  
Can fluorine chemistry be green chemistry?, (123) 31
- Fluorobenzofuroxans  
Synthesis of novel fluorobenzofuroxans by oxidation of anilines and thermal cyclization of arylazides, (121) 171
- Fluoroborates  
The unusual reactivity of  $C_3F_7OCF=CF_2$  with  $PBu_3$  and the complex hydrides  $M[EH_4]$  (M: Li, Na; E: B, Al); preparation of potassium perfluoro-2-propoxyeth-1-enyltrifluoroborate  $K[C_3F_7OCF=CFBF_3]$ , (123) 43
- Fluoroboron cations  
The coordination chemistry of  $(py)_2BF_2^+$  and related difluoroboron cations, (119) 125
- Fluorocarbon polymerization  
Fluorocarbon dielectrics via hot filament chemical vapor deposition, (122) 93
- Fluorocarbon polymers  
Fluorine—an enabler in advanced photolithography, (122) 3
- Fluorocontaining camphor thiazolinyldiazones  
From oxides of internal perfluoroolefins to fluorocontaining camphor thiazolinyldiazones, (120) 41
- Fluorocyclopentane  
Carbocyclization reactions of terminally difluorinated alkenyl active methine compounds mediated by  $SnCl_4$  and amine, (123) 75
- Fluorocyclopentene  
Carbocyclization reactions of terminally difluorinated alkenyl active methine compounds mediated by  $SnCl_4$  and amine, (123) 75
- Fluoroelastomers  
Perfluoroelastomer and fluoroelastomer seals for semiconductor wafer processing equipment, (122) 113  
Poly-silafluoroalkyleneoligosiloxanes: a class of fluoroelastomers with low glass transition temperature, (124) 131
- Fluorohexane  
Quantum chemical modeling for 157 nm photolithography, (122) 37
- 4-Fluoro-2-hydroxybenzoic acid  
Regio-selective hydroxysubstitution of fluorobenzoic acid derivatives: facile synthesis of fluorosalicylic acid derivatives, (121) 97
- 2-Fluoroindolizine  
A facile synthetic method for 2-fluoroindolizines from 1-chloro-2,2,2-trifluoroethane (HCFC-133a) and 1,1,1,2-tetrafluoroethane (HFC-134a), (122) 171
- (*R*)-3-Fluorolactic acid  
Kinetic aspects involved in the simultaneous enzymatic synthesis of (*S*)-3-fluoroalanine and (*R*)-3-fluorolactic acid, (124) 219
- Fluoromethanesulfonyl fluoride  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- Fluoronitrotyrosine  
Syntheses of [ $^{18}F$ ]5-fluoro-3-nitro-L-tyrosine, (121) 9
- Fluoronorbornenes  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- Fluoroolefins  
Methyl hypofluorite (MeOF) reactions with various fluoroolefins, (119) 3  
Fluorinated olefins and oleum, (121) 147
- Fluoropolymer  
Bis(fluoroalkyl)acrylic and methacrylic phosphate monomers, their polymers and some of their properties, (121) 23
- Novel hydrofluorocarbon polymers for use as pellicles in 157 nm semiconductor photolithography: fundamentals of transparency, (122) 63
- Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97
- The use of fluoropolymers to protect semiconductor materials, (122) 121
- First separation and characterization of *cis* and *trans* 1,2-bisaryloxy perfluorocyclobutanes, (123) 139
- Novel fluorinated polymer from 18-crown-6 by radical polyaddition, (124) 197
- 3-Fluoropyridine derivatives  
New synthesis of 3-fluoropyridine derivatives, (123) 71
- N*-Fluoropyridinium salt  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173
- Fluorosilicone copolymerization  
Fluorocarbon dielectrics via hot filament chemical vapor deposition, (122) 93
- $\alpha$ -Fluoro- $\alpha$ -silyl sulfone  
A new synthesis of  $\alpha$ -fluorovinylsulfones utilizing the Peterson olefination methodology, (124) 81
- Fluorosulfonic acid  
Electrochemical fluorosulfation of perfluoroallylbenzene, (122) 183
- 2-Fluoro-2-trifluoromethyl-5-iodo-4-alkanolide  
A novel reaction of allylic alcohols with hexafluoropropene-diethylamine adduct (PPDA) to form 2-fluoro-2-trifluoromethyl-4-alkenamides, (124) 69
- Fluorous  
Convenient syntheses of fluorous phenols of the formula  $HOC_6H_{5-n}((CH_2)_3(CF_2)_7CF_3)_n$  ( $n = 1, 2$ ) and the corresponding triarylphosphites, (119) 141  
Synthesis and coordination chemistry of perfluoroalkyl-derivatised  $\beta$ -diketonates, (119) 65  
Phosphorous(III) compounds incorporating perfluoroalkyl-derivatised biphenolic units, (121) 213  
Synthesis and properties of fluorous arenes and triaryl phosphorus compounds with branched fluoroalkyl moieties ("split pony tails"), (124) 45
- Fluorous biphasic  
6,6'-Bis(perfluoroalkylated) BINOLs promoted asymmetric allylation of aldehydes, (120) 117  
Phosphorous(III) compounds incorporating perfluoroalkyl-derivatised biphenolic units, (121) 213  
Can fluorine chemistry be green chemistry?, (123) 31
- Fluoroxyfluorofullerene  
Isolation and characterisation of both the first fluoroxyfluorofullerene  $C_{60}F_{17}OF$  and oxahomofluorofullerenol  $C_{60}F_{17}O.OH$ , (121) 185
- $^{19}F$ -NMR  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d'hydrazones *N*-fluoroalkylées  $\beta$ -phosphonatéés, (121) 177
- Friedel–Crafts acylation  
Lanthanide bis(trifluoromethanesulfonyl)amides, synthesis, characterization and catalytic activity, (121) 233
- Fries transposition  
Lanthanide bis(trifluoromethanesulfonyl)amides, synthesis, characterization and catalytic activity, (121) 233
- Fullerene  
Isolation and characterisation of both the first fluoroxyfluorofullerene  $C_{60}F_{17}OF$  and oxahomofluorofullerenol  $C_{60}F_{17}O.OH$ , (121) 185  
Isolation of  $C_{60}(CF_3)_n$  ( $n = 2, 4, 6, 8, 10$ ) with high compositional purity, (124) 61
- Furan  
Synthesis and NMR studies of 2- and 3-fluorosubstituted five-membered heterocycles, (124) 159

- Gaussian-3 theory  
Ab initio investigations of the C<sub>2</sub>F<sub>4</sub>S isomers and of their interconversions, (124) 99
- gem*-Dialkyl induced lactonization  
Radical addition of R<sub>p</sub>I to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the δ-iodoalkanoic esters to γ-lactones, (123) 237
- Graft copolymer  
Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53
- Grafting  
Thermal imidization of poly(pyromellitic dianhydride-4,4'-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151
- Graphite fluoride  
A study on the formation mechanism of graphite fluorides by Raman spectroscopy, (120) 143
- Green chemistry  
Ionic liquids as media for nucleophilic fluorination, (123) 81
- Grignard reagent  
Reactions of highly branched fluoroolefins with methyl lithium and methylmagnesium bromide: formations of unexpected polyfluorocyclobutene and polyfluoropentadiene compounds, (120) 93
- Guanidines  
*N*-Bis(methylthio)methylene-trifluoromethanesulfonylamide CF<sub>3</sub>SO<sub>2</sub>N=C(SCH<sub>3</sub>)<sub>2</sub>: new reagent for the preparation of *N*-trifluoromethylsulfonylimino carbonic and thiocarbonic acids derivatives, (124) 151
- <sup>1</sup>H and <sup>19</sup>F NMR  
Synthesis and characterisation of bis(pentafluorophenyl)antimony(V) cations, [(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>SbL<sub>3</sub>]<sup>3+</sup>, (122) 229
- Halofluorination  
Synthesis of halo-fluoro-substituted adamantanes by electrophilic transannular cyclization of bicyclo[3.3.1]nonane dienes, (123) 207
- Halogenation  
A general method of halogenation for synthesis of α-halodifluoromethyl ketones and [<sup>18</sup>F]-labeled trifluoromethyl ketones, (121) 239  
Synthesis and thiolation of 1,3-difluoro-2,4,6-trihaloanilines and benzenes, (124) 39
- Halothane  
Reaction of Halothane with *sec*-butyllithium in the presence of zinc halides—one-pot preparation of chlorodifluorovinylzinc reagent and its derivatization to α-chloro-β,β-difluorostyrene, (122) 247  
Reaction of halothane with carbonyl compounds in the presence of bases, (123) 283
- HCFC  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- Heck reaction  
Enantioselective carbon-carbon bond forming reactions using fluorous chiral catalysts, (120) 121  
Synthesis and properties of fluorous arenes and triaryl phosphorus compounds with branched fluoroalkyl moieties (“split pony tails”), (124) 45
- Heptadecafluoro-oleic acid analog  
Synthesis of a highly fluorinated fatty acid analog, (119) 207
- Heptafluorobutyramide  
Solvolytic reactions of perfluoro-5-aza-4-nonene, C<sub>3</sub>F<sub>7</sub>-CF=N-C<sub>4</sub>F<sub>9</sub>, (122) 175
- Heptafluorobutyrimide  
Solvolytic reactions of perfluoro-5-aza-4-nonene, C<sub>3</sub>F<sub>7</sub>-CF=N-C<sub>4</sub>F<sub>9</sub>, (122) 175
- Heteropolyacids  
MgF<sub>2</sub> as a non-conventional catalyst support, (120) 1
- Hetro-structure  
Fabrication of high performance thin films from metal fluorocomplex aqueous solution by the liquid phase deposition, (120) 157
- Hexafluoro-1,3-butadiene  
Comparison of the electrophilic and free-radical addition of halogens with hexafluoro-1,3-butadiene and 1,3-butadiene, (123) 171
- Hexafluoroacetone  
Uncatalyzed Meerwein-Ponndorf-Verley reduction of trifluoromethyl carbonyl compounds by high-temperature secondary alcohols, (121) 223
- Hexafluoroaurate(V) anion  
Structural and vibrational characterization of [KrF][AuF<sub>6</sub>] and α-[O<sub>2</sub>][AuF<sub>6</sub>] using single crystal X-ray diffraction, Raman spectroscopy and electron structure calculations, (119) 109
- Hexafluoroethane  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193  
Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105
- Hexafluoroisopropanol  
Uncatalyzed Meerwein-Ponndorf-Verley reduction of trifluoromethyl carbonyl compounds by high-temperature secondary alcohols, (121) 223
- 4,4'-Hexafluoroisopropylidene-2,2-bis-(phthalic acid anhydride)  
A new synthetic route of 4,4'-hexafluoroisopropylidene-2,2-bis-(phthalic acid anhydride) and characterization of 4,4'-hexafluoroisopropylidene-2,2-bis-(phthalic acid anhydride)-containing polyimides, (123) 221
- Hexafluorophosphate  
The coordination chemistry of (py)<sub>2</sub>BF<sub>2</sub><sup>+</sup> and related difluoroboron cations, (119) 125
- Hexafluoropnictate ions  
The analytical and descriptive inorganic chemistry of the hydrolysis of hexafluoropnictate ions, PnF<sub>6</sub><sup>-</sup> (Pn = P, As, Sb, Bi), (123) 217
- Hexafluoropropene dimer  
2,2-Dihydroperfluoropentane (HFC 4310 mf) synthesis from HFP dimer, (123) 227
- Hexafluoropropene trimer  
Reactions of highly branched fluoroolefins with methyl lithium and methylmagnesium bromide: formations of unexpected polyfluorocyclobutene and polyfluoropentadiene compounds, (120) 93
- Hexafluoropropene-diethylamine adduct (PPDA)  
A novel reaction of allylic alcohols with hexafluoropropene-diethylamine adduct (PPDA) to form 2-fluoro-2-trifluoromethyl-4-alkenamides, (124) 69
- Hexafluoropropylene  
Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53  
Use of bis(trifluoromethyl)peroxy dicarbonate as initiator in the radical homopolymerisation of vinylidene fluoride (VDF) and copolymerisation of VDF with hexafluoropropylene, (123) 85
- Hexafluorated hydrogen bonding system  
A crystal engineering utilization of hexafluorated hydrogen bonding to construction of subnano fluorinated tunnels, (120) 165
- HF as a ligand  
Syntheses and crystal structures of [Mg(HF)<sub>2</sub>](SbF<sub>6</sub>)<sub>2</sub> and [Ca(HF)<sub>2</sub>](SbF<sub>6</sub>)<sub>2</sub>: new examples of HF acting as a ligand to metal centres, (121) 245
- HFC  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- HFC 236 fa  
2,2-Dihydroperfluoropentane (HFC 4310 mf) synthesis from HFP dimer, (123) 227

- HFC 4310 mf  
2,2-Dihydroperfluoropentane (HFC 4310 mf) synthesis from HFP dimer, (123) 227
- High-temperature alcohols  
Uncatalyzed Meerwein–Ponndorf–Verley reduction of trifluoromethyl carbonyl compounds by high-temperature secondary alcohols, (121) 223
- Histidine biosynthesis  
Preparation of  $\beta$ -fluoro- and  $\beta,\beta$ -difluoro-histidinols, (123) 95
- $^1\text{H-NMR}$   
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d'hydrazones *N*-fluoroalkylées  $\beta$ -phosphonatéés, (121) 177
- Homolytic ( $S_{\text{H}}$ ) lactonization  
Radical addition of  $R_{\text{F}}\text{I}$  to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the  $\delta$ -iodoalkanoic esters to  $\gamma$ -lactones, (123) 237
- Homopolyatomic (homonuclear) ions  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Hot filament chemical vapor deposition  
Fluorocarbon dielectrics via hot filament chemical vapor deposition, (122) 93
- Hybrid surfactant  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Hydrochlorides  
Reactions of  $\beta$ -methoxyvinyl trifluoromethyl ketones with 2-pyridine-carboxamidrazone. A convenient route to trifluoromethylated 4,5-dihydro-1*H*-1-picolinoylpyrazole hydrochlorides, (122) 159
- Hydrochlorofluorocarbon  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- Hydrodesulfurization  
 $\text{MgF}_2$  as a non-conventional catalyst support, (120) 1  
Fluoride modification of  $\text{Mo}/\text{Al}_2\text{O}_3$  catalysts. Characterization of the changes induced in support and Mo phases, (122) 151
- Hydrodynamic radius  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Hydrofluorocarbon  
The radiation chemistry of acyclic hydrofluoro and perhalogenated ether and hydrocarbon compounds, (121) 153  
Novel hydrofluorocarbon polymers for use as pellicles in 157 nm semiconductor photolithography: fundamentals of transparency, (122) 63  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- Hydrofluoroether  
Methyl hypofluorite ( $\text{MeOF}$ ) reactions with various fluoroolefins, (119) 3  
The radiation chemistry of acyclic hydrofluoro and perhalogenated ether and hydrocarbon compounds, (121) 153
- Hydrofluoropolyethers  
The radiation chemistry of acyclic hydrofluoro and perhalogenated ether and hydrocarbon compounds, (121) 153
- Hydrogen bonding network  
A crystal engineering utilization of hexafurcated hydrogen bonding to construction of subnano fluorinated tunnels, (120) 165
- Hydrolysis  
The analytical and descriptive inorganic chemistry of the hydrolysis of hexafluoropnictate ions,  $\text{PnF}_6^-$  ( $\text{Pn} = \text{P, As, Sb, Bi}$ ), (123) 217
- Hydrophobic surface  
Thermal imidization of poly(pyromellitic dianhydride-4,4'-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151
- 2-Hydroxy-4-oxo-4-(2,3,5,6-tetrafluoro-4-methoxyphenyl)-but-2-enoic acid methyl ester  
Synthesis and reactions of 2-hydroxy-4-oxo-4-(2,3,5,6-tetrafluoro-4-methoxyphenyl)-but-2-enoic acid methyl ester, (121) 201
- Hypercoordinate molecules  
Valence bond and molecular orbital studies of the A–F bond lengths in some  $\text{AF}_n$  type molecules and their fluorinated cations, (123) 273
- Imidazole analogues  
Preparation of  $\beta$ -fluoro- and  $\beta,\beta$ -difluoro-histidinols, (123) 95
- Imidization  
Thermal imidization of poly(pyromellitic dianhydride-4,4'-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151
- Immersion lithography  
Fluorine—an enabler in advanced photolithography, (122) 3
- Increased-valence bond (VB) structures  
Valence bond and molecular orbital studies of the A–F bond lengths in some  $\text{AF}_n$  type molecules and their fluorinated cations, (123) 273
- Increased-valence structures  
Increased valence (qualitative valence bond) descriptions of the electronic structures of electron-rich fluorine-containing molecules, (123) 5
- $\text{InF}_3$   
Phase diagram of  $\text{KF-InF}_3$  system, (124) 1
- Insecticidal activity  
Synthesis and insecticidal activity of new substituted *N*-aryl-*N'*-benzoylthiourea compounds, (121) 51  
Syntheses and insecticidal activities of novel 2,5-disubstituted 1,3,4-oxadiazoles, (123) 163
- Integrated circuit  
Fluorinated compounds for advanced IC interconnect applications: a survey of chemistries and processes, (122) 87
- Integration  
Fluorinated compounds for advanced IC interconnect applications: a survey of chemistries and processes, (122) 87
- Interconnect structure  
Fluorinated compounds for advanced IC interconnect applications: a survey of chemistries and processes, (122) 87
- Interlayer dielectric  
Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97
- Iodine monochloride  
Comparison of the electrophilic and free-radical addition of halogens with hexafluoro-1,3-butadiene and 1,3-butadiene, (123) 171
- Iodoarylsulfonyl fluoride  
Iodonium zwitterions, (122) 57
- Iodolactonization  
A novel reaction of allylic alcohols with hexafluoropropene-diethylamine adduct (PPDA) to form 2-fluoro-2-trifluoromethyl-4-alkenamides, (124) 69
- Iodonium compounds  
Iodonium zwitterions, (122) 57
- Ionic conductivities  
Lithium-ion-conductive polyethylene oxide based polymer electrolytes containing tris(pentafluorophenyl)borane, (123) 279
- Ionic liquid  
Physical and electrochemical properties of 1-alkyl-3-methylimidazolium tetrafluoroborate for electrolyte, (120) 135  
Enantioselective electrophilic fluorination: a study of the fluorine-transfer from achiral N–F reagents to cinchona alkaloids, (122) 189  
Ionic liquids as media for nucleophilic fluorination, (123) 81
- Ionic perchlorate  
On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131

- Ionic reaction**  
A highly regio- and stereo-selective hydrostannation reaction of various fluorine-containing internal acetylene derivatives, (120) 185
- Ionic size**  
The analytical and descriptive inorganic chemistry of the hydrolysis of hexafluoropnictate ions,  $\text{PnF}_6^-$  (Pn = P, As, Sb, Bi), (123) 217
- Ionization energy**  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- IR**  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d'hydrazones *N*-fluoroalkylées  $\beta$ -phosphonatéés, (121) 177  
Synthesis and characterisation of bis(pentafluorophenyl)antimony(V) cations,  $[(\text{C}_6\text{F}_5)_2\text{SbL}_3]^{3+}$ , (122) 229
- Isomerization**  
Carbon-chain isomerization during the electrochemical fluorination in anhydrous hydrogen fluoride—a mechanistic study, (124) 21
- Isoxazoles**  
Haloacetylated enol ethers: 18. Synthesis of alkyl 6-[azol-3(5)-yl]hexanoates, (123) 249  
Regiospecific synthesis of polyfluorinated heterocycles, (123) 261
- $^1J_{\text{CC}}$  couplings  
Synthesis and NMR studies of 2- and 3-fluorosubstituted five-membered heterocycles, (124) 159
- Johnson–Claisen rearrangement**  
Johnson–Claisen rearrangement of  $\gamma$ -fluoro- $\gamma$ -(di- or tri-fluoromethyl)allyl alcohols affording stereoselective access to  $\beta$ -fluoro- $\beta$ -di- or tri-fluoromethylated  $\gamma,\delta$ -unsaturated carboxylic acid esters, (122) 237
- Keto–enol equilibrium**  
2,4-Bridged 1,5-bis(fluoroalkyl)-1,3,5-triketones: synthesis and properties, (123) 267
- KF**  
Phase diagram of KF– $\text{InF}_3$  system, (124) 1
- KF–2HF**  
Electrochemistry of fluorine production, (119) 173
- Kinetic parameters**  
A study of the thermal decarboxylation of three perfluoropolyether salts, (124) 123
- Kinetics**  
Kinetics of tetrachloromethane fluorination by hydrogen fluoride in the presence of antimony pentachloride, (119) 89  
Reactivity and regiochemical behavior in the solvolysis reactions of (2,2-difluorocyclopropyl)methyl tosylates, (119) 39
- Krafft point**  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- K-salt**  
Potassium fluorotantalate in solid, dissolved and molten conditions, (123) 155
- Kyoto Protocol**  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- $\beta$ -Lactam antibiotics**  
Enantiospecific enzymatic synthesis of *N*-carbamoyl-*D*-*p*-fluorophenylglycine and *N*-carbamoyl-*D*-*p*-trifluoromethylphenylglycine, (121) 55
- L-Alanine dehydrogenase**  
Kinetic aspects involved in the simultaneous enzymatic synthesis of (*S*)-3-fluoroalanine and (*R*)-3-fluorolactic acid, (124) 219
- Lanthanide**  
Lanthanide bis(trifluoromethanesulfonyl)amides, synthesis, characterization and catalytic activity, (121) 233
- Lattice energy**  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Lewis acid**  
Lewis acids catalyzed ring-opening reactions of methylenecyclopropanes and epoxides in supercritical carbon dioxide or modified supercritical carbon dioxide with perfluorocarbon, (122) 219
- Li-ion batteries**  
Lithium-ion-conductive polyethylene oxide based polymer electrolytes containing tris(pentafluorophenyl)borane, (123) 279
- Liquid crystals**  
Organofluorine compounds and fluorinating agents. Part 28. New perfluoroalkyl substituted chiral mesogens, (120) 85
- Liquid phase deposition**  
Fabrication of high performance thin films from metal fluorocomplex aqueous solution by the liquid phase deposition, (120) 157
- Lithium battery**  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- Lithium perfluoroalkyltrifluoroborate**  
Novel electrolyte salts based on perfluoroalkyltrifluoroborate anions. 1. Synthesis and characterization, (123) 127
- L-Tyrosine**  
Syntheses of [ $^{18}\text{F}$ ]5-fluoro-3-nitro-L-tyrosine, (121) 9
- Magnesium fluoride**  
 $\text{MgF}_2$  as a non-conventional catalyst support, (120) 1
- Magnesium(II)**  
Dynamic behaviour of chlorofluoroethanes at fluorinated chromia aerogels and fluorinated zinc(II) or magnesium(II) doped chromia aerogels, (121) 83
- Mass spectrometry**  
Isolation of  $\text{C}_{60}(\text{CF}_3)_n$  ( $n = 2, 4, 6, 8, 10$ ) with high compositional purity, (124) 61
- Mechanical strength**  
Characterization of fibril reinforced membranes for fuel cells, (120) 151
- Mechanism**  
Carbon-chain isomerization during the electrochemical fluorination in anhydrous hydrogen fluoride—a mechanistic study, (124) 21
- Meerwein–Ponndorf–Verley (MPV) reduction**  
Uncatalyzed Meerwein–Ponndorf–Verley reduction of trifluoromethyl carbonyl compounds by high-temperature secondary alcohols, (121) 223
- Mercury**  
Syntheses and crystal structures of bis(4-dimethylaminopyridine) group 12 trifluoroacetates —  $\text{M}(\text{OCOCF}_3)_2 \cdot 2\text{DMAP}$  ( $\text{M} = \text{Zn, Cd, Hg}$ ), (120) 13
- Metal oxide**  
Fabrication of high performance thin films from metal fluorocomplex aqueous solution by the liquid phase deposition, (120) 157
- Metal-catalyzed addition polymerization**  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- Methoxyborates**  
The palladium-catalysed cross-coupling reaction of lithium polyfluorophenyltrimethoxyborates with 4-fluoroiodobenzene, (122) 195  
The unusual reactivity of  $\text{C}_3\text{F}_7\text{OCF}=\text{CF}_2$  with  $\text{PBu}_3$  and the complex hydrides  $\text{M}[\text{EH}_4]$  ( $\text{M}: \text{Li, Na}; \text{E}: \text{B, Al}$ ); preparation of potassium perfluoro-2-propoxyeth-1-enyltrifluoroborate  $\text{K}[\text{C}_3\text{F}_7\text{OCF}=\text{CFBF}_3]$ , (123) 43
- Methyl hypofluorite**  
Methyl hypofluorite (MeOF) reactions with various fluoroolefins, (119) 3
- Methyl trifluoropyruvate**  
Uncatalyzed Meerwein–Ponndorf–Verley reduction of trifluoromethyl carbonyl compounds by high-temperature secondary alcohols, (121) 223

- Methylenecyclopropanes (MCPs)  
Lewis acids catalyzed ring-opening reactions of methylenecyclopropanes and epoxides in supercritical carbon dioxide or modified supercritical carbon dioxide with perfluorocarbon, (122) 219
- Mg, Ca Hexafluoroantimonates(V)  
Syntheses and crystal structures of  $[\text{Mg}(\text{HF})_2](\text{SbF}_6)_2$  and  $[\text{Ca}(\text{HF})_2](\text{SbF}_6)_2$ ; new examples of HF acting as a ligand to metal centres, (121) 245
- Michael addition reaction  
Synthesis of fluorinated materials catalyzed by proline or antibody 38C2 in ionic liquid, (121) 205  
Microreactors for the synthesis of fluorinated materials, (122) 243
- Microelectronics processing  
The use of fluoropolymers to protect semiconductor materials, (122) 121
- Microolithography  
Properties and production of F-doped silica glass, (122) 81
- Microreactor  
Microreactors for oxidations using fluorine, (119) 81  
Microreactors for the synthesis of fluorinated materials, (122) 243  
Can fluorine chemistry be green chemistry?, (123) 31
- Mixed SAMs  
Synthesis of amino terminated semifluorinated long-chain alkanethiols, (124) 169
- Møller-Plesset second-order  
Ab initio investigations of the  $\text{C}_2\text{F}_4\text{S}$  isomers and of their interconversions, (124) 99
- Mo/ $\text{Al}_2\text{O}_3$  catalysts  
Fluoride modification of Mo/ $\text{Al}_2\text{O}_3$  catalysts. Characterization of the changes induced in support and Mo phases, (122) 151
- Model study  
Coupling between a fluorinated olefin and a perfluorinated iodide: a model study on the reaction mechanism of perfluorinated polymer cross-linking, (123) 119
- Molecular adducts  
On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131
- Molecular aggregate  
Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Molecular orbital (MO) calculations  
Valence bond and molecular orbital studies of the A–F bond lengths in some  $\text{AF}_n$  type molecules and their fluorinated cations, (123) 273
- Monoadduct  
Synthesis of amino terminated semifluorinated long-chain alkanethiols, (124) 169
- Monoclinic structure  
Reaction between cerium trifluoride and elemental fluorine, (120) 111
- Monofluorinated building block  
A new synthesis of  $\alpha$ -fluorovinylsulfones utilizing the Peterson olefination methodology, (124) 81
- Monofluorokrypton(II) cation  
Structural and vibrational characterization of  $[\text{KrF}][\text{AuF}_6]$  and  $\alpha$ - $[\text{O}_2][\text{AuF}_6]$  using single crystal X-ray diffraction, Raman spectroscopy and electron structure calculations, (119) 109
- Monomeric  
On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131
- Montreal Protocol  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- $N,N,N',N'$ -Tetramethylguanidine  
Synthesis and structural characterization of a sterically crowded acylguanidinate:  $\text{R}_\text{F}\text{C}(=\text{O})\text{N}=\text{C}(\text{NMe}_2)_2$  ( $\text{R}_\text{F} \equiv 2,4,6$ -tris(trifluoromethyl)phenyl), (121) 79
- $N,N'$ -Difluoro-2,2'-bipyridinium salt  
Electrophilic fluorination with  $N,N'$ -difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173
- Nanoparticles  
Fabrication of high performance thin films from metal fluorocomplex aqueous solution by the liquid phase deposition, (120) 157
- N–F reagents  
1-Fluoro-2,4,6-trichloro-1,3,5-triazinium tetrafluoroborate: synthesis, characterization, and ability to effect electrophilic aromatic substitution, (124) 229
- Nitrile imine  
Synthesis of polyfluorophenyl substituted-4,5-dihydropyrazole derivatives via 1,3-dipolar cycloaddition of nitrile imine with ethyl acrylate, (124) 211
- 2-Nitrobenzyl  
Retrospective of work at Bell Laboratories on the effect of fluorine substitution on the properties of photoacid generators, (122) 47
- Nitrogen trifluoride  
Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105
- Nitrotyrosine  
Syntheses of  $[\text{F}^{18}]\text{5-fluoro-3-nitro-L-tyrosine}$ , (121) 9
- 157 nm  
Novel hydrofluorocarbon polymers for use as pellicles in 157 nm semiconductor photolithography: fundamentals of transparency, (122) 63  
Quantum chemical modeling for 157 nm photolithography, (122) 37
- 157 nm lithography  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- 157 nm photoresist  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- NMR spectroscopy  
Calculated structures of thiopyrylium-S-fluoride and S-trifluoride and attempts of their preparation, (120) 49  
Structures of perfluorodiphenylether substituted chalcogen compounds, (123) 133  
The unusual reactivity of  $\text{C}_3\text{F}_7\text{OCF}=\text{CF}_2$  with  $\text{PBU}_3$  and the complex hydrides  $\text{M}[\text{EH}_4]$  (M: Li, Na; E: B, Al); preparation of potassium perfluoro-2-propoxyeth-1-enyltrifluoroborate  $\text{K}[\text{C}_3\text{F}_7\text{OCF}=\text{CFBF}_3]$ , (123) 43
- Noble gases and halogens  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Non-electrolyte  
On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131
- Non-metal fluorides  
Valence bond and molecular orbital studies of the A–F bond lengths in some  $\text{AF}_n$  type molecules and their fluorinated cations, (123) 273
- Nuclear magnetic resonance  
Use of bis(trifluoromethyl)peroxy dicarbonate as initiator in the radical homopolymerisation of vinylidene fluoride (VDF) and copolymerisation of VDF with hexafluoropropylene, (123) 85
- Nucleophilic addition reactions  
The chemistry of tetrafluoroallene: nucleophilic addition reactions with phenols and amines, (123) 189
- Nucleophilic fluorination  
Ionic liquids as media for nucleophilic fluorination, (123) 81
- Nucleophilic replacement  
Nucleophilic replacement of *p*-(1-chloro-2,2,2-trifluoroethyl)phenols: novel synthesis of  $\beta$ -trifluoromethyl-tyrosine, (121) 141
- Nucleophilic substitution  
The unusual reactivity of  $\text{C}_3\text{F}_7\text{OCF}=\text{CF}_2$  with  $\text{PBU}_3$  and the complex hydrides  $\text{M}[\text{EH}_4]$  (M: Li, Na; E: B, Al); preparation of potassium

- perfluoro-2-propoxyeth-1-enyltrifluoroborate  $K[C_3F_7OCF=CFBF_3]$ , (123) 43
- Nucleophilic trifluoromethylation  
Preparation of TMS protected trifluoromethylated alcohols using trimethylamine *N*-oxide and trifluoromethyltrimethylsilane (TMSCF<sub>3</sub>), (123) 61
- <sup>17</sup>O NMR  
Solvent effects on the <sup>17</sup>O NMR chemical shifts of 4-dimethylsulfoxide-1,1,1-trifluoro-3-alken-2-ones, (121) 135  
Solvolytic reactions of perfluoro-5-aza-4-nonene, C<sub>3</sub>F<sub>7</sub>-CF=N-C<sub>4</sub>F<sub>9</sub>, (122) 175
- Occupied area per molecule  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Octafluorocyclobutane  
Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105
- Octafluoropropane  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193  
Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105
- Octahedral  
On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131
- Olefination  
A novel direct synthesis of (2,2-difluorovinyl)benzenes from aromatic aldehydes, (124) 115
- Oleum  
Fluorinated olefins and oleum, (121) 147
- Oligomer  
Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Oligomerization  
Synthesis and characterization of perfluoro[1-(2-fluorosulfonyl)ethoxy]ethyl end-capped styrene oligomers, (119) 97
- Optical absorbance  
Novel hydrofluorocarbon polymers for use as pellicles in 157 nm semiconductor photolithography: fundamentals of transparency, (122) 63
- Optical asymmetry  
Synthesis and optical activity of aryl(*N*-trifluoromethylsulfonylimino)thiodifluoroacetic acids and their derivatives, (123) 287
- Optical fiber  
Tacticity control in the radical polymerization of 2,2,2-trifluoroethyl methacrylate with fluoroalcohol, (123) 147
- Organic electrolyte  
Physical and electrochemical properties of 1-alkyl-3-methylimidazolium tetrafluoroborate for electrolyte, (120) 135
- Organocopper reagent  
1,4-Addition reaction of ethyl bromodifluoroacetate to Michael acceptors in the presence of copper powder. Improvement of the reaction using TMEDA as an additive, (121) 105
- Organofluorine compound  
Simons electrochemical fluorination of substituted homopiperazine-*s*(hexahydro-1,4-diazepines) and piperazines, (119) 27
- Organolithium reagent  
Reactions of highly branched fluoroolefins with methyl lithium and methylmagnesium bromide: formations of unexpected polyfluorocyclobutene and polyfluoropentadiene compounds, (120) 93
- Organometallic compounds  
Organoaluminum fluorides, (122) 125
- Orientation disorder  
Orientation disorder in ammonium elpasolites. Crystal structures of (NH<sub>4</sub>)<sub>3</sub>AlF<sub>6</sub>, (NH<sub>4</sub>)<sub>3</sub>TiOF<sub>5</sub> and (NH<sub>4</sub>)<sub>3</sub>FeF<sub>6</sub>, (124) 5
- Ortho-substitution  
Regio-selective hydroxysubstitution of fluorobenzoic acid derivatives: facile synthesis of fluorosalicylic acid derivatives, (121) 97
- 1,3,4-Oxadiazoles  
Syntheses and insecticidal activities of novel 2,5-disubstituted 1,3,4-oxadiazoles, (123) 163
- Oxahomofluorofullerenol  
Isolation and characterisation of both the first fluoroxyfluorofullerene C<sub>60</sub>F<sub>17</sub>OF and oxahomofluorofullerenol C<sub>60</sub>F<sub>17</sub>O.OH, (121) 185
- Oxidation of ketones  
Microreactors for oxidations using fluorine, (119) 81
- Oxides  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Oxides of internal perfluoroolefins  
From oxides of internal perfluoroolefins to fluorocontaining camphor thiazolinyldiazones, (120) 41
- Oxanions  
Noble gas compounds and chemistry: a brief review of interrelations and interactions with fluorine-containing species, (121) 1
- Ozone depletion  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- PAG  
Retrospective of work at Bell Laboratories on the effect of fluorine substitution on the properties of photoacid generators, (122) 47
- Palladium catalysis  
The stereospecific preparation of two perfluoro-1,3-butadiene synthons; (*E*)-1-trimethylsilyl-1,2,3,4,4-pentafluoro-1,3-butadiene and (*E*)-1-tributylstannyl-1,2,3,4,4-pentafluoro-1,3-butadiene, (119) 21  
The palladium-catalysed cross-coupling reaction of lithium polyfluorophenyltrimethoxyborates with 4-fluoroiodobenzene, (122) 195
- Palladium-promoted reactions  
Sodium carbonate as carbon dioxide source for the synthesis of cyclic carbonates containing the trifluoromethyl group, (123) 57
- Partition coefficients  
Convenient syntheses of fluorous phenols of the formula HOC<sub>6</sub>H<sub>5-n</sub>((CH<sub>2</sub>)<sub>3</sub>(CF<sub>2</sub>)<sub>7</sub>CF<sub>3</sub>)<sub>n</sub> (*n* = 1, 2) and the corresponding triarylphosphites, (119) 141
- Parylene  
Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97
- Pellicle  
Fluorine—an enabler in advanced photolithography, (122) 3  
Novel hydrofluorocarbon polymers for use as pellicles in 157 nm semiconductor photolithography: fundamentals of transparency, (122) 63
- Pentafluorophenyl  
Some reactions and spectroscopic studies of tris(pentafluorophenyl)arsenic and -antimony(III and V) derivatives, (122) 165
- Perfluorinated amines  
An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233
- Perfluoro hypofluorite  
Synthesis of low molecular weight perfluoro oxymethylene vinyl ethers, (119) 83
- Perfluoro(1,4-dialkyl-1,4-homopiperazines)  
Simons electrochemical fluorination of substituted homopiperazine-*s*(hexahydro-1,4-diazepines) and piperazines, (119) 27
- Perfluoro(1,4-dialkyl-1,4-piperazines)  
Simons electrochemical fluorination of substituted homopiperazine-*s*(hexahydro-1,4-diazepines) and piperazines, (119) 27
- Perfluoro-2,3-dihydro-1,4-benzodioxin  
A novel perfluoromonomer: perfluoro-2,3-dihydro-1,4-benzodioxin, (124) 183

- Perfluoro(oxa)alkyl formates  
 Synthesis of low molecular weight perfluoro oxymethylene vinyl ethers, (119) 83
- Perfluoroacid fluorides  
 Simons electrochemical fluorination of substituted homopiperazine-(hexahydro-1,4-diazepines) and piperazines, (119) 27
- Perfluoroacylated phosphonates  
 Stereoselective synthesis of (*Z*)- $\gamma$ -cyano- $\beta$ -perfluoroalkyl- $\beta,\gamma$ -unsaturated esters, (124) 65
- Perfluoroacylation  
 Selective mono- and di{(perfluoroalkyl)acylation} of ferrocene, (124) 177
- Perfluoroalkane  
 The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193
- Perfluoroalkyl  
 Phosphorous(III) compounds incorporating perfluoroalkyl-derivatised biphenolic units, (121) 213
- Perfluoroalkyl compounds  
 Enantioselective carbon–carbon bond forming reactions using fluorous chiral catalysts, (120) 121
- Perfluoroalkyl end-capped polystyrene  
 Synthesis and characterization of perfluoro[1-(2-fluorosulfonyl)ethoxy]ethyl end-capped styrene oligomers, (119) 97
- Perfluoroalkyl epoxide  
 Fluorinated epoxides. 6. Chemoselectivity in the preparation of 2-[(heptafluoroisopropyl)methyl]oxirane from iodoacetate and iodo-hydrin precursors, (121) 101
- Perfluoroalkyl lactones  
 Radical addition of  $R_F$ I to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the  $\delta$ -iodoalkanoic esters to  $\gamma$ -lactones, (123) 237
- (Perfluoroalkyl)alkanes  
 Synthesis and characterization of a new class of polyfluorinated alkanes: tetrakis(perfluoroalkyl)alkane, (121) 57
- Perfluoroalkylated ferrocenes  
 Selective mono- and di{(perfluoroalkyl)acylation} of ferrocene, (124) 177
- Perfluoroalkylated iodohydrin  
 Fluorinated epoxides. 6. Chemoselectivity in the preparation of 2-[(heptafluoroisopropyl)methyl]oxirane from iodoacetate and iodo-hydrin precursors, (121) 101
- Perfluoroalkylation  
 Organofluorine compounds and fluorinating agents. Part 28. New perfluoroalkyl substituted chiral mesogens, (120) 85  
 Perfluoroalkylation of 2-mercaptoethanol as a key step for a new synthesis of perfluoroalkyl vinyl sulfides, sulfoxides and sulfones, (124) 55  
 Selective mono- and di{(perfluoroalkyl)acylation} of ferrocene, (124) 177
- Perfluoroalkyl-containing quaternary ammonium salt  
 Synthesis and antimicrobial activity of a perfluoroalkyl-containing quaternary ammonium salt, (124) 89
- Perfluoroalkyliodides  
 Synthesis and characterization of a new class of polyfluorinated alkanes: tetrakis(perfluoroalkyl)alkane, (121) 57
- Perfluoroalkylmagnesium bromide  
 Novel electrolyte salts based on perfluoroalkyltrifluoroborate anions. 1. Synthesis and characterization, (123) 127
- Perfluoroalkyl-segmented anhydrides, amic acids, imides, diacids, salts, and half esters  
 “Single tail” and “twin tail” 3-(perfluoroalkylethanethia)alkylsuccinic anhydrides give  $R_F$  segmented diacids, amic acids, imides, esters, and salts. Unusual  $^1\text{H}$  NMR of the succinamic acids, (121) 33
- Perfluoroallylbenzene  
 Electrochemical fluorosulfation of perfluoroallylbenzene, (122) 183
- Perfluoro-5-aza-4-nonene  
 Solvolysis reactions of perfluoro-5-aza-4-nonene,  $\text{C}_3\text{F}_7\text{—CF=N—C}_4\text{F}_9$ , (122) 175
- Perfluorocarbon  
 Lewis acids catalyzed ring-opening reactions of methylenecyclopropanes and epoxides in supercritical carbon dioxide or modified supercritical carbon dioxide with perfluorocarbon, (122) 219
- Perfluorocyclobutane  
 First separation and characterization of *cis* and *trans* 1,2-bisaryloxy perfluorocyclobutanes, (123) 139
- Perfluorocyclobutyl (PFCB)  
 Synthesis of 4,6-disubstituted pyrimidines via Suzuki and Kumada coupling reaction of 4,6-dichloropyrimidine, (120) 21
- Perfluorodiacyl peroxide  
 Synthesis and characterization of perfluoro[1-(2-fluorosulfonyl)ethoxy]ethyl end-capped styrene oligomers, (119) 97
- Perfluorodiphenylether  
 Structures of perfluorodiphenylether substituted chalcogen compounds, (123) 133
- Perfluoroelastomers  
 Perfluoroelastomer and fluoroelastomer seals for semiconductor wafer processing equipment, (122) 113
- Perfluoroisobutene  
 2,2-Dihydroperfluoropentane (HFC 4310 mf) synthesis from HFP dimer, (123) 227
- Perfluoroisopropyl iodide  
 Fluorinated epoxides. 6. Chemoselectivity in the preparation of 2-[(heptafluoroisopropyl)methyl]oxirane from iodoacetate and iodo-hydrin precursors, (121) 101
- Perfluoromonomer  
 A novel perfluoromonomer: perfluoro-2,3-dihydro-1,4-benzodioxin, (124) 183
- Perfluoro-*N,N,N',N'*-tetramethylethylenediamine  
 An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233
- Perfluorooctanyl sulfonate  
 Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- Perfluoropolyether  
 Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53  
 Synthesis of low molecular weight perfluoro oxymethylene vinyl ethers, (119) 83  
 Vapour–liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15  
 Fluorine—an enabler in advanced photolithography, (122) 3
- Perfluoropolyether di-halides  
 Perfluoropolyether (PFPE) (poly)diacyl peroxides: synthesis and applications, (121) 65
- Perfluoropolyether potassium salts  
 A study of the thermal decarboxylation of three perfluoropolyether salts, (124) 123
- Perfluoropropenylbenzene  
 Electrochemical fluorosulfation of perfluoroallylbenzene, (122) 183
- Perfluorotri-*n*-butylamine  
 An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233
- Perfluorotriethylamine  
 An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233
- Perfluorotri-*n*-pentylamine  
 An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233

- Perfluorotri-*n*-propylamine  
An efficient high-yield synthesis for perfluorinated tertiary alkyl amines, (123) 233
- Peroxide  
Coupling between a fluorinated olefin and a perfluorinated iodide: a model study on the reaction mechanism of perfluorinated polymer cross-linking, (123) 119
- Peroxide induced lactonization  
Radical addition of R<sub>f</sub>I to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the δ-iodoalkanoic esters to γ-lactones, (123) 237
- Peterson olefination  
A new synthesis of α-fluorovinylsulfones utilizing the Peterson olefination methodology, (124) 81
- Pharmaceuticals  
Synthesis of novel fluorobenzofuroxans by oxidation of anilines and thermal cyclization of arylazides, (121) 171
- Phase diagram  
Phase diagram of KF–InF<sub>3</sub> system, (124) 1
- Phenol  
Convenient syntheses of fluorous phenols of the formula HOC<sub>6</sub>H<sub>5–n</sub>((CH<sub>2</sub>)<sub>3</sub>(CF<sub>2</sub>)<sub>7</sub>CF<sub>3</sub>)<sub>n</sub> (*n* = 1, 2) and the corresponding triarylphosphites, (119) 141  
The chemistry of tetrafluoroallene: nucleophilic addition reactions with phenols and amines, (123) 189
- Phenylacetic acids esters  
Electrochemical partial fluorination of phenylacetic acids esters and 1-tetralone, (121) 227
- 1,2-Phenylenediamine  
Studies on the reaction of unsymmetrical trifluoromethyl 1,2-phenylenediamine with various ketones leading to novel fluorinated heterocycles, (124) 203
- Phosphine-boranes  
Synthesis and properties of fluorous arenes and triaryl phosphorus compounds with branched fluoroalkyl moieties (“split pony tails”), (124) 45
- Phosphite  
Phosphorous(III) compounds incorporating perfluoroalkyl-derivatised biphenolic units, (121) 213
- Phosphites  
Convenient syntheses of fluorous phenols of the formula HOC<sub>6</sub>H<sub>5–n</sub>((CH<sub>2</sub>)<sub>3</sub>(CF<sub>2</sub>)<sub>7</sub>CF<sub>3</sub>)<sub>n</sub> (*n* = 1, 2) and the corresponding triarylphosphites, (119) 141
- Phosphoallenes  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d’hydrazones *N*-fluoroalkylées β-phosphonatéés, (121) 177
- Phosphonite  
Phosphorous(III) compounds incorporating perfluoroalkyl-derivatised biphenolic units, (121) 213
- Photoabsorption spectra  
Time-dependent density functional theory calculations of the photoabsorption of fluorinated alkanes, (122) 27
- Photoacid generator  
Retrospective of work at Bell Laboratories on the effect of fluorine substitution on the properties of photoacid generators, (122) 47
- Photoacids  
Iodonium zwitterions, (122) 57
- Photoextrusion  
A photoprecursor for difluorocarbene, (119) 75
- Photolithography  
Design of very transparent fluoropolymer resists for semiconductor manufacture at 157 nm, (122) 11  
Fluorine—an enabler in advanced photolithography, (122) 3  
Novel hydrofluorocarbon polymers for use as pellicles in 157 nm semiconductor photolithography: fundamentals of transparency, (122) 63
- Photolysis  
Synthesis of low molecular weight perfluoro oxymethylene vinyl ethers, (119) 83
- Photoprecursor  
A photoprecursor for difluorocarbene, (119) 75
- Photoresist  
Fluorine—an enabler in advanced photolithography, (122) 3  
Quantum chemical modeling for 157 nm photolithography, (122) 37
- PI  
Thermal imidization of poly(pyromellitic dianhydride-4,4′-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151
- <sup>31</sup>P-NMR  
Action des hydrazines fluoroalkylées sur les phosphoallènes: synthèse d’hydrazones *N*-fluoroalkylées β-phosphonatéés, (121) 177
- Polarizability  
The analytical and descriptive inorganic chemistry of the hydrolysis of hexafluoropnictate ions, PnF<sub>6</sub><sup>–</sup> (Pn = P, As, Sb, Bi), (123) 217
- Polyaddition  
Novel fluorinated polymer from 18-crown-6 by radical polyaddition, (124) 197
- Polyfluoroalkyl groups  
2,4-Bridged 1,5-bis(fluoroalkyl)-1,3,5-triketones: synthesis and properties, (123) 267
- Polyfluoroalkyl ketone  
Synthesis and some chemical properties of the 6-arylsulfonyl-6-polyfluoroalkanoyl-5,6-dihydro-2H-thiins—new fluorine-containing ketones, (123) 197
- Polyfluoroarylborates  
The palladium-catalysed cross-coupling reaction of lithium polyfluorophenyltrimethoxyborates with 4-fluoriodobenzene, (122) 195
- Polyfluorobiphenyls  
The palladium-catalysed cross-coupling reaction of lithium polyfluorophenyltrimethoxyborates with 4-fluoriodobenzene, (122) 195
- Polyimides oligomers  
A new synthetic route of 4,4′-hexafluoroisopropylidene-2,2-bis(phthalic acid anhydride) and characterization of 4,4′-hexafluoroisopropylidene-2,2-bis(phthalic acid anhydride)-containing polyimides, (123) 221
- Polymer  
Coupling between a fluorinated olefin and a perfluorinated iodide: a model study on the reaction mechanism of perfluorinated polymer cross-linking, (123) 119
- Polymer electrolyte  
Lithium-ion-conductive polyethylene oxide based polymer electrolytes containing tris(pentafluorophenyl)borane, (123) 279
- Polymer electrolyte fuel cell  
Characterization of fibril reinforced membranes for fuel cells, (120) 151
- Porous aluminum fluoride  
Defluorination of homologous chlorofluoroethers to chlorofluoroacetates, (120) 131
- Positron emission tomography  
Syntheses of [<sup>18</sup>F]5-fluoro-3-nitro-L-tyrosine, (121) 9
- Potassium fluorotantalate  
Potassium fluorotantalate in solid, dissolved and molten conditions, (123) 155
- [4.3.1]Propellane  
A photoprecursor for difluorocarbene, (119) 75
- Properties  
A new synthesis of trifluoromethanethiolates—characterization and properties of tetramethylammonium, cesium and di(benzo-15-crown-5)cesium trifluoromethanethiolates, (119) 801



- Protic solvent  
Symmetry of chloronium ions from ionic reaction of chlorine, chlorine monofluoride gas, and chlorine monofluoride complex with terminal alkenes, (124) 17
- PTFE  
Thermal imidization of poly(pyromellitic dianhydride-4,4'-oxydianiline) precursors on fluoropolymers modified by surface graft-copolymerization with glycidyl methacrylate, (119) 151
- Pyrazoles  
Reactions of  $\beta$ -methoxyvinyl trifluoromethyl ketones with 2-pyridine-carboxamidrazone. A convenient route to trifluoromethylated 4,5-dihydro-1*H*-1-picolinoylpyrazole hydrochlorides, (122) 159  
Haloacetylated enol ethers: 18. Synthesis of alkyl 6-[azol-3(5)-yl]hexanoates, (123) 249  
Regiospecific synthesis of polyfluorinated heterocycles, (123) 261
- Pyrazolidine-3,5-diones  
A photoprecursor for difluorocarbene, (119) 75
- Pyrimidines  
Cyclocondensation reaction of 4-aryl-4-methoxy-1,1,1-trifluoro-3-buten-2-ones with urea. Synthesis of novel 6-aryl(5-methyl)-4-trifluoromethyl-2(1*H*)-pyrimidinones, (120) 29  
Synthesis of 4,6-disubstituted pyrimidines via Suzuki and Kumada coupling reaction of 4,6-dichloropyrimidine, (120) 21
- 2(1*H*)-pyrimidinones  
Cyclocondensation reaction of 4-aryl-4-methoxy-1,1,1-trifluoro-3-buten-2-ones with urea. Synthesis of novel 6-aryl(5-methyl)-4-trifluoromethyl-2(1*H*)-pyrimidinones, (120) 29
- Pyrrrole  
A facile carbene route to 2-fluoro-2-pyrrolines via fluorinated azomethine ylides, (123) 177  
Synthesis and NMR studies of 2- and 3-fluorosubstituted five-membered heterocycles, (124) 159
- Pyrrolidinones  
Regiospecific synthesis of polyfluorinated heterocycles, (123) 261
- Quantum chemistry  
Quantum chemical modeling for 157 nm photolithography, (122) 37
- 4(1*H*)-quinolone  
Synthesis of 2-trifluoromethyl-1(substituted aryl)-4(1*H*)-quinolones using trifluoroacetamidoyl chlorides, (120) 71
- Quinoxalines  
Studies on the reaction of unsymmetrical trifluoromethyl 1,2-phenylenediamine with various ketones leading to novel fluorinated heterocycles, (124) 203
- Radiation chemistry  
The radiation chemistry of acyclic hydrofluoro and perhalogenated ether and hydrocarbon compounds, (121) 153
- Radical  
Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53
- Radical addition  
Synthesis and properties of fluorous arenes and triaryl phosphorus compounds with branched fluoroalkyl moieties ("split pony tails"), (124) 45
- Radical polymerization  
Use of bis(trifluoromethyl)peroxy dicarbonate as initiator in the radical homopolymerisation of vinylidene fluoride (VDF) and copolymerisation of VDF with hexafluoropropylene, (123) 85  
Tacticity control in the radical polymerization of 2,2,2-trifluoroethyl methacrylate with fluoroalcohol, (123) 147  
A novel perfluoromonomer: perfluoro-2,3-dihydro-1,4-benzodioxin, (124) 183  
Novel fluorinated polymer from 18-crown-6 by radical polyaddition, (124) 197
- Radical reaction  
A highly regio- and stereo-selective hydrostannation reaction of various fluorine-containing internal acetylene derivatives, (120) 185
- Radical substitution  
Synthesis and properties of fluorous arenes and triaryl phosphorus compounds with branched fluoroalkyl moieties ("split pony tails"), (124) 45
- Radicals  
The radiation chemistry of acyclic hydrofluoro and perhalogenated ether and hydrocarbon compounds, (121) 153
- Raman spectroscopy  
A study on the formation mechanism of graphite fluorides by Raman spectroscopy, (120) 143
- Reactive nitrogen species  
Syntheses of [ $^{18}\text{F}$ ]5-fluoro-3-nitro-L-tyrosine, (121) 9
- Rearrangement  
Thia-Fries rearrangement of aryl triflinates to trifluoromethanesulfinylphenols, (123) 51
- Recycle  
Electrophilic fluorination with *N,N'*-difluoro-2,2'-bipyridinium salt and elemental fluorine, (120) 173
- Refrigerants  
Vapour-liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15
- Regio- and stereo-selectivity  
A highly regio- and stereo-selective hydrostannation reaction of various fluorine-containing internal acetylene derivatives, (120) 185
- Rf-BINOL  
6,6'-Bisperfluoroalkylated BINOLs promoted asymmetric allylation of aldehydes, (120) 117
- R<sub>F</sub>-containing  $\beta$ -diketones  
The first synthesis of 8-aza-2-polyfluoroalkylchromones, (120) 25
- R<sub>F</sub>I free radical addition reactions  
Radical addition of R<sub>F</sub>I to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the  $\delta$ -iodoalkanoic esters to  $\gamma$ -lactones, (123) 237
- R<sub>F</sub>-R<sub>H</sub>-segmented amphiphiles  
"Single tail" and "twin tail" 3-(perfluoroalkylethanethia)alkylsuccinic anhydrides give R<sub>F</sub> segmented diacids, amic acids, imides, esters, and salts. Unusual  $^1\text{H}$  NMR of the succinamic acids, (121) 33
- R<sub>F</sub>-substituted anhydrides  
Radical addition of R<sub>F</sub>I to alkenylsuccinic anhydrides and *gem*-substituted alkenyl triesters. Zinc and radical induced, or spontaneous radical cyclization, of the  $\delta$ -iodoalkanoic esters to  $\gamma$ -lactones, (123) 237
- R<sub>F</sub>-surfactants  
"Single tail" and "twin tail" 3-(perfluoroalkylethanethia)alkylsuccinic anhydrides give R<sub>F</sub> segmented diacids, amic acids, imides, esters, and salts. Unusual  $^1\text{H}$  NMR of the succinamic acids, (121) 33
- Rietveld analysis  
Reaction between cerium trifluoride and elemental fluorine, (120) 111
- Ring-opening  
Functionalized fluorinated arylethers by ring-opening of 1,2,3,4-tetrafluorodibenz[*b,f*][1,4]oxazepine, (119) 15
- Ruthenium catalysts  
MgF<sub>2</sub> as a non-conventional catalyst support, (120) 1
- Rydberg transitions  
Time-dependent density functional theory calculations of the photoabsorption of fluorinated alkanes, (122) 27
- Seals  
Perfluoroelastomer and fluoroelastomer seals for semiconductor wafer processing equipment, (122) 113
- sec*-Butyllithium  
Reaction of Halothane with *sec*-butyllithium in the presence of zinc halides—one-pot preparation of chlorodifluorovinylzinc reagent and its derivatization to  $\alpha$ -chloro- $\beta$ , $\beta$ -difluorostyrene, (122) 247

- Selective synthesis  
Stereoselective synthesis of substituted trifluoromethylated ethenylphosphonates via sequential transformations of bisphosphonate, (121) 219
- Self-assembly  
Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Semiconductor tool chamber cleaning  
Fluorinated gases for semiconductor manufacture: process advances in chemical vapor deposition chamber cleaning, (122) 105
- Semiconductor wafer processing equipment  
Perfluoroelastomer and fluoroelastomer seals for semiconductor wafer processing equipment, (122) 113
- SF<sub>5</sub>-fluoroalkyl aromatics  
The application of novel methodology for the synthesis of *o*-, *m*-, and *p*-(SF<sub>5</sub>-perfluoroethyl) benzene derivatives, (122) 251
- Silica glass  
Properties and production of F-doped silica glass, (122) 81
- Silver oxide  
The palladium-catalysed cross-coupling reaction of lithium polyfluorophenyltrimethoxyborates with 4-fluoroiodobenzene, (122) 195
- Simons electrochemical fluorination  
Simons electrochemical fluorination of substituted homopiperazine-(hexahydro-1,4-diazepines) and piperazines, (119) 27
- Simons process  
Carbon-chain isomerization during the electrochemical fluorination in anhydrous hydrogen fluoride—a mechanistic study, (124) 21
- Single walled carbon nanotubes (SWCNTs)  
Surface properties of fluorinated single-walled carbon nanotubes, (120) 99
- SnCl<sub>4</sub>  
Carbocyclization reactions of terminally difluorinated alkenyl active methine compounds mediated by SnCl<sub>4</sub> and amine, (123) 75
- Sodium dithionite  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- Sodium formate  
Perfluoroalkylation of 2-mercaptoethanol as a key step for a new synthesis of perfluoroalkyl vinyl sulfides, sulfoxides and sulfones, (124) 55
- Sodium sulfite  
Perfluoroalkylation of 2-mercaptoethanol as a key step for a new synthesis of perfluoroalkyl vinyl sulfides, sulfoxides and sulfones, (124) 55
- Solid sodium hydroxide  
Regio-selective hydroxysubstitution of fluorobenzoic acid derivatives: facile synthesis of fluorosalicylic acid derivatives, (121) 97
- Solvent effect  
Solvent effects on the <sup>17</sup>O NMR chemical shifts of 4-dimethylsulfoximide-1,1,1-trifluoro-3-alken-2-ones, (121) 135
- Solvent effects on halogen mobility  
Preparation of β-fluoro- and β,β-difluoro-histidinols, (123) 95
- Solvolysis  
Reactivity and regiochemical behavior in the solvolysis reactions of (2,2-difluorocyclopropyl)methyl tosylates, (119) 39  
Solvolytic reactions of perfluoro-5-aza-4-nonene, C<sub>3</sub>F<sub>7</sub>-CF=N-C<sub>4</sub>F<sub>9</sub>, (122) 175
- Spectroscopy  
Some reactions and spectroscopic studies of tris(pentafluorophenyl)arsenic and -antimony(III and V) derivatives, (122) 165
- Spirobenzimidazoles  
Studies on the reaction of unsymmetrical trifluoromethyl 1,2-phenylenediamine with various ketones leading to novel fluorinated heterocycles, (124) 203
- Spread and adsorption monolayers  
Syntheses and properties of novel non-ionic fluorinated multichains “star-like” surfactants, (119) 191
- Star-like surfactant  
Syntheses and properties of novel non-ionic fluorinated multichains “star-like” surfactants, (119) 191
- Stepwise fluorination  
Stepwise fluorination of [MeAlN(2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)]<sub>3</sub> using trimethyltin fluoride as fluorinating agent, (120) 59
- Stereodefined  
Facile access to stereodefined dienoates and cyclopropylenoates containing a trifluoromethyl group, (124) 93
- Stereoisomeric succinamic acids  
“Single tail” and “twin tail” 3-(perfluoroalkylethanethia)alkylsuccinic anhydrides give R<sub>F</sub> segmented diacids, amic acids, imides, esters, and salts. Unusual <sup>1</sup>H NMR of the succinamic acids, (121) 33
- Stereoselective synthesis  
Stereoselective synthesis of (Z)-γ-cyano-β-perfluoroalkyl-β,γ-unsaturated esters, (124) 65
- Stereoselectivity  
The unusual reactivity of C<sub>3</sub>F<sub>7</sub>OCF=CF<sub>2</sub> with PBU<sub>3</sub> and the complex hydrides M[EH<sub>4</sub>] (M: Li, Na; E: B, Al); preparation of potassium perfluoro-2-propoxyeth-1-enyltrifluoroborate K[C<sub>3</sub>F<sub>7</sub>OCF=CFBF<sub>3</sub>], (123) 43
- Steric effect  
The steric and electronic effects of aliphatic fluoroalkyl groups, (123) 65
- Steric hindrance  
Synthesis and structural characterization of a sterically crowded acylguanidinate: R<sub>F</sub>C(=O)N=C(NMe<sub>2</sub>)<sub>2</sub> (R<sub>F</sub> ≡ 2,4,6-tris(trifluoromethyl)phenyl), (121) 79
- Stilbenes  
Synthesis and anticancer activity of fluorinated analogues of combretastatin A-4, (123) 101
- Structural phase transitions  
Orientation disorder in ammonium elpasolites. Crystal structures of (NH<sub>4</sub>)<sub>3</sub>AlF<sub>6</sub>, (NH<sub>4</sub>)<sub>3</sub>TiOF<sub>5</sub> and (NH<sub>4</sub>)<sub>3</sub>FeF<sub>6</sub>, (124) 5
- Structure  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193
- Styrene  
Synthesis and characterization of perfluoro[1-(2-fluorosulfonyl)ethoxy]ethyl end-capped styrene oligomers, (119) 97
- Subnano fluorinated tunnel  
A crystal engineering utilization of hexafurcated hydrogen bonding to construction of subnano fluorinated tunnels, (120) 165
- Substituted pyridines  
The coordination chemistry of (py)<sub>2</sub>BF<sub>2</sub><sup>+</sup> and related difluoroboron cations, (119) 125
- Substitution reactions  
The coordination chemistry of (py)<sub>2</sub>BF<sub>2</sub><sup>+</sup> and related difluoroboron cations, (119) 125
- Sulfate  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Sulfates  
Thia-Fries rearrangement of aryl triflinates to trifluoromethanesulfinylphenols, (123) 51
- Sulfonylation  
A new one-pot synthesis of difluoro(organyl sulfinyl)acetic acid esters, (119) 59
- Sulfones  
A new one-pot synthesis of difluoro(organyl sulfinyl)acetic acid esters, (119) 59  
Synthesis of 2-amino-5-chloro-3-(trifluoromethyl)benzenethiol and conversion into 4H-1,4-benzothiazines and their sulfones, (122) 207  
Synthesis of fluoro-substituted monomers bearing a functionalised lateral chain. Part 2. Preparation of sulfoxides and sulfones containing monomers, (124) 139

- Sulfonimides  
Iodonium zwitterions, (122) 57
- Sulfoxides  
A new one-pot synthesis of difluoro(organylsulfinyl)acetic acid esters, (119) 59  
Thia-Fries rearrangement of aryl triflinates to trifluoromethanesulfinylphenols, (123) 51  
Synthesis of fluoro-substituted monomers bearing a functionalised lateral chain. Part 2. Preparation of sulfoxides and sulfones containing monomers, (124) 139
- Sulfoximides  
Solvent effects on the  $^{17}\text{O}$  NMR chemical shifts of 4-dimethylsulfoximide-1,1,1-trifluoro-3-alken-2-ones, (121) 135
- Sulfur fluorine compounds  
Calculated structures of thiopyrylium-S-fluoride and S-trifluoride and attempts of their preparation, (120) 49
- Sulfur heterocycles  
Calculated structures of thiopyrylium-S-fluoride and S-trifluoride and attempts of their preparation, (120) 49
- Sulfur hexafluoride derivatives  
The application of novel methodology for the synthesis of *o*-, *m*-, and *p*-( $\text{SF}_5$ -perfluoroethyl) benzene derivatives, (122) 251
- Supercritical carbon dioxide  
Lewis acids catalyzed ring-opening reactions of methylenecyclopropanes and epoxides in supercritical carbon dioxide or modified supercritical carbon dioxide with perfluorocarbon, (122) 219
- Supported metal oxides  
 $\text{MgF}_2$  as a non-conventional catalyst support, (120) 1
- Surface activity  
Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application, (121) 111
- Surface complexes  
 $\text{MgF}_2$  as a non-conventional catalyst support, (120) 1
- Surface property  
Surface properties of fluorinated single-walled carbon nanotubes, (120) 99
- Surface tension  
Syntheses and properties of novel non-ionic fluorinated multichains “star-like” surfactants, (119) 191
- Surface tension at cmc  
Synthesis and solution properties of sulfate-type hybrid surfactants with a benzene ring, (124) 189
- Suzuki cross-coupling  
Facile access to stereodefined dienoates and cyclopropylenoates containing a trifluoromethyl group, (124) 93
- Synthesis  
A new synthesis of trifluoromethanethiolates—characterization and properties of tetramethylammonium, cesium and di(benzo-15-crown-5)cesium trifluoromethanethiolates, (119) 101  
Fabrication of high performance thin films from metal fluorocomplex aqueous solution by the liquid phase deposition, (120) 157  
Syntheses and crystal structures of  $[\text{Mg}(\text{HF})_2](\text{SbF}_6)_2$  and  $[\text{Ca}(\text{HF})_2](\text{SbF}_6)_2$ : new examples of HF acting as a ligand to metal centres, (121) 245  
Synthesis and insecticidal activity of new substituted *N*-aryl-*N'*-benzoylthiourea compounds, (121) 51  
Synthesis of novel fluorobenzofuroxans by oxidation of anilines and thermal cyclization of arylazides, (121) 171  
Some reactions and spectroscopic studies of tris(pentafluorophenyl)arsenic and -antimony(III and V) derivatives, (122) 165  
Stable trifluoromethylselenates(0),  $[\text{A}]\text{SeCF}_3$ —synthesis, characterizations and properties, (123) 183  
Synthesis and optical activity of aryl(*N*-trifluoromethylsulfonylimino)thiodifluoroacetic acids and their derivatives, (123) 287
- Tacticity  
Tacticity control in the radical polymerization of 2,2,2-trifluoroethyl methacrylate with fluoroalcohol, (123) 147
- TD-DFT  
Quantum chemical modeling for 157 nm photolithography, (122) 37
- Terminally perfluorinated oleic acid  
Synthesis and  $^{19}\text{F}$  NMR study of  $\text{R}_f$ -oleic acid- $\text{F}_{13}$ , (123) 255
- Terpolymerization  
Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53
- Tetraethylammonium perfluoroalkyltrifluoroborate  
Novel electrolyte salts based on perfluoroalkyltrifluoroborate anions. 1. Synthesis and characterization, (123) 127
- Tetrafluoroallene  
The chemistry of tetrafluoroallene: nucleophilic addition reactions with phenols and amines, (123) 189
- 1,1,1,2-Tetrafluoroethane (HFC-134a)  
A facile synthetic method for 2-fluoroindolizines from 1-chloro-2,2,2-trifluoroethane (HCFC-133a) and 1,1,1,2-tetrafluoroethane (HFC-134a), (122) 171
- Tetrafluoroethylene copolymers  
Design of very transparent fluoropolymer resists for semiconductor manufacture at 157 nm, (122) 11
- Tetrafluoromethane  
The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193
- 5-(2,3,5,6-Tetrafluoro-4-methoxyphenyl)-furan-2,3-dione  
Synthesis and reactions of 2-hydroxy-4-oxo-4-(2,3,5,6-tetrafluoro-4-methoxyphenyl)-but-2-enoic acid methyl ester, (121) 201
- 3-(2,3,5,6-Tetrafluoro-4-methoxyphenyl)-propene-1,3-dione  
Synthesis and reactions of 2-hydroxy-4-oxo-4-(2,3,5,6-tetrafluoro-4-methoxyphenyl)-but-2-enoic acid methyl ester, (121) 201
- Tetrafluoroethane  
Ab initio investigations of the  $\text{C}_2\text{F}_4\text{S}$  isomers and of their interconversions, (124) 99
- Textile finishing  
Synthesis and antimicrobial activity of a perfluoroalkyl-containing quaternary ammonium salt, (124) 89
- Thermal decarboxylation  
A study of the thermal decarboxylation of three perfluoropolyether salts, (124) 123
- Thermal properties  
Use of bis(trifluoromethyl)peroxy dicarbonate as initiator in the radical homopolymerisation of vinylidene fluoride (VDF) and copolymerisation of VDF with hexafluoropropylene, (123) 85
- Thermal stability  
Poly-silafluoroalkyleneoligosiloxanes: a class of fluoroelastomers with low glass transition temperature, (124) 131
- Thiin  
Synthesis and some chemical properties of the 6-arylsulfonyl-6-polyfluoroalkanoyl-5,6-dihydro-2H-thiins—new fluorine-containing ketones, (123) 197
- Thin film  
Fabrication of high performance thin films from metal fluorocomplex aqueous solution by the liquid phase deposition, (120) 157
- Thin film polymer  
Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97
- Thiols  
Perfluoroalkylation of 2-mercaptoethanol as a key step for a new synthesis of perfluoroalkyl vinyl sulfides, sulfoxides and sulfones, (124) 55
- Thiophene  
Synthesis and NMR studies of 2- and 3-fluorosubstituted five-membered heterocycles, (124) 159
- Thioureas  
*N*-Bis(methylthio)methylene-trifluoromethanesulfonylamide  $\text{CF}_3\text{SO}_2\text{N}=\text{C}(\text{SCH}_3)_2$ : new reagent for the preparation of

- N*-trifluoromethylsulfonylimino carbonic and thiocarbonic acids derivatives, (124) 151
- $\alpha$ -Thioxoketone  
Synthesis and some chemical properties of the 6-arylsulfonyl-6-polyfluoroalkanoyl-5,6-dihydro-2H-thiins—new fluorine-containing ketones, (123) 197
- Tin  
Stepwise fluorination of [MeAlN(2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)]<sub>3</sub> using trimethyltin fluoride as fluorinating agent, (120) 59  
Synthesis and properties of fluorous arenes and triaryl phosphorus compounds with branched fluoroalkyl moieties (“split pony tails”), (124) 45
- TMEDA  
1,4-Addition reaction of ethyl bromodifluoroacetate to Michael acceptors in the presence of copper powder. Improvement of the reaction using TMEDA as an additive, (121) 105
- Transannular cyclization  
Synthesis of halo-fluoro-substituted adamantanes by electrophilic transannular cyclization of bicyclo[3.3.1]nonane dienes, (123) 207
- Transfer fluorination  
Enantioselective electrophilic fluorination: a study of the fluorine-transfer from achiral N–F reagents to cinchona alkaloids, (122) 189
- Transition metal-catalyzed reactions  
Enantioselective Diels–Alder reactions of  $\alpha$ -fluorinated  $\alpha,\beta$ -unsaturated carbonyl compounds. Part 5. Chemical consequences of fluorine substitution, (121) 163
- Transition state  
Ab initio investigations of the C<sub>2</sub>F<sub>4</sub>S isomers and of their interconversions, (124) 99
- Transmission electron microscopy (TEM)  
Surface properties of fluorinated single-walled carbon nanotubes, (120) 99
- Transparent fluoropolymers  
Design of very transparent fluoropolymer resists for semiconductor manufacture at 157 nm, (122) 11
- Trichlorotriazinium salts  
1-Fluoro-2,4,6-trichloro-1,3,5-triazinium tetrafluoroborate: synthesis, characterization, and ability to effect electrophilic aromatic substitution, (124) 229
- Tricyclonone  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- Trifluoroacetamidoyl chloride  
Synthesis of 2-trifluoromethyl-1(substituted aryl)-4(1*H*)-quinolones using trifluoroacetamidoyl chlorides, (120) 71
- Trifluoroacetanilides  
Direct microwave promoted trifluoroacetylation of aromatic amines with trifluoroacetic acid, (124) 111
- Trifluoroacetate  
Syntheses and crystal structures of bis(4-dimethylaminopyridine) group 12 trifluoroacetates — M(OCOCF<sub>3</sub>)<sub>2</sub>·2DMAP (M = Zn, Cd, Hg), (120) 13
- Trifluoroacetic acid  
Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21  
Direct microwave promoted trifluoroacetylation of aromatic amines with trifluoroacetic acid, (124) 111
- Trifluoroacetylation  
Direct microwave promoted trifluoroacetylation of aromatic amines with trifluoroacetic acid, (124) 111
- Trifluoroacylated bisphosphonates  
Stereoselective synthesis of substituted trifluoromethylated ethenylphosphonates via sequential transformations of bisphosphonate, (121) 219
- Trifluoroethenesulfonyl fluoride  
Ab initio investigations of the C<sub>2</sub>F<sub>4</sub>S isomers and of their interconversions, (124) 99
- 1,1,2-Trifluoroethenylzinc  
Preparation of 1,1,2-trifluoro-2-trimethylsilylethylene, (121) 75
- Trifluoroethoxy group  
Reaction of  $\beta$ -trifluoroethoxy vinamidinium salts with carbon nucleophiles, (120) 33
- 2,2,2-Trifluoroethyl methacrylate  
Tacticity control in the radical polymerization of 2,2,2-trifluoroethyl methacrylate with fluoroalcohol, (123) 147
- 2-(2,2,2-Trifluoroethylidene)cyclohexanol  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- 2-(2,2,2-Trifluoroethylidene)cyclohexanone  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- 2-(2,2,2-Trifluoroethylidene)cyclopentanol  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- 2-(Trifluoroethylidene)cyclopentanone  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- Trifluorolactate  
A crystal engineering utilization of hexafurcated hydrogen bonding to construction of subnano fluorinated tunnels, (120) 165
- Trifluorolactic esters  
Uncatalyzed Meerwein–Ponndorf–Verley reduction of trifluoromethyl carbonyl compounds by high-temperature secondary alcohols, (121) 223
- Trifluoromethanesulfonyl fluoride  
Development of direct fluorination technology for application to materials for lithium battery, (120) 105
- Trifluoromethanethiolate  
A new synthesis of trifluoromethanethiolates—characterization and properties of tetramethylammonium, cesium and di(benzo-15-crown-5)cesium trifluoromethanethiolates, (119) 101
- Trifluoromethyl  
Synthesis of 2-trifluoromethyl-1(substituted aryl)-4(1*H*)-quinolones using trifluoroacetamidoyl chlorides, (120) 71  
Johnson–Claisen rearrangement of  $\gamma$ -fluoro- $\gamma$ -(di- or tri-fluoromethyl)allyl alcohols affording stereoselective access to  $\beta$ -fluoro- $\beta$ -di- or tri-fluoromethylated  $\gamma,\delta$ -unsaturated carboxylic acid esters, (122) 237  
Facile access to stereodefined dienates and cyclopropylenoates containing a trifluoromethyl group, (124) 93  
Isolation of C<sub>60</sub>(CF<sub>3</sub>)<sub>*n*</sub> (*n* = 2, 4, 6, 8, 10) with high compositional purity, (124) 61
- Trifluoromethyl group  
A crystal engineering utilization of hexafurcated hydrogen bonding to construction of subnano fluorinated tunnels, (120) 165  
Synthesis and optical activity of aryl(*N*-trifluoromethylsulfonylimino)thiodifluoroacetic acids and their derivatives, (123) 287
- Trifluoromethyl sulfides  
Fluoride-assisted trifluoromethylation of aromatic thiones with (trifluoromethyl)trimethylsilane, (124) 147
- $\alpha$ -(Trifluoromethyl)thiols  
Fluoride-assisted trifluoromethylation of aromatic thiones with (trifluoromethyl)trimethylsilane, (124) 147
- (Trifluoromethyl)trimethylsilane  
Fluoride-assisted trifluoromethylation of aromatic thiones with (trifluoromethyl)trimethylsilane, (124) 147
- 3-Trifluoromethyl-3,3a,4,5,6,7-hexahydro-2*H*-indazole  
Sodium dithionite initiated reactions of 1-bromo-1-chloro-2,2,2-trifluoroethane with enol ethers of cyclic ketones, (123) 37
- 2-Trifluoromethylacrylate  
Vacuum-UV influenced design of polymers and dissolution inhibitors for next generation photolithography, (122) 17
- Trifluoromethylated compounds  
Sodium carbonate as carbon dioxide source for the synthesis of cyclic carbonates containing the trifluoromethyl group, (123) 57

- Trifluoromethylated ethenylphosphonates  
 Stereoselective synthesis of substituted trifluoromethylated ethenylphosphonates via sequential transformations of bisphosphonate, (121) 219
- Trifluoromethylated vinylstannane  
 Preparation of  $\alpha$ - or  $\beta$ -trifluoromethylated vinylstannanes and their cross-coupling reactions, (120) 195
- Trifluoromethylation  
 Microreactors for the synthesis of fluorinated materials, (122) 243  
 Fluoride-assisted trifluoromethylation of aromatic thiones with (trifluoromethyl)trimethylsilane, (124) 147
- Trifluoromethylselenates(0)  
 Stable trifluoromethylselenates(0), [A]SeCF<sub>3</sub>—synthesis, characterizations and properties, (123) 183
- N*-Trifluoromethylsulfonylimino derivatives  
*N*-Bis(methylthio)methylene-trifluoromethanesulfonylamide  
 CF<sub>3</sub>SO<sub>2</sub>N=C(SCH<sub>3</sub>)<sub>2</sub>: new reagent for the preparation of *N*-trifluoromethylsulfonylimino carbonic and thiocarbonic acids derivatives, (124) 151
- Trifluoromethylsulfur pentafluoride  
 Fluorocarbons in the global environment: a review of the important interactions with atmospheric chemistry and physics, (123) 21
- Trifluoromethyltrimethylsilane  
 Preparation of TMS protected trifluoromethylated alcohols using trimethylamine *N*-oxide and trifluoromethyltrimethylsilane (TMSCF<sub>3</sub>), (123) 61
- Trifluoromethyl-tyrosine  
 Nucleophilic replacement of *p*-(1-chloro-2,2,2-trifluoroethyl)phenols: novel synthesis of  $\beta$ -trifluoromethyl-tyrosine, (121) 141
- Trifluorostyrenes  
 The application of novel methodology for the synthesis of *o*-, *m*-, and *p*-(SF<sub>3</sub>-perfluoroethyl) benzene derivatives, (122) 251
- Trifluorothioacetyl fluoride  
 Ab initio investigations of the C<sub>2</sub>F<sub>4</sub>S isomers and of their interconversions, (124) 99
- Trifluorovinyl ethers  
 First separation and characterization of *cis* and *trans* 1,2-bisaryloxy perfluorocyclobutanes, (123) 139
- Trigonal bipyramidal  
 On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131  
 Synthesis and characterisation of bis(pentafluorophenyl)antimony(V) cations, [(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>SbL<sub>3</sub>]<sup>3+</sup>, (122) 229
- Trimethylamine *N*-oxide  
 Preparation of TMS protected trifluoromethylated alcohols using trimethylamine *N*-oxide and trifluoromethyltrimethylsilane (TMSCF<sub>3</sub>), (123) 61
- tris(Pentafluorophenyl)antimony(V) dichloride  
 On the Lewis acidity of tris(pentafluorophenyl)antimony(V) dichloride towards neutral monodentate O, N and S donor ligands, (121) 131
- 2,4,6-Tris(trifluoromethyl)phenyl substituent  
 Synthesis and structural characterization of a sterically crowded acylguanidinate: R<sub>F</sub>C(=O)N=C(NMe<sub>2</sub>)<sub>2</sub> (R<sub>F</sub> ≡ 2,4,6-tris(trifluoromethyl)phenyl), (121) 79
- $\alpha,\beta$ -Unsaturated aldehydes  
 Reaction of  $\beta$ -trifluoroethoxy vinamidinium salts with carbon nucleophiles, (120) 33
- $\beta,\gamma$ -Unsaturated ester  
 Stereoselective synthesis of (*Z*)- $\gamma$ -cyano- $\beta$ -perfluoroalkyl- $\beta,\gamma$ -unsaturated esters, (124) 65
- Ureas  
*N*-Bis(methylthio)methylene-trifluoromethanesulfonylamide  
 CF<sub>3</sub>SO<sub>2</sub>N=C(SCH<sub>3</sub>)<sub>2</sub>: new reagent for the preparation of  
*N*-trifluoromethylsulfonylimino carbonic and thiocarbonic acids derivatives, (124) 151
- Urocanic acid  
 New approaches to side-chain fluorinated bioimidazoles: 4-alkynylimidazoles as substrates for fluorination, (124) 105
- Vacuum ultraviolet  
 Quantum chemical modeling for 157 nm photolithography, (122) 37
- Valence bond  
 Increased valence (qualitative valence bond) descriptions of the electronic structures of electron-rich fluorine-containing molecules, (123) 5
- Valence bond (VB) theory  
 Valence bond and molecular orbital studies of the A–F bond lengths in some AF<sub>*n*</sub> type molecules and their fluorinated cations, (123) 273
- Vapour–liquid equilibria  
 Vapour–liquid equilibrium measurements for binary mixtures of R32, R143a, R134a and R125 with a perfluoropolyether lubricant, (121) 15
- Versatile tetrafluorobenzene derivatives  
 Fluorinated molecules relevant to conducting polymer research, (120) 77
- Vibrational spectra  
 The structures and properties of tetrafluoromethane, hexafluoroethane, and octafluoropropane using the AIMPRO density functional program, (121) 193
- Vibrational spectroscopy  
 Structural and vibrational characterization of [KrF][AuF<sub>6</sub>] and  $\alpha$ -[O<sub>2</sub>][AuF<sub>6</sub>] using single crystal X-ray diffraction, Raman spectroscopy and electron structure calculations, (119) 109
- Vinamidinium salt  
 Reaction of  $\beta$ -trifluoroethoxy vinamidinium salts with carbon nucleophiles, (120) 33
- Vinyl fluorides  
 Enantioselective Diels–Alder reactions of  $\alpha$ -fluorinated  $\alpha,\beta$ -unsaturated carbonyl compounds. Part 5. Chemical consequences of fluorine substitution, (121) 163
- Vinylidene fluoride  
 Synthesis of an original poly(vinylidene fluoride-co-hexafluoropropylene)-*g*-perfluoropolyether graft copolymer, (119) 53  
 Use of bis(trifluoromethyl)peroxy dicarbonate as initiator in the radical homopolymerisation of vinylidene fluoride (VDF) and copolymerisation of VDF with hexafluoropropylene, (123) 85
- Volatile complexes  
 Structural investigations of copper(II) complexes containing fluorine-substituted  $\beta$ -diketonate ligands, (123) 109
- VUV  
 Quantum chemical modeling for 157 nm photolithography, (122) 37
- Wittig  
 Synthesis and anticancer activity of fluorinated analogues of combretastatin A-4, (123) 101
- Wittig reaction  
 Convenient syntheses of fluorous phenols of the formula HOC<sub>6</sub>H<sub>5–*n*</sub>((CH<sub>2</sub>)<sub>3</sub>(CF<sub>2</sub>)<sub>7</sub>CF<sub>3</sub>)<sub>*n*</sub> (*n* = 1, 2) and the corresponding triarylphosphites, (119) 141
- Wurtz reaction  
 Synthesis and characterization of a new class of polyfluorinated alkanes: tetrakis(perfluoroalkyl)alkane, (121) 57
- X-ray crystallography  
 Structural and vibrational characterization of [KrF][AuF<sub>6</sub>] and  $\alpha$ -[O<sub>2</sub>][AuF<sub>6</sub>] using single crystal X-ray diffraction, Raman spectroscopy and electron structure calculations, (119) 109

## X-ray diffraction

Structures of perfluorodiphenylether substituted chalcogen compounds, (123) 133

## X-ray photoelectron spectroscopy (XPS)

Surface properties of fluorinated single-walled carbon nanotubes, (120) 99

## X-ray structure

Synthesis and coordination chemistry of perfluoroalkyl-derivatised  $\beta$ -diketonates, (119) 65

## X-ray structure analysis

Fluorotris(trifluoromethylsulfonyl)methane: synthesis, characterization and reactivity, (122) 233

*p*-Xylylene

Parylene-AF4: a polymer with exceptional dielectric and thermal properties, (122) 97

## Ylides

A facile carbene route to 2-fluoro-2-pyrrolines via fluorinated azo-methine ylides, (123) 177

## Zinc

Syntheses and crystal structures of bis(4-dimethylaminopyridine) group 12 trifluoroacetates —  $M(\text{OCOCF}_3)_2 \cdot 2\text{DMAP}$  ( $M = \text{Zn}, \text{Cd}, \text{Hg}$ ), (120) 13

## Zinc(II)

Dynamic behaviour of chlorofluoroethanes at fluorinated chromia aerogels and fluorinated zinc(II) or magnesium(II) doped chromia aerogels, (121) 83

## Zwitterions

Iodonium zwitterions, (122) 57