

Journal of Forensic Sciences

Subject Index to Volume 44

1999

A

$\alpha(1,3/4)$ fucosyltransferase

Lewis (FUT3) genotypes in two different Chinese populations (Liu, YH, Koda, Y, Soejima, M, Pang, H, Wang, B, and Kimura, H), Jan., 82

Abdominal aortic aneurysm

Traumatic rupture of an abdominal aortic aneurysm associated with the use of a seat-belt (Bunai, Y, Nagai, A, Nakamura, I, and Ohya, I), Nov., 1304

ABO system

Blood grouping of mixed bloodstains using immunocytochemical methods (Bunai, Y, Nakamura, I, Nagai, A, Yamada, S, Watanabe, Y, Takayama, T, and Ohya, I), Jan., 100

Acetaminophen

Fulminant liver failure in a young child following repeated acetaminophen overdosing (Bauer, M, Babel, B, Giesen, H, and Patzelt, D), Nov., 1299

Activated protein C resistance

Activated protein C resistance is uncommon in sudden death due to pulmonary embolism (Rulon, JJ, Cho, CG, Guerra, LL, Bux, RC, and Gulley, ML), Nov., 1111

Adipocere

Marine taphonomy: adipocere formation in a series of bodies recovered from a single shipwreck (Kahana, T, Almog, J, Levy, J, Shmeltzer, E, Spier, Y, and Hiss, J), Sept., 897

Adolescent sexual homicide

Adolescent sexual matricide following repetitive mother-son incest (Schlesinger, LB), July, 746

Adolf Hitler

Author's response (Post, DE), May, 666
Commentary on Post DE. The hypnosis of Adolf Hitler. *J Forensic Sci* 1998 Nov;43(6):1127-1132 (Rachut, E), May, 666

African American

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

Age estimation

Authors' response (Ohtani, S and Yamamoto, T), July, 875

Commentary on Ohtani S, Matsushima Y, Kobayashi Y, Kishi K. Evaluation of aspartic acid racemization ratios in the human femur for age estimation. *J Forensic Sci* 1998; 43(5):949-53 (Ritz-Timme, S and Collins, MJ), July, 874

Alcohol

Alcohol content of beer and malt beverages: forensic considerations (Logan, BK, Case, GA, and Distefano, S), Nov., 1292
Reliability of breath-alcohol analysis in individuals with gastroesophageal reflux disease (Kechagias, S, Jönsson, K;AN, Franzén, T, Andersson, L, and Jones, AW), July, 814

Alcohol abuse

Revisiting arson from an outpatient forensic perspective (Leong, GB and Silva, JA), May, 558

Allele frequencies

Genetic variation of three tetrameric tandem repeats in four distinct Israeli ethnic groups (Amar, A, Brautbar, C, Motro, U, Fisher, T, Bonne-Tamir, B, and Israel, S), Sept., 983

Alternate light source

Using an alternate light source to restore writing (Leaver, W and Smith, JW), May, 653

Alternate number form

The examination of disguised numbers (Seaman-Kelly, J), Sept., 1027

Amelogenin

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Amerindian

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Amphetamine

Human methamphetamine-related fatalities in Taiwan during 1991-1996 (Shaw, KP), Jan., 27
Metabolic production of amphetamine following administration of clobenzorex (Valtier, S and Cody, JT), Jan., 17

Stereochemical determination of selegiline metabolites in postmortem biological specimens (Kupiec, TC and Chaturvedi, AK), Jan., 222

Anabolic steroids

Detection of anabolic steroids in head hair (Deng, XS, Kurosu, A, and Pounder, DJ), March, 343

Analysis

Reliability of breath-alcohol analysis in individuals with gastroesophageal reflux disease (Kechagias, S, Jönsson, K;AN, Franzén, T, Andersson, L, and Jones, AW), July, 814

Anthrapyrимidine Yellow

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrимidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Aortic dissection

Methamphetamine as a risk factor for acute aortic dissection (Swalwell, CI and Davis, GG), Jan., 23

Argentina

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Arson

A comprehensive sample preparation scheme for accelerants in suspect arson cases (Ren, QL and Bertsch, W), May, 504
Psychiatric aspects of arsonists (Ritchie, EC and Huff, TG), July, 733
Revisiting arson from an outpatient forensic perspective (Leong, GB and Silva, JA), May, 558

Aspiration

Airway obstruction by a ball (Jumbelic, MI), Sept., 1079
Drowning without aspiration: is this an appropriate diagnosis? (Modell, JH, Bellefleur, M, and Davis, JH), Nov., 1119

Assassination

Assassination in the United States: an operational study of recent assassins, attackers, and near-lethal approachers (Fein, RA and Vossekuil, B), March, 321

Auto exhaust

Commentary on Morgan M, Schramm J, Kofoed P, Steensberg J, and Theilade P. Automobile exhaust as a means of suicide: an experimental study with a proposed model. *J Forensic Sci* 1998 July;43(4):827-836 (Contostavlos, DL), March, 452

Automotive paint

Infrared spectra of U.S. automobile original topcoats (1974-1989): V. Identification of organic pigments used in red nonmetallic and brown nonmetallic and metallic mono-coats—DPP red BO and Thioindigo Bordeaux (Suzuki, EM), March, 297

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Autopsy

Drowning without aspiration: is this an appropriate diagnosis? (Modell, JH, Bellefleur, M, and Davis, JH), Nov., 1119

Azide

Detection of Azide in forensic samples by capillary electrophoresis (Hortin, GL, Dey, SK, Hall, M, and Robinson, Jr., CA), Nov., 1310

B**Bahamian**

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

Bahrain

Distribution of D1S80 alleles in the Bahrainian population (Tahir, MA, Rogers, C, Alkhayyat, M, El-Gohary, M, Budowle, B, and Balamurugan, K), Nov., 1314

Ball point pen inks

Analysis of ballpoint pen inks by field desorption mass spectrometry (Sakayanagi, M, Komuro, J, Konda, Y, Watanabe, K, and Harigaya, Y), Nov., 1204

Investigation of ball point pen inks by capillary electrophoresis (CE) with UV/Vis Absorbance and laser induced fluorescence detection and particle induced X-ray emission (PIXE) (Vogt, C, Becker, A, and Vogt, J), July, 819

Battle of Little Bighorn

Authors' response (Willey, P and Scott, DD), Nov., 1330
 Commentary on Willey P and Scott DD, Who's Buried in Custer's Grave? *J Forensic Sci* 1999;44(3):656-665 (Sperber, N), Nov., 1330

Bayesian

The evidential value of paint. Part II: a Bayesian approach (McDermott, SD, Willis, SM, and McCullough, JP), March, 263

Bayesian statistics

Bayesian validation of a quadruplex STR profiling system for identification purposes (Foreman, LA, Smith, AM, and Evett, IW), May, 478

Bear poaching

Wildlife forensic entomology: determining time of death in two illegally killed black bear cubs (Anderson, GS), July, 856

Beer

Alcohol content of beer and malt beverages: forensic considerations (Logan, BK, Case, GA, and Distefano, S), Nov., 1292

Behavioral science

Child abduction: aged-based analyses of offender, victim, and offense characteristics in 550 cases of alleged child disappearance (Boudreaux, MC, Lord, WD, and Dutra, RL), May, 539

Benzoylcegonine

Aqueous phase hexylchloroformate derivatization and solid phase microextraction: determination of benzoylcegonine in urine by gas chromatography-quadrupole ion trap mass spectrometry (Hall, BJ, Parikh, AR, and Brodbelt, JS), May, 527

Biology

The potential contribution of MVR-PCR to paternity probabilities in a case lacking a mother (Tamaki, K, Huang, X-L, Mizutani, M, Yamamoto, T, Katsumata, R, Uchihira, R, Katsumata, Y, and Jeffreys, AJ), July, 863

Blood

In vitro stability of endogenous gamma-hydroxybutyrate in postmortem blood (Stephens, BG and Coleman, DE), Jan., 231

Reliability of breath-alcohol analysis in individuals with gastroesophageal reflux disease (Kechagias, S, Jönsson, K;AN, Franzén, T, Andersson, L, and Jones, AW), July, 814

Blood group

Blood grouping of mixed bloodstains using immunocytochemical methods (Bunai, Y, Nakamura, I, Nagai, A, Yamada, S, Watanabe, Y, Takayama, T, and Ohya, I), Jan., 100

Blood stains

Commentary on Hochmeister MN, Budowle B, Sparkes R, Rudin O, Gehrig C, Thali M, Schmidt L, Cordier A. Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood. *J Forensic Sci* 1999;44:597-602 (Rowley, BO), Nov., 1323

Blood test

The effect of luminol on presumptive tests and DNA analysis using the polymerase

chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837

Bloodstains

Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood (Hochmeister, MN, Budowle, B, Sparkes, R, Rudin, O, Gehrig, C, Thali, M, Schmidt, L, Cordier, A, and Dirnhofer, R), May, 597

Blunt trauma

Analysis of blunt trauma injuries: vertical deceleration versus horizontal deceleration injuries (Tomczak, PD and Buikstra, JE), March, 253

Authors' response (Tomczak, PD and Buikstra, JE), Nov., 1321

Body position

Experimental forensic and bioanthropological aspects of soft tissue taphonomy: 1. Factors influencing postmortem tissue desiccation rate (Atraliya, S and Lukasewycz, A), Sept., 893

Body proportions

A new method for discriminating African-American from European-American skeletons using postcranial osteometrics reflective of body shape (Holliday, TW and Falsetti, AB), Sept., 926

Bone diagenesis

Recovery of human skeletal elements from a recent UK murder inquiry: preservational signatures (Cox, M and Bell, L), Sept., 945

Bone histomorphometry

Iliac cancellous bone in drug addicts: a histomorphometric study (Schiwy-Bochat, KH and Lemke, R), March, 249

Bone specimens

Commentary on Ohtani S, Matsushima Y, Kobayashi Y, Kishi K. Evaluation of aspartic acid racemization ratios in the human femur for age estimation. *J Forensic Sci* 1998;43(5):949-53 (Ritz-Timme, S and Collins, MJ), July, 874

Bone tissues

Authors' response (Introna, Jr, F, Di Vella, G, and Campobasso, CP), Nov., 1322

Bones

Characteristics of gunshot wounds in the skull (Quatrehomme, G and Iscan, MY), May, 568

Brazil

Gene and genotype frequencies for HLA-DQA1 in Caucasians and mulattoes in Brazil (Soares-Vieira, JA, Billerbeck, AEC, Iwamura, ESM, Otto, PA, and Muñoz, DR), Sept., 1051

Breath-analysis

Reliability of breath-alcohol analysis in individuals with gastroesophageal reflux disease (Kechagias, S, Jönsson, K;AN, Franzén, T, Andersson, L, and Jones, AW), July, 814

British Columbia

Insect succession on buried carrion in two biogeoclimatic zones of British Columbia (VanLaerhoven, SL and Anderson, GS), Jan., 32

Brodifacoum

Fatal brodifacoum rodenticide poisoning: autopsy and toxicologic findings (Palmer, RB, Alakija, P, Cde Baca, JE, and Nolte, KB), July, 851

Bullet

Analysis and comparison of bullet leads by inductively-coupled plasma mass spectrometry (Keto, RO), Sept., 1020

Burglary

Body parts can be dangerous to health (Taff, ML), Sept., 1091

Burned bone

The differentiation of traumatic and heat-related fractures in burned bone (Herrmann, NP and Bennett, JL), May, 461

C**Calliphoridae**

Effects of morphine in decomposing bodies on the development of *Lucilia sericata* (Diptera: Calliphoridae) (Bourel, B, Hé-douin, V, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 354

Canine scent detection

The use of cadaver dogs in locating scattered, scavenged human remains: preliminary field test results (Komar, D), March, 405

Canis familiaris

Forensic evidence based on mtDNA from dog and wolf hairs (Savolainen, P and Lun-deberg, J), Jan., 77

Cannabis sativa

Preliminary data on the usefulness of internal transcribed spacer I (ITS1) sequence in *cannabis sativa* L. identification (Siniscalco Gigliano, G), May, 475

Capillary electrophoresis

Investigation of ball point pen inks by capillary electrophoresis (CE) with UV/Vis Absorbance and laser induced fluorescence detection and particle induced X-ray emission (PIXE) (Vogt, C, Becker, A, and Vogt, J), July, 819

Substitution of H₂O for formamide in the sample preparation protocol for STR analysis using the capillary electrophoresis system: the effects on precision, resolution, and capillary life (Biega, LA and Duceman, BW), Sept., 1029

Carcass cooling

Estimating time of death of deer in Missouri: a comparison of three indicators

(Hadley, BM, Robbins, LW, and Beffa, DA), Nov., 1124

Caucasian

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

Swiss Caucasian population data for 13 STR loci using AmpFISTR profiler plus and cofiler PCR amplification kits (Gehrig, C, Hochmeister, M, Borer, UV, Dirnhofer, R, and Budowle, B), Sept., 1035

Cervical vertebrae

Morphological variation in cervical spinous processes: potential applications in the forensic identification of race from the skeleton (Duray, SM, Morter, HB, and Smith, FJ), Sept., 937

Chemical oxidants

Authors' response (Introna, Jr, F, Di Vella, G, and Campobasso, CP), Nov., 1322

Chemometrics

The analysis of methamphetamine hydrochloride by thermal desorption ion mobility spectrometry and SIMPLISMA (Reese, ES and Harrington, PB), Jan., 68

Child abduction

Child abduction: aged-based analyses of offender, victim, and offense characteristics in 550 cases of alleged child disappearance (Boudreaux, MC, Lord, WD, and Dutra, RL), May, 539

Child homicide

Child abduction: aged-based analyses of offender, victim, and offense characteristics in 550 cases of alleged child disappearance (Boudreaux, MC, Lord, WD, and Dutra, RL), May, 539

Chloropicrin

Chloropicrin found in industrial grade nitrogen (Brewer, W and Amick, GD), Sept., 1086

Chlorpyrifos-methyl

Comparative studies on tissue distributions of organophosphorus, carbamate and organochlorine pesticides in decedents intoxicated with these chemicals (Moriya, F and Hashimoto, Y), Nov., 1131

Chorionic villus sampling

Chorionic villus sampling prior to pregnancy termination, a tool for forensic paternity testing (Reshef, A, Brauner, P, Shpitzen, M, Gallili, N, Marbach, A, Motro, U, Shmueli, E, and Meiner, V), Sept., 1065

Circuit breaker

Heat transfer testing of thermal-magnetic circuit breakers (DeWitt, WE and Adams, RW), March, 314

Clandestine laboratories

Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing (Willers-Russo, L), May, 647

Clobenzorex

Metabolic production of amphetamine following administration of clobenzorex (Valtier, S and Cody, JT), Jan., 17

Clothing identification

Photographic identification of denim trousers from bank surveillance film (Vorder Bruegge, RW), May, 613

Cocaine

A study of illicit cocaine seizure classification by pattern recognition techniques applied to metal data (Bermejo-Barrera, P, Moreda-Piñeiro, A, Moreda-Piñeiro, J, Bermejo-Barrera, A, and Bermejo-Barrera, AM), March, 270

Cocaine metabolites

Aqueous phase hexylchloroformate derivatization and solid phase microextraction: determination of benzoylecgonine in urine by gas chromatography-quadrupole ion trap mass spectrometry (Hall, BJ, Parikh, AR, and Brodbelt, JS), May, 527

Condoms

Electrospray and MALDI mass spectrometry in the identification of spermicides in criminal investigations (Hollenbeck, TPE, Siuzdak, G, and Blackledge, RD), July, 783

Confined placental mosaicism

Chorionic villus sampling prior to pregnancy termination, a tool for forensic paternity testing (Reshef, A, Brauner, P, Shpitzen, M, Gallili, N, Marbach, A, Motro, U, Shmueli, E, and Meiner, V), Sept., 1065

Contamination

A systematic analysis of PCR contamination (Scherczinger, CA, Ladd, C, Bourke, MT, Adamowicz, MS, Johannes, PM, Scherczinger, R, Beesley, T, and Lee, HC), Sept., 1042

Coronary artery disease

Methamphetamine-related deaths in San Francisco: demographic, pathologic and toxicologic profiles (Karch, SB, Stephens, B, and Ho, C-H), March, 359

Court

Body parts can be dangerous to health (Taff, ML), Sept., 1091

Crime lab directors

What educational background do crime laboratory directors require form applicants? (Furton, KG, Hsu, YL, and Cole, MD), Jan., 128

Criminalistics

A new method for fiber comparison using polarized infrared microspectroscopy (Cho, LL, Reffner, JA, Gatewood, BM, and Wetzel, DL), March, 275

A survey on the conclusions drawn on the same footwear marks obtained in actual cases by several experts throughout the world (Shor, Y and Weisner, S), March, 380

Applications of focused ion beam systems in gunshot residue investigation (Niewöhner, L and Wenz, HW), Jan., 105

Comparing the alleged weapon with damage to clothing—the value of multiple layers and fabrics (Taupin, JM), Jan., 205

Construction of a roller device for the collection of hair and fiber evidence (Swinton, SF), Sept., 1089

Forensic classification of polyester fibers by infrared dichroic ratio pattern recognition (Cho, LL, Reffner, JA, and Wetzel, DL), March, 283

Forensic palynology: variation in the pollen content of soil on shoes and in shoeprints in soil (Horrocks, M, Coulson, SA, and Walsh, KAJ), Jan., 119

Infrared spectra of U.S. automobile original topcoats (1974-1989): V. Identification of organic pigments used in red nonmetallic and brown nonmetallic and metallic mono-coats—DPP red BO and Thioindigo Bordeaux (Suzuki, EM), March, 297

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Practical GC/MS analysis of oxidation dye components in hair fiber as a forensic investigative procedure (Tanada, N, Kashimura, S, Kageura, M, and Hara, K), March, 292

The forensic significance of glass composition and refractive index measurements (Koons, RD and Buscaglia, J), May, 496

Criministics

An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136

Cryogenic grinding

Identification of a skeleton using DNA from teeth and PAP smear (Sweet, D, Hildebrand, D, and Phillips, D), May, 630

CSF1PO

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Cyclic diketones

Latent fingerprint visualization by 1,2-Indanedione and related compounds: preliminary results (Almog, J, Springer, E, Wiesner, S, Frank, A, Khodzhaev, O, Lidor, R, Bahar, E, Varkony, H, Dayan, S, and Razen, S), Jan., 114

Cytokeratin 19

Detection of Epithelial cells in dried blood stains by reverse transcriptase-polymerase

chain reaction (Bauer, M, Kraus, A, and Patzelt, D), Nov., 1232

D

D10S28

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

D13S317

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319

D13S319

Spanish population data on the loci D13S317, D7S820, and D16S539 generated using silver staining (SilverSTR III™ multiplex (Entrala, C, Lorente, JA, Lorente, M, Alvarez, JC, Budowle, B, and Villanueva, E), Sept., 1032

D16S539

Spanish population data on the loci D13S317, D7S820, and D16S539 generated using silver staining (SilverSTR III™ multiplex (Entrala, C, Lorente, JA, Lorente, M, Alvarez, JC, Budowle, B, and Villanueva, E), Sept., 1032

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amiot, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

D17S79

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

D18S51

Allele and genotype frequencies for the STR locus D18S51 in a Western German population (Baasner, A and Madea, B), March, 450

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319

D1S7

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

D1S80

Description of three new alleles at the D1S80 (MCT118) locus (Eisenbarth, I, Assum, G, and Krone, W), July, 841

Distribution of D1S80 alleles in the Bahrainian population (Tahir, MA, Rogers, C, Alkhayyat, M, El-Gohary, M, Budowle, B, and Balamurugan, K), Nov., 1314

D21S11

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319

D2S44

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

D3S1358

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele distribution at nine STR loci—D3S1358, vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317 and D7S820—in the Japanese population by multiplex PCR and capillary electrophoresis (Yamamoto, T, Uchihi, R, Zozawa, H, Huang, XL, Leong, YK, Tanaka, M, Mizutani, M, Tamaki, K, and Katsumata, Y), Jan., 167

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319

D4S139

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

D5S110

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

- D5S818**
Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316
Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319
- D7S8**
A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherczinger, CA, and Lee, HC), Nov., 1270
Allele frequency in the population of Buenos Aires (Argentina) using Ampli-Type PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320
The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837
- D7S820**
Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316
Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319
Spanish population data on the loci D13 S317, D7S820, and D16S539 generated using silver staining (SilverSTR III™ multiplex (Entrala, C, Lorente, JA, Lorente, M, Alvarez, JC, Budowle, B, and Villanueva, E), Sept., 1032
- D8S1179**
Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316
Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319
- D8S384**
Frequencies of D8S384 alleles and genotypes in European, African-American, Chinese, and Japanese populations (Meng, HY, Hou, YP, Chen, GD, Li, YB, Wu, J, Walter, H, and Prinz, M), Nov., 1273
- Damage**
Comparing the alleged weapon with damage to clothing—the value of multiple layers and fabrics (Taupin, JM), Jan., 205
- Data analysis**
Graphical tools for RFLP measurement quality assurance: single-locus charts (Duewer, D, Liu, HK, and Reeder, DJ), Sept., 969
- Death**
A fatality due to the intranasal abuse of methylphenidate (Ritalin) (Massello, W and Carpenter, DA), Jan., 220
Another death due to ingestion of *Nicotiana glauca* (Sims, DN, James, R, and Christensen, T), March, 447
Methamphetamine as a risk factor for acute aortic dissection (Swalwell, CI and Davis, GG), Jan., 23
Methamphetamine-related deaths in San Francisco: demographic, pathologic and toxicologic profiles (Karch, SB, Stephens, B, and Ho, C-H), March, 359
Minimizing mistakes in clinical diagnosis (Ermenc, B), July, 810
- Death of George A. Custer**
Commentary on Willey P and Scott DD, Who's Buried in Custer's Grave? *J Forensic Sci* 1999;44(3):656-665 (Sperber, N), Nov., 1330
- Debris**
An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136
- Denaturing gradient gel electrophoresis**
Comparative identity and homogeneity testing of mtDNA HV1 region using denaturing gradient gel electrophoresis (Steighner, RJ, Tully, LA, Karjala, JD, Coble, MD, and Holland, MM), Nov., 1186
- Dental digital radiography**
Authors' response (Carr, RF and Hubar, JS), Sept., 1091
- Dental radiography**
Commentary on hubar JS, Carr RF. Computed dental radiography used to reproduce antemortem film position. *J Forensic Sci* 1999 Mar;44(2):401-4 (Firestone, SR), Sept., 1091
Modified intraoral film holders for post-mortem identification (Oeschger, MP and Hubar, JS), July, 846
- Dentine**
Authors' response (Ohtani, S and Yamamoto, T), July, 875
- Dentition**
Effects of extreme heat on teeth with implications for histologic processing (Myers, SL, Williams, JM, and Hodges, JS), July, 805
- Deoxyribonuclease I (DNase I)**
Deoxyribonuclease I phenotyping from saliva stains (Iida, R, Sawazaki, K, Yasuda, T, Tsubota, E, Aoyama, M, Matsuki, T, and Kishi, K), Jan., 175
- Desensitized photopaper**
Modified sheet printing method (MSPM) for the detection of lead in determination of shooting distance (StÅhling, S), Jan., 179
- Dextropropoxyphene**
Suicides may be overreported and accidents underreported among fatalities due to dextropropoxyphene (Jonasson, B, Jonasson, U, and Saldeen, T), March, 334
- 1,8-Diazafluoren-9-one (DFO)**
Latent fingerprint visualization by 1,2-Indanedione and related compounds: preliminary results (Almog, J, Springer, E, Wiesner, S, Frank, A, Khodzhaev, O, Lidor, R, Bahar, E, Varkony, H, Dayan, S, and Razen, S), Jan., 114
- Dichlorvos**
Comparative studies on tissue distributions of organophosphorus, carbamate and organochlorine pesticides in decedents intoxicated with these chemicals (Moriya, F and Hashimoto, Y), Nov., 1131
- Diethylamide**
Determination of lysergic acid diethylamide in body fluids by high-performance liquid chromatography and fluorescence detection—a more sensitive method suitable for routine use (Bergemann, D, Geier, A, and von Meyer, L), March, 372
- Disguised suicide**
A case of suicidal hanging staged as homicide (Adair, TW and Dobersen, MJ), Nov., 1307
- DNA**
Forensic identification of a rapist using unusual evidence (Oz, C, Levi, JA, Novoselski, Y, Volkov, N, and Motro, U), July, 860
Journal policy on the publication of DNA population genetic data (Gaensslen, RE), July, 671
- DNA probes**
Commentary on Linch CA, Smith SL, Prahlow JA. Evaluation of the human hair root for DNA typing subsequent to microscopic comparison. *J Forensic Sci* 1998;43(2):305-314 (Pettenati, MJ and Rao, PN), Nov., 1329
- DNA profiling**
Author's response (Hochmeister, M), Nov., 1324
Graphical tools for RFLP measurement quality assurance: laboratory performance charts (Gary, KT, Duewer, DL, and Reeder, DJ), Sept., 978
- DNA typing**
A systematic analysis of PCR contamination (Scherczinger, CA, Ladd, C, Bourke, MT, Adamowicz, MS, Johannes, PM, Scherczinger, R, Beesley, T, and Lee, HC), Sept., 1042
A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherczinger, CA, and Lee, HC), Nov., 1270
A time course study on STR profiles derived from human bone, muscle, and bone marrow (Frank, WE and Llewellyn, BE), July, 778

- A validation study for the extraction and analysis of DNA from human nail material and its application to forensic casework (Anderson, TD, Ross, JP, Roby, RK, Lee, DA, and Holland, MM), Sept., 1053
- Allele and genotype frequencies for the STR locus D18S51 in a Western German population (Baasner, A and Madea, B), March, 450
- Allele distribution at nine STR loci—D3S1358, vWA, FGA, TH01, TPOX, CS F1PO, D5S818, D13S317 and D7S820—in the Japanese population by multiplex PCR and capillary electrophoresis (Yamamoto, T, Uchihi, R, Zozawa, H, Huang, XL, Leong, YK, Tanaka, M, Mizutani, M, Tamaki, K, and Katsumata, Y), Jan., 167
- Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fourney, R), Nov., 1316
- Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265
- Allele frequency distribution of the STR loci HUMTPOX, HUMTH01 and HUMVWA in Asturias (North Spain) (Marco, PN, Martinez-Jarreta, B, Martínez, EA, Sanchis, AP, and Fonseca, RH), March, 389
- Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fourney, R), Nov., 1319
- Allele frequency in the population of Buenos Aires (Argentina) using Ampli-Type PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320
- Analysis of salivary DNA evidence from a bite mark on a body submerged in water (Sweet, D and Shutler, GG), Sept., 1069
- Chorionic villus sampling prior to pregnancy termination, a tool for forensic paternity testing (Reshef, A, Brauner, P, Shpitzen, M, Gallili, N, Marbach, A, Motro, U, Shmueli, E, and Meiner, V), Sept., 1065
- Comparative identity and homogeneity testing of mtDNA HV1 region using denaturing gradient gel electrophoresis (Steighner, RJ, Tully, LA, Karjala, JD, Coble, MD, and Holland, MM), Nov., 1186
- Data on the PCR Turkish population based loci: LDLR, GYPA, HBG, D7S8, and Gc (Ülkuer, MK, Ülkuer, U, Kesici, T, and Menevse, A), Nov., 1258
- DNA typing as a strategy for resolving issues relevant to forensic toxicology (Chaturvedi, AK, Vu, NT, Ritter, RM, and Canfield, DV), Jan., 189
- Forensic evidence based on mtDNA from dog and wolf hairs (Savolainen, P and Lundberg, J), Jan., 77
- Frequencies of D8S384 alleles and genotypes in European, African-American, Chinese, and Japanese populations (Meng, HY, Hou, YP, Chen, GD, Li, YB, Wu, J, Walter, H, and Prinz, M), Nov., 1273
- Gene and genotype frequencies for HLA-DQA1 in Caucasians and mulattoes in Brazil (Soares-Vieira, JA, Billerbeck, AEC, Iwamura, ESM, Otto, PA, and Muñoz, DR), Sept., 1051
- Graphical tools for RFLP measurement quality assurance: single-locus charts (Dewer, D, Liu, HK, and Reeder, DJ), Sept., 969
- Identification of a skeleton using DNA from teeth and PAP smear (Sweet, D, Hildebrand, D, and Phillips, D), May, 630
- Interpreting DNA mixtures in structured populations (Curran, JM, Triggs, CM, Buckleton, J, and Weir, BS), Sept., 987
- LDLR, GYPA, HBG, D7S8 and GC allele and genotype frequencies in the Northwest Italian population (Gino, S, Robino, C, Torre, C, Iorio, M, and Peruccio, D), Jan., 171
- Long PCR for VNTR analysis (Richie, KL, Goldsborough, MD, Darfler, MM, Benzinger, EA, Lovekamp, ML, Reeder, DJ, and O'Connell, CD), Nov., 1176
- Maine Caucasian population DNA database using twelve short tandem repeat (Kupferschmid, TD, Calicchio, T, and Budowle, B), March, 392
- Male DNA typing from 25-year-old vaginal swabs using Y chromosomal STR polymorphisms in a retrial request case (Honda, K, Roewer, L, and de Knijff, P), July, 868
- NaOH treatment to neutralize inhibitors of Taq polymerase (Bourke, MT, Scherzinger, CA, Ladd, C, and Lee, HC), Sept., 1046
- Paternity analysis when the putative father is missing: first case in Chile (Jorquera, H, Cifuentes, L, Moreno, F, and Aguirre, E), May, 627
- Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277
- Population genetics of two tetranucleotide repeats (UGB and D3S1349): a preliminary study in Galicia, Spain (Leyenda, P and Cairo, B), July, 843
- Population study of HUMTH01, HUMVWA31/A, HUMF13A1, and HUMFES/FPS systems in Azores (Corte-Real, F, Souto, L, Anjos, MJ, Carvalho, M, Vieira, DN, Carracedo, A, and Vide, MC), Nov., 1261
- Simultaneous detection of multiple STR loci on sex chromosomes for forensic testing of sex and identity (Tun, Z, Honda, K, Nakatome, M, Nakamura, M, Shimada, S, Ogura, Y, Kuroki, H, Yamazaki, M, Terada, M, and Matoba, R), July, 772
- STR HUMARA locus gene and genotype frequencies in Han and Bei population in China (Wu, MY, Zou, LP, Shen, B, Sun, GY, Li, RH, and Chen, GD), Sept., 1039
- Substitution of H₂O for formamide in the sample preparation protocol for STR analysis using the capillary electrophoresis system: the effects on precision, resolution, and capillary life (Biega, LA and Duceman, BW), Sept., 1029
- The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837
- The potential contribution of MVR-PCR to paternity probabilities in a case lacking a mother (Tamaki, K, Huang, X-L, Mizutani, M, Yamamoto, T, Katsumata, R, Uchihi, R, Katsumata, Y, and Jeffreys, AJ), July, 863
- Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385
- Dog**
Forensic evidence based on mtDNA from dog and wolf hairs (Savolainen, P and Lundberg, J), Jan., 77
- DQA1**
The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837
- Dried agarose film overlay (DAFO) method**
Deoxyribonuclease I phenotyping from saliva stains (Iida, R, Sawazaki, K, Yasuda, T, Tsubota, E, Aoyama, M, Matsuki, T, and Kishi, K), Jan., 175
- Drowning**
Suicidal drowning in South Florida (Davis, LG), Sept., 902
- Drug abuse**
Iliac cancellous bone in drug addicts: a histomorphometric study (Schiwy-Bochat, KH and Lemke, R), March, 249
- Drug screening**
Potassium nitrite reaction with 11-nor-delta9-tetrahydrocannabinol-9-carboxylic acid in urine in relation to the drug screening analysis (Lewis, SA, Lewis, LA, and Tuinman, A), Sept., 951
- Drug-facilitated**
Recommendations for toxicological investigations of drug—facilitated sexual assaults (LeBeau, M, Andollo, W, Hearn, WL, Baselt, R, Cone, E, Finkle, B, Fraser, D, Jenkins, A, Mayer, J, Negrusz, A, Poklis, A, Walls, HC, Raymon, L, Robertson, M, and Saady, J), Jan., 227
- Drug-of-abuse testing**
Minimal standards for the performance and interpretation of toxicology tests in legal proceedings (Wu, AHB, Hill, DW, Crouch, D, Hodnett, CN, and McCurdy, HH), May, 516
- Drugs**
Cyclohexyl nitrite encounter (Dearmore, IK), Jan., 197

Sampling—How big a sample? (Aitken, CCG), July, 750

Dust

An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136

E

Electrical tape

Heat transfer testing of thermal-magnetic circuit breakers (DeWitt, WE and Adams, RW), March, 314

Electro-static imaging

Practical implications of charge transport model for electrostatic detection apparatus (ESDA) (Seward, GH), July, 832

Elemental analysis

Analysis and comparison of bullet leads by inductively-coupled plasma mass spectrometry (Keto, RO), Sept., 1020
Authors' response (Koons, RD and Buscaglia, J), Nov., 1326

Enantiomer

Separation of enantiomeric ephedrine and pseudoephedrine—high pressure liquid chromatography and capillary electrophoresis (Iwanicki, RM, Maier, K, Zlotnick, JA, Liu, RH, Kuo, TL, and Tagliaro, F), May, 470

Enantiomer analysis

Metabolic production of amphetamine following administration of clobenzorex (Valtier, S and Cody, JT), Jan., 17

Enantiomers

Stereochemical determination of selegiline metabolites in postmortem biological specimens (Kupiec, TC and Chaturvedi, AK), Jan., 222

Endrin

Comparative studies on tissue distributions of organophosphorus, carbamate and organochlorine pesticides in decedents intoxicated with these chemicals (Moriya, F and Hashimoto, Y), Nov., 1131

Entomotoxicology

Determination of drug levels in larvae of *Lucilia sericata* (Diptera: Calliphoridae) reared on rabbit carcasses containing morphine (Hédouin, V, Bourel, B, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 351

Enzyme immunoassay

Minimal standards for the performance and interpretation of toxicology tests in legal proceedings (Wu, AHB, Hill, DW, Crouch, D, Hodnett, CN, and McCurdy, HH), May, 516

Enzyme linked immunosorbent assay

Validation of the use of a commercially available kit for the identification of pro-

state specific antigen (PSA) in semen stains (Simich, JP, Morris, SL, Klick, RL, and Rittenhouse-Diakun, K), Nov., 1229

Ephedrine

Separation of enantiomeric ephedrine and pseudoephedrine—high pressure liquid chromatography and capillary electrophoresis (Iwanicki, RM, Maier, K, Zlotnick, JA, Liu, RH, Kuo, TL, and Tagliaro, F), May, 470

Erotomania

Erotomania, triangulation, and homicide (Meloy, JR), March, 421

Ethnic groups

Genetic variation of three tetrameric tandem repeats in four distinct Israeli ethnic groups (Amar, A, Brautbar, C, Motro, U, Fisher, T, Bonne-Tamir, B, and Israel, S), Sept., 983

Etiologic factor

Commentary on Swlwell CI, Davis GG. Methamphetamine as a risk factor for acute aortic dissection. *J Forensic Sci* 1999;44(1): 23-6 (Fikar, CR), Sept., 1092

Evidence

Construction of a roller device for the collection of hair and fiber evidence (Swinton, SF), Sept., 1089

Explosives residue

Aqueous recovery from cotton swabs of organic explosives residue followed by solid phase extraction (Thompson, RQ, Fetterolf, DD, Miller, ML, and Mothershead II, RF), July, 795

Eye

Determination of the size of a foreign body in the eye using image analysis of its roentgenogram (Pilin, A, Pudil, F, Horejš, J, and Brány, J), Jan., 214

F

F13A01

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

F13B

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Facial reconstruction

Interpolating between computerized three-dimensional forensic facial simulations (Green, MA and Evison, MP), Nov., 1224
Presenting three-dimensional forensic facial simulations on the internet using VR ML (Evison, MP and Green, MA), Nov., 1219

Facial reproduction

Interpolating between computerized three-dimensional forensic facial simulations

(Green, MA and Evison, MP), Nov., 1224
Midline facial tissue thicknesses of subadults from a longitudinal radiographic study (Garlie, TN and Saunders, SR), Jan., 61

Presenting three-dimensional forensic facial simulations on the internet using VR ML (Evison, MP and Green, MA), Nov., 1219

Facial soft tissue thickness

Midline facial tissue thicknesses of subadults from a longitudinal radiographic study (Garlie, TN and Saunders, SR), Jan., 61

Fatality

Commentary on McIntyre IM, King CV, Staikos V, Gall J, Drummer OH. A fatality involving moclobemide, sertraline and pimozide. *J Forensic Sci* 1997;42:951-53 (Zeruesenay, D and Flockhart, DA), Jan., 231

FESFPS

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Fetal growth

Commentary on: Huxley AK and Angevine JB Jr. Determination of gestational age from lunar age assessments in human fetal remains. *J Forensic Sci* 1998;43(6):1254-1256 (Warren, MW), July, 877

Fetality

A fatality due to the intranasal abuse of methylphenidate (Ritalin) (Massello, W and Carpenter, DA), Jan., 220

FFFL

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amriott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

FGA

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fournery, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fournery, R), Nov., 1319

Fiber

A new method for fiber comparison using polarized infrared microspectroscopy (Cho, LL, Reffner, JA, Gatewood, BM, and Wetzel, DL), March, 275

Fiber analysis

Forensic classification of polyester fibers by infrared dichroic ratio pattern recognition (Cho, LL, Reffner, JA, and Wetzel, DL), March, 283

Fibers

An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136

Fingernails

A validation study for the extraction and analysis of DNA from human nail material and its application to forensic casework (Anderson, TD, Ross, JP, Roby, RK, Lee, DA, and Holland, MM), Sept., 1053

Fingerprint forgery

A chronological review of fingerprint forgery (Geller, B, Almog, J, Margot, P, and Springer, E), Sept., 963

Fingerprints

A chronological review of fingerprint forgery (Geller, B, Almog, J, Margot, P, and Springer, E), Sept., 963

Fire debris

A comprehensive sample preparation scheme for accelerants in suspect arson cases (Ren, QL and Bertsch, W), May, 504

GC/MS data from fire debris samples: interpretation and applications (Wallace, JR), Sept., 996

Heat transfer testing of thermal-magnetic circuit breakers (DeWitt, WE and Adams, RW), March, 314

The analysis of fire debris for the presence of propan-2-ol using dynamic headspace concentration and gas chromatography with flame ionization detection (Lewis, RJ, Denieul, SE, Langford, AM, and Okely, M), Sept., 1061

Firearms

Time since discharge of spent cartridges (Andrasko, J and StAhling, S), May, 487

Firearms identification

Interesting action mechanism of an improvised firearm (Soraisam, JS and Khangembam, RS), Jan., 208

Firesetting

Revisiting arson from an outpatient forensic perspective (Leong, GB and Silva, JA), May, 558

First-degree assault

Body parts can be dangerous to health (Taff, ML), Sept., 1091

Flunitrazepam

Simple and rapid color screening tests for flunitrazepam (Roypnol) (McKibben, T), March, 396

Fluorescence

Commentary on Giles A, commentary on Gernandt MN, Urlaub JJ. An introduction to the gel pen. *J Forensic Sci* 1996 May;41

(3):503-4. *J Forensic Sci* 1997;42(4):759 (Andermann, T), March, 452

Fluorescence in situ hybridization

Authors' response (Linch, CA and Prahlow, JA), Nov., 1329

Foreign body

Airway obstruction by a ball (Jumbelic, MI), Sept., 1079

Forensic anthropologist

Maples symposium introduction (Falsetti, AB and Austin-Smith, D), July, 675

Forensic anthropology

A new method for discriminating African-American from European-American skeletons using postcranial osteometrics reflective of body shape (Holliday, TW and Falsetti, AB), Sept., 926

A reevaluation of the sex prediction accuracy of the minimum supero-inferior femoral neck diameter for modern individuals (Stojanowski, CM and Seidemann, RM), Nov., 1215

A thousand tales of dead men: The forensic anthropology cases of William R. Maples, Ph. D. (Falsetti, AB), July, 682

A visual method of determining the sex of skeletal remains using the distal humerus (Rogers, TL), Jan., 57

Aleš Hrdlicka's role in the history of forensic anthropology (Ubelaker, D), July, 724

Analysis of blunt trauma injuries: vertical deceleration versus horizontal deceleration injuries (Tomczak, PD and Buikstra, JE), March, 253

Anterior femoral curvature revisited: race assessment from the femur (Ballard, MB and Trudell, MB), July, 700

Anterior femoral curvature revisited: race assessment from the femur. *J Forensic Sci* 1999;44(4):700-707 (Trudell, MB), Sept., 1108

Authors' response (Willey, P and Scott, DD), Nov., 1330

Briefly unidentified: a study of a peculiar source of identification (O'Connor, WG), July, 713

Calculation of percent shrinkage in human fetal diaphyseal lengths from fresh bone to carbonized and calcined bone using Petersohn and Kohler's data (Huxley, AK and Kósa, F), May, 577

Characteristics of gunshot wounds in the skull (Quatrehomme, G and Iscan, MY), May, 568

Commentary on Willey P and Scott DD, Who's Buried in Custer's Grave? *J Forensic Sci* 1999;44(3):656-665 (Sperber, N), Nov., 1330

Commentary on: Huxley AK and Angevine JB Jr. Determination of gestational age from lunar age assessments in human fetal remains. *J Forensic Sci* 1998;43(6):1254-1256 (Warren, MW), July, 877

Developing permanent tooth length as an estimate of age (Liversidge, HM and Molleson, TI), Sept., 917

Dr. William R. Maples and the role of the consultants at the U.S. Army Central Identification Laboratory, Hawaii (Hoshower, LM), July, 689

Homicide or accident off the coast of Florida: trauma analysis of mutilated human remains (Stubblefield, PR), July, 761

Interpolating between computerized three-dimensional forensic facial simulations (Green, MA and Evison, MP), Nov., 1224

Maples symposium introduction (Falsetti, AB and Austin-Smith, D), July, 675

Midline facial tissue thicknesses of subadults from a longitudinal radiographic study (Garlie, TN and Saunders, SR), Jan., 61

Morphological variation in cervical spinous processes: potential applications in the forensic identification of race from the skeleton (Duray, SM, Morter, HB, and Smith, FJ), Sept., 937

Osteometric analysis of sexual dimorphism in the sternal end of the rib in a West African population (Wiredu, EK, Kumoji, R, Seshadri, R, and Biritwum, RB), Sept., 921

Positive identification of cremains recovered from an automobile based on presence of an internal fixation device (Bennett, JL and Benedix, DC), Nov., 1296

Presenting three-dimensional forensic facial simulations on the internet using VRML (Evison, MP and Green, MA), Nov., 1219

Radiographic determination of developmental age in fetuses and stillborns (Warren, MW), July, 708

Sharp-force trauma analysis and the forensic anthropologist: techniques advocated by William R. Maples, Ph.D. (Walsh-Haney, HA), July, 720

The differentiation of traumatic and heat-related fractures in burned bone (Herrmann, NP and Bennett, JL), May, 461

The pedagogy of Dr. William R. Maples (Albert, AM), July, 731

Video superimposition at the C.A. Pound Laboratory 1987 to 1992 (Austin, D), July, 695

Who's buried in Custer's grave? (Willey, P and Scott, DD), May, 656

William R. Maples and the development of the American Board of Forensic Anthropology (Wuilley, P), July, 687

William R. Maples, forensic historian: four men, four centuries, four countries (Goza, WM), July, 692

Forensic chemistry

Practical GC/MS analysis of oxidation dye components in hair fiber as a forensic investigative procedure (Tanada, N, Kashimura, S, Kageura, M, and Hara, K), March, 292

Forensic dentistry

Analysis of salivary DNA evidence from a bite mark on a body submerged in water (Sweet, D and Shutler, GG), Sept., 1069

Digital dental radiographic identification in the pediatric, mixed and permanent dentitions (Wood, RE, Kirk, NJ, and Sweet, DJ), Sept., 910

Self-assessment of the forensic value of dental records (Delattre, VF and Stimson, PG), Sept., 906

Forensic engineering

Heat transfer testing of thermal-magnetic circuit breakers (DeWitt, WE and Adams, RW), March, 314

Forensic entomology

Centipede inflicted postmortem injury (Harada, K, Asa, K, Imachi, T, Yamaguchi, Y, and Yoshida, K), July, 849

Morphine perfused rabbits: a tool for experiments in forensic entomotoxicology (Hédouin, V, Bourel, B, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 347

Wildlife forensic entomology: determining time of death in two illegally killed black bear cubs (Anderson, GS), July, 856

Forensic fetal osteology

Authors' response (Huxley, AK and Angevine, Jr., JB), July, 878

Calculation of percent shrinkage in human fetal diaphyseal lengths from fresh bone to carbonized and calcined bone using Petersohn and Kohler's data (Huxley, AK and Kósa, F), May, 577

Forensic geology

The contribution of forensic geology and other trace evidence analysis to the investigation of the killing of Italian Prime Minister Aldo Moro (Lombardi, G), May, 634

Forensic odontology

A method for mathematically documenting bitemarks (McGivney, J and Barsley, R), Jan., 185

Computed dental radiography used to reproduce antemortem film position (Hubar, JS and Carr, RF), March, 401

Developing permanent tooth length as an estimate of age (Liversidge, HM and Molleson, TI), Sept., 917

Problems in mass-disaster dental identification: a retrospective review (Brannon, RB and Kessler, HP), Jan., 123

Self-assessment of the forensic value of dental records (Delattre, VF and Stimson, PG), Sept., 906

Forensic pathology

A fatality due to the intranasal abuse of methylphenidate (Ritalin) (Massello, W and Carpenter, DA), Jan., 220

Activated protein C resistance is uncommon in sudden death due to pulmonary embolism (Rulon, JJ, Cho, CG, Guerra, LL, Bux, RC, and Gulley, ML), Nov., 1111

Airway obstruction by a ball (Jumbelic, MI), Sept., 1079

An unusual case of railway suicide (Romeo Palanco, JL, Gamero Lucas, JJ, Vizcaya

Rojas, MA, and Arufe Martínez, MI), March, 444

Commentary on postmortem diagnosis of leukodystrophies. Shields LBE, Corey Handy T, Parker JC, Burns C. Postmortem diagnosis of leukodystrophies. *J Forensic Sci* 1998;43:1068-1071 (Nolte, KB), March, 452

Death during percutaneous insertion of an intraaortic balloon pump (Boglioli, LR and Taff, ML), March, 425

Determination of the size of a foreign body in the eye using image analysis of its roentgenogram (Pilin, A, Pudil, F, Horejš, J, and Brány, J), Jan., 214

Drowning without aspiration: is this an appropriate diagnosis? (Modell, JH, Bellefleur, M, and Davis, JH), Nov., 1119

Estimating time of death of deer in Missouri: a comparison of three indicators (Hadley, BM, Robbins, LW, and Beffa, DA), Nov., 1124

Evaluation of clinician accuracy in describing gunshot wound injuries (Shuman, M and Wright, RK), March, 339

Fulminant liver failure in a young child following repeated acetaminophen overdosing (Bauer, M, Babel, B, Giesen, H, and Patzelt, D), Nov., 1299

Hypernatremia and subdural hematoma in the pediatric age group: is there a causal relationship? (Handy, TC, Hanzlick, R, Shields, LB, Reichard, R, and Goudy, S), Nov., 1114

Iliac cancellous bone in drug addicts: a histomorphometric study (Schiwy-Bochat, KH and Lemke, R), March, 249

Insect succession on buried carrion in two biogeoclimatic zones of British Columbia (VanLaerhoven, SL and Anderson, GS), Jan., 32

Marine taphonomy: adipocere formation in a series of bodies recovered from a single shipwreck (Kahana, T, Almog, J, Levy, J, Shmeltzer, E, Spier, Y, and Hiss, J), Sept., 897

Methamphetamine as a risk factor for acute aortic dissection (Swalwell, CI and Davis, GG), Jan., 23

Methamphetamine-related deaths in San Francisco: demographic, pathologic and toxicologic profiles (Karch, SB, Stephens, B, and Ho, C-H), March, 359

Minimizing mistakes in clinical diagnosis (Ermenc, B), July, 810

Re: letter from Kurt E. Nolte, M.D.—commentary on "postmortem diagnosis of leukodystrophies" (Handy, TC), March, 453

Sudden death in right ventricular dysplasia with minimal gross abnormalities (Burke, AP, Robinson, S, Radentz, S, Smialek, J, and Virmani, R), March, 438

Suicides may be overreported and accidents underreported among fatalities due to dextropropoxyphene (Jonasson, B, Jonasson, U, and Saldeen, T), March, 334

Traumatic rupture of an abdominal aortic aneurysm associated with the use of a seat-belt (Bunai, Y, Nagai, A, Nakamura, I, and Ohya, I), Nov., 1304

Use of alternate light source for tattoo recognition in the extended postmortem interval (Bennett, JL and Rockhold, LA), Jan., 182

Wischniewski ulcers and acute pancreatitis in two hospitalized patients with cirrhosis, portal vein thrombosis, and hypothermia (Wolf, DA, Aronson, JF, Rajaraman, S, and Veasey, III, SP), Sept., 1082

Forensic psychiatry

Adolescent sexual matricide following repetitive mother-son incest (Schlesinger, LB), July, 746

Dementia as a risk factor for homicide (Rayel, MG, Land, WB, and Gutheil, TG), May, 565

Erotomania, triangulation, and homicide (Meloy, JR), March, 421

Neonaticide in the City of Rio de Janeiro: forensic and psycholegal perspectives (Mendlowicz, MV, Jean-Louis, G, Gekker, M, and Rapaport, MH), July, 741

Preserving the integrity of the interview: the value of videotape (Pitt, SE, Spiers, EM, Dietz, PE, and Dvoskin, JA), Nov., 1287

Psychiatric aspects of arsonists (Ritchie, EC and Huff, TG), July, 733

Forensic psychology

Adolescent sexual matricide following repetitive mother-son incest (Schlesinger, LB), July, 746

Erotomania, triangulation, and homicide (Meloy, JR), March, 421

Preserving the integrity of the interview: the value of videotape (Pitt, SE, Spiers, EM, Dietz, PE, and Dvoskin, JA), Nov., 1287

Forensic toxicology

A fatality due to the intranasal abuse of methylphenidate (Ritalin) (Massello, W and Carpenter, DA), Jan., 220

A study involving venlafaxine overdoses: comparison of fatal and therapeutic concentrations in postmortem specimens (Jaffe, PD, Batziris, HP, Hoeven, P, DeSilva, D, and McIntyre, IM), Jan., 193

Alcohol content of beer and malt beverages: forensic considerations (Logan, BK, Case, GA, and Distefano, S), Nov., 1292

Aqueous phase hexylchloroformate derivatization and solid phase microextraction: determination of benzoyllecgonine in urine by gas chromatography-quadrupole ion trap mass spectrometry (Hall, BJ, Parikh, AR, and Brodbelt, JS), May, 527

Chloropicrin found in industrial grade nitrogen (Brewer, W and Amick, GD), Sept., 1086

Comparative studies on tissue distributions of organophosphorus, carbamate and organochlorine pesticides in decedents intoxicated with these chemicals (Moriya, F and Hashimoto, Y), Nov., 1131

Detection of Azide in forensic samples by capillary electrophoresis (Hortin, GL, Dey, SK, Hall, M, and Robinson, Jr., CA), Nov., 1310

Determination of lysergic acid diethylamide in body fluids by high-performance liquid chromatography and fluorescence detection—a more sensitive method suitable for routine use (Bergemann, D, Geier, A, and von Meyer, L), March, 372

DNA typing as a strategy for resolving issues relevant to forensic toxicology (Chaturvedi, AK, Vu, NT, Ritter, RM, and Canfield, DV), Jan., 189

Fulminant liver failure in a young child following repeated acetaminophen overdosing (Bauer, M, Babel, B, Giesen, H, and Patzelt, D), Nov., 1299

Methamphetamine-related deaths in San Francisco: demographic, pathologic and toxicologic profiles (Karch, SB, Stephens, B, and Ho, C-H), March, 359

PCR-based identification of postmortem microbial contaminants—a preliminary study (Kupfer, DM, Chaturvedi, AK, Canfield, DV, and Roe, BA), May, 592

Postmortem drug redistribution—human cases related to results in experimental animals (Hilberg, T, Rogde, S, and Morland, J), Jan., 3

Potassium nitrite reaction with 11-nor-delta9-tetrahydrocannabinol-9-carboxylic acid in urine in relation to the drug screening analysis (Lewis, SA, Lewis, LA, and Tuinman, A), Sept., 951

Preparation of carboxyhemoglobin standards and calculation of spectrophotometric quantitation constants (Canfield, DV, Smith, M, Ritter, RM, and Chaturvedi, AK), March, 409

Redistribution of basic drugs into cardiac blood from surrounding tissues during early-stages of postmortem (Moriya, F and Hashimoto, Y), Jan., 10

Stereochemical determination of selegiline metabolites in postmortem biological specimens (Kupiec, TC and Chaturvedi, AK), Jan., 222

Suicides may be overreported and accidents underreported among fatalities due to dextropropoxyphene (Jonasson, B, Jonasson, U, and Saldeen, T), March, 334

The detection of cocaine in hair specimens using micro-plate enzyme immunoassay (Moore, C, Deitermann, D, Lewis, D, Feeley, B, and Niedbala, RS), May, 609

The determination of lysergide (LSD) in urine by high-performance liquid chromatography-isotope dilution mass spectrometry (IDdMS) (White, SA, Kidd, AS, and Webb, KS), March, 375

The extent of postmortem drug redistribution in a rat model (Hilberg, T, Ripel, A, Slordal, L, Bjorneboe, A, and Morland, J), Sept., 956

Zolpidem distribution in postmortem cases (Levine, B, Wu, SC, and Smialek, JE), March, 369

Fourier transform infrared spectroscopy

Forensic classification of polyester fibers by infrared dichroic ratio pattern recognition (Cho, LL, Reffner, JA, and Wetzel, DL), March, 283

G

Gamma-hydroxybutyrate (GHB)

In vitro stability of endogenous gamma-hydroxybutyrate in postmortem blood (Stephens, BG and Coleman, DE), Jan., 231

GAPDH

Detection of Epithelial cells in dried blood stains by reverse transcriptase-polymerase chain reaction (Bauer, M, Kraus, A, and Patzelt, D), Nov., 1232

GC

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele frequency in the population of Buenos Aires (Argentina) using AmpliType PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320

The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837

Time since discharge of spent cartridges (Andrasko, J and StÅhling, S), May, 487

GC-TEA

Time since discharge of spent cartridges (Andrasko, J and StÅhling, S), May, 487

GC/MS

Metabolic production of amphetamine following administration of clobenzorex (Valtier, S and Cody, JT), Jan., 17

Gender determination

Commentary on Linch CA, Smith SL, Prahlow JA. Evaluation of the human hair root for DNA typing subsequent to microscopic comparison. *J Forensic Sci* 1998;43(2):305-314 (Pettenati, MJ and Rao, PN), Nov., 1329

Genetic markers

Blood grouping of mixed bloodstains using immunocytochemical methods (Bunai, Y, Nakamura, I, Nagai, A, Yamada, S, Watanabe, Y, Takayama, T, and Ohya, I), Jan., 100

Geometric morphology

Allocation of crania to groups via the "new morphometry" (Ross, AH, McKeown, AH, and Konigsberg, LW), May, 584

George A. Custer

Authors' response (Willey, P and Scott, DD), Nov., 1330
Who's buried in Custer's grave? (Willey, P and Scott, DD), May, 656

Gestational age determination

Calculation of percent shrinkage in human fetal diaphyseal lengths from fresh bone to carbonized and calcined bone using Petersohn and Kohler's data (Huxley, AK and Kósa, F), May, 577

Glass

The forensic significance of glass composition and refractive index measurements (Koons, RD and Buscaglia, J), May, 496

Glass composition

Commentary on Koons RD, Buscaglia J. The forensic significance of glass composition and refractive index measurements. *J Forensic Sci* 1999;44(3):496-503 (Curran, JM, Buckleton, JS, and Triggs, CM), Nov., 1324

Glyceraldehyde-3-phosphate dehydrogenase

Detection of Epithelial cells in dried blood stains by reverse transcriptase-polymerase chain reaction (Bauer, M, Kraus, A, and Patzelt, D), Nov., 1232

Graphical analysis

Graphical tools for RFLP measurement quality assurance: laboratory performance charts (Gary, KT, Duewer, DL, and Reeder, DJ), Sept., 978

Graphical tools for RFLP measurement quality assurance: single-locus charts (Duewer, D, Liu, HK, and Reeder, DJ), Sept., 969

Gunshot residues

Applications of focused ion beam systems in gunshot residue investigation (Niewöhner, L and Wenz, HW), Jan., 105

DNA-PCR analysis of bloodstains sampled by the polyvinyl-alcohol method (Schyma, C, Huckenbeck, W, and Bonte, W), Jan., 95

GYP A

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele frequency in the population of Buenos Aires (Argentina) using AmpliType PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320

The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837

H

Hair

Detection of anabolic steroids in head hair (Deng, XS, Kurosu, A, and Pounder, DJ), March, 343

Hair analysis

The detection of cocaine in hair specimens using micro-plate enzyme immunoassay

(Moore, C, Deitermann, D, Lewis, D, Feeley, B, and Niedbala, RS), May, 609

Haplotype

Japanese population study of a Y-linked dinucleotide repeat DNA polymorphism (Matsumoto, H, Tsuruya, SI, Tsuda, R, Orihara, Y, and Kubo, SI), May, 588

Hardy-Weinberg equilibrium

Data on the PCR Turkish population based loci: LDLR, GYPA, HBGG, D7S8, and Gc (Ülkuer, MK, Ülküer, U, Kesici, T, and Menevse, A), Nov., 1258

Swiss Caucasian population data for 13 STR loci using AmpFISTR profiler plus and cofilier PCR amplification kits (Gehrig, C, Hochmeister, M, Borer, UV, Dirnhofer, R, and Budowle, B), Sept., 1035

HBGG

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele frequency in the population of Buenos Aires (Argentina) using AmpliType PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320

The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837

Hemoglobin

Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood (Hochmeister, MN, Budowle, B, Sparkes, R, Rudin, O, Gehrig, C, Thali, M, Schmidt, L, Cordier, A, and Dirnhofer, R), May, 597

Hemoglobin A1c

Postmortem diagnosis of unsuspected diabetes mellitus established by determination of decedent's hemoglobin A1c level (Khuu, H, Robinson, CA, Brissie, RM, and Konrad, RJ), May, 643

Heroin

Determination of drug levels in larvae of *Lucilia sericata* (Diptera: Calliphoridae) reared on rabbit carcasses containing morphine (Hédouin, V, Bourel, B, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 351

Metal contamination in illicit samples of heroin (Infante, F, Domínguez, E, Trujillo, D, and Luna, A), Jan., 110

Hexyl chloroformate

Aqueous phase hexylchloroformate derivatization and solid phase microextraction: determination of benzoylecgonine in urine by gas chromatography-quadrupole ion trap mass spectrometry (Hall, BJ, Parikh, AR, and Brodbelt, JS), May, 527

HHV-6

Human herpesvirus-6 and sudden death in infancy: report of a case and review of the

literature (Hoang, MP, Ross, KF, Dawson, D, Scheuermann, RH, and Rogers, BB), March, 432

Hispanic

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

History

A chronological review of fingerprint forgery (Geller, B, Almog, J, Margot, P, and Springer, E), Sept., 963

HLA-DQA1

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fournay, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fournay, R), Nov., 1319

Allele frequency in the population of Buenos Aires (Argentina) using AmpliType PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

Homicide

Serial murder of six victims by an African-American male (Leach, G and Meloy, JR), Sept., 1073

HPLC

Separation of enantiomeric ephedrine and pseudoephedrine—high pressure liquid chromatography and capillary electrophoresis (Iwanicki, RM, Maier, K, Zlotnick, JA, Liu, RH, Kuo, TL, and Tagliaro, F), May, 470

Human bite mark

Analysis of salivary DNA evidence from a bite mark on a body submerged in water (Sweet, D and Shutler, GG), Sept., 1069

Human blood

Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood (Hochmeister, MN, Budowle, B, Sparkes, R, Rudin, O, Gehrig, C, Thali, M, Schmidt, L, Cordier, A, and Dirnhofer, R), May, 597

Human hair

Practical GC/MS analysis of oxidation dye components in hair fiber as a forensic in-

vestigative procedure (Tanada, N, Kashiura, S, Kageura, M, and Hara, K), March, 292

Human hemoglobin

Author's response (Hochmeister, M), Nov., 1324

Commentary on Hochmeister MN, Budowle B, Sparkes R, Rudin O, Gehrig C, Thali M, Schmidt L, Cordier A. Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood. *J Forensic Sci* 1999;44:597-602 (Rowley, BO), Nov., 1323

Human herpesvirus 6

Human herpesvirus-6 and sudden death in infancy: report of a case and review of the literature (Hoang, MP, Ross, KF, Dawson, D, Scheuermann, RH, and Rogers, BB), March, 432

Human identification

Identification of a skeleton using DNA from teeth and PAP smear (Sweet, D, Hildebrand, D, and Phillips, D), May, 630
Video superimposition at the C.A. Pound Laboratory 1987 to 1992 (Austin, D), July, 695

HUMARA

STR HUMARA locus gene and genotype frequencies in Han and Bei population in China (Wu, MY, Zou, LP, Shen, B, Sun, GY, Li, RH, and Chen, GD), Sept., 1039

HUMF13A1

Population study of HUMTH01, HUMV WA31/A, HUMF13A1, and HUMFES/FPS systems in Azores (Corte-Real, F, Souto, L, Anjos, MJ, Carvalho, M, Vieira, DN, Carracedo, A, and Vide, MC), Nov., 1261

HUMFES/FPS

Population study of HUMTH01, HUMV WA31/A, HUMF13A1, and HUMFES/FPS systems in Azores (Corte-Real, F, Souto, L, Anjos, MJ, Carvalho, M, Vieira, DN, Carracedo, A, and Vide, MC), Nov., 1261

HUMTH01

Population study of HUMTH01, HUMV WA31/A, HUMF13A1, and HUMFES/FPS systems in Azores (Corte-Real, F, Souto, L, Anjos, MJ, Carvalho, M, Vieira, DN, Carracedo, A, and Vide, MC), Nov., 1261

HUMVWA31/A

Population study of HUMTH01, HUMV WA31/A, HUMF13A1, and HUMFES/FPS systems in Azores (Corte-Real, F, Souto, L, Anjos, MJ, Carvalho, M, Vieira, DN, Carracedo, A, and Vide, MC), Nov., 1261

HWE-homozygosity test

Allele frequency in the population of Buenos Aires (Argentina) using AmpliType PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320

Hybridization

Commentary on Linch CA, Smith SL, Prahlow JA. Evaluation of the human hair root for DNA typing subsequent to microscopic comparison. *J Forensic Sci* 1998;43 (2):305-314 (Pettenati, MJ and Rao, PN), Nov., 1329

Hydriodic acid

Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing (Willers-Russo, L), May, 647

Hypertremia

Hypertremia and subdural hematoma in the pediatric age group: is there a causal relationship? (Handy, TC, Hanzlick, R, Shields, LB, Reichard, R, and Goudy, S), Nov., 1114

Hypnosis

Commentary on Post DE. The hypnosis of Adolf Hitler. *J Forensic Sci* 1998 Nov;43 (6):1127-1132 (Rachut, E), May, 666

Hypothermia

Wischnewski ulcers and acute pancreatitis in two hospitalized patients with cirrhosis, portal vein thrombosis, and hypothermia (Wolf, DA, Aronson, JF, Rajaraman, S, and Veasey, III, SP), Sept., 1082

I**ICP-AES**

Authors' response (Koons, RD and Buscaglia, J), Nov., 1326

ICP-MS

Authors' response (Koons, RD and Buscaglia, J), Nov., 1326

Identification

Methods for identification of 28 burn victims following a 1996 bus accident in Spain (Martin-de las Heras, S, Valenzuela, A, Villanueva, E, Marques, T, Exposito, N, and Bohoyo, JM), March, 428

Positive identification of remains recovered from an automobile based on presence of an internal fixation device (Bennett, JL and Benedix, DC), Nov., 1296

Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood (Hochmeister, MN, Budowle, B, Sparkes, R, Rudin, O, Gehrig, C, Thali, M, Schmidt, L, Cordier, A, and Dirnhofer, R), May, 597

Identification from photographs

Photographic identification of denim trousers from bank surveillance film (Vorder Bruegge, RW), May, 613

Identification of denim clothing

Photographic identification of denim trousers from bank surveillance film (Vorder Bruegge, RW), May, 613

Illicit drug abuse

Human methamphetamine-related fatalities in Taiwan during 1991-1996 (Shaw, KP), Jan., 27

Incineration

Effects of extreme heat on teeth with implications for histologic processing (Myers, SL, Williams, JM, and Hodges, JS), July, 805

Infrared microscopy

A new method for fiber comparison using polarized infrared microspectroscopy (Cho, LL, Reffner, JA, Gatewood, BM, and Wetzel, DL), March, 275

Infrared spectroscopy

Infrared spectra of U.S. automobile original topcoats (1974-1989): V. Identification of organic pigments used in red nonmetallic and brown nonmetallic and metallic mono-coats—DPP red BO and Thioindigo Bordeaux (Suzuki, EM), March, 297

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Inhalants

Cyclohexyl nitrite encounter (Dearmore, IK), Jan., 197

Inhibitor

Removal of a PCR inhibitor and resolution of DNA STR types in mixed human-canine stains from a five year old case (Shutler, GG, Gagnon, P, Verret, G, Kalyn, H, Korkosh, S, Johnston, E, and Halverson, J), May, 623

Interlaboratory comparison

Graphical tools for RFLP measurement quality assurance: laboratory performance charts (Gary, KT, Duerwer, DL, and Reeder, DJ), Sept., 978

Graphical tools for RFLP measurement quality assurance: single-locus charts (Duerwer, D, Liu, HK, and Reeder, DJ), Sept., 969

Internal transcribed spacer I

Preliminary data on the usefulness of internal transcribed spacer I (ITS1) sequence in cannabis sativa L. identification (Siniscalco Gigliano, G), May, 475

Interpretation

Interpreting DNA mixtures in structured populations (Curran, JM, Triggs, CM, Buckleton, J, and Weir, BS), Sept., 987

Intraaortic balloon counterpulsation

Death during percutaneous insertion of an intraaortic balloon pump (Boglioli, LR and Taff, ML), March, 425

Ion chromatography

Ion chromatographic analysis of corrosive materials in product tampering investiga-

tions (Kaine, LA, Jackson, DS, and Heitkemper, DT), March, 413

Ion mobility spectrometry

The analysis of methamphetamine hydrochloride by thermal desorption ion mobility spectrometry and SIMPLISMA (Reese, ES and Harrington, PB), Jan., 68

Isoindoline Yellow

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Isoindolinone Yellow 3R

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Italy

LDLR, GYPA, HBG, D7S8 and GC allele and genotype frequencies in the Northwest Italian population (Gino, S, Robino, C, Torre, C, Iorio, M, and Peruccio, D), Jan., 171

J**Jamaican**

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

Juvenile court

The fitness of juvenile court (Gross, BH), Nov., 1199

L**Latent fingerprint**

Latent fingerprint visualization by 1,2-Indanedione and related compounds: preliminary results (Almog, J, Springer, E, Wiesner, S, Frank, A, Khodzhaev, O, Lidor, R, Bahar, E, Varkony, H, Dayan, S, and Razen, S), Jan., 114

LC

Electrospray and MALDI mass spectrometry in the identification of spermicides in criminal investigations (Hollenbeck, TPE, Siuzdak, G, and Blackledge, RD), July, 783

LDLR

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bour-

ke, MT, Scherczinger, CA, and Lee, HC), Nov., 1270

Allele frequency in the population of Buenos Aires (Argentina) using Ampli-Type PM + DQA1 (Padula, RA, Gangitano, MS, Juvenal, GJ, and Budowle, B), Nov., 1320

The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837

Lead

Analysis and comparison of bullet leads by inductively-coupled plasma mass spectrometry (Keto, RO), Sept., 1020

Leukodystrophy

Commentary on postmortem diagnosis of leukodystrophies. Shields LBE, Corey Handy T, Parker JC, Burns C. Postmortem diagnosis of leukodystrophies. *J Forensic Sci* 1998;43:1068-1071 (Nolte, KB), March, 452

Lewis gene

Lewis (FUT3) genotypes in two different Chinese populations (Liu, YH, Koda, Y, Soejima, M, Pang, H, Wang, B, and Kimura, H), Jan., 82

Likelihood ratios

Bayesian validation of a quadruplex STR profiling system for identification purposes (Foreman, LA, Smith, AM, and Evett, IW), May, 478

Lucilia sericata

Effects of morphine in decomposing bodies on the development of *Lucilia sericata* (Diptera: Calliphoridae) (Bourel, B, Hédouin, V, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 354

Luminol results

Authors' response (Introna, Jr, F, Di Vella, G, and Campobasso, CP), Nov., 1322

Luminol test

Commentary on: Introna F, Di Vella G, Campobasso CP. Determination of postmortem interval from old skeletal remains by image analysis of luminol test results. *J Forensic Sci* 1999;44(3):535-538 (Schiro, Jr., GJ), Nov., 1322

Lunar age determination

Calculation of percent shrinkage in human fetal diaphyseal lengths from fresh bone to carbonized and calcined bone using Petersohn and Kohler's data (Huxley, AK and Kósa, F), May, 577

Lysergic acid

Determination of lysergic acid diethylamide in body fluids by high-performance liquid chromatography and fluorescence detection—a more sensitive method suitable for routine use (Bergemann, D, Geier, A, and von Meyer, L), March, 372

Lysergic acid diethylamide

The determination of lysergide (LSD) in urine by high-performance liquid chromatography-isotope dilution mass spectrometry (IDdMS) (White, SA, Kidd, AS, and Webb, KS), March, 375

M

Marijuana

Potassium nitrite reaction with 11-nor-delta9-tetrahydrocannabinol-9-carboxylic acid in urine in relation to the drug screening analysis (Lewis, SA, Lewis, LA, and Tuinman, A), Sept., 951

Mass disaster

Methods for identification of 28 burn victims following a 1996 bus accident in Spain (Martin-de las Heras, S, Valenzuela, A, Villanueva, E, Marques, T, Exposito, N, and Bohoyo, JM), March, 428

MDMA

Analysis of 3,4-Methylenedioxy-*N*-methylamphetamine (MDMA) in "ecstasy" tablets by ¹³C solid state nuclear magnetic resonance (NMR) spectroscopy (Lee, GSH, Craig, DC, Kannangara, K, Dawson, M, Conn, C, Robertson, J, and Wilson, MA), July, 761

Metallic species

A study of illicit cocaine seizure classification by pattern recognition techniques applied to metal data (Bermejo-Barrera, P, Moreda-Piñeiro, A, Moreda-Piñeiro, J, Bermejo-Barrera, A, and Bermejo-Barrera, AM), March, 270

Methamphetamine

Authors' Response (Swalwell, CI and Davis, GG), Sept., 1092

Human methamphetamine-related fatalities in Taiwan during 1991-1996 (Shaw, KP), Jan., 27

Methamphetamine-related deaths in San Francisco: demographic, pathologic and toxicologic profiles (Karch, SB, Stephens, B, and Ho, C-H), March, 359

Redistribution of basic drugs into cardiac blood from surrounding tissues during early-stages of postmortem (Moriya, F and Hashimoto, Y), Jan., 10

Stereochemical determination of selegiline metabolites in postmortem biological specimens (Kupiec, TC and Chaturvedi, AK), Jan., 222

Methamphetamine manufacturing

Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing (Willers-Russo, L), May, 647

Methomyl

Comparative studies on tissue distributions of organophosphorus, carbamate and or-

ganochlorine pesticides in decedents intoxicated with these chemicals (Moriya, F and Hashimoto, Y), Nov., 1131

4-Methoxyamphetamine

Application of solid-phase microextraction to the profiling of an illicit drug: manufacturing impurities in illicit 4-methoxyamphetamine (Coumaros, JC, Kirkbride, KP, and Klass, G), Nov., 1237

3,4-Methylenedioxy-*n*-methylamphetamine

Analysis of 3,4-Methylenedioxy-*N*-methylamphetamine (MDMA) in "ecstasy" tablets by ¹³C solid state nuclear magnetic resonance (NMR) spectroscopy (Lee, GSH, Craig, DC, Kannangara, K, Dawson, M, Conn, C, Robertson, J, and Wilson, MA), July, 761

Microsatellite

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amriott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Mitochondrial DNA

Comparative identity and homogeneity testing of mtDNA HV1 region using denaturing gradient gel electrophoresis (Steighner, RJ, Tully, LA, Karjala, JD, Coble, MD, and Holland, MM), Nov., 1186

Mixed DNA profiles

Interpreting DNA mixtures in structured populations (Curran, JM, Triggs, CM, Buckleton, J, and Weir, BS), Sept., 987

Moclobemide

Commentary on McIntyre IM, King CV, Staikos V, Gall J, Drummer OH. A fatality involving moclobemide, sertraline and pimozide. *J Forensic Sci* 1997;42:951-53 (Zeruesenay, D and Flockhart, DA), Jan., 231

Morphine

Determination of drug levels in larvae of *Lucilia sericata* (Diptera: Calliphoridae) reared on rabbit carcasses containing morphine (Hédouin, V, Bourel, B, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 351

Effects of morphine in decomposing bodies on the development of *Lucilia sericata* (Diptera: Calliphoridae) (Bourel, B, Hédouin, V, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 354

Redistribution of basic drugs into cardiac blood from surrounding tissues during early-stages of postmortem (Moriya, F and Hashimoto, Y), Jan., 10

Multiplex amplification

Validation of highly polymorphic fluorescent multiplex short tandem repeat systems

using two generations of DNA sequencers (Fréreau, CJ, Bowen, KL, and Fourney, RM), Jan., 133

Multiplex PCR

Allele distribution at nine STR loci—D3 S1358, vWA, FGA, TH01, TPOX, CS F1PO, D5S818, D13S317 and D7S820—in the Japanese population by multiplex PCR and capillary electrophoresis (Yamamoto, T, Uchihi, R, Zozawa, H, Huang, XL, Leong, YK, Tanaka, M, Mizutani, M, Tamaki, K, and Katsumata, Y), Jan., 167

Mutation rate

Frequencies of D8S384 alleles and genotypes in European, African-American, Chinese, and Japanese populations (Meng, HY, Hou, YP, Chen, GD, Li, YB, Wu, J, Walter, H, and Prinz, M), Nov., 1273

N

Near-infrared

Identifications and quantitative measurements of narcotics in solid mixtures using near-IR Raman spectroscopy and multivariate analysis (Ryder, AG, O'Connor, GM, and Glynnn, TJ), Sept., 1013

Nonoxynol-9

Electrospray and MALDI mass spectrometry in the identification of spermicides in criminal investigations (Hollenbeck, TPE, Siuzdak, G, and Blackledge, RD), July, 783

Nonpenetrating

Mechanisms of aortic injury in fatalities occurring in motor vehicle collisions (Shkrum, MJ, McClafferty, KJ, Green, RN, Nowak, ES, and Young, JG), Jan., 44

11-Nor-delta9-tetrahydrocannabinol-9-carboxylic acid

Potassium nitrite reaction with 11-nor-delta9-tetrahydrocannabinol-9-carboxylic acid in urine in relation to the drug screening analysis (Lewis, SA, Lewis, LA, and Tuinman, A), Sept., 951

Nortriptyline

The extent of postmortem drug redistribution in a rat model (Hilberg, T, Ripel, A, Slordal, L, Bjørneboe, A, and Morland, J), Sept., 956

O

Old skeletal remains

Commentary on: Introna F, Di Vella G, Campobasso CP. Determination of post-mortem interval from old skeletal remains by image analysis of luminol test results. *J Forensic Sci* 1999;44(3):535-538 (Schiro, Jr., GJ), Nov., 1322

Organic explosives

Aqueous recovery from cotton swabs of organic explosives residue followed by solid phase extraction (Thompson, RQ, Fetterolf, DD, Miller, ML, and Mothershead II, RF), July, 795

Ossification centers

Calculation of percent shrinkage in human fetal diaphyseal lengths from fresh bone to carbonized and calcined bone using Petersohn and Kohler's data (Huxley, AK and Kósa, F), May, 577

Oxidation hair dye components

Practical GC/MS analysis of oxidation dye components in hair fiber as a forensic investigative procedure (Tanada, N, Kashimura, S, Kageura, M, and Hara, K), March, 292

P

P30

Validation of the use of a commercially available kit for the identification of prostate specific antigen (PSA) in semen stains (Simich, JP, Morris, SL, Klick, RL, and Rittenhouse-Diakun, K), Nov., 1229

Paint analysis

Infrared spectra of U.S. automobile original topcoats (1974-1989): V. Identification of organic pigments used in red nonmetallic and brown nonmetallic and metallic mono-coats—DPP red BO and Thioindigo Bordeaux (Suzuki, EM), March, 297

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Palynology

Fine resolution of pollen patterns in limited space: differentiating a crime scene and alibi scene seven meters apart (Horrocks, M and Walsh, KAJ), March, 417

Forensic palynology: variation in the pollen content of soil on shoes and in shoeprints in soil (Horrocks, M, Coulson, SA, and Walsh, KAJ), Jan., 119

PAP smear

Identification of a skeleton using DNA from teeth and PAP smear (Sweet, D, Hildebrand, D, and Phillips, D), May, 630

Particles

An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136

Partisan

Partisan expert witness testimony (Tanay, E), Nov., 1331

Paternity analysis

Paternity analysis when the putative father is missing: first case in Chile (Jorquera, H, Cifuentes, L, Moreno, F, and Aguirre, E), May, 627

Paternity testing

Chorionic villus sampling prior to pregnancy termination, a tool for forensic paternity testing (Reshef, A, Brauner, P, Shpitzen, M, Gallili, N, Marbach, A, Motro, U, Shmueli, E, and Meiner, V), Sept., 1065

Pathology

The potential contribution of MVR-PCR to paternity probabilities in a case lacking a mother (Tamaki, K, Huang, X-L, Mizutani, M, Yamamoto, T, Katsumata, R, Uchihi, R, Katsumata, Y, and Jeffreys, AJ), July, 863

Pelvic fracture

Commentary on Tomczak PD, Buikstra JE. Analysis of blunt trauma injuries: vertical deceleration versus horizontal deceleration injuries. *J Forensic Sci* 1999;44(2):253-262 (Galloway, A and Mason, RT), Nov., 1321

Pharmacokinetics

Morphine perfused rabbits: a tool for experiments in forensic entomotoxicology (Hédouin, V, Bourel, B, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 347

Postmortem drug redistribution—human cases related to results in experimental animals (Hilberg, T, Rogde, S, and Morland, J), Jan., 3

The extent of postmortem drug redistribution in a rat model (Hilberg, T, Ripel, A, Slordal, L, Bjørneboe, A, and Morland, J), Sept., 956

Phosphine gas

Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing (Willers-Russo, L), May, 647

Photographic comparison

Photographic identification of denim trousers from bank surveillance film (Vorder Bruegge, RW), May, 613

Physical anthropology

A reevaluation of the sex prediction accuracy of the minimum supero-inferior femoral neck diameter for modern individuals (Stojanowski, CM and Seidemann, RM), Nov., 1215

A visual method of determining the sex of skeletal remains using the distal humerus (Rogers, TL), Jan., 57

Briefly unidentified: a study of a peculiar source of identification (O'Connor, WG), July, 713

Interpolating between computerized three-dimensional forensic facial simulations (Green, MA and Evison, MP), Nov., 1224

Presenting three-dimensional forensic facial simulations on the internet using VR

ML (Evison, MP and Green, MA), Nov., 1219

William R. Maples, forensic historian: four men, four centuries, four countries (Goza, WM), July, 692

Pigment identification

Infrared spectra of U.S. automobile original topcoats (1974-1989): VI. Identification and analysis of yellow organic automotive paint pigments—isoindolinone yellow 3R, isoindoline yellow, anthrapyrimidine yellow, and miscellaneous yellows (Suzuki, EM), Nov., 1151

Pigs

Insect succession on buried carrion in two biogeoclimatic zones of British Columbia (VanLaerhoven, SL and Anderson, GS), Jan., 32

Pollen

Fine resolution of pollen patterns in limited space: differentiating a crime scene and alibi scene seven meters apart (Horrocks, M and Walsh, KAJ), March, 417

Forensic palynology: variation in the pollen content of soil on shoes and in shoeprints in soil (Horrocks, M, Coulson, SA, and Walsh, KAJ), Jan., 119

Polyester

A new method for fiber comparison using polarized infrared microspectroscopy (Cho, LL, Reffner, JA, Gatewood, BM, and Wetzell, DL), March, 275

Polymerase chain reaction (PCR)

A systematic analysis of PCR contamination (Scherczinger, CA, Ladd, C, Bourke, MT, Adamowicz, MS, Johannes, PM, Scherczinger, R, Beesley, T, and Lee, HC), Sept., 1042

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherczinger, CA, and Lee, HC), Nov., 1270

A time course study on STR profiles derived from human bone, muscle, and bone marrow (Frank, WE and Llewellyn, BE), July, 778

Analysis of salivary DNA evidence from a bite mark on a body submerged in water (Sweet, D and Shutler, GG), Sept., 1069

Chorionic villus sampling prior to pregnancy termination, a tool for forensic paternity testing (Reshef, A, Brauner, P, Shpitzen, M, Gallili, N, Marbach, A, Motro, U, Shmueli, E, and Meiner, V), Sept., 1065

DNA typing as a strategy for resolving issues relevant to forensic toxicology (Chaturvedi, AK, Vu, NT, Ritter, RM, and Canfield, DV), Jan., 189

NaOH treatment to neutralize inhibitors of Taq polymerase (Bourke, MT, Scherczinger, CA, Ladd, C, and Lee, HC), Sept., 1046

Removal of a PCR inhibitor and resolution of DNA STR types in mixed human-canine stains from a five year old case (Shutler,

GG, Gagnon, P, Verret, G, Kalyn, H, Korkosh, S, Johnston, E, and Halverson, J), May, 623

Simultaneous detection of multiple STR loci on sex chromosomes for forensic testing of sex and identity (Tun, Z, Honda, K, Nakatome, M, Nakamura, M, Shimada, S, Ogura, Y, Kuroki, H, Yamazaki, M, Terada, M, and Matoba, R), July, 772

Swiss Caucasian population data for 13 STR loci using AmpFISTR profiler plus and cofiler PCR amplification kits (Gehrig, C, Hochmeister, M, Borer, UV, Dirnhofer, R, and Budowle, B), Sept., 1035

The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction (Gross, AM, Harris, KA, and Kaldun, GL), July, 837

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amriott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Polymorphism

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amriott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Polyvinyl alcohol

DNA-PCR analysis of bloodstains sampled by the polyvinyl-alcohol method (Schyma, C, Huckenbeck, W, and Bonte, W), Jan., 95

Population databases

Maine Caucasian population DNA database using twelve short tandem repeat (Kupferschmid, TD, Calicchio, T, and Budowle, B), March, 392

Population genetics

Allele distribution at nine STR loci—D3S1358, vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317 and D7S820—in the Japanese population by multiplex PCR and capillary electrophoresis (Yamamoto, T, Uchihi, R, Zozawa, H, Huang, XL, Leong, YK, Tanaka, M, Mizutani, M, Tamaki, K, and Katsumata, Y), Jan., 167

Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fournery, R), Nov., 1316

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fournery, R), Nov., 1319

Allele frequency in the population of Buenos Aires (Argentina) using Ampli-Type PM + DQA1 (Padula, RA, Gangitano,

MS, Juvenal, GJ, and Budowle, B), Nov., 1320

Data on the PCR Turkish population based loci: LDLR, GYPA, HBG, D7S8, and Gc (Ülkuer, MK, Ülkuer, U, Kesici, T, and Menevse, A), Nov., 1258

Distribution of D1S80 alleles in the Bahrainian population (Tahir, MA, Rogers, C, Alkhayat, M, El-Gohary, M, Budowle, B, and Balamurugan, K), Nov., 1314

Frequencies of D8S384 alleles and genotypes in European, African-American, Chinese, and Japanese populations (Meng, HY, Hou, YP, Chen, GD, Li, YB, Wu, J, Walter, H, and Prinz, M), Nov., 1273

Gene and genotype frequencies for HLA-DQA1 in Caucasians and mulattoes in Brazil (Soares-Vieira, JA, Billerbeck, AEC, Iwamura, ESM, Otto, PA, and Muñoz, DR), Sept., 1051

Journal policy on the publication of DNA population genetic data (Gaensslen, RE), July, 671

LDLR, GYPA, HBG, D7S8 and GC allele and genotype frequencies in the Northwest Italian population (Gino, S, Robino, C, Torre, C, Iorio, M, and Peruccio, D), Jan., 171

Maine Caucasian population DNA database using twelve short tandem repeat (Kupferschmid, TD, Calicchio, T, and Budowle, B), March, 392

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

Population genetics of two tetranucleotide repeats (UGB and D3S1349): a preliminary study in Galicia, Spain (Leyenda, P and Caeiro, B), July, 843

Population study of HUMTH01, HUMVWA31/A, HUMF13A1, and HUMFES/FPS systems in Azores (Corte-Real, F, Souto, L, Anjos, MJ, Carvalho, M, Vieira, DN, Caracedo, A, and Vide, MC), Nov., 1261

Swiss Caucasian population data for 13 STR loci using AmpFISTR profiler plus and cofiler PCR amplification kits (Gehrig, C, Hochmeister, M, Borer, UV, Dirnhofer, R, and Budowle, B), Sept., 1035

Postmortem ethanol production

PCR-based identification of postmortem microbial contaminants—a preliminary study (Kupfer, DM, Chaturvedi, AK, Canfield, DV, and Roe, BA), May, 592

Postmortem interval

Commentary on: Introna F, Di Vella G, Campobasso CP. Determination of postmortem interval from old skeletal remains by image analysis of luminol test results. *J Forensic Sci* 1999;44(3):535-538 (Schiro, Jr., GJ), Nov., 1322

Determination of postmortem interval from old skeletal remains by image analy-

sis of luminol test results (Introna, Jr., F, Di Vella, G, and Campobasso, CP), May, 535

Estimating time of death of deer in Missouri: a comparison of three indicators (Hadley, BM, Robbins, LW, and Beffa, DA), Nov., 1124

Use of alternate light source for tattoo recognition in the extended postmortem interval (Bennett, JL and Rockhold, LA), Jan., 182

Postmortem redistribution

Postmortem drug redistribution—human cases related to results in experimental animals (Hilberg, T, Rogde, S, and Morland, J), Jan., 3

Redistribution of basic drugs into cardiac blood from surrounding tissues during early-stages of postmortem (Moriya, F and Hashimoto, Y), Jan., 10

The extent of postmortem drug redistribution in a rat model (Hilberg, T, Ripel, A, Slordal, L, Bjørneboe, A, and Morland, J), Sept., 956

PowerPlex

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amiott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Propan-2-ol

The analysis of fire debris for the presence of propan-2-ol using dynamic headspace concentration and gas chromatography with flame ionization detection (Lewis, RJ, Denicul, SE, Langford, AM, and Okely, M), Sept., 1061

Prostate specific antigen

Validation of the use of a commercially available kit for the identification of prostate specific antigen (PSA) in semen stains (Simich, JP, Morris, SL, Klick, RL, and Ritzenhouse-Diakun, K), Nov., 1229

Prostate-specific antigen

Evaluation of prostate-specific antigen (PSA) membrane test assays for the forensic identification of seminal fluid (Hochmeister, MN, Budowle, B, Rudin, O, Gehrig, C, Borer, UV, Thali, M, and Dirnhofer, R), Sept., 1057

Pseudoephedrine

Separation of enantiomeric ephedrine and pseudoephedrine—high pressure liquid chromatography and capillary electrophoresis (Iwanicki, RM, Maier, K, Zlotnick, JA, Liu, RH, Kuo, TL, and Tagliaro, F), May, 470

Psychiatry

Psychiatry and behavioral science section award-winning paper of 1998 (Rosner, R), May, 564

Revisiting arson from an outpatient forensic perspective (Leong, GB and Silva, JA), May, 558

Psychosis

Revisiting arson from an outpatient forensic perspective (Leong, GB and Silva, JA), May, 558

PVAL

DNA-PCR analysis of bloodstains sampled by the polyvinyl-alcohol method (Schyma, C, Huckenbeck, W, and Bonte, W), Jan., 95

Q

Questioned documents

Analysis of ballpoint pen inks by field description mass spectrometry (Sakayanagi, M, Komuro, J, Konda, Y, Watanabe, K, and Harigaya, Y), Nov., 1204

Practical implications of charge transport model for electrostatic detection apparatus (ESDA) (Seward, GH), July, 832

The examination of disguised numbers (Seaman-Kelly, J), Sept., 1027

Questioned documents examination

Electronic typewriter grids (Hicks, AF), Jan., 187

R

Rabbit

Effects of morphine in decomposing bodies on the development of *Lucilia sericata* (Diptera: Calliphoridae) (Bourel, B, Hédouin, V, Martin-Bouyer, L, Bécart, A, Tournel, G, Deveaux, M, and Gosset, D), March, 354

Racemization

Morphological variation in cervical spinous processes: potential applications in the forensic identification of race from the skeleton (Duray, SM, Morter, HB, and Smith, FJ), Sept., 937

Raman

Identifications and quantitative measurements of narcotics in solid mixtures using near-IR Raman spectroscopy and multivariate analysis (Ryder, AG, O'Connor, GM, and Glynnn, TJ), Sept., 1013

Rape

Forensic identification of a rapist using unusual evidence (Oz, C, Levi, JA, Novoselski, Y, Volkov, N, and Motro, U), July, 860

Rats

The extent of postmortem drug redistribution in a rat model (Hilberg, T, Ripel, A, Slordal, L, Bjørneboe, A, and Morland, J), Sept., 956

Recovery procedures

GC/MS data from fire debris samples: interpretation and applications (Wallace, JR), Sept., 996

Red phosphorus

Three fatalities involving phosphine gas, produced as a result of methamphetamine manufacturing (Willers-Russo, L), May, 647

Refractive index

Authors' response (Koons, RD and Buscaglia, J), Nov., 1326

Commentary on Koons RD, Buscaglia J. The forensic significance of glass composition and refractive index measurements. *J Forensic Sci* 1999;44(3):496-503 (Curran, JM, Buckleton, JS, and Triggs, CM), Nov., 1324

Restriction fragment length polymorphism

Use of combined frequencies for RFLP and PCR based loci in determining match probability (Tomsey, CS, Basten, CJ, Budowle, B, Giles, BA, Ermlick, S, and Gotwald, S), March, 385

Reversed phase liquid chromatography

Aqueous recovery from cotton swabs of organic explosives residue followed by solid phase extraction (Thompson, RQ, Fetterolf, DD, Miller, ML, and Mothershead II, RF), July, 795

RFLP

Long PCR for VNTR analysis (Richie, KL, Goldsborough, MD, Darfler, MM, Benzing, EA, Lovekamp, ML, Reeder, DJ, and O'Connell, CD), Nov., 1176

RNA stability

Detection of Epithelial cells in dried blood stains by reverse transcriptase-polymerase chain reaction (Bauer, M, Kraus, A, and Patzelt, D), Nov., 1232

Rodenticides

Fatal brodifacoum rodenticide poisoning: autopsy and toxicologic findings (Palmer, RB, Alakija, P, Cde Baca, JE, and Nolte, KB), July, 851

Rohypnol

Simple and rapid color screening tests for flunitrazepam (Roypnol) (McKibben, T), March, 396

RT-PCR

Detection of Epithelial cells in dried blood stains by reverse transcriptase-polymerase chain reaction (Bauer, M, Kraus, A, and Patzelt, D), Nov., 1232

Ruptures

Traumatic rupture of an abdominal aortic aneurysm associated with the use of a seat-belt (Bunai, Y, Nagai, A, Nakamura, I, and Ohya, I), Nov., 1304

S

Salbutamol

Postmortem stability and interpretation of ?2-agonist concentrations (Couper, FJ and Drummer, OH), May, 523

Saliva

Analysis of salivary DNA evidence from a bite mark on a body submerged in water (Sweet, D and Shutler, GG), Sept., 1069

Sample preparation

A comprehensive sample preparation scheme for accelerants in suspect arson cases (Ren, QL and Bertsch, W), May, 504

Sand

The contribution of forensic geology and other trace evidence analysis to the investigation of the killing of Italian Prime Minister Aldo Moro (Lombardi, G), May, 634

Secondary transfer

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Seizures

A study of illicit cocaine seizure classification by pattern recognition techniques applied to metal data (Bermejo-Barrera, P, Moreda-Piñeiro, A, Moreda-Piñeiro, J, Bermejo-Barrera, A, and Bermejo-Barrera, AM), March, 270

Selegiline metabolites

Stereochemical determination of selegiline metabolites in postmortem biological specimens (Kupiec, TC and Chaturvedi, AK), Jan., 222

Semen

Evaluation of prostate-specific antigen (PSA) membrane test assays for the forensic identification of seminal fluid (Hochmeister, MN, Budowle, B, Rudin, O, Gehrig, C, Borer, UV, Thali, M, and Dirnhofer, R), Sept., 1057

Semen stains

Validation of the use of a commercially available kit for the identification of prostate specific antigen (PSA) in semen stains (Simich, JP, Morris, SL, Klick, RL, and Ritzenhouse-Diakun, K), Nov., 1229

Separation

Investigation of ball point pen inks by capillary electrophoresis (CE) with UV/Vis Absorbance and laser induced fluorescence detection and particle induced X-ray emission (PIXE) (Vogt, C, Becker, A, and Vogt, J), July, 819

Sex determination

A reevaluation of the sex prediction accuracy of the minimum supero-inferior femoral neck diameter for modern individuals (Stojanowski, CM and Seidemann, RM), Nov., 1215

Osteometric analysis of sexual dimorphism in the sternal end of the rib in a West African population (Wiredu, EK, Kumoji, R, Seshadri, R, and Biritwum, RB), Sept., 921

Simultaneous detection of multiple STR loci on sex chromosomes for forensic testing of sex and identity (Tun, Z, Honda, K, Nakatome, M, Nakamura, M, Shimada, S, Ogura, Y, Kuroki, H, Yamazaki, M, Terada, M, and Matoba, R), July, 772

Sexual assault

Electrospray and MALDI mass spectrometry in the identification of spermicides in criminal investigations (Hollenbeck, TPE, Siuzdak, G, and Blackledge, RD), July, 783
Recommendations for toxicological investigations of drug-facilitated sexual assaults (LeBeau, M, Andollo, W, Hearn, WL, Baselt, R, Cone, E, Finkle, B, Fraser, D, Jenkins, A, Mayer, J, Negrusz, A, Poklis, A, Walls, HC, Raymon, L, Robertson, M, and Saady, J), Jan., 227

Sexual homicide

Serial murder of six victims by an African-American male (Leach, G and Meloy, JR), Sept., 1073

Sharp-force trauma

Sharp-force trauma analysis and the forensic anthropologist: techniques advocated by William R. Maples, Ph.D. (Walsh-Haney, HA), July, 720

Shoeprints

A survey on the conclusions drawn on the same footwear marks obtained in actual cases by several experts throughout the world (Shor, Y and Weisner, S), March, 380

Shooting distance

Modified sheet printing method (MSPM) for the detection of lead in determination of shooting distance (StÅhling, S), Jan., 179

Short tandem repeat loci

Maine Caucasian population DNA database using twelve short tandem repeat (Kupferschmid, TD, Calicchio, T, and Budowle, B), March, 392

Short tandem repeats

A validation study for the extraction and analysis of DNA from human nail material and its application to forensic casework (Anderson, TD, Ross, JP, Roby, RK, Lee, DA, and Holland, MM), Sept., 1053

Allele and genotype frequencies for the STR locus D18S51 in a Western German population (Baasner, A and Madea, B), March, 450

Allele distribution at nine STR loci—D3 S1358, vWA, FGA, TH01, TPOX, CS F1PO, D5S818, D13S317 and D7S820—in the Japanese population by multiplex PCR and capillary electrophoresis (Yamamoto, T, Uchihi, R, Zozawa, H, Huang, XL, Leong, YK, Tanaka, M, Mizutani, M,

Tanaki, K, and Katsumata, Y), Jan., 167
Allele frequency distribution of the STR loci HUMTPOX, HUMTH01 and HUMVWA in Asturias (North Spain) (Marco, PN, Martinez-Jarreta, B, Martínez, EA, Sanchis, AP, and Fonseca, RH), March, 389

Erratum/correction of Crouse CA, Rogers S, Amriott E, Gibson S, Masibay A. Analysis and interpretation of short tandem repeat microvariants and three-banded allele patterns using multiple allele detection systems. *J Forensic Sci* 1999 Jan;44(1):87-94 (Crouse, CA, Rogers, S, Amriott, E, Gibson, S, and Masibay, A), May, 667

Frequencies of D8S384 alleles and genotypes in European, African-American, Chinese, and Japanese populations (Meng, HY, Hou, YP, Chen, GD, Li, YB, Wu, J, Walter, H, and Prinz, M), Nov., 1273

Genetic variation of three tetrameric tandem repeats in four distinct Israeli ethnic groups (Amar, A, Brautbar, C, Motro, U, Fisher, T, Bonne-Tamir, B, and Israel, S), Sept., 983

Population genetics of two tetranucleotide repeats (UGB and D3S1349): a preliminary study in Galicia, Spain (Leyenda, P and Caeiro, B), July, 843

Removal of a PCR inhibitor and resolution of DNA STR types in mixed human-canine stains from a five year old case (Shutler, GG, Gagnon, P, Verret, G, Kalyn, H, Korkosh, S, Johnston, E, and Halverson, J), May, 623

STR HUMARA locus gene and genotype frequencies in Han and Bei population in China (Wu, MY, Zou, LP, Shen, B, Sun, GY, Li, RH, and Chen, GD), Sept., 1039

Substitution of H₂O for formamide in the sample preparation protocol for STR analysis using the capillary electrophoresis system: the effects on precision, resolution, and capillary life (Biega, LA and Duceman, BW), Sept., 1029

Swiss Caucasian population data for 13 STR loci using AmpFISTR profiler plus and cofilin PCR amplification kits (Gehrig, C, Hochmeister, M, Borer, UV, Dirnhofer, R, and Budowle, B), Sept., 1035

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amriott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Validation of highly polymorphic fluorescent multiplex short tandem repeat systems using two generations of DNA sequencers (Frégeau, CJ, Bowen, KL, and Fournery, RM), Jan., 133

Shotgun injury

Determination of the size of a foreign body in the eye using image analysis of its roentgenogram (Pilin, A, Pudil, F, Horejš, J, and Braný, J), Jan., 214

Skeletal age estimation

Evaluation of seven methods of estimating age at death from mature human skeletal remains (Baccino, E, Ubelaker, DH, Hayek, LAC, and Zerilli, A), Sept., 931

Skeletal element preservation

Recovery of human skeletal elements from a recent UK murder inquiry: preservational signatures (Cox, M and Bell, L), Sept., 945

Skeletal remains

Authors' response (Introna, Jr, F, Di Vella, G, and Campobasso, CP), Nov., 1322

Skull injuries

Authors' response (Tomczak, PD and Buikstra, JE), Nov., 1321

Soils

The contribution of forensic geology and other trace evidence analysis to the investigation of the killing of Italian Prime Minister Aldo Moro (Lombardi, G), May, 634

Solid adsorption/elution

GC/MS data from fire debris samples: interpretation and applications (Wallace, JR), Sept., 996

Solid-phase extraction

Aqueous recovery from cotton swabs of organic explosives residue followed by solid phase extraction (Thompson, RQ, Fetterolf, DD, Miller, ML, and Mothershead II, RF), July, 795

Solid-phase micro extraction

A comprehensive sample preparation scheme for accelerants in suspect arson cases (Ren, QL and Bertsch, W), May, 504

Solid-phase microextraction

A novel application of time since the latest discharge of a shotgun in a suspect murder (Andersson, C and Andrasko, J), Jan., 211
Application of solid-phase microextraction to the profiling of an illicit drug: manufacturing impurities in illicit 4-methoxyamphetamine (Coumbaros, JC, Kirkbride, KP, and Klass, G), Nov., 1237

Solide state nuclear magnetic resonance

Analysis of 3,4-Methylenedioxy-*N*-methylamphetamine (MDMA) in "ecstasy" tablets by ¹³C solid state nuclear magnetic resonance (NMR) spectroscopy (Lee, GSH, Craig, DC, Kannangara, K, Dawson, M, Conn, C, Robertson, J, and Wilson, MA), July, 761

Somkeless powder

Detection of smokeless powder residue on pipe bombs by micellar electrokinetic capillary electrophoresis (Smith, KD, McCord, BR, MacCrehan, WA, Mount, K, and Rowe, WF), July, 789

Spectroscopy

Identifications and quantitative measurements of narcotics in solid mixtures using near-IR Raman spectroscopy and multivari-

ate analysis (Ryder, AG, O'Connor, GM, and Glynn, TJ), Sept., 1013

Spermicide

Electrospray and MALDI mass spectrometry in the identification of spermicides in criminal investigations (Hollenbeck, TPE, Siuzdak, G, and Blackledge, RD), July, 783

Spinous processes

Morphological variation in cervical spinous processes: potential applications in the forensic identification of race from the skeleton (Duray, SM, Morter, HB, and Smith, FJ), Sept., 937

SPME

Time since discharge of spent cartridges (Andrasko, J and StÅhling, S), May, 487

Staged suicide

A case of suicidal hanging staged as homicide (Adair, TW and Dobersen, MJ), Nov., 1307

Stalking

The psychological impact of stalking on female undergraduates (Westrup, D, Fremouw, WJ, Thompson, RN, and Lewis, SF), May, 554

Statistical intervals

Graphical tools for RFLP measurement quality assurance: single-locus charts (Dewer, D, Liu, HK, and Reeder, DJ), Sept., 969

Statistics

Sampling—How big a sample? (Aitken, CGG), July, 750

Sternal rib

Osteometric analysis of sexual dimorphism in the sternal end of the rib in a West African population (Wiredu, EK, Kumoji, R, Seshadri, R, and Biritwum, RB), Sept., 921

STR

Analysis and interpretation of short tandem repeat microvariants and three-banded allele patterns using multiple allele detection systems (Crouse, CA, Rogers, S, Amiot, E, Gibson, S, and Masibay, A), Jan., 87

STR markers

Bayesian validation of a quadruplex STR profiling system for identification purposes (Foreman, LA, Smith, AM, and Evett, IW), May, 478

Substance abuse

Application of solid-phase microextraction to the profiling of an illicit drug: manufacturing impurities in illicit 4-methoxyamphetamine (Coumbaros, JC, Kirkbride, KP, and Klass, G), Nov., 1237

Substance abuse detection

Preliminary data on the usefulness of internal transcribed spacer I (ITS1) sequence in cannabis sativa L. identification (Siniscalco Gigliano, G), May, 475

Sudden death

Activated protein C resistance is uncommon in sudden death due to pulmonary embolism (Rulon, JJ, Cho, CG, Guerra, LL, Bux, RC, and Gulley, ML), Nov., 1111

Suicide

An unusual case of railway suicide (Romero Palanco, JL, Gamero Lucas, JJ, Vizcaya Rojas, MA, and Arufe Martínez, MI), March, 444

Commentary on Morgan M, Schramm J, Kofoed P, Steensberg J, and Theilade P. Automobile exhaust as a means of suicide: an experimental study with a proposed model. *J Forensic Sci* 1998 July;43(4):827-836 (Contostavlos, DL), March, 452
Suicidal drowning in South Florida (Davis, LG), Sept., 902

Surveys

The evidential value of paint. Part II: a Bayesian approach (McDermott, SD, Willis, SM, and McCullough, JP), March, 263

Switzerland

Swiss Caucasian population data for 13 STR loci using AmpFISTR profiler plus and cycler PCR amplification kits (Gehrig, C, Hochmeister, M, Borer, UV, Dirnhofer, R, and Budowle, B), Sept., 1035

SYBR Green I

Analysis and interpretation of short tandem repeat microvariants and three-banded allele patterns using multiple allele detection systems (Crouse, C, Rogers, S, Amiot, E, Gibson, S, and Masibay, A), Jan., 87

Syphilis

Dementia as a risk factor for homicide (Rayel, MG, Land, WB, and Gutheil, TG), May, 565

T**Taphonomy**

Marine taphonomy: adipocere formation in a series of bodies recovered from a single shipwreck (Kahana, T, Almog, J, Levy, J, Shmeltzer, E, Spier, Y, and Hiss, J), Sept., 897

Terbutaline

Postmortem stability and interpretation of β_2 -agonist concentrations (Couper, FJ and Drummer, OH), May, 523

THO1

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Time of death

Estimating time of death of deer in Missouri: a comparison of three indicators (Hadley, BM, Robbins, LW, and Beffa, DA), Nov., 1124

Time since death

Determination of postmortem interval from old skeletal remains by image analysis of luminol test results (Introna, Jr., F, Di Vella, G, and Campobasso, CP), May, 535

Time since discharge

A novel application of time since the latest discharge of a shotgun in a suspect murder (Andersson, C and Andrasko, J), Jan., 211
Time since discharge of spent cartridges (Andrasko, J and StÄhling, S), May, 487

Tissue distribution

Fatal brodifacoum rodenticide poisoning: autopsy and toxicologic findings (Palmer, RB, Alakija, P, Cde Baca, JE, and Nolte, KB), July, 851

The extent of postmortem drug redistribution in a rat model (Hilberg, T, Ripel, A, Slordal, L, Bjørneboe, A, and Morland, J), Sept., 956

Tissue distribution of pesticides

Comparative studies on tissue distributions of organophosphorus, carbamate and organochlorine pesticides in decedents intoxicated with these chemicals (Moriya, F and Hashimoto, Y), Nov., 1131

Tissue mismatching

DNA typing as a strategy for resolving issues relevant to forensic toxicology (Chaturvedi, AK, Vu, NT, Ritter, RM, and Canfield, DV), Jan., 189

Toxicology

Another death due to ingestion of *Nicotiana glauca* (Sims, DN, James, R, and Christensen, T), March, 447

TPOX

Allele frequencies of six STR loci in Argentine populations (Tourret, N, Camelo, JL, and Vidal-Rioja, L), Nov., 1265

Trace evidence

An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136

The forensic significance of glass composition and refractive index measurements (Koons, RD and Buscaglia, J), May, 496

Transfer

An evaluation of the significance of transfers of debris: criteria for association and exclusion (Cwiklik, C), Nov., 1136

Transfer of jurisdiction

The fitness of juvenile court (Gross, BH), Nov., 1199

Transmission electron microscopy

Authors' response (Linch, CA and Prahlow, JA), Nov., 1329

Triacetone triperoxide (TATP)

Triacetone triperoxide: its chemical destruction (Bellamy, AJ), May, 603

Trichloronitromethane

Chloropicrin found in industrial grade nitrogen (Brewer, W and Amick, GD), Sept., 1086

Trinidadian

Population data on the thirteen CODIS core short tandem repeat loci in African Americans, U.S. Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians (Budowle, B, Moretti, TR, Baumstark, AL, Defenbaugh, DA, and Keys, KM), Nov., 1277

Turkey

Data on the PCR Turkish population based loci: LDLR, GYPA, HBG, D7S8, and Gc (Ülkuer, MK, Ülkuer, U, Kesici, T, and Menevse, A), Nov., 1258

TWGDAM

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amiott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Typewriting

Electronic typewriter grids (Hicks, AF), Jan., 187

U**Urine**

Potassium nitrite reaction with 11-nor-delta9-tetrahydrocannabinol-9-carboxylic acid in urine in relation to the drug screening analysis (Lewis, SA, Lewis, LA, and Tuinman, A), Sept., 951

The determination of lysergide (LSD) in urine by high-performance liquid chromatography-isotope dilution mass spectrometry (IDMS) (White, SA, Kidd, AS, and Webb, KS), March, 375

V**Vaginal swabs**

Male DNA typing from 25-year-old vaginal swabs using Y chromosomal STR polymorphisms in a retrial request case (Honda, K, Roewer, L, and de Knijff, P), July, 868

Validation

A validation study for the extraction and analysis of DNA from human nail material and its application to forensic casework (Anderson, TD, Ross, JP, Roby, RK, Lee, DA, and Holland, MM), Sept., 1053

TWGDAM validation of a nine-locus and a four-locus fluorescent STR multiplex system (Micka, KA, Amiott, EA, Hockenberry, TL, Sprecher, CJ, Lins, AM, Rabbach, DR, Taylor, JA, Bacher, JW, Glidewell, DE, Gibson, SD, Crouse, CA, and Schumm, JW), Nov., 1243

Validation of highly polymorphic fluorescent multiplex short tandem repeat systems using two generations of DNA sequencers (Frégeau, CJ, Bowen, KL, and Fournery, RM), Jan., 133

Variable number of tandem repeat (VNTR)

Distribution of D1S80 alleles in the Bahrainian population (Tahir, MA, Rogers, C, Alkhayyat, M, El-Gohary, M, Budowle, B, and Balamurugan, K), Nov., 1314

Vehicle-pedestrian accidents

Commentary on Tomczak PD, Buikstra JE. Analysis of blunt trauma injuries: vertical deceleration versus horizontal deceleration injuries. *J Forensic Sci* 1999;44(2): 253-62 (Galloway, A and Mason, RT), Nov., 1321

Vehicular-pedestrian accidents

Authors' response (Tomczak, PD and Buikstra, JE), Nov., 1321

Venlafaxine

A study involving venlafaxine overdoses: comparison of fatal and therapeutic concentrations in postmortem specimens (Jaffe, PD, Batziris, HP, Hoeven, P, DeSilva, D, and McIntyre, IM), Jan., 193

Vitamin B-12 deficiency

Dementia as a risk factor for homicide (Rayel, MG, Land, WB, and Gutheil, TG), May, 565

VNTR

Description of three new alleles at the D1S80 (MCT118) locus (Eisenbarth, I, Assum, G, and Krone, W), July, 841

VWA

A systematic analysis of secondary DNA transfer (Ladd, C, Adamowicz, MS, Bourke, MT, Scherzinger, CA, and Lee, HC), Nov., 1270

Allele distribution at nine STR loci—D3 S1358, vWA, FGA, TH01, TPOX, CS F1PO, D5S818, D13S317 and D7S820—in the Japanese population by multiplex PCR and capillary electrophoresis (Yamamoto, T, Uchihi, R, Zozawa, H, Huang, XL, Leong, YK, Tanaka, M, Mizutani, M, Tamaki, K, and Katsumata, Y), Jan., 167
Allele frequencies for nine STR loci in African-American, Chinese, Vietnamese, and Bangladesh Populations (Borys, S, Eisenberg, A, Carmody, G, and Fournery, R), Nov., 1316

Allele frequency distributions for nine STR loci in the Japanese population (Borys, S, Iwamoto, R, Miyakoshi, J, Carmody, G, and Fournery, R), Nov., 1319

W**Water**

Aqueous recovery from cotton swabs of organic explosives residue followed by solid

phase extraction (Thompson, RQ, Fetterolf, DD, Miller, ML, and Mothershead II, RF), July, 795

Water loss

Experimental forensic and bioanthropological aspects of soft tissue taphonomy: 1. Factors influencing postmortem tissue desiccation rate (Aturaliya, S and Lukasewycz, A), Sept., 893

William R. Maples

A thousand tales of dead men: The forensic anthropology cases of William R. Maples, Ph. D. (Falsetti, AB), July, 682

Anterior femoral curvature revisited: race assessment from the femur (Ballard, MB and Trudell, MB), July, 700

Anterior femoral curvature revisited: race assessment from the femur. *J Forensic Sci* 1999;44(4):700-707 (Trudell, MB), Sept., 1108

Dr. William R. Maples and the role of the consultants at the U.S. Army Central Identification Laboratory, Hawaii (Hoshower, LM), July, 689

Homicide or accident off the coast of Florida: trauma analysis of mutilated human remains (Stubblefield, PR), July, 761

Radiographic determination of developmental age in fetuses and stillborns (Warren, MW), July, 708

The life and career of William R. Maples, Ph.D. (Buikstra, JE and Maples, MK), July, 677

The pedagogy of Dr. William R. Maples (Albert, AM), July, 731

Video superimposition at the C.A. Pound Laboratory 1987 to 1992 (Austin, D), July, 695

William R. Maples and the development of the American Board of Forensic Anthropology (Willely, P), July, 687

Wischnewski ulcers

Wischnewski ulcers and acute pancreatitis in two hospitalized patients with cirrhosis, portal vein thrombosis, and hypothermia (Wolf, DA, Aronson, JF, Rajaraman, S, and Veasey, III, SP), Sept., 1082

Witnesses

Partisan expert witness testimony (Tanay, E), Nov., 1331

Wolf

Forensic evidence based on mtDNA from dog and wolf hairs (Savolainen, P and Lundberg, J), Jan., 77

Wounds

Mechanisms of aortic injury in fatalities occurring in motor vehicle collisions (Shk-rum, MJ, McClafferty, KJ, Green, RN, Nowak, ES, and Young, JG), Jan., 44

Wounds and injuries

Mechanisms of aortic injury in fatalities occurring in motor vehicle collisions (Shk-rum, MJ, McClafferty, KJ, Green, RN, Nowak, ES, and Young, JG), Jan., 44

Y

Y chromosome

Japanese population study of a Y-linked dinucleotide repeat DNA polymorphism (Matsumoto, H, Tsuruya, SI, Tsuda, R, Orihara, Y, and Kubo, SI), May, 588

Male DNA typing from 25-year-old vaginal swabs using Y chromosomal STR polymorphisms in a retrial request case (Honda, K, Roewer, L, and de Knijff, P), July, 868

Z

Zolpidem

Zolpidem distribution in postmortem cases (Levine, B, Wu, SC, and Smialek, JE), March, 369