

## **Announcements**

---

### **Fifth International Fire Protection Engineering Institute Symposium, Ottawa, Ontario, Canada, May 21-31, 1989**

Delegates from around the world will gather at Carleton University, Ottawa, Ontario, Canada, May 21-31, 1989 to exchange state-of-the-art expertise in fire protection engineering at the fifth International Fire Protection Engineering Institute (IFPEI-V).

Sixty-five speakers from 13 countries will address subjects in the areas of risk assessment, fire behavior, smoke control, suppression systems, fire suppression applications, detection and alarm, fire departments, special hazards, and construction. A one-day field trip is scheduled to the Fire Research Field Station of the National Research Council, Canada.

Sponsors are: Brand-Verhütungs-Dienst für Industrie und Gewerbe (BVD), Switzerland; National Fire Protection Association (NFPA), USA; Society of Fire Protection Engineers (SFPE), USA; Technisch Bureau ter Bevordering van Schadepreventie (TBBS), The Netherlands; and the University of Maryland, USA.

The Conference language is English and the registration fee is US \$485.00 (Can. \$597.00). Accommodations at Carleton University are extra. To register or for further information, please contact: Institute Secretariat, Society of Fire Protection Engineers, 60 Batterymarch Street, Boston, MA 02110, USA. Telephone: (617) 482-0686; FAX: (617) 482-9303.

### **ISSA International Congress on Occupational Risks in the Iron- and Metal Industry, Mainz, F.R.G., May 9-11, 1989**

#### *Organizers*

The international Section of the International Social Security Association (ISAA) for the Prevention of Occupational Risks in the Iron- and Metalmanufacturing Industry and the Arbeitsgemeinschaft der Eisen- und Metall-Berufsgenossenschaften, Düsseldorf (Consortium of the Iron- and Metal Industry Employment Accident Insurance funds, Düsseldorf).

#### *Venue*

Rheingoldhalle, Mainz, Federal Republic of Germany.

#### *Congress languages*

German, English, French, Spanish, (Simultaneous interpretation).