
This article was downloaded by: On: *16 January 2011* Access details: *Access Details: Free Access* Publisher *Taylor & Francis* Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



To cite this Article (1989) 'Editorial board page for "Journal of Immunoassay", Volume 10, Number 1', Journal of Immunoassay and Immunochemistry, 10: 1, a **To link to this Article: DOI:** 10.1080/01971528908053223

URL: http://dx.doi.org/10.1080/01971528908053223

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Journal of Immunoassay

EDITOR

W. H. C. WALKER Professor of Pathology McMaster Division, Room 2N49 Chedoke – McMaster Hospital Box 2000, Station A Hamilton, Ontario, Canada L8N 325

Editorial Board

R. C. BAXTER, Royal Prince Alfred Hospital, Camperdown, Australia

L. BITENSKY, Kennedy Institute of Rheumatology, Hammersmith, London, England

W. R. BUTT, Hospital for Women, Birmingham, U.K.

R. P. EKINS, The Middlesex Hospital Medical School, London, England

J. GAULDIE, McMaster University Medical Centre, Hamilton, Ontario, Canada

R. G. HAMILTON, University of Texas Medical School, Houston, Texas

R.-D. HESCH, Medizinische Hochschule Hannover, Hannover, West Germany

B. A. L. HURN, Wellcome Reagents Limited, Beckenham, Kent, England

P. M. KEANE, Foothills Provincial Hospital, Calgary, Alberta, Canada

- L. J. KRICKA, Hospital of the University of Pennsylvania, Philadelphia, Pennsylvania
- J. LANDON, St. Bartholomew's Hospital, West Smithfield, London, England

R. MASSEYEFF, LABS, Nice, France

L. E. M. MILES, Clinical Monitoring Center, Palo Alto, California

B. E. PEARSON-MURPHY, McGill University, Montreal, Quebec, Canada

R. M. NAKAMURA, Green Hospital of Scripps Clinic, La Jolla, California

C. M. O'DONNELL, Analytical Systems, Laguna Hills, California

D. RODBARD, National Institute of Child Health and Human Development, Bethesda, Maryland

B. B. SAXENA, The New York Hospital - Cornell Medical Center, New York, New York

A. SCHUURS, Organon, Scientific Development Group, Oss, The Netherlands

M. K. SCHWARTZ, Memorial Sloan-Kettering Cancer Center, New York, New York

W. R. SLAUNWHITE, JR., State University of New York at Buffalo, Buffalo, New York

P. TIJSSEN, Institut Armand-Frappier, Quebec, Canada

E. F. ULLMAN, SYVA Research Institute, Palo Alto, California

A. VOLLER, The Zoological Society of London, Reagent's Park, London, England