

This article was downloaded by:

On: 24 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Journal of Macromolecular Science, Part A

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597274>

### Subject Index to Volume A40

Online publication date: 10 July 2003

**To cite this Article** (2003) 'Subject Index to Volume A40', Journal of Macromolecular Science, Part A, 40: 12, 1439 – 1452

**To link to this Article:** DOI: 10.1081/MA-120026893

**URL:** <http://dx.doi.org/10.1081/MA-120026893>

## PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## Subject Index to Volume A40

### A

- Acid-catalyzed oligomerization, of  
2-alkenyl-5(4H)-oxazolones,  
755–790
- Acrylamide, kinetics of polymerization  
initiated by potassium ditellurato-  
cuprate(III) in alkaline medium,  
1107–1117
- Acrylamide–methyl methacrylate graft  
copolymerization, onto cellulose  
using ceric ammonium nitrate,  
155–179
- 2-Acrylamido-2-methyl propane sulfonic  
acid, graft copolymerization on  
dimethyl sulfoxide pretreated PET  
films using cerium ammonium nitrate  
as initiator, 947–961
- N-Acyl-dicyclohexylurea, in crosslinked  
copolymers with ethylene glycol  
dimethacrylate or divinylbenzene,  
separation of cyclohexylisocyanate  
from, 81–85
- Acrylonitrile, copolymerization of linalool  
with, 61–80
- 2-Alkenyl-5(4H)-oxazolones, acid-  
catalyzed oligomerization of,  
755–790
- Alkyl methacrylates, charge transfer  
polymerization of, 1057–1080
- Alternating copolymers, of limonene with  
methyl methacrylate, 593–603
- Aluminocarbosilazane macromolecules,  
formation, characterization, and  
stability of, 977–990
- Amino acids, non-proteinogenic, *Candida  
antarctica* lipase B catalyzed  
copolymerizations with poly(ethylene  
glycol) to generate functionalized  
polyesters, 1283–1293
- Amorphous thin films, of chiral binaphthyls  
for photonic waveguides, 1369–1382
- Amphiphilic hexylamine modified  
polysuccinimide, 511–523
- Aniline, template polymerization catalyzed  
by electrostatically multilayered  
hematin assemblies, 1335–1346
- Apparent diffusion coefficients, within  
cationic polysulfonium coatings  
containing ferricyanide, 37–47
- Aromatic amines, as co-sensitizers in  
dye-sensitized titania solar cells,  
1295–1306
- Aromatic dicarboxylic acids, synthesis and  
thermal properties of polyesters  
derived from, 791–805
- Aromatic polyamides, preparation and  
properties from diamines containing  
4,5-imidazolediy structure, 425–435
- Aromatic polyethers, containing flexible  
spacer, relationship between structure  
and supramolecular ordering of,  
1241–1252

1439

DOI: 10.1081/MA-120026893  
Copyright © 2003 by Marcel Dekker, Inc.

1060-1325 (Print); 1520-5738 (Online)  
www.dekker.com

Copyright © 2003 by Marcel Dekker, Inc. All rights reserved.



- Aspartic acid, phosphoric acid catalyzed polymerization of, 293–307
- Atom transfer radical polymerization, homogeneous, of methyl methacrylate under pulsed microwave irradiation, 1157–1171
- Atomic force microscopy, for study of polyurethane-based pervaporation membranes surface morphology effect of polyurethane molecular structure, 225–237 structure–transport properties behavior, 335–344
- Attapulgit, silane modified, graft polymerization and characterization of butyl acrylate onto, 1135–1146

**B**

- Beam-oligomerized 3-hexylthiophene, electronic properties and morphology of, 1357–1368
- 4-Benzyloxycarbonylphenyl acrylate, copolymerization with methyl methacrylate, 125–140
- 4-Benzyloxycarbonylphenyl methacrylate, copolymers with methyl methacrylate, 1019–1033
- Bicyclic dianhydrides, synthesis and characterization of high temperature polyimides from, 915–932
- Binaphthyls, chiral, amorphous thin films for photonic waveguides, 1369–1382
- Biomimetic synthesis, of water soluble conductive polypyrrole and poly(3,4-ethylenedioxythiophene), 1327–1333
- Bisphenol dicyanate–epoxy–bismaleimide intercrosslinked matrix materials, thermal and morphological properties of, 847–861
- Butyl acrylate, graft polymerization and characterization onto silane-modified attapulgit, 1135–1146
- tert*-Butylmethacrylate–cyclodextrin host–guest system, free radical polymerization of, 437–448
- $\beta$ -*D,L*-Butyrolactone polymerization, initiation with 1,3-diacetoxy-1,1,3,3-tetrabutyl-distannoxane and with 1,3-dichloro-1,1,3,3-tetrabutyl-distannoxane, 1009–1018

**C**

- Calix(aza)crown oligomers, synthesis and metal ion extraction of, 95–106
- Candida antarctica* lipase B catalyzed copolymerizations, of non-proteinogenic amino acids and poly(ethylene glycol) to generate functionalized polyesters, 1283–1293
- Carboxyl-terminated butadiene acrylonitrile (CTBN), electron beam radiation induction of epoxy resins modified with, characterization of the toughening process in, 641–653
- Castor oil, hydrogenated, interpenetrating polymer networks of uralkyd resin based on, 1227–1240
- Catalase-like activity, of polystyrene-bound glycine–metal complexes, effect of the nature of the crosslinking agent on, 863–879
- Catalysts
- complex base, X-ray and mass spectral analysis of polyphenylisocyanate obtained by, 239–250
  - supported zirconocene, effects of TMA and MAO on ethylene–propylene copolymer using, 181–192
  - surface-enriched polymer-supported phase transfer, synthesis and characterization using vinyl-toluene as a functionality and catalytic efficiency in dichloro-carbene addition to olefines, 525–546
  - transition metal, polymerization of 4-dimethylamino-N-propargyl-pyridinium bromide by, 401–413
- Catalytic oxidation, of polymer-supported 2,4-dihydroxybenzaldehyde-*o*-aminobenzoic acid complexes, 889–896



- Cationic polysulfonium coatings, containing ferricyanide, ion-exchange and apparent diffusion coefficients within, 37–47
- Cellulose, fluorescent, synthesis and characterization of, 1275–1282
- Ceric ammonium nitrate, for acrylamide–methyl methacrylate graft copolymerization onto cellulose, 155–179
- Cerium ammonium nitrate, as initiator for graft copolymerization of 2-acrylamido-2-methyl propane sulfonic acid on dimethyl sulfoxide pretreated PET films, 947–961
- Cerium(IV), controlled electroinduced polymerization of methyl methacrylate in the presence of catalytic amount of, 193–207
- Cerium(IV) ion, for graft copolymerization of 2-hydroxy ethyl methacrylate onto chitosan, 715–730
- Cerium(IV)-ion initiated graft copolymerization, of methyl methacrylate onto guar gum, 49–60
- Chalcone units, photoreactive poly(norbornene derivatives) bearing, 689–703
- Charge transfer polymerization, of styrene and alkyl methacrylates, 1057–1080
- Chiral binaphthyls amorphous thin films, for photonic waveguides, 1369–1382
- Chitosan  
graft copolymerization of 2-hydroxy ethyl methacrylate onto with cerium(IV) ion, 715–730  
in photocured films with PVA blend with acrylic monomers, 817–832  
swelling kinetics in interpenetrating polymer network hydrogels with PVA, 501–510  
thermal characteristics of polyelectrolyte complexes with hyaluronic acid, 807–815
- Cholesterol, synthesis and polymerization of liquid-crystalline vinylcyclopropane-derivative bearing, 107–113
- Complex base catalyst, X-ray and mass spectral analysis of polyphenylisocyanate obtained by, 239–250
- Condensation, for preparation of a conducting flexible material from silane coupling agent and hydroxyl terminated polybutadiene rubber, 1081–1093
- Conducting copolymers, of menthyl ester of 3-thiophene acetic acid with pyrrole, 251–264
- Conducting flexible material, preparation from silane coupling agent and hydroxyl terminated polybutadiene rubber by hydrolysis and condensation, 1081–1093
- Conductive polymer, nonconjugated, polyalloocimene as, 1397–1406
- Conjugated polymer, molecular assembly by sequential ionic adsorption of nanocrystalline titanium dioxide with, 1307–1316
- Controlled release  
of a digestive enzyme from a swellable semi-interpenetrating polymer network, 265–292  
of drug from gelatin-sodium carboxymethylcellulose interpenetrating polymer networks, 629–639
- Copoly(aryl ether)s, containing 1,10-phenanthroline moieties, 881–888
- Copolyesters, segmented poly(butylene terephthalate)-poly(ethylene terephthalate-co-isophthalate-co-sebacate), determination of average sequence length in, 461–473
- Copolymer composition, effect on surface free-energy of poly(2-hydroxyethyl methacrylate–crotonic acid) copolymers, 1173–1182
- Copolymerization  
of 4-benzoyloxycarbonylphenyl acrylate with methyl methacrylate, 125–140



- Copolymerization (*continued*)
- Candida antarctica* lipase B catalyzed, of non-proteinogenic amino acids and poly(ethylene glycol) to generate functionalized polyesters, 1283–1293
  - of isobutene with 4-(2-hydroxyl-2-methylpropyl) styrene co-initiated by TiCl<sub>4</sub> in the presence of electron donors, 345–356
  - of linalool with acrylonitrile, 61–80
  - of maleicamido saccharides with vinylamides, 21–35
  - See also* Dispersion copolymerization; Graft copolymerization
- Crosslinked polystyrene-supported polyoxyethylene bound permanganate, influence of the nature of the crosslinking agent on oxidation behavior of, 1035–1056
- Crosslinking agent
- effect on the catalase-like activity of polystyrene-bound glycine–metal complexes, 863–879
  - influence on the oxidation behavior of crosslinked polystyrene-supported polyoxyethylene bound permanganate, 1035–1056
- CTBN. *See* Carboxyl-terminated butadiene acrylonitrile
- Cyanate ester resin, poly(ether imide) modified, phase separation of, 1199–1211
- $\beta$ -Cyclodextrin polymer, for an interpenetrating polymer network hydrogel, 1095–1105
- Cyclodextrins, in polymer synthesis, 437–448
- Cyclohexylisocyanate, separation from the crosslinked copolymers of N-acryldicyclohexylurea with ethylene glycol dimethacrylate or divinylbenzene, 81–85
- D**
- 1,3-Diacetoxy-1,1,3,3-tetrabutylidistanoxane, polymerization of
    - $\beta$ -D,L-butyrolactone initiated with, 1009–1018
  - Diamines, containing 4,5-imidazolediyl structure, preparation and properties of aromatic polyamides from, 425–435
  - Dianhydrides, bicyclic, synthesis and characterization of high temperature polyimides from, 915–932
  - Dicarboxylic acids, aromatic, synthesis and thermal properties of polyesters derived from, 791–805
  - 1,3-Dichloro-1,1,3,3-tetrabutylidistanoxane, polymerization of
    - $\beta$ -D,L-butyrolactone initiated with, 1009–1018
  - Digestive enzyme, controlled release from a swellable semi-interpenetrating polymer network, 265–292
  - 2,4-Dihydroxybenzaldehyde-*o*-aminobenzoic acid complexes, polymer supported, preparation and catalytic activity of, 889–896
  - 4-Dimethylamino-N-propargylpyridinium bromide, polymerization by transition metal catalysts, 401–413
  - Diphenylacetylenes, with a ferrocenyl group, polymerization and polymer properties of, 115–124
  - 1,1-Diphenylethylene (DPE)-technique, for syntheses of graft copolymers, 11–19
  - Dispersion copolymerization
    - of glycidyl methacrylate and divinylbenzene, monodisperse cross-linked microsphere polymer particles by, 617–627
    - of poly[(N-acetylimino)ethylene] macromonomers with styrene, 547–556
  - Disulfide–disulfide interchange
    - electron ionization mass spectrometry of mechanism in polysulfide polymer melt blend, 1119–1134
    - reactions, mass spectrometry for kinetics in polysulfide polymers, 141–154



- Divinylbenzene  
dispersion copolymerization with glycidyl methacrylate for monodisperse crosslinked microsphere polymer particles, 617–627  
separation of cyclohexylisocyanate from the crosslinked copolymers of N-acryl-dicyclohexylurea with, 81–85
- DPE. *See* 1,1-Diphenylethylene
- Dye-sensitized photovoltaics, nanocrystalline titanium dioxide based, mono and dinuclear ruthenium complexes for, 1317–1325
- Dye-sensitized titania solar cells, aromatic amines as co-sensitizers in, 1295–1306
- E**
- Electroinduced polymerization, of methyl methacrylate in the presence of catalytic amount of cerium(IV), 193–207
- Electron beam radiation, characterization of the toughening process of CTBN modified epoxy resins induced by, 641–653
- Electron donors, copolymerization of isobutene with 4-(2-hydroxyl-2-methylpropyl) styrene co-initiated by TiCl<sub>4</sub> in the presence of, 345–356
- Electron ionization mass spectrometry, of mechanism of disulfide–disulfide interchange in polysulfide polymer melt blend, 1119–1134
- Electrooxidation, furfural, on platinum platinized electrode in acetonitrile for polymeric film formation, 933–946
- Electrospun fiber morphology, effect of viscosity and filler on, 1415–1422
- Electrostatically multilayered hematin assemblies, for catalysis of template polymerization of aniline, 1335–1346
- Enzymatic polymerization, of 4-propylphenol, effect of temperature on, 1423–1431
- Enzymatically synthesized conducting polyaniline nanocomposites, 1347–1355
- Epoxy resins  
CTBN modified, induced by electron beam radiation, 641–653  
modified with polyetherimide, phase separation of, 833–846
- Epoxy-polyamide/starch blend films, external stimuli responsive characteristics of, 1183–1197
- Ethylene glycol dimethacrylate, separation of cyclohexylisocyanate from the crosslinked copolymers of N-acryl-dicyclohexylurea with, 81–85
- Ethylene-propylene copolymer, effects of TMA and MAO on using supported zirconocene catalysts, 181–192
- External stimuli responsive characteristics, of epoxy-polyamide/starch blend films, 1183–1197
- F**
- Fast transient fluorescence (FTRF) technique, for swelling of gels in solvent mixtures, 387–399
- Ferricyanide, ion-exchange and apparent diffusion coefficients within cationic polysulfonium coatings containing, 37–47
- Ferrocenyl group, polymerization and polymer properties of diphenylacetylenes with, 115–124
- Filler, effect on electrospun fiber morphology, 1415–1422
- Films  
dimethyl sulfoxide pretreated PET, cerium ammonium nitrate as initiator for graft copolymerization of 2-acrylamido-2-methyl propane sulfonic acid on, 947–961  
epoxy-polyamide/starch blend, 1183–1197  
photocured, of chitosan/PVA and PEO/PVA blend with acrylic monomers, 817–832



Films (*continued*)

- polymeric, formation from furfural electrooxidation on platinum platinized electrode in acetonitrile, 933–946
- Fluorescent cellulose, synthesis and characterization of, 1275–1282
- Free radical polymerization, of a *tert*-butylmethacrylate-cyclodextrin host-guest system, 437–448
- FTRF. *See* Fast transient fluorescence
- Functionalized polyesters, generation by *Candida antarctica* lipase B catalyzed copolymerizations of non-proteinogenic amino acids and poly(ethylene glycol), 1283–1293
- Furfural electrooxidation, on platinum platinized electrode in acetonitrile for polymeric film formation, 933–946

## G

- Gelatin-sodium carboxymethylcellulose interpenetrating polymer networks, controlled drug release from, 629–639
- Gels, FTRF of swelling in solvent mixtures, 387–399
- Glycidyl methacrylate, dispersion copolymerization with divinylbenzene for monodisperse crosslinked microsphere polymer particles, 617–627
- Glycine-metal complexes, polystyrene bound, effect of the nature of the crosslinking agent on catalase-like activity of, 863–879
- Graft copolymerization
  - of acrylamide-methyl methacrylate onto cellulose using ceric ammonium nitrate, 155–179
  - of 2-acrylamido-2-methyl propane sulfonic acid on dimethyl sulfoxide pretreated PET films using cerium ammonium nitrate as initiator, 947–961
  - cationic, 11–19

- cerium(IV)-ion initiated, of methyl methacrylate onto guar gum, 49–60
- of 2-hydroxy ethyl methacrylate onto chitosan with cerium(IV) ion, 715–730
- of methyl acrylate onto PVA, initiation by potassium diperiodatocuprate(III), 211–223
- Graft copolymers, syntheses using DPE-technique, 11–19
- Graft polymerization, of butyl acrylate onto silane-modified attapulgite, 1135–1146
  - See also* Photo-initiated free radical graft polymerization
- Grafting, microwave assisted radical, of maleic anhydride onto polyethylene in solution, 739–745
- Guar gum, cerium(IV)-ion initiated graft copolymerization of methyl methacrylate onto, 49–60

## H

- Hematin assemblies, electrostatically multilayered, for catalysis of template polymerization of aniline, 1335–1346
- Heteropolyacene, with thianthrenium ring systems proving  $\pi$  electron delocalization over S atoms, 655–670
- Hexylamine modified polysuccinimide, amphiphilic, 511–523
- 3-Hexylthiophene, beam oligomerized, electronic properties and morphology of, 1357–1368
- High temperature polyimides, synthesis and characterization from bicyclic dianhydrides, 915–932
- Homogeneous solution reverse atom transfer radical polymerization, of methyl methacrylate, 371–385
- Hyaluronic acid, thermal characteristics of polyelectrolyte complexes with chitosan, 807–815



- Hydrogels, interpenetrating polymer network  
  based on poly(*N*-isopropylacrylamide) and  $\beta$ -cyclodextrin polymer, 1095–1105  
  of PVA/chitosan, swelling kinetics of, 501–510
- Hydrolysis, for preparation of a conducting flexible material from silane coupling agent and hydroxyl terminated polybutadiene rubber, 1081–1093
- 2-Hydroxy ethyl methacrylate, graft copolymerization onto chitosan with cerium(IV) ion, 715–730
- Hydroxyl terminated polybutadiene rubber, hydrolysis and condensation for preparation of a conducting flexible material from, 1081–1093
- 4-(2-Hydroxyl-2-methylpropyl) styrene, co-initiation of copolymerization with isobutene by  $\text{TiCl}_4$  in the presence of electron donors, 345–356
- 1-Hydroxypyrene, peroxidase-catalyzed polymerization of, 1407–1413
- I**
- 4,5-Imidazolediyl structure, preparation and properties of aromatic polyamides from diamines containing, 425–435
- Intercrosslinked matrix materials, bisphenol dicyanate–epoxy–bismaleimide, thermal and morphological properties of, 847–861
- Interpenetrating polymer networks  
  gelatin-sodium carboxymethylcellulose, controlled drug release from, 629–639  
  hydrogels  
    based on poly(*N*-isopropylacrylamide) and  $\beta$ -cyclodextrin polymer, 1095–1105  
    of PVA/chitosan, swelling kinetics of, 501–510  
  of uralkyd resin based on hydrogenated castor oil and poly(butyl acrylate), 1227–1240
- Interpolymer complexes, wholly water soluble, formed by interaction of strong anionic and cationic polyelectrolytes, 449–460
- Ion-exchange coefficients, within cationic polysulfonium coatings containing ferricyanide, 37–47
- Isobutene, copolymerization with 4-(2-hydroxyl-2-methylpropyl) styrene co-initiated by  $\text{TiCl}_4$  in the presence of electron donors, 345–356
- L**
- Light emitting diodes, prepared from terbium-immobilized polyurea chelates, 1253–1262
- Limonene, in alternating copolymers with methyl methacrylate, 593–603
- Linalool, copolymerization with acrylonitrile, 61–80
- Liquid-crystalline vinylcyclopropane-derivative, bearing cholesterol, synthesis and polymerization of, 107–113
- M**
- Maleic anhydride, microwave assisted radical grafting onto polyethylene in solution, 739–745
- Maleicamido saccharides, synthesis and copolymerization with vinylamides, 21–35
- MAO. *See* Methylaluminoxane
- Mass spectral analysis, of polyphenylisocyanate obtained by complex base catalyst, 239–250
- Mass spectrometry, for kinetics of disulfide–disulfide interchange reactions in polysulfide polymers, 141–154
- Membranes  
  PET nucleopore, photografting modification of, 309–320  
  polyurethane-based pervaporation, atomic force microscopy study of surface morphology of





- Membranes (*continued*)  
 effect of polyurethane molecular structure, 225–237  
 structure–transport properties behavior, 335–344
- Menthyl ester, of 3-thiophene acetic acid, synthesis and characterization of conducting copolymers with pyrrole, 251–264
- Metal ion extraction, of calix(aza)crown oligomers, 95–106
- Methacrylates, derived from morpholine and pyrrolidine, 1213–1225
- Methyl acrylate, initiation of graft copolymerization onto PVA by potassium diperiodatocuprate(III), 211–223
- Methyl methacrylate  
 in alternating copolymers with limonene, 593–603  
 cerium(IV)-ion initiated graft copolymerization onto guar gum, 49–60  
 copolymerization with 4-benzyloxycarbonylphenyl acrylate, 125–140  
 in copolymers with 4-benzyloxycarbonylphenyl methacrylate, 1019–1033  
 electroinduced polymerization in the presence of catalytic amount of cerium(IV), 193–207  
 graft copolymerization with acrylamide onto cellulose using ceric ammonium nitrate, 155–179  
 homogeneous atom transfer radical polymerization under pulsed microwave irradiation, 1157–1171  
 homogeneous solution reverse atom transfer radical polymerization of, 371–385
- Methylaluminoxane (MAO), effects on ethylene-propylene copolymer using supported zirconocene catalysts, 181–192
- 1,4-bis(Methylsulfinyl)benzene, syntheses of methylsulfonioarylene and thioarylene polymers from, 415–423
- Methylsulfonioarylene polymers, synthesis from 1,4-bis(methylsulfinyl)benzene, 415–423
- Microparticles, polyaniline, modified by polybutadiene, 1383–1396
- Microwave assisted radical grafting, of maleic anhydride onto polyethylene in solution, 739–745
- Molecular assembly, by sequential ionic adsorption of nanocrystalline titanium dioxide and a conjugated polymer, 1307–1316
- Monodisperse crosslinked microsphere polymer particles, by dispersion copolymerization of glycidyl methacrylate and divinylbenzene, 617–627
- Morpholine, synthesis and characterization of methacrylates derived from, 1213–1225
- N**
- Nanocomposites  
 enzymatically synthesized conducting polyaniline, 1347–1355  
 poly(methyl methacrylate)/silica, synthesis of, 671–688
- Nanocrystalline titanium dioxide  
 molecular assembly by sequential ionic adsorption with a conjugated polymer, 1307–1316  
 mono and dinuclear ruthenium complexes for dye-sensitized photovoltaics based on, 1317–1325
- Nanoporous crosslinked poly(acryl-*N*-cyclohexyl amide-co-ethylene glycol dimethacrylate), synthesis by thermal degradation of poly(acryl-*N,N'*-dicyclohexylurea-co-ethylene glycol dimethacrylate), 747–754
- Networked alternating samarium-organic moieties hybrid copolymers, 731–737
- NMR. *See* Nuclear magnetic resonance
- Nonconjugated conductive polymer, polyalloocimene as, 1397–1406



- Nuclear magnetic resonance (NMR), solid state, of enzymatically synthesized conducting polyaniline nanocomposites, 1347–1355
- Nucleopore membranes, PET, photografting modification of, 309–320
- O**
- Octadecyl acrylate, reversible addition–fragmentation chain-transfer polymerization of, 963–975
- Oligomerization, acid catalyzed, of 2-alkenyl-5(4H)-oxazolones, 755–790
- Oligomers, calix(aza)crown, synthesis and metal ion extraction of, 95–106
- Oxidation behavior, of crosslinked polystyrene-supported polyoxyethylene bound permanganate, influence of the nature of the crosslinking agent on, 1035–1056
- P**
- PEO. *See* Polyethylene oxide
- Permanganate, crosslinked polystyrene-supported polyoxyethylene bound, influence of the nature of the crosslinking agent on oxidation behavior of, 1035–1056
- Peroxidase-catalyzed polymerization, of 1-hydroxypyrene, 1407–1413
- Pervaporation membranes, polyurethane based, atomic force microscopy study of surface morphology of effect of polyurethane molecular structure, 225–237 structure–transport properties behavior, 335–344
- PET. *See* Polyethylene terephthalate
- Phase separation  
of poly(ether imide)-modified cyanate ester resin, 1199–1211  
of polyetherimide modified epoxy resin, 833–846
- Phase transfer catalysis, in the polycondensation processes, 1241–1252
- Phase transfer catalyst, surface enriched polymer supported, synthesis and characterization using vinyltoluene as a functionality and catalytic efficiency in dichlorocarbene addition to olefines, 525–546
- 1,10-Phenanthroline moieties, copoly(aryl ether)s containing, 881–888
- Phosphoric acid catalyzed polymerization, of aspartic acid, 293–307
- Photocured films, of chitosan/PVA and PEO/PVA blend with acrylic monomers, 817–832
- Photografting, for modification of PET nucleopore membranes, 309–320
- Photo-initiated free radical graft polymerization, for synthesis of poly(IB-co-VBDC)-g-PMMA, 1147–1156
- Photonic waveguides, amorphous thin films of chiral binaphthyls for, 1369–1382
- Photoreactive poly(norbornene derivatives), bearing chalcone units, 689–703
- Photovoltaics, nanocrystalline titanium dioxide based dye sensitized, mono and dinuclear ruthenium complexes for, 1317–1325
- Platinum platinized electrode, furfural electrooxidation in acetonitrile for polymeric film formation, 933–946
- Poly[(N-acetylimino)ethylene] macromonomers, with maleic moieties in the dispersion copolymerization with styrene, 547–556
- Poly(acryl-*N*-cyclohexyl amide-co-ethylene glycol dimethacrylate), nanoporous crosslinked, synthesis by thermal degradation of poly(acryl-*N,N'*-dicyclohexylurea-co-ethylene glycol dimethacrylate), 747–754
- Poly(acryl-*N,N'*-dicyclohexylurea-co-ethylene glycol dimethacrylate), thermal degradation for synthesis of nanoporous crosslinked poly(acryl-*N*-cyclohexyl amide-co-ethylene glycol dimethacrylate), 747–754



- Polyalloocimene, as a nonconjugated conductive polymer, 1397–1406
- Polyamide 6/poly(amino-ether) blends, water sorption in  
mechanical behavior, 705–714  
sorption characteristics and phase behavior, 557–569
- Polyamides, aromatic, preparation and properties from diamines containing 4,5-imidazole diyl structure, 425–435
- Poly(amino-ether)/polyamide 6 blends, water sorption in  
mechanical behavior, 705–714  
sorption characteristics and phase behavior, 557–569
- Polyaniline microparticles, modified by polybutadiene, 1383–1396
- Polyaniline nanocomposites, enzymatically synthesized conducting, 1347–1355
- Polybutadiene, polyaniline microparticles modified by, 1383–1396
- Polybutadiene rubber, hydroxyl terminated, hydrolysis and condensation for preparation of a conducting flexible material from, 1081–1093
- Poly(butyl acrylate), interpenetrating polymer networks of uralkyd resin based on, 1227–1240
- Poly(butylene terephthalate)-poly(ethylene terephthalate-co-isophthalate-co-sebacate) segmented copolyesters, determination of average sequence length in, 461–473
- Poly(dimethylsiloxane)  
incorporation into poly(tetramethylene oxide) based polyurethanes, 321–333  
synthesis of triblock copolymers with starburst oligoanilino[60]fullerene, 1263–1273
- Polyelectrolyte complexes, of chitosan and hyaluronic acid, thermal characteristics of, 807–815
- Polyelectrolytes, strong anionic and cationic, wholly water-soluble interpolymer complexes formed by interaction of, 449–460
- Poly(ether imide)-modified cyanate ester resin, phase separation of, 1199–1211
- Polyetherimide modified epoxy resin, phase separation of, 833–846
- Polyethylene, microwave assisted radical grafting of maleic anhydride onto, 739–745
- Poly(ethylene glycol), *Candida antarctica* lipase B catalyzed copolymerizations with non-proteinogenic amino acids to generate functionalized polyesters, 1283–1293
- Polyethylene oxide (PEO), and PVA blend with acrylic monomers, mechanical properties of photocured films of, 817–832
- Polyethylene terephthalate (PET)  
dimethyl sulfoxide pretreated films, graft copolymerization of 2-acrylamido-2-methyl propane sulfonic acid on using cerium ammonium nitrate as initiator, 947–961  
nucleopore membranes, photografting modification of, 309–320
- Poly(3,4-ethylenedioxythiophene), biomimetic synthesis with water soluble conductive polypyrrole, 1327–1333
- Poly(2-hydroxyethyl methacrylate-crotonic acid) copolymers, effect of copolymer composition on surface free-energy of, 1173–1182
- Poly(IB-co-VBDC)-g-PMMA, synthesis via photo-initiated free radical graft polymerization, 1147–1156
- Polyimides, high temperature, synthesis and characterization from bicyclic dianhydrides, 915–932
- Polyisobutylenes, silicon functional, synthesis, characterization, and applications of, 991–1008
- Poly(*N*-isopropylacrylamide), for an interpenetrating polymer network hydrogel, 1095–1105
- Polylactones, 1009–1018



- Polymeric film, formation from furfural electrooxidation on platinum  
platinized electrode in acetonitrile, 933–946
- Poly(methyl methacrylate)  
synthesis of nanocomposites with silica, 671–688  
thiophene capped, pyrolysis mass spectrometric analysis of, 605–615
- Poly(methyl vinyl ether), thermotropic networks based on, 1–10
- Poly(methylthienyl methacrylate), thiophene capped, pyrolysis mass spectrometric analysis of, 605–615
- Poly(norbornene derivatives), photoreactive and bearing chalcone units, 689–703
- Polyphenylisocyanate, obtained by complex base catalyst, X-ray and mass spectral analysis of, 239–250
- Polypyrrole, water soluble conductive, biomimetic synthesis with poly(3,4-ethylenedioxythiophene), 1327–1333
- Polystyrene-bound glycine–metal complexes, effect of the nature of the crosslinking agent on catalase-like activity of, 863–879
- Poly(styrene-co-phosphonate-containing maleimide), synthesis and properties of, 897–913
- Polysuccinimide, amphiphilic hexylamine modified, 511–523
- Polysulfide polymer melt blend, electron ionization mass spectrometry of mechanism of disulfide–disulfide interchange in, 1119–1134
- Polysulfide polymers, mass spectrometry for kinetics of disulfide–disulfide interchange reactions in, 141–154
- Poly(tetramethylene oxide) based polyurethanes, incorporation of poly(dimethylsiloxane) into, 321–333
- Polyurea chelates, terbium immobilized, light emitting diodes prepared from, 1253–1262
- Polyurethane-based pervaporation membranes, atomic force microscopy study of surface morphology of effect of polyurethane molecular structure, 225–237  
structure–transport properties behavior, 335–344
- Polyurethanes, poly(tetramethylene oxide) based, incorporation of poly(dimethylsiloxane) into, 321–333
- Poly(vinyl alcohol) (PVA)  
in photocured films with chitosan and PEO, mechanical properties of blend with acrylic monomers, 817–832  
potassium diperiodatocuprate(III) initiation of graft copolymerization of methyl acrylate onto, 211–223  
swelling kinetics in interpenetrating polymer network hydrogels with chitosan, 501–510
- Poly(4-vinyl pyridine), quantitative quaternization of, 585–591
- Potassium diperiodatocuprate(III), for initiation of graft copolymerization of methyl acrylate onto PVA, 211–223
- Potassium ditelluratocuprate(III), kinetics of acrylamide polymerization initiated in alkaline medium by, 1107–1117
- 1,3-Propanediol, synthesis and thermal properties of polyesters derived from, 791–805
- Propargyl ether phenolic resins, thermal characteristics of, 357–369
- 4-Propylphenol, effect of temperature on enzymatic polymerization of, 1423–1431
- Pulsed microwave irradiation, for homogeneous atom transfer radical polymerization of methyl methacrylate, 1157–1171
- PVA. *See* Poly(vinyl alcohol)
- Pyrolysis mass spectrometry, for analysis of thiophene capped poly(methyl methacrylate) and poly(methylthienyl methacrylate), 605–615



Pyrrole, synthesis and characterization of conducting copolymers of menthyl ester of 3-thiophene acetic acid with, 251–264

Pyrrolidine, synthesis and characterization of methacrylates derived from, 1213–1225

### Q

Quaternization, quantitative, of poly(4-vinyl pyridine), 585–591

### R

Reactivity ratios estimation, improved accuracy in, 571–584

#### Resins

CTBN modified epoxy, induced by electron beam radiation, 641–653

poly(ether imide) modified cyanate ester, phase separation of, 1199–1211

polyetherimide modified epoxy, phase separation of, 833–846

propargyl ether phenolic, thermal characteristics of, 357–369

uralkyd, interpenetrating polymer networks based on hydrogenated castor oil and poly(butyl acrylate), 1227–1240

Reverse atom transfer radical polymerization, homogeneous solution, of methyl methacrylate, 371–385

Reversible addition–fragmentation chain-transfer polymerization, of octadecyl acrylate, 963–975

Rubberlike materials, thermoelasticity and related constitutive laws of, 87–93

Ruthenium complexes, mono and dinuclear, for nanocrystalline titanium dioxide based dye-sensitized photovoltaics, 1317–1325

### S

Samarium-organic moieties hybrid copolymers, networked alternating, 731–737

Schiff base complex, styrene-allylchloride copolymer supported cobalt(II), synthesis and catalytic activity of, 475–500

Segmented copolyesters, poly(butylene terephthalate)-poly(ethylene terephthalate-co-isophthalate-co-sebacate), determination of average sequence length in, 461–473

Semi-interpenetrating polymer network, swellable, controlled release of a digestive enzyme from, 265–292

Sequence length, average, determination in poly(butylene terephthalate)-poly(ethylene terephthalate-co-isophthalate-co-sebacate) segmented copolyesters, 461–473

Sequential ionic adsorption, of nanocrystalline titanium dioxide and a conjugated polymer for molecular assembly, 1307–1316

Silane coupling agent, hydrolysis and condensation for preparation of a conducting flexible material from, 1081–1093

Silane-modified attapulgite, graft polymerization and characterization of butyl acrylate onto, 1135–1146

Silica, synthesis of nanocomposites with poly(methyl methacrylate), 671–688

Silicon-functional polyisobutylenes, synthesis, characterization, and applications of, 991–1008

Sodium carboxymethylcellulose-gelatin interpenetrating polymer networks, controlled drug release from, 629–639

Solar cells, dye-sensitized titania, aromatic amines as co-sensitizers in, 1295–1306

Starburst oligoanilino[60]fullerene, synthesis of triblock copolymers with poly(dimethylsiloxane), 1263–1273

Styrene charge transfer polymerization of, 1057–1080



- poly[(N-acetylimino)ethylene] macromonomers with maleic moieties in the dispersion copolymerization of, 547–556
- Styrene-allylchloride copolymer supported cobalt(II) Schiff base complex, synthesis and catalytic activity of, 475–500
- Surface free-energy, of poly(2-hydroxyethyl methacrylate-crotonic acid) copolymers, effect of copolymer composition on, 1173–1182
- Surface morphology, atomic force microscopy study for polyurethane-based pervaporation membranes  
effect of polyurethane molecular structure, 225–237  
structure–transport properties behavior, 335–344
- Swelling  
FTRF examination for gels in solvent mixtures, 387–399  
kinetics, of interpenetrating polymer network hydrogels composed of PVA/chitosan, 501–510
- T**
- Temperature, effect on the enzymatic polymerization of 4-propylphenol, 1423–1431
- Template polymerization, of aniline catalyzed by electrostatically multilayered hematin assemblies, 1335–1346
- Terbium-immobilized polyurea chelates, light emitting diodes prepared from, 1253–1262
- Thermal characteristics, of propargyl ether phenolic resins, 357–369
- Thermal degradation, of poly(acryl-*N,N'*-dicyclohexylurea-co-ethylene glycol dimethacrylate) for synthesis of nanoporous crosslinked poly(acryl-*N*-cyclohexyl amide-co-ethylene glycol dimethacrylate), 747–754
- Thermoelasticity, of rubberlike materials, 87–93
- Thermotropic networks, based on poly(methyl vinyl ether), 1–10
- Thianthrenium ring systems, proof of  $\pi$  electron delocalization over S atoms by heteropolyacene with, 655–670
- Thin films, amorphous, of chiral binaphthyls for photonic waveguides, 1369–1382
- Thioarylene polymers, synthesis from 1,4-bis(methylsulfinyl)benzene, 415–423
- Thiophene capped poly(methyl methacrylate) and poly(methylthienyl methacrylate), pyrolysis mass spectrometric analysis of, 605–615
- 3-Thiophene acetic acid menthyl ester, synthesis and characterization of conducting copolymers with pyrrole, 251–264
- Titanium dioxide, nanocrystalline, molecular assembly by sequential ionic adsorption with a conjugated polymer, 1307–1316
- TMA. *See* Trimethylaluminum
- Toughening process, induction for CTBN modified epoxy resins by electron beam radiation, 641–653
- Transition metal catalysts, polymerization of 4-dimethylamino-*N*-propargylpyridinium bromide by, 401–413
- Triblock copolymers, of starburst oligoanilino[60]fullerene with poly(dimethylsiloxane), 1263–1273
- Trimethylaluminum (TMA), effects on ethylene-propylene copolymer using supported zirconocene catalysts, 181–192
- U**
- Uralkyd resin interpenetrating polymer networks, based on hydrogenated castor oil and poly(butyl acrylate), 1227–1240



## V

- Vinylamides, copolymerization with maleicamido saccharides, 21–35
- Vinylcyclopropane derivative liquid crystal, bearing cholesterol, synthesis and polymerization of, 107–113
- Vinyltoluene, as a functionality in synthesis and characterization of surface-enriched polymer-supported phase transfer catalyst, 525–546
- Viscosity, effect on electrospun fiber morphology, 1415–1422

## W

- Water sorption, in polyamide 6/poly(amino-ether) blends  
mechanical behavior, 705–714  
sorption characteristics and phase behavior, 557–569
- Water-soluble interpolymer complexes, formed by interaction of strong anionic and cationic polyelectrolytes, 449–460

## X

- X-ray analysis, of polyphenylisocyanate obtained by complex base catalyst, 239–250

