

Contents of Volume 159

Number 1, November 2002

REGULAR ARTICLES

- 1 ***T₁*-relaxation of ¹²⁹Xe on metal single crystal surfaces—multilayer experiments on iridium and monolayer considerations**
Dirk Stahl, Wolfgang Mannstadt, Peter Gerhard, Matthias Koch, and Heinz J. Jänsch
- 13 **PFG NMR measurements of flow through porous media: effects of spatial correlations of the magnetic field and the velocity field**
L. Lebon and J. Leblond
- 25 **Double-quantum solid-state NMR of ¹³C spin pairs coupled to ¹⁴N**
C.E. Hughes, R. Pratima, T. Karlsson, and M.H. Levitt
- 36 **Spectrally resolved velocity exchange spectroscopy of two-phase flow**
A.A. Khrapitchev, S. Han, S. Stapf, and B. Blümich
- 46 **Implementation of conditional phase-shift gate for quantum information processing by NMR, using transition-selective pulses**
Ranabir Das, T.S. Mahesh, and Anil Kumar
- 55 **Temperature accuracy and temperature gradients in solution-state NMR spectrometers**
Nikolaus M. Loening and James Keeler
- 62 **Spin interaction filter in solid-state NMR Imaging**
C. Casieri and F. De Luca
- 68 **Gradient echo imaging of flowing hyperpolarized nuclei: theory and phantom studies on ¹²⁹Xe dissolved in ethanol**
E. Johansson, J. Svensson, S. Mnsson, J.S. Petersson, L.E. Olsson, K. Golman, and F. Sthlberg
- 76 **A simple scheme for the design of solvent-suppression pulses**
Élise Prost, Philippe Sizun, Martial Piotto, and Jean-Marc Nuzillard

COMMUNICATIONS

- 82 **Capture and manipulation of magnetically aligned Pf1 with an aqueous polymer gel**
Scott A. Riley, Jason R. Giuliani, and Matthew P. Augustine
- 87 **A new contrast parameter for visualization of the cross-link density in rubber based on the dipolar-correlation effect**
F. Grinberg, M. Heidenreich, and W. Kuhn
- 92 **The evaluation of different MAS techniques at low spinning rates in aqueous samples and in the presence of magnetic susceptibility gradients**
Jian Zhi Hu and Robert A. Wind

Number 2, December 2002

REGULAR ARTICLES

- 101 **Application of REDOR subtraction for filtered MAS observation of labeled backbone carbons of membrane-bound fusion peptides**
Jun Yang, Paul D. Parkanzky, Michele L. Bodner, Craig A. Duskin, and David P. Weliky
- 111 **Investigating hyperpolarized ¹²⁹Xe and CPMAS for spin polarization transfer to surface nuclei: a model study**
Jay Smith, Kevin Knagge, Luis J. Smith, Ernesto MacNamara, and Daniel Rafty

- 126 Large angle jumps of small molecules in amorphous matrices analyzed by 2D exchange NMR**
P. Medick, M. Vogel, and E. Rössler
- 137 Magnesium chloride: an efficient ^{13}C NMR relaxation agent for amino acids and some carboxylic acids**
Jinping Tian, Yingwu Yin, Hongbing Sun, and Xiaofeng Luo
- 145 3D HSQC-HSQMBC—increasing the resolution of long-range proton–carbon correlation experiments**
Dušan Uhrín
- 151 Automated correction of unwanted phase jumps in reference signals which corrupt MRSI spectra after eddy current correction**
A.W. Simonetti, W.J. Melssen, M. van der Graaf, A. Heerschap, and L.M.C. Buydens
- 158 Device for aeration and mixing of cell and organelle suspensions during NMR experiments**
Roger M. Bourne and Philip W. Kuchel
- 161 An active resonator system for CW-ESR measurement operating at 700 MHz**
Toshiyuki Sato, Hidekatsu Yokoyama, Hiroaki Ohya, and Hitoshi Kamada
- 167 The effect of Hartmann–Hahn mismatching on polarization inversion spin exchange at the magic angle**
Riqiang Fu, Changlin Tian, Hyeongnam Kim, Scott A. Smith, and Timothy A. Cross
- 175 High capacity production of >65% spin polarized xenon-129 for NMR spectroscopy and imaging**
Anthony L. Zook, Bhavin B. Adhyaru, and Clifford R. Bowers
- 183 Euclidian distance-weighted smoothing for quantitative MRI: application to intervoxel anisotropy index mapping with DTI**
Jean-Marie Bonny and Jean-Pierre Renou
- 190 Inductive shielding of NMR phase noise**
E.E. Sigmund, V.F. Mitrović, E.S. Calder, G.W. Thomas, H.N. Bachman, W.P. Halperin, P.L. Kuhns, and A.P. Reyes
- 195 Electron spin–lattice relaxation in radicals containing two methyl groups, generated by γ -irradiation of polycrystalline solids**
James R. Harbridge, Sandra S. Eaton, and Gareth R. Eaton
- 207 RIDE'n RIPT—ring down elimination in rapid imaging pulse trains**
Klaus Woelk, Peter Trautner, Heiko G. Niessen, and Rex E. Gerald II
- 213 Quantification of B_0 homogeneity variation with head pitch by registered three-dimensional field mapping**
J. Michael Tyszka and Adam N. Mamelak
- 219 Reciprocity and sensitivity of opposed-solenoid endovascular MRI probes**
Denis Crottet, Reto Meuli, Stephan Wicky, and Jacques J. van der Klink
- 226 Radical anions of fullerene bisadducts: a multifrequency CW-EPR study**
Alfonso Zoleo, Anna Lisa Maniero, Marco Bellinazzi, Maurizio Prato, Tatiana Da Ros, Louis Claude Brunel, and Marina Brustolon
- 237 130 GHz ESEEM induced by electron–electron interaction in biradical**
L.V. Kulik, S.V. Paschenko, and S.A. Dzuba

COMMUNICATION

- 243 Enhanced spectral resolution in immobilized peptides and proteins by combining chemical shift sum and difference spectroscopy**
Sorin Luca and Marc Baldus

- 250 **AUTHOR INDEX FOR VOLUME 159**
- 251 **CUMULATIVE AUTHOR INDEX FOR 2002, VOLUMES 154–159**
- 255 **CUMULATIVE SUBJECT INDEX FOR 2002, VOLUMES 154–159**