ADVANCES IN MAGNETIC RESONANCE

1 Heteronuclear spin decoupling in solid-state NMR under magic-angle sample spinning Matthias Ernst

REGULAR ARTICLES

- 35 Stochastic excitation and Hadamard correlation spectroscopy with bandwidth extension in RF FT-EPR Randall H. Pursley, John Kakareka, Ghadi Salem, Nallathamby Devasahayam, Sankaran Subramanian, Rolf G. Tschudin, Murali C. Krishna, and Thomas J. Pohida
- 46 Phase-modulated heteronuclear decoupling in NMR of solids A.K. Khitrin, Toshimichi Fujiwara, and Hideo Akutsu
- 54 Band-selective recoupling of homonuclear double-quantum dipolar interaction with a generalized composite 0° pulse: application to ¹³C aliphatic region-selective magnetization transfer in solids Yoh Matsuki, Hideo Akutsu, and Toshimichi Fujiwara
- **Difference-NMR techniques for selection of components on the basis of relaxation times**Douglas J. Harris, Eduardo R. de Azevedo, and Tito J. Bonagamba
- 74 Progress on the two-dimensional filter diagonalization method. An efficient doubling scheme for two-dimensional constant-time NMR

Jianhan Chen, Anna A. De Angelis, Vladimir A. Mandelshtam, and A.J. Shaka

90 Carbon-13 lineshapes in solid-state NMR of labeled compounds. Effects of coherent CSA-dipolar cross-correlation

Luminita Duma, Sabine Hediger, Anne Lesage, Dimitris Sakellariou, and Lyndon Emsley

- 102 Complexation-induced chemical shifts—ab initio parameterization of transferable bond anisotropies Martin J. Packer, Cristiano Zonta, and Christopher A. Hunter
- Artifacts in $T_{1\rho}$ -weighted imaging: correction with a self-compensating spin-locking pulse Sridhar R. Charagundla, Arijitt Borthakur, John S. Leigh, and Ravinder Reddy
- In vivo NMR of hyperpolarized ³He in the human lung at very low magnetic fields
 Christopher P. Bidinosti, Jamal Choukeife, Pierre-Jean Nacher, and Geneviève Tastevin
- Spectral restoration from low signal-to-noise, distorted NMR signals: application to hyphenated capillary electrophoresis-NMR

Yu Li, Michael E. Lacey, Jonathan V. Sweedler, and Andrew G. Webb

- 141 Inverse methods in two-dimensional NMR spectral analysis
 - Jacco D. van Beek, Beat H. Meier, and Hartmut Schäfer
- 158 Frequency-domain Hadamard spectroscopy

 Ēriks Kupče and Ray Freeman
- Anisotropy of collagen fiber orientation in sheep tendon by ¹H double-quantum-filtered NMR signals R. Fechete, D.E. Demco, B. Blümich, U. Eliav, and G. Navon

Continued

Abstracting and indexing coverage for the *Journal of Magnetic Resonance* includes Adonis UK, Chemical Abstracts, INSPEC UK, ISI's Science Citation Index, and Index Medicus (MEDLINE)

176 A statistical analysis of NMR spectrometer noise

Halfdan Grage and Mikael Akke

189 An NMR technique for measurement of magnetic field gradient waveforms

Vladimír Jellúš, Jonathan C. Sharp, Boguslaw Tomanek, and Peter Latta

198 Self- and mutual-diffusion coefficients measurements by ³¹P NMR 1D profiling and PFG-SE in dextran gels

Sungjong Kwak, Minh Tan Phan Viet, and Michel Lafleur

The DIVAM sequence: selective excitation of signals from both rigid and mobile domains in a fluoropolymer

Paul Hazendonk, Robin K. Harris, Shinji Ando, and Paolo Avalle

217 Recoupled long-range C-H dipolar dephasing in solid-state NMR, and its use for spectral selection of fused aromatic rings

J.-D. Mao and K. Schmidt-Rohr