

REGULAR ARTICLES

- 185 Definition of displacement probability and diffusion time in *q*-space magnetic resonance measurements that use finite-duration diffusion-encoding gradients**
Nicolas F. Lori, Thomas E. Conturo, and Denis Le Bihan
- 196 Actively shielded multi-layer gradient coil designs with improved cooling properties**
J. Leggett, S. Crozier, and R.W. Bowtell
- 208 Fast-MAS total through-bond correlation spectroscopy using adiabatic pulses**
Edme H. Hardy, Andreas Detken, and Beat H. Meier
- 219 Centric scan SPRITE magnetic resonance imaging**
Meghan Halse, David J. Goodyear, Bryce MacMillan, Pavol Szomolanyi, David Matheson, and Bruce J. Balcom
- 230 Compensating for pulse imperfections in REDOR**
Thomas K. Weldeghiorghis and Jacob Schaefer
- 237 NMR assignment of protein side chains using residue-correlated labeling and NOE spectra**
Geoffrey A. Mueller, Thomas W. Kirby, Eugene F. DeRose, and Robert E. London
- 248 A high sensitivity 3D experiment for measuring C_α-H_α residual dipolar coupling constants**
Weidong Hu, Ziming Zhang, and Yuan Chen
- 253 Compensation of refocusing inefficiency with synchronized inversion sweep (CRISIS) in multiplicity-edited HSQC**
Robert D. Boyer, Ross Johnson, and Krish Krishnamurthy
- 260 Probing magnetic fields on crystals of the nanomagnet Mn₁₂-acetate by electron paramagnetic resonance**
B. Rakvin, D. Žilić, J.M. North, and N.S. Dalal
- 265 Determination of water self-diffusion coefficient in complex food products by low field ¹H PFG-NMR: comparison between the standard spin-echo sequence and the T₁-weighted spin-echo sequence**
Angélique Métais and François Mariette
- 276 A new method for suppressing the central transition in I=3/2 NMR spectra with a demonstration for ²³Na in bovine articular cartilage**
Uzi Eliav, Keren Keinan-Adamsky, and Gil Navon
- 282 ²H chemical shift anisotropies from high-field ²H MAS NMR spectroscopy**
Anne Hauch, Henrik Bildsøe, Hans J. Jakobsen, and Jørgen Skibsted
- 293 Triple quantum nutation in the two-level NMR system in the rotating frame**
Hiroshi Hatanaka, Manabu Sugiyama, and Noriyuki Tabuchi

Continued

Abstracting and indexing coverage for the *Journal of Magnetic Resonance* includes Adonis UK, Chemical Abstracts, INSPEC UK, ISI's Science Citation Index, and Index Medicus (MEDLINE)

Communications

- 303 **Detection of natural abundance ^1H - ^{13}C correlations of cholesterol in its membrane environment using a gradient enhanced HSQC experiment under high resolution magic angle spinning**
O. Soubias, M. Piotto, O. Saurel, O. Assemat, V. Réat, and A. Milon
- 309 **Isolating quantum coherences in structural imaging using intermolecular double-quantum coherence MRI**
Chih-Liang Chin, Xiaoping Tang, Louis-S. Bouchard, Punam K. Saha, Warren S. Warren, and Felix W. Wehrli
- 315 **High-throughput backbone resonance assignment of small ^{13}C , ^{15}N -labeled proteins by a triple-resonance experiment with four sequential connectivity pathways using chemical shift-dependent, apparent $^1\text{J}(\text{H}, \text{C})$: HNCACB^{coded}HAHB**
Scott Pegan, Witek Kwiatkowski, Senyon Choe, and Roland Riek
- 320 **Arrayed acquisition of 2D exchange NMR spectra within a single scan experiment**
Boaz Shapira and Lucio Frydman
- 325 **AUTHOR INDEX FOR VOLUME 165**
- 326 **CUMULATIVE AUTHOR INDEX FOR 2003, VOLUMES, 160–165**
- 331 **CUMULATIVE SUBJECT INDEX FOR 2003, VOLUMES, 160–165**