

Erratum to: Biom mineralization capability of adherent bio-glass films prepared by magnetron sputtering

G. E. Stan · S. Pina · D. U. Tulyaganov ·
J. M. F. Ferreira · I. Pasuk · C. O. Morosanu

Published online: 12 March 2010
© Springer Science+Business Media, LLC 2010

Erratum to: J Mater Sci: Mater Med DOI 10.1007/s10856-009-3940-9

The authors regret that during the publication of the above paper there was an error in Table 2 (column 3, row 2): 20.6 should read 30.6.

Please find the updated table reproduced below (Table 2).

Table 2 EDS chemical composition in at% calculated for the as deposited BG films

Element	BG2	BG4	BG5
Si	30.2	30.6	31.2
Ca	32	19.8	26.5
P	2.6	2.8	3.9
Na	16.2	26.9	20.6
Mg	19	19.9	17.8

C. O. Morosanu: Deceased.

The online version of the original article can be found under doi:[10.1007/s10856-009-3940-9](https://doi.org/10.1007/s10856-009-3940-9).

G. E. Stan (✉) · I. Pasuk · C. O. Morosanu
National Institute of Materials Physics, P.O. Box MG-7,
Bucharest-Magurele, Ilfov 077125, Romania
e-mail: george_stan@infim.ro

S. Pina · D. U. Tulyaganov · J. M. F. Ferreira
Department of Ceramics and Glass Engineering, CICECO,
University of Aveiro, Aveiro, Portugal