

CONTENTS BY KEYWORD

Catalysts	Hydrothermal preparation of mesoporous TiO ₂ powder from Ti(SO ₄) ₂ with poly(ethylene glycol) as template R. Tan <i>et al.</i>	3973
Ceramics	The surface characteristics of polyacrylamide-coated silicon carbide powder used in the preparation of highly concentrated ceramics suspensions M. Wei <i>et al.</i>	4033
Coatings	The surface characteristics of polyacrylamide-coated silicon carbide powder used in the preparation of highly concentrated ceramics suspensions M. Wei <i>et al.</i>	4033
Composite materials	Wetting of silicon carbide by copper alloys V. Martínez <i>et al.</i>	4047
Electrical properties	Dielectric properties of nanostructured nickel oxide V. Biju <i>et al.</i>	4055
Interfaces	Preparation and characterization of chloroindium phthalocyanine nanoparticles from complexation-mediated solubilization J. Ye <i>et al.</i>	4021
	Wetting of silicon carbide by copper alloys V. Martínez <i>et al.</i>	4047
Nanocomposites	Dielectric properties of nanostructured nickel oxide V. Biju <i>et al.</i>	4055
Nanomaterials	Hydrothermal preparation of mesoporous TiO ₂ powder from Ti(SO ₄) ₂ with poly(ethylene glycol) as template R. Tan <i>et al.</i>	3973
	Preparation and characterization of chloroindium phthalocyanine nanoparticles from complexation-mediated solubilization J. Ye <i>et al.</i>	4021
Porosity	Hydrothermal preparation of mesoporous TiO ₂ powder from Ti(SO ₄) ₂ with poly(ethylene glycol) as template R. Tan <i>et al.</i>	3973
Semiconductors	Preparation and characterization of chloroindium phthalocyanine nanoparticles from complexation-mediated solubilization J. Ye <i>et al.</i>	4021
Surface	The surface characteristics of polyacrylamide-coated silicon carbide powder used in the preparation of highly concentrated ceramics suspensions M. Wei <i>et al.</i>	4033