

# CONTENTS BY KEYWORD

<b>Adhesion</b>	Tension-driven cracking of an expanded austenite layer . . . . .	B. A. Latella <i>et al.</i>	<b>4321</b>
<b>Annealing</b>	Effects of external electric field on recrystallization texture and microstructure of 08Al killed steel sheet . . . . .	Z. C. Hu <i>et al.</i>	<b>4231</b>
<b>Biomaterials</b>	Effect of substrate oxidation on improving the quality of hydroxyapatite coating on CoNiCrMo . . . . .	T. Wang <i>et al.</i>	<b>4309</b>
<b>Casting</b>	Effects of organic additives and glass on the properties of AlN/glass tape-casting slurries and green tapes . . . . .	X.-J. Luo <i>et al.</i>	<b>4387</b>
<b>Catalysts</b>	Synthesis of nanotube from a layered $H_2Ti_4O_9 \cdot H_2O$ in a hydrothermal treatment using various titania sources . . . . .	A. Nakahira <i>et al.</i>	<b>4239</b>
<b>Ceramics</b>	Formation of intergranular amorphous films during the microstructural development of liquid phase sintered silicon carbide ceramics . . . . .	E. Volz <i>et al.</i>	<b>4095</b>
	Salt diffusion in brick structures Part II <i>The effect of temperature, concentration and salt</i> . . . . .	J. Ahl	<b>4247</b>
	A new way of synthesis of non-linear optical potassium niobate powder . . . . .	H. Zhou <i>et al.</i>	<b>4359</b>
	Preparation of porous alumina using CO <sub>2</sub> laser firing of amorphous powder synthesized by chemical solution deposition . . . . .	S. Ono <i>et al.</i>	<b>4367</b>
	Laser-shock compression of an yttria-doped tetragonal zirconia studied by Raman spectroscopy . . . . .	Y. Igarashi <i>et al.</i>	<b>4371</b>
<b>Characterization methods</b>	Metallurgical and acoustical comparisons for a brass pan with a Caribbean steel pan standard . . . . .	L. E. Murr <i>et al.</i>	<b>4139</b>
	A rapid method for low-temperature synthesis of the Na analogue of the microporous titanosilicate GTS-1 . . . . .	S. Ferdov <i>et al.</i>	<b>4343</b>
	Structural refinement of nano BaTiO <sub>3</sub> powder using X-ray diffraction data . . . . .	Y.-I. Kim <i>et al.</i>	<b>4363</b>
<b>Coatings</b>	Effect of substrate oxidation on improving the quality of hydroxyapatite coating on CoNiCrMo . . . . .	T. Wang <i>et al.</i>	<b>4309</b>
<b>Composite materials</b>	Tensile fracture of surface-damaged composite laminates . . . . .	D.-H. Choi <i>et al.</i>	<b>4339</b>
<b>Computer simulations</b>	Use of numerical approaches to predict mechanical properties of brittle bodies containing controlled porosity . . . . .	V. Cannillo <i>et al.</i>	<b>4335</b>
<b>Corrosion and oxidation</b>	Corrosion of intermetallic compound Fe40Al in molten LiCl and LiCl-Li <sub>2</sub> O . . . . .	R. Y. Liu <i>et al.</i>	<b>4383</b>
	Microstructure and mechanical properties of dual-phase weathering steel 09CuPTiRe . . . . .	Z. Chunling <i>et al.</i>	<b>4393</b>
<b>Crystallization</b>	A rapid method for low-temperature synthesis of the Na analogue of the microporous titanosilicate GTS-1 . . . . .	S. Ferdov <i>et al.</i>	<b>4343</b>
<b>Crystallographic texture</b>	Effects of external electric field on recrystallization texture and microstructure of 08Al killed steel sheet . . . . .	Z. C. Hu <i>et al.</i>	<b>4231</b>
	Preferred orientations of NiO thin films prepared by RF magnetron sputtering . . . . .	H. W. Ryu <i>et al.</i>	<b>4375</b>
<b>Defects</b>	Tensile fracture of surface-damaged composite laminates . . . . .	D.-H. Choi <i>et al.</i>	<b>4339</b>
<b>Deformation and fracture</b>	Metallurgical and acoustical comparisons for a brass pan with a Caribbean steel pan standard . . . . .	L. E. Murr <i>et al.</i>	<b>4139</b>
	Tension-driven cracking of an expanded austenite layer . . . . .	B. A. Latella <i>et al.</i>	<b>4321</b>
<b>Deposition techniques</b>	Electrodeposited ruthenium oxide (RuO <sub>2</sub> ) films for electrochemical supercapacitors . . . . .	B.-O. Park <i>et al.</i>	<b>4313</b>
	Preferred orientations of NiO thin films prepared by RF magnetron sputtering . . . . .	H. W. Ryu <i>et al.</i>	<b>4375</b>
<b>Diffusion</b>	Transient nucleation of cavities under coupled lattice and boundary diffusion . . . . .	C. M. Kenefick	<b>4107</b>
	Effect of isothermal aging on intermetallic compound layer growth at the interface between Sn-3.5Ag-0.75Cu solder and Cu substrate . . . . .	J.-W. Yoon <i>et al.</i>	<b>4211</b>
	Salt diffusion in brick structures Part II <i>The effect of temperature, concentration and salt</i> . . . . .	J. Ahl	<b>4247</b>
<b>Electrical properties</b>	Electrodeposited ruthenium oxide (RuO <sub>2</sub> ) films for electrochemical supercapacitors . . . . .	B.-O. Park <i>et al.</i>	<b>4313</b>
	Mixed alkali effect in polaronic conducting iron borate glasses . . . . .	E. Mansour <i>et al.</i>	<b>4325</b>
<b>Electrochemistry</b>	Brush plated CdSe films on high temperature substrates . . . . .	K. R. Murali <i>et al.</i>	<b>4345</b>
<b>Electronic materials</b>	Effects of organic additives and glass on the properties of AlN/glass tape-casting slurries and green tapes . . . . .	X.-J. Luo <i>et al.</i>	<b>4387</b>

(Continued)

<b>Ferroelectrics</b>	Structural refinement of nano BaTiO <sub>3</sub> powder using X-ray diffraction data . . . . . Y.-I. Kim <i>et al.</i>	<b>4363</b>
<b>Fracture</b>	Tensile fracture of surface-damaged composite laminates . . . . . D.-H. Choi <i>et al.</i>	<b>4339</b>
<b>Functionally graded materials</b>	Formation mechanism of cobalt-gradient structure in WC-Co hard alloy . . . . . Y. Liu <i>et al.</i>	<b>4397</b>
<b>Glasses</b>	Mixed alkali effect in polaronic conducting iron borate glasses . . . . . E. Mansour <i>et al.</i>	<b>4325</b>
<b>Hardness</b>	Synthesis by ball milling and characterization of Al-Zn alloys . . . . . M. Iqbal <i>et al.</i>	<b>4255</b>
<b>Heat treatment</b>	Microstructure and mechanical properties of dual-phase weathering steel 09CuPTiRe . . . . . Z. Chunling <i>et al.</i>	<b>4393</b>
	Formation mechanism of cobalt-gradient structure in WC-Co hard alloy . . . . . Y. Liu <i>et al.</i>	<b>4397</b>
<b>Hydrolysis</b>	Synthesis of nanotube from a layered H <sub>2</sub> Ti <sub>4</sub> O <sub>9</sub> · H <sub>2</sub> O in a hydrothermal treatment using various titania sources . . . . . A. Nakahira <i>et al.</i>	<b>4239</b>
	A new way of synthesis of non-linear optical potassium niobate powder . . . . . H. Zhou <i>et al.</i>	<b>4359</b>
<b>Intermetallic alloys and compounds</b>	Effect of isothermal aging on intermetallic compound layer growth at the interface between Sn-3.5Ag-0.75Cu solder and Cu substrate . . . . . J.-W. Yoon <i>et al.</i>	<b>4211</b>
	Corrosion of intermetallic compound Fe40Al in molten LiCl and LiCl-Li <sub>2</sub> O . . . . . R. Y. Liu <i>et al.</i>	<b>4383</b>
	Phase transformation behavior of Ti-rich NiTi alloy by a calorimetric method . . . . . T. Kurita <i>et al.</i>	<b>4391</b>
<b>Kinetics</b>	Transient nucleation of cavities under coupled lattice and boundary diffusion . . . . . C. M. Kennefick	<b>4107</b>
	Effect of isothermal aging on intermetallic compound layer growth at the interface between Sn-3.5Ag-0.75Cu solder and Cu substrate . . . . . J.-W. Yoon <i>et al.</i>	<b>4211</b>
	Corrosion of intermetallic compound Fe40Al in molten LiCl and LiCl-Li <sub>2</sub> O . . . . . R. Y. Liu <i>et al.</i>	<b>4383</b>
<b>Laser processing</b>	Preparation of porous alumina using CO <sub>2</sub> laser firing of amorphous powder synthesized by chemical solution deposition . . . . . S. Ono <i>et al.</i>	<b>4367</b>
	Laser-shock compression of an yttria-doped tetragonal zirconia studied by Raman spectroscopy . . . . . Y. Igarashi <i>et al.</i>	<b>4371</b>
<b>Mechanical properties</b>	Study on the structure and properties of EVA/clay nanocomposites . . . . . Y. Tian <i>et al.</i>	<b>4301</b>
	Tension-driven cracking of an expanded austenite layer . . . . . B. A. Latella <i>et al.</i>	<b>4321</b>
	Use of numerical approaches to predict mechanical properties of brittle bodies containing controlled porosity . . . . . V. Cannillo <i>et al.</i>	<b>4335</b>
	Dependence of frequency on Young's modulus and internal friction in Sn-9Zn and Sn-3.5Ag eutectic lead-free solders . . . . . T. Ohoka <i>et al.</i>	<b>4379</b>
	Microstructure and mechanical properties of dual-phase weathering steel 09CuPTiRe . . . . . Z. Chunling <i>et al.</i>	<b>4393</b>
<b>Metals and alloys</b>	Effects of external electric field on recrystallization texture and microstructure of 08Al killed steel sheet . . . . . Z. C. Hu <i>et al.</i>	<b>4231</b>
<b>Microstructure</b>	Formation of intergranular amorphous films during the microstructural development of liquid phase sintered silicon carbide ceramics . . . . . E. Volz <i>et al.</i>	<b>4095</b>
	Metallurgical and acoustical comparisons for a brass pan with a Caribbean steel pan standard . . . . . L. E. Murr <i>et al.</i>	<b>4139</b>
	Synthesis of nanotube from a layered H <sub>2</sub> Ti <sub>4</sub> O <sub>9</sub> · H <sub>2</sub> O in a hydrothermal treatment using various titania sources . . . . . A. Nakahira <i>et al.</i>	<b>4239</b>
	Formation mechanism of cobalt-gradient structure in WC-Co hard alloy . . . . . Y. Liu <i>et al.</i>	<b>4397</b>
<b>Modelling</b>	Transient nucleation of cavities under coupled lattice and boundary diffusion . . . . . C. M. Kennefick	<b>4107</b>
<b>Multilayer structure</b>	Synthesis by ball milling and characterization of Al-Zn alloys . . . . . M. Iqbal <i>et al.</i>	<b>4255</b>
<b>Nanocomposites</b>	Study on the structure and properties of EVA/clay nanocomposites . . . . . Y. Tian <i>et al.</i>	<b>4301</b>
<b>Nanomaterials</b>	Aggregation behaviors of AB-type brush- <i>block</i> -brush amphiphilic copolymers in aqueous media . . . . . K. Ishizu <i>et al.</i>	<b>4295</b>
	A rapid method for low-temperature synthesis of the Na analogue of the microporous titanosilicate GTS-1 . . . . . S. Ferdov <i>et al.</i>	<b>4343</b>
	Architecture of shell-crosslinked polymer nanoparticles via a living radical mechanism and modification to hollow nanocapsules . . . . . K. Ishizu <i>et al.</i>	<b>4353</b>
<b>Non-destructive testing</b>	Dependence of frequency on Young's modulus and internal friction in Sn-9Zn and Sn-3.5Ag eutectic lead-free solders . . . . . T. Ohoka <i>et al.</i>	<b>4379</b>
<b>Non-linear</b>	A new way of synthesis of non-linear optical potassium niobate powder . . . . . H. Zhou <i>et al.</i>	<b>4359</b>
<b>Phase transformations</b>	Laser-shock compression of an yttria-doped tetragonal zirconia studied by Raman spectroscopy . . . . . Y. Igarashi <i>et al.</i>	<b>4371</b>
	Phase transformation behavior of Ti-rich NiTi alloy by a calorimetric method . . . . . T. Kurita <i>et al.</i>	<b>4391</b>
<b>Photoreactive materials</b>	Synthesis of nanotube from a layered H <sub>2</sub> Ti <sub>4</sub> O <sub>9</sub> · H <sub>2</sub> O in a hydrothermal treatment using various titania sources . . . . . A. Nakahira <i>et al.</i>	<b>4239</b>

(Continued)

<b>Polymers</b>	Aggregation behaviors of AB-type brush- <i>block</i> -brush amphiphilic copolymers in aqueous media . . . . . K. Ishizu <i>et al.</i>	4295
	Study on the structure and properties of EVA/clay nanocomposites . . . . . Y. Tian <i>et al.</i>	4301
	Architecture of shell-crosslinked polymer nanoparticles via a living radical mechanism and modification to hollow nanocapsules . . . . . K. Ishizu <i>et al.</i>	4353
<b>Porosity</b>	Salt diffusion in brick structures Part II <i>The effect of temperature, concentration and salt</i> . . . . . J. Ahl	4247
	Use of numerical approaches to predict mechanical properties of brittle bodies containing controlled porosity . . . . . V. Cannillo <i>et al.</i>	4335
<b>Semiconductors</b>	Brush plated CdSe films on high temperature substrates . . . . . K. R. Murali <i>et al.</i>	4345
<b>Sintering</b>	Formation of intergranular amorphous films during the microstructural development of liquid phase sintered silicon carbide ceramics . . . . . E. Volz <i>et al.</i>	4095
<b>Smart materials</b>	Architecture of shell-crosslinked polymer nanoparticles via a living radical mechanism and modification to hollow nanocapsules . . . . . K. Ishizu <i>et al.</i>	4353
<b>Sputter deposition</b>	Preferred orientations of NiO thin films prepared by RF magnetron sputtering . . . . . H. W. Ryu <i>et al.</i>	4375
<b>Surfaces</b>	Effect of substrate oxidation on improving the quality of hydroxyapatite coating on CoNiCrMo . . . . . T. Wang <i>et al.</i>	4309
<b>Thermal properties</b>	Preparation of porous alumina using CO <sub>2</sub> laser firing of amorphous powder synthesized by chemical solution deposition . . . . . S. Ono <i>et al.</i>	4367
	Phase transformation behavior of Ti-rich NiTi alloy by a calorimetric method . . . . . T. Kurita <i>et al.</i>	4391
<b>Thin and thick film coatings</b>	Electrodeposited ruthenium oxide (RuO <sub>2</sub> ) films for electrochemical supercapacitors . . . . . B.-O. Park <i>et al.</i>	4313
	Brush plated CdSe films on high temperature substrates . . . . . K. R. Murali <i>et al.</i>	4345
	Preferred orientations of NiO thin films prepared by RF magnetron sputtering . . . . . H. W. Ryu <i>et al.</i>	4375
<b>Viscosity</b>	Effects of organic additives and glass on the properties of AlN/glass tape-casting slurries and green tapes . . . . . X.-J. Luo <i>et al.</i>	4387
<b>X-ray techniques</b>	Synthesis by ball milling and characterization of Al-Zn alloys . . . . . M. Iqbal <i>et al.</i>	4255