

# CONTENTS BY KEYWORD

<b>Adhesion</b>	Tensile behavior of polyethylene fiber composites with polyethylene fiber surface-modified using ion irradiation . . . . . K. Y. Rhee <i>et al.</i>	<b>1809</b>
<b>Adsorption</b>	Characterization of synthetic imogolite nanotubes as gas storage . . . . . F. Ohashi <i>et al.</i>	<b>1799</b>
<b>Annealing</b>	Microstructure gradient in 60Sn40Pb solder joints annealed under an external electric field . . . . . K. Jung <i>et al.</i>	<b>1803</b>
	Fabrication and characterization of C-doped anatase TiO <sub>2</sub> photocatalysts . . . . . Y. Choi <i>et al.</i>	<b>1837</b>
<b>Biomaterials</b>	Surface morphological properties of sol-gel derived SiO <sub>2</sub> fiber . . . . . K.-S. Hwang <i>et al.</i>	<b>1683</b>
	Spontaneous calcification of acrylic hydrogels in abiotic calcifying media and the relevance of ionic solute effects . . . . . T. V. Chirila <i>et al.</i>	<b>1861</b>
	Production of thin film silicon-doped hydroxyapatite via sputter deposition . . . . . A. E. Porter <i>et al.</i>	<b>1895</b>
<b>Blends</b>	Spinning of the solutions of poly(vinyl alcohol)/NaCl/H <sub>2</sub> O systems and their fiber properties . . . . . K. Yamaura <i>et al.</i>	<b>1609</b>
	Percolation threshold and morphology of composites of conducting carbon black/polypropylene/EVA . . . . . Q.-H. Zhang <i>et al.</i>	<b>1751</b>
<b>Casting</b>	Hydrogen gas pick-up mechanism of Al-alloy melt during Lost Foam Casting . . . . . S. R. Shin <i>et al.</i>	<b>1563</b>
	Bubble-free electrophoretic deposition of aqueous zirconia suspensions with hydroquinone . . . . . O. Sakurada <i>et al.</i>	<b>1845</b>
<b>Catalysts</b>	Fabrication and characterization of C-doped anatase TiO <sub>2</sub> photocatalysts . . . . . Y. Choi <i>et al.</i>	<b>1837</b>
	Preparation of photoactive anatase-type TiO <sub>2</sub> /silica gel by direct loading anatase-type TiO <sub>2</sub> nanoparticles in acidic aqueous solutions by thermal hydrolysis . . . . . M. Hirano <i>et al.</i>	<b>1841</b>
	Synthesis and characterization of mesoporous iron-doped TiO <sub>2</sub> . . . . . C. Wang <i>et al.</i>	<b>1899</b>
<b>Ceramics</b>	Interpretation of failure under cyclic contact loading . . . . . T. Fett	<b>1795</b>
	Shear strength of ceramics . . . . . X. Wang <i>et al.</i>	<b>1891</b>
	Structural and dielectric properties of Ba <sub>6</sub> M <sub>0.67</sub> Nb <sub>9.33</sub> O <sub>30</sub> (M = Zn and Ni) ceramics . . . . . L. Fang <i>et al.</i>	<b>1903</b>
	Synthesis of TiC <sub>1-x</sub> N <sub>x</sub> and TaC <sub>1-x</sub> N <sub>x</sub> by spark plasma sintering . . . . . S. Urbonaite <i>et al.</i>	<b>1907</b>
<b>Chemical vapour deposition</b>	Pore-filled palladium-glass composite membranes for hydrogen separation by novel electroless plating technique . . . . . K. Kuraoka <i>et al.</i>	<b>1879</b>
<b>Coatings</b>	Evaluation of thermal conductivity of zirconia coating layers deposited by EB-PVD . . . . . B. K. Jang <i>et al.</i>	<b>1823</b>
<b>Composite materials</b>	Suppression of active-oxidation of Si-C fibers (Hi-Nicalon) under reduced pressure by carbon or silica coating . . . . . T. Shimoo <i>et al.</i>	<b>1547</b>
	Creep properties of a fiber-reinforced magnesium alloy . . . . . V. Sklenička <i>et al.</i>	<b>1647</b>
	Percolation threshold and morphology of composites of conducting carbon black/polypropylene/EVA . . . . . Q.-H. Zhang <i>et al.</i>	<b>1751</b>
	Aging behavior and precipitation kinetics of SiCp/6061Al composites . . . . . Z. Min <i>et al.</i>	<b>1759</b>
	Tensile behavior of polyethylene fiber composites with polyethylene fiber surface-modified using ion irradiation . . . . . K. Y. Rhee <i>et al.</i>	<b>1809</b>
	Corrosion behavior of sintered oxide dispersion strengthened stainless steels . . . . . J. Shankar <i>et al.</i>	<b>1815</b>
	Pore-filled palladium-glass composite membranes for hydrogen separation by novel electroless plating technique . . . . . K. Kuraoka <i>et al.</i>	<b>1879</b>
<b>Corrosion and oxidation</b>	Suppression of active-oxidation of Si-C fibers (Hi-Nicalon) under reduced pressure by carbon or silica coating . . . . . T. Shimoo <i>et al.</i>	<b>1547</b>
	Corrosion behavior of sintered oxide dispersion strengthened stainless steels . . . . . J. Shankar <i>et al.</i>	<b>1815</b>
<b>Crystal growth</b>	Formation process of Na-X zeolites from coal fly ash . . . . . H. Tanaka <i>et al.</i>	<b>1677</b>
	TEM observations of microscopic inclusions in synthetic diamond . . . . . F. Langenhorst <i>et al.</i>	<b>1865</b>
	Effects of the initial melt undercooling on solid-state recrystallization and grain growth processes in as-solidified superalloy . . . . . F. Liu <i>et al.</i>	<b>1871</b>
<b>Crystallization</b>	Formation process of Na-X zeolites from coal fly ash . . . . . H. Tanaka <i>et al.</i>	<b>1677</b>
	Spherulitic growth of single (Gd & Pr) and mixed (Di) rare earth heptamolybdates in silica gels . . . . . V. Hangloo <i>et al.</i>	<b>1743</b>
	Spontaneous calcification of acrylic hydrogels in abiotic calcifying media and the relevance of ionic solute effects . . . . . T. V. Chirila <i>et al.</i>	<b>1861</b>
<b>Curing</b>	Degree of cure and tensile properties of vinyl ester resin cured with ultraviolet light . . . . . A. Cvetanovska <i>et al.</i>	<b>1791</b>
<b>Defects</b>	Spherulitic growth of single (Gd & Pr) and mixed (Di) rare earth heptamolybdates in silica gels . . . . . V. Hangloo <i>et al.</i>	<b>1743</b>
	X-ray diffraction analysis of the defect structure in Al <sub>1-x</sub> Ga <sub>1-x</sub> N films grown by metalorganic chemical vapor deposition . . . . . Y. S. Park <i>et al.</i>	<b>1853</b>
	TEM observations of microscopic inclusions in synthetic diamond . . . . . F. Langenhorst <i>et al.</i>	<b>1865</b>

(Continued)

<b>Deformation and fracture</b>	Creep properties of a fiber-reinforced magnesium alloy . . . . .	V. Sklenička <i>et al.</i>	1647
	Shear strength of ceramics . . . . .	X. Wang <i>et al.</i>	1891
<b>Deposition techniques</b>	Preparation of photoactive anatase-type TiO <sub>2</sub> /silica gel by direct loading anatase-type TiO <sub>2</sub> nanoparticles in acidic aqueous solutions by thermal hydrolysis . . . . .	M. Hirano <i>et al.</i>	1841
	Bubble-free electrophoretic deposition of aqueous zirconia suspensions with hydroquinone . . . . .	O. Sakurada <i>et al.</i>	1845
<b>Diffusion</b>	Characteristics of solid-phase diffused ultra-shallow junction using phosphorus doped silicon oxide films for fabrication of sub-100 nm SOI MOSFET . . . . .	W.-J. Cho <i>et al.</i>	1819
<b>Electrical properties</b>	Percolation threshold and morphology of composites of conducting carbon black/polypropylene/EVA . . . . .	Q.-H. Zhang <i>et al.</i>	1751
	Characterization and electrical properties of sol-gel synthesized (Sr, Pb)TiO <sub>3</sub> powders . . .	J. Zhao <i>et al.</i>	1785
	Microstructures and positive temperature coefficient resistivity (PTCR) characteristics of high silicon addition barium-strontium titanate ceramics . . . . .	P. Bomlai <i>et al.</i>	1831
	Synthesis and electrorheology of aniline/pyrrole copolymer . . . . .	C. H. Cho <i>et al.</i>	1883
	Structural and dielectric properties of Ba <sub>6</sub> M <sub>0.67</sub> Nb <sub>9.33</sub> O <sub>30</sub> ( <i>M</i> = Zn and Ni) ceramics . . . . .	L. Fang <i>et al.</i>	1903
<b>Electron beam techniques</b>	Evaluation of thermal conductivity of zirconia coating layers deposited by EB-PVD . . . . .	B. K. Jang <i>et al.</i>	1823
<b>Fatigue</b>	Interpretation of failure under cyclic contact loading . . . . .	T. Fett	1795
<b>Ferroelectrics</b>	Structural modification of electron-irradiated poly (vinylidene fluoride-trifluoroethylene) copolymer . . . . .	W. P. Li <i>et al.</i>	1827
	Microstructures and positive temperature coefficient resistivity (PTCR) characteristics of high silicon addition barium-strontium titanate ceramics . . . . .	P. Bomlai <i>et al.</i>	1831
<b>Fiber technologies</b>	Suppression of active-oxidation of Si-C fibers (Hi-Nicalon) under reduced pressure by carbon or silica coating . . . . .	T. Shimoo <i>et al.</i>	1547
	Spinning of the solutions of poly(vinyl alcohol)/NaCl/H <sub>2</sub> O systems and their fiber properties . . . . .	K. Yamaura <i>et al.</i>	1609
	Surface morphological properties of sol-gel derived SiO <sub>2</sub> fiber . . . . .	K.-S. Hwang <i>et al.</i>	1683
<b>Fracture</b>	The toughness of free-standing CVD diamond . . . . .	A. R. Davies <i>et al.</i>	1571
	Microcapsule induced toughening in a self-healing polymer composite . . . . .	E. N. Brown <i>et al.</i>	1703
	Interpretation of failure under cyclic contact loading . . . . .	T. Fett	1795
<b>Glasses</b>	Pore-filled palladium-glass composite membranes for hydrogen separation by novel electroless plating technique . . . . .	K. Kuraoka <i>et al.</i>	1879
<b>Grain boundaries</b>	Effects of the initial melt undercooling on solid-state recrystallization and grain growth processes in as-solidified superalloy . . . . .	F. Liu <i>et al.</i>	1871
<b>Hydrolysis</b>	Preparation of photoactive anatase-type TiO <sub>2</sub> /silica gel by direct loading anatase-type TiO <sub>2</sub> nanoparticles in acidic aqueous solutions by thermal hydrolysis . . . . .	M. Hirano <i>et al.</i>	1841
<b>Infrared spectroscopy</b>	Structural modification of electron-irradiated poly (vinylidene fluoride-trifluoroethylene) copolymer . . . . .	W. P. Li <i>et al.</i>	1827
<b>Ion beam techniques</b>	Tensile behavior of polyethylene fiber composites with polyethylene fiber surface-modified using ion irradiation . . . . .	K. Y. Rhee <i>et al.</i>	1809
<b>Irradiation</b>	Structural modification of electron-irradiated poly (vinylidene fluoride-trifluoroethylene) copolymer . . . . .	W. P. Li <i>et al.</i>	1827
<b>Kinetics</b>	An analytical model for isothermal and isochronal transformation kinetics . . . . .	F. Liu <i>et al.</i>	1621
	Microstructure gradient in 60Sn40Pb solder joints annealed under an external electric field . . . . .	K. Jung <i>et al.</i>	1803
<b>Macro defects</b>	Hydrogen gas pick-up mechanism of Al-alloy melt during Lost Foam Casting . . . . .	S. R. Shin <i>et al.</i>	1563
<b>Mechanical properties</b>	The toughness of free-standing CVD diamond . . . . .	A. R. Davies <i>et al.</i>	1571
	Spinning of the solutions of poly(vinyl alcohol)/NaCl/H <sub>2</sub> O systems and their fiber properties . . . . .	K. Yamaura <i>et al.</i>	1609
	Study of friction stir welding of aluminum . . . . .	W. Deqing <i>et al.</i>	1689
	Degree of cure and tensile properties of vinyl ester resin cured with ultraviolet light . . . . .	A. Cvetanovska <i>et al.</i>	1791
	Ductility of hypo-eutectoid steels with ferrite-pearlite structures . . . . .	H.-J. Sim <i>et al.</i>	1849
	Shear strength of ceramics . . . . .	X. Wang <i>et al.</i>	1891
<b>Metals and alloys</b>	Study of friction stir welding of aluminum . . . . .	W. Deqing <i>et al.</i>	1689
	Effects of the initial melt undercooling on solid-state recrystallization and grain growth processes in as-solidified superalloy . . . . .	F. Liu <i>et al.</i>	1871

(Continued)

<b>Microstructure</b>	Microcapsule induced toughening in a self-healing polymer composite . . . . . E. N. Brown <i>et al.</i>	1703
	Spherulitic growth of single (Gd & Pr) and mixed (Di) rare earth heptamolybdates in silica gels . . . . . V. Hangloo <i>et al.</i>	1743
	Microstructure gradient in 60Sn40Pb solder joints annealed under an external electric field . . . . . K. Jung <i>et al.</i>	1803
	Synthesis of $TiC_{1-x}N_x$ and $TaC_{1-x}N_x$ by spark plasma sintering . . . . . S. Urbonaite <i>et al.</i>	1907
<b>Phase transformations</b>	An analytical model for isothermal and isochronal transformation kinetics . . . . . F. Liu <i>et al.</i>	1621
	Ductility of hypo-eutectoid steels with ferrite-pearlite structures . . . . . H.-J. Sim <i>et al.</i>	1849
	TEM observations of microscopic inclusions in synthetic diamond . . . . . F. Langenhorst <i>et al.</i>	1865
<b>Polymers</b>	Microcapsule induced toughening in a self-healing polymer composite . . . . . E. N. Brown <i>et al.</i>	1703
	Degree of cure and tensile properties of vinyl ester resin cured with ultraviolet light . . . . . A. Cvetanovska <i>et al.</i>	1791
	Preparing temperature-dependent dynamic rheological properties of polypropylene filled with ultra-fine powdered rubber . . . . . Q. Zheng <i>et al.</i>	1813
	Spontaneous calcification of acrylic hydrogels in abiotic calcifying media and the relevance of ionic solute effects . . . . . T. V. Chirila <i>et al.</i>	1861
	Synthesis and electrorheology of aniline/pyrrole copolymer . . . . . C. H. Cho <i>et al.</i>	1883
	Synthesis of novel saccharide-pendant vinyl polymer and application to oxygen barrier film . . . . . S. Nagaoka <i>et al.</i>	1913
<b>Porosity</b>	Hydrogen gas pick-up mechanism of Al-alloy melt during Lost Foam Casting . . . . . S. R. Shin <i>et al.</i>	1563
<b>Powder technology</b>	Formation process of Na-X zeolites from coal fly ash . . . . . H. Tanaka <i>et al.</i>	1677
	Fabrication and characterization of C-doped anatase $TiO_2$ photocatalysts . . . . . Y. Choi <i>et al.</i>	1837
	Synthesis and characterization of mesoporous iron-doped $TiO_2$ . . . . . C. Wang <i>et al.</i>	1899
	Synthesis of $TiC_{1-x}N_x$ and $TaC_{1-x}N_x$ by spark plasma sintering . . . . . S. Urbonaite <i>et al.</i>	1907
<b>Semiconductors</b>	Characterization and electrical properties of sol-gel synthesized (Sr, Pb) $TiO_3$ powders . . . J. Zhao <i>et al.</i>	1785
	Characteristics of solid-phase diffused ultra-shallow junction using phosphorus doped silicon oxide films for fabrication of sub-100 nm SOI MOSFET . . . . . W.-J. Cho <i>et al.</i>	1819
	Microstructures and positive temperature coefficient resistivity (PTCR) characteristics of high silicon addition barium-strontium titanate ceramics . . . . . P. Bomlai <i>et al.</i>	1831
	X-ray diffraction analysis of the defect structure in $Al_xGa_{1-x}N$ films grown by metalorganic chemical vapor deposition . . . . . Y. S. Park <i>et al.</i>	1853
<b>Sintering</b>	Corrosion behavior of sintered oxide dispersion strengthened stainless steels . . . . . J. Shankar <i>et al.</i>	1815
	Synthesis of $TiC_{1-x}N_x$ and $TaC_{1-x}N_x$ by spark plasma sintering . . . . . S. Urbonaite <i>et al.</i>	1907
<b>Smart materials</b>	Synthesis and electrorheology of aniline/pyrrole copolymer . . . . . C. H. Cho <i>et al.</i>	1883
<b>Sol-gel preparation</b>	Characterization and electrical properties of sol-gel synthesized (Sr, Pb) $TiO_3$ powders . . . J. Zhao <i>et al.</i>	1785
	Synthesis and characterization of mesoporous iron-doped $TiO_2$ . . . . . C. Wang <i>et al.</i>	1899
<b>Sputter deposition</b>	RF sputtering deposition of $MgMn_2O_4$ spinel thin films . . . . . L. Malavasi <i>et al.</i>	1671
<b>Surfaces</b>	Surface morphological properties of sol-gel derived $SiO_2$ fiber . . . . . K.-S. Hwang <i>et al.</i>	1683
<b>Thermal properties</b>	Evaluation of thermal conductivity of zirconia coating layers deposited by EB-PVD . . . . . B. K. Jang <i>et al.</i>	1823
<b>Thin and thick film coatings</b>	Characteristics of solid-phase diffused ultra-shallow junction using phosphorus doped silicon oxide films for fabrication of sub-100 nm SOI MOSFET . . . . . W.-J. Cho <i>et al.</i>	1819
	Production of thin film silicon-doped hydroxyapatite via sputter deposition . . . . . A. E. Porter <i>et al.</i>	1895
<b>X-ray techniques</b>	X-ray diffraction analysis of the defect structure in $Al_xGa_{1-x}N$ films grown by metalorganic chemical vapor deposition . . . . . Y. S. Park <i>et al.</i>	1853
	Structural and dielectric properties of $Ba_6M_{0.67}Nb_{9.33}O_{30}$ ( $M = Zn$ and $Ni$ ) ceramics . . . . . L. Fang <i>et al.</i>	1903