

CONTENTS BY KEYWORD

Adhesion	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
Adsorption	Relation between grain boundary segregation and grain boundary character in FCC alloys	P. Wynblatt <i>et al.</i> 2765
Amorphous materials	Low temperature process for the synthesis of rutile phase titania through vapor phase hydrolysis	A. K. John <i>et al.</i> 2999
Biomaterials	Influence of color coordinates on the color changes after polymerization and thermocycling of dental resin composites	Y.-K. Lee 2855
	Recombinant osteopontin fragment coating on hydroxyapatite for enhanced osteoblast-like cell responses	I.-K. Jun <i>et al.</i> 2891
	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
	Preliminary study of calcium phosphate immobilized with Chinese medicine	S. X. Qu <i>et al.</i> 3035
Bonding	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
Catalysts	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
Ceramics	Crystallographic and low frequency conductivity studies of the spinel systems CuFe ₂ O ₄ and Cu _{1-x} Zn _x Ga _{0.1} Fe _{1.9} O ₄ ; (0.0 ≤ x ≤ 0.5)	S. S. Ata-Allah <i>et al.</i> 2923
	Synthesis of La _x Ce _{1-x} B ₆ whiskers	M. Carlsson <i>et al.</i> 2991
	Formation of dispersed particles during plasma oxidation	Y. V. Khokhryakov <i>et al.</i> 3007
	Electrical discharge machining behavior of hotpress MoSi ₂	A. K. Khanra <i>et al.</i> 3027
Characterization methods	Crystallographic and low frequency conductivity studies of the spinel systems CuFe ₂ O ₄ and Cu _{1-x} Zn _x Ga _{0.1} Fe _{1.9} O ₄ ; (0.0 ≤ x ≤ 0.5)	S. S. Ata-Allah <i>et al.</i> 2923
	Preparation and characterization of α-FeOOH and α-Fe ₂ O ₃ by sol-gel method	M. A. Dar <i>et al.</i> 3031
Chemical vapour deposition	Fabrication of NdBa ₂ Cu ₃ O _{7-x} interface-modified ramp-edge junctions by MOCVD	Y. Nakajima <i>et al.</i> 2981
	Effect of whisker diameter on field emission properties of silicon carbide whiskers grown by chemical vapor deposition	D. C. Lim <i>et al.</i> 3025
Coatings	Recombinant osteopontin fragment coating on hydroxyapatite for enhanced osteoblast-like cell responses	I.-K. Jun <i>et al.</i> 2891
	Formation of dispersed particles during plasma oxidation	Y. V. Khokhryakov <i>et al.</i> 3007
Composite materials	Influence of color coordinates on the color changes after polymerization and thermocycling of dental resin composites	Y.-K. Lee 2855
	Influence of weave type and reinforcement in the fracture behavior of woven fabric reinforced thermoplastic composites	R. Zenasni <i>et al.</i> 2987
	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
	Synthesis and characterization of TiO ₂ /polystyrene hybrid nanoparticles via admicellar polymerization	I. B. Jang <i>et al.</i> 3021
Corrosion and oxidation	Electrochemical repairing of pitted 18-8 stainless steel	H. P. Duan <i>et al.</i> 2911
Crystal growth	Synthesis of La _x Ce _{1-x} B ₆ whiskers	M. Carlsson <i>et al.</i> 2991
Crystallization	Formation of dispersed particles during plasma oxidation	Y. V. Khokhryakov <i>et al.</i> 3007
	Modification of poly(vinyl alcohol) for improvement of mechanical strength and moisture resistance	G. S. Mukherjee 3017
Defects	Nucleation of stress-induced martensites in a Ti/Mo-based alloy	L. C. Zhang <i>et al.</i> 2833
Electrochemistry	Electrochemical repairing of pitted 18-8 stainless steel	H. P. Duan <i>et al.</i> 2911
	Formation of dispersed particles during plasma oxidation	Y. V. Khokhryakov <i>et al.</i> 3007
	Storage characteristics of LiNi _{0.85} Co _{0.15} O ₂ in air as cathode material for lithium-ion batteries	X. J. Zhu <i>et al.</i> 2995
Electronic materials	Synthesis and characterization of TiO ₂ /polystyrene hybrid nanoparticles via admicellar polymerization	I. B. Jang <i>et al.</i> 3021
Electronic properties	Crystallographic and low frequency conductivity studies of the spinel systems CuFe ₂ O ₄ and Cu _{1-x} Zn _x Ga _{0.1} Fe _{1.9} O ₄ ; (0.0 ≤ x ≤ 0.5)	S. S. Ata-Allah <i>et al.</i> 2923
Fiber technologies	Synthesis of La _x Ce _{1-x} B ₆ whiskers	M. Carlsson <i>et al.</i> 2991
	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003

(Continued)

Fracture	Influence of weave type and reinforcement in the fracture behavior of woven fabric reinforced thermoplastic composites	R. Zenasni <i>et al.</i> 2987
Gelation	Preparation of CoO-ZnO-Al ₂ O ₃ -SiO ₂ monolithic gel by sol-gel method	X. L. Duan <i>et al.</i> 2975
Grain boundaries	Relation between grain boundary segregation and grain boundary character in FCC alloys	P. Wynblatt <i>et al.</i> 2765
	Study of grain boundaries in polycrystalline Cr, Ta and W using nuclear gamma-resonance spectroscopy: Formation enthalpies of vacancy-oxygen complexes and single vacancies in grain boundaries, and dynamic properties of the grain boundary core in polycrystals of BCC metals	S. M. Klotsman <i>et al.</i> 2807
Hardness	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
	Electrical discharge machining behavior of hotpress MoSi ₂	A. K. Khanra <i>et al.</i> 3027
Hydrolysis	Low temperature process for the synthesis of rutile phase titania through vapor phase hydrolysis	A. K. John <i>et al.</i> 2999
	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
Infrared spectroscopy	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
Intercalation	Storage characteristics of LiNi _{0.85} Co _{0.15} O ₂ in air as cathode material for lithium-ion batteries	X. J. Zhu <i>et al.</i> 2995
Interfaces	Study of grain boundaries in polycrystalline Cr, Ta and W using nuclear gamma-resonance spectroscopy: Formation enthalpies of vacancy-oxygen complexes and single vacancies in grain boundaries, and dynamic properties of the grain boundary core in polycrystals of BCC metals	S. M. Klotsman <i>et al.</i> 2807
	Nucleation of stress-induced martensites in a Ti/Mo-based alloy	L. C. Zhang <i>et al.</i> 2833
Interstitial impurities	Study of grain boundaries in polycrystalline Cr, Ta and W using nuclear gamma-resonance spectroscopy: Formation enthalpies of vacancy-oxygen complexes and single vacancies in grain boundaries, and dynamic properties of the grain boundary core in polycrystals of BCC metals	S. M. Klotsman <i>et al.</i> 2807
Kinetics	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i> 3003
Machining	Electrical discharge machining behavior of hotpress MoSi ₂	A. K. Khanra <i>et al.</i> 3027
Magnetic materials	Synthesis and characterization of γ -Fe ₂ O ₃ —polythiophenen nanocomposites	H.-R. Yin <i>et al.</i> 3013
Mechanical properties	Friction stir welding of recycled A6061 aluminum plates fabricated by hot-extrusion of machined chips	I. Shigematsu <i>et al.</i> 2971
Metals and alloys	Relation between grain boundary segregation and grain boundary character in FCC alloys	P. Wynblatt <i>et al.</i> 2765
	Study of grain boundaries in polycrystalline Cr, Ta and W using nuclear gamma-resonance spectroscopy: Formation enthalpies of vacancy-oxygen complexes and single vacancies in grain boundaries, and dynamic properties of the grain boundary core in polycrystals of BCC metals	S. M. Klotsman <i>et al.</i> 2807
Microstructure	Friction stir welding of recycled A6061 aluminum plates fabricated by hot-extrusion of machined chips	I. Shigematsu <i>et al.</i> 2971
	Effect of whisker diameter on field emission properties of silicon carbide whiskers grown by chemical vapor deposition	D. C. Lim <i>et al.</i> 3025
Moessbauer spectroscopy	Study of grain boundaries in polycrystalline Cr, Ta and W using nuclear gamma-resonance spectroscopy: Formation enthalpies of vacancy-oxygen complexes and single vacancies in grain boundaries, and dynamic properties of the grain boundary core in polycrystals of BCC metals	S. M. Klotsman <i>et al.</i> 2807
Nanocomposites	Synthesis and characterization of γ -Fe ₂ O ₃ —polythiophenen nanocomposites	H.-R. Yin <i>et al.</i> 3013
Nanomaterials	Low temperature process for the synthesis of rutile phase titania through vapor phase hydrolysis	A. K. John <i>et al.</i> 2999
	Synthesis and characterization of TiO ₂ /polystyrene hybrid nanoparticles via admicellar polymerization	I. B. Jang <i>et al.</i> 3021
	Effect of whisker diameter on field emission properties of silicon carbide whiskers grown by chemical vapor deposition	D. C. Lim <i>et al.</i> 3025
	Preparation and characterization of α -FeOOH and α -Fe ₂ O ₃ by sol-gel method	M. A. Dar <i>et al.</i> 3031
Optical materials and properties	Influence of color coordinates on the color changes after polymerization and thermocycling of dental resin composites	Y.-K. Lee 2855

(Continued)

Phase diagrams	Nucleation of stress-induced martensites in a Ti/Mo-based alloy	L. C. Zhang <i>et al.</i>	2833
Phase transformations	Crystallographic and low frequency conductivity studies of the spinel systems CuFe ₂ O ₄ and Cu _{1-x} Zn _x Ga _{0.1} Fe _{1.9} O ₄ ; (0.0 ≤ x ≤ 0.5)	S. S. Ata-Allah <i>et al.</i>	2923
	Hysteresis in shape memory alloys. Is it always a constant?.....	W. M. Huang <i>et al.</i>	2985
Polymers	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i>	3003
	Synthesis and characterization of γ-Fe ₂ O ₃ -polythiophenen nanocomposites.....	H.-R. Yin <i>et al.</i>	3013
	Modification of poly(vinyl alcohol) for improvement of mechanical strength and moisture resistance	G. S. Mukherjee	3017
Porosity	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i>	3003
Smart materials	Hysteresis in shape memory alloys. Is it always a constant?.....	W. M. Huang <i>et al.</i>	2985
Sol-gel preparation	Preparation of CoO-ZnO-Al ₂ O ₃ -SiO ₂ monolithic gel by sol-gel method	X. L. Duan <i>et al.</i>	2975
	Preparation and characterization of α-FeOOH and α-Fe ₂ O ₃ by sol-gel method	M. A. Dar <i>et al.</i>	3031
Superconductors	Fabrication of NdBa ₂ Cu ₃ O _{7-x} interface-modified ramp-edge junctions by MOCVD	Y. Nakajima <i>et al.</i>	2981
Surfactant	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i>	3003
	Preliminary study of calcium phosphate immobilized with Chinese medicine	S. X. Qu <i>et al.</i>	3035
Thin and thick film coatings	Fabrication of NdBa ₂ Cu ₃ O _{7-x} interface-modified ramp-edge junctions by MOCVD	Y. Nakajima <i>et al.</i>	2981
Vacancies	Study of grain boundaries in polycrystalline Cr, Ta and W using nuclear gamma-resonance spectroscopy: Formation enthalpies of vacancy-oxygen complexes and single vacancies in grain boundaries, and dynamic properties of the grain boundary core in polycrystals of BCC metals	S. M. Klotsman <i>et al.</i>	2807
Wear	Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers	I. Mutlu <i>et al.</i>	3003