

CONTENTS BY KEYWORD

Adhesion	Measurement of contact angle and work of adhesion at high temperature N. Eustathopoulos <i>et al.</i> 2271
	Wettability of AlN with different roughness, porosity and oxidation state by commercial Ag-Cu-Ti brazes N. Y. Taranets <i>et al.</i> 2355
	Interfacial shear strength of flax fiber/thermoset polymers estimated by fiber fragmentation tests R. Joffe <i>et al.</i> 2721
Adsorption	Wetting and mechanical properties, a case study: Liquid metal embrittlement of a martensitic steel by liquid lead and other liquid metals A. Legris <i>et al.</i> 2459
	Krypton adsorption technique for assessment of structural properties of mesoporous silica and titania thin films O. Bartels <i>et al.</i> 2603
Amorphous materials	Turbostratic carbon nitride prepared by pyrolysis of melamine Y. C. Zhao <i>et al.</i> 2645
Biomaterials	Preparation of plated β -tricalcium phosphate containing hydroxyapatite for use in bonded inorganic-organic composites T. Furuzono <i>et al.</i> 2595
	Unique preparation method of self-assembled spherical particles consisting of hydroxyapatite nanocrystals modified by amino groups T. Furuzono <i>et al.</i> 2627
	Effect of heat treatment on setting behavior and compressive strength of tetracalcium phosphate cement K.-L. Lin <i>et al.</i> 2631
	Deposition of calcium phosphate on carbon fibers using sol-gel-based reactions: The consequences of using predominantly organic solvents on the ultimate phase of calcium phosphate formed M. R. Mucalo <i>et al.</i> 2671
	How to design a structure able to mimic the arterial wall mechanical behavior? M. R. Jouan <i>et al.</i> 2675
	Modification of hydroxyapatite/gelatin composite by polyvinylalcohol M. C. Chang <i>et al.</i> 2723
Bonding	Measurement of contact angle and work of adhesion at high temperature N. Eustathopoulos <i>et al.</i> 2271
	Numerical modelling of transient liquid phase bonding and other diffusion controlled phase changes T. C. Illingworth <i>et al.</i> 2505
	Turbostratic carbon nitride prepared by pyrolysis of melamine Y. C. Zhao <i>et al.</i> 2645
Brazing	Wettability of AlN with different roughness, porosity and oxidation state by commercial Ag-Cu-Ti brazes N. Y. Taranets <i>et al.</i> 2355
	Application of push-off shear test for evaluation of wetting-interface structure-bonding relationship of solder joints N. Sobczak <i>et al.</i> 2547
Casting	Evolution of microstructure in bismuth–indium–tin eutectic alloy S. Sengupta <i>et al.</i> 2607
Catalysts	Characterization of MoSe ₂ (0001) and ion-sputtered MoSe ₂ by XPS W. A. Abdallah <i>et al.</i> 2679
Ceramics	Measurement of contact angle and work of adhesion at high temperature N. Eustathopoulos <i>et al.</i> 2271
	Reactive wetting of mullite Al ₂ [Al _{2+2x} Si _{2-2x}]O _{10-x} single crystals by yttrium-aluminosilicate and borosilicate glasses W. Braue <i>et al.</i> 2335
	Wettability of AlN with different roughness, porosity and oxidation state by commercial Ag-Cu-Ti brazes N. Y. Taranets <i>et al.</i> 2355
	Migration of liquid phase in low temperature sintering of AlN R. Fu <i>et al.</i> 2425
	Porous silicon nitride ceramic phosphors C. Kawai <i>et al.</i> 2591
	Preparation of plated β -tricalcium phosphate containing hydroxyapatite for use in bonded inorganic-organic composites T. Furuzono <i>et al.</i> 2595
	Modified chemical route to prepare Pb(Mg _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ ceramics L. Chunhong <i>et al.</i> 2599
	Unique preparation method of self-assembled spherical particles consisting of hydroxyapatite nanocrystals modified by amino groups T. Furuzono <i>et al.</i> 2627
	Wet-chemical synthesis of zirconium oxyfluoride D. J. Taylor <i>et al.</i> 2655
	Simple second-order expression: For the porosity dependence of thermal conductivity W. Pabst <i>et al.</i> 2667
	Synthesis and characterization of PLZST prepared by coprecipitation L. H. Xue <i>et al.</i> 2697
	Fabrication of Ti ₂ AIC-Ti ₃ AlC ₂ -Ti ₃ SiC ₂ composite by spark plasma sintering (SPS) method from elemental powders X. Hong <i>et al.</i> 2749
Characterization methods	Interaction between liquid aluminum and NiO single crystals N. Sobczak <i>et al.</i> 2313
	Application of push-off shear test for evaluation of wetting-interface structure-bonding relationship of solder joints N. Sobczak <i>et al.</i> 2547
	Krypton adsorption technique for assessment of structural properties of mesoporous silica and titania thin films O. Bartels <i>et al.</i> 2603
	Turbostratic carbon nitride prepared by pyrolysis of melamine Y. C. Zhao <i>et al.</i> 2645
	Shape factor of nonspherical nanoparticles W. H. Qi <i>et al.</i> 2737
Coatings	Deposition of calcium phosphate on carbon fibers using sol-gel-based reactions: The consequences of using predominantly organic solvents on the ultimate phase of calcium phosphate formed M. R. Mucalo <i>et al.</i> 2671
	Aqueous corrosion behavior of Ce-implanted ZrN coating Q. G. Zhou <i>et al.</i> 2733
	Fabrication of <i>in-situ</i> synthesized TiC particles reinforced composite coating by powder feeding laser cladding S. Yang <i>et al.</i> 2751
	On the hybrid character of glass fibres surface networks P. Zinck <i>et al.</i> 2759

(Continued)

Composite materials	Interaction between liquid aluminum and NiO single crystals N. Sobczak <i>et al.</i> 2313
	<i>In-situ</i> quasicrystal-reinforced magnesium matrix composite processed by equal channel angular extrusion (ECAE) M. Y. Zheng <i>et al.</i> 2587
	Preparation and characterization of silver-filled polyester matrix composites L. Haurie <i>et al.</i> 2713
	Fabrication of <i>in-situ</i> synthesized TiC particles reinforced composite coating by powder feeding laser cladding S. Yang <i>et al.</i> 2751
	Characterisation of polyphosphate composites based on intermediate temperature T. Uma <i>et al.</i> 2755
Computer simulations	Atomistic simulations of reactive wetting in metallic systems E. B. Webb III <i>et al.</i> 2281
	Numerical modelling of transient liquid phase bonding and other diffusion controlled phase changes T. C. Illingworth <i>et al.</i> 2505
Corrosion and oxidation	Recession behavior of Lu ₂ Si ₂ O ₇ /mullite eutectic in steam jet at high temperature S. Ueno <i>et al.</i> 2643
	Aqueous corrosion behavior of Ce-implanted ZrN coating Q. G. Zhou <i>et al.</i> 2733
Creep damage	A critical damage criterion for creeping solids C. Phaniraj <i>et al.</i> 2561
Crystal growth	Experimental study on time evolution of Marangoni flow instability in molten silicon bridge N. Yamane <i>et al.</i> 2221
	Non-contact measurement of surface oscillation due to Marangoni flow instability in a silicon liquid bridge by phase-shift interferometry N. Okubo <i>et al.</i> 2245
	Marangoni flow of molten silicon: The effects of oxygen partial pressure T. Hibiya 2417
	Modification of hydroxyapatite/gelatin composite by polyvinylalcohol M. C. Chang <i>et al.</i> 2723
Defects	Temperature dependence of vacancy wind effect in β -Zr(Al) solid solution A. Laik <i>et al.</i> 2615
Deformation and fracture	A critical damage criterion for creeping solids C. Phaniraj <i>et al.</i> 2561
	Deformation and fracture behavior of an Al-Li alloy 8090 D. Jiang <i>et al.</i> 2745
Diffusion	Numerical modelling of transient liquid phase bonding and other diffusion controlled phase changes T. C. Illingworth <i>et al.</i> 2505
	Electronic character of interdiffusion of metals in nickel K. Chen <i>et al.</i> 2569
	Temperature dependence of vacancy wind effect in β -Zr(Al) solid solution A. Laik <i>et al.</i> 2615
	Hematite/nickel oxide multilayers characterizations T. Caillot <i>et al.</i> 2717
Elastic properties	On the power-law indenter used in the analysis of nanoindentation unloading curves G. Fu <i>et al.</i> 2619
	On the effective indenter shape used in the analysis of nanoindentation unloading curves G. Fu <i>et al.</i> 2683
	Evaluation of macro-hardness from nanoindentation tests D. Ma <i>et al.</i> 2685
Electrical properties	Nano-structural observation of carbon black dispersion in natural rubber matrix by three-dimensional transmission electron microscopy S. Kohjiya <i>et al.</i> 2553
	Preparation and characterization of silver-filled polyester matrix composites L. Haurie <i>et al.</i> 2713
Electrochemistry	Molybdenum disulfide synthesized by hydrothermal method as anode for lithium rechargeable batteries G. Guo <i>et al.</i> 2557
	Synthesis and electrochemical properties of LiFePO ₄ /C cathode material X. W. Zhou <i>et al.</i> 2577
	Thickness dependent photoelectrochemical cells performance of CdSe and HgS thin films S. S. Kale <i>et al.</i> 2635
Electronic materials	Preparation, characterization and dielectric properties of Sr ₄ Ln ₂ Ti ₄ Ta ₆ O ₃₀ (Ln = Nd and Sm) ceramics L. Fang <i>et al.</i> 2701
Electronic properties	Characterization and dielectric property of polyimide-silica composite films prepared via sol-gel and thermal imidization process J. Zhang <i>et al.</i> 2623
	Properties of Ta-Mo alloy gate electrode for <i>n</i> -MOSFET C. K. Lee <i>et al.</i> 2693
Fatigue	Deformation and fracture behavior of an Al-Li alloy 8090 D. Jiang <i>et al.</i> 2745
Ferroelectrics	Modified chemical route to prepare Pb(Mg _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ ceramics L. Chunhong <i>et al.</i> 2599
	Synthesis and characterization of PLZST prepared by coprecipitation L. H. Xue <i>et al.</i> 2697
	Preparation, characterization and dielectric properties of Sr ₄ Ln ₂ Ti ₄ Ta ₆ O ₃₀ (Ln = Nd and Sm) ceramics L. Fang <i>et al.</i> 2701
Fiber technologies	How to design a structure able to mimic the arterial wall mechanical behavior? M. R. Jouan <i>et al.</i> 2675
	On the hybrid character of glass fibres surface networks P. Zinck <i>et al.</i> 2759
Fracture	Quantitative analysis of local fracture surface patterns in materials by shape parameters M. Tanaka <i>et al.</i> 2583
Glasses	Reactive wetting of mullite Al ₂ [Al _{2+2x} Si _{2-2x}]O _{10-x} single crystals by yttrium-aluminosilicate and borosilicate glasses W. Braue <i>et al.</i> 2335
Hardness	On the effective indenter shape used in the analysis of nanoindentation unloading curves G. Fu <i>et al.</i> 2683
Heat treatment	Recession behavior of Lu ₂ Si ₂ O ₇ /mullite eutectic in steam jet at high temperature S. Ueno <i>et al.</i> 2643

(Continued)

Imaging	Nano-structural observation of carbon black dispersion in natural rubber matrix by three-dimensional transmission electron microscopy S. Kohjiya <i>et al.</i>	2553
	Quantitative analysis of local fracture surface patterns in materials by shape parameters M. Tanaka <i>et al.</i>	2583
Interfaces	Experimental study on time evolution of Marangoni flow instability in molten silicon bridge N. Yamane <i>et al.</i>	2221
	The oscillation spectrum of a compound drop I. Egry	2239
	Non-contact measurement of surface oscillation due to Marangoni flow instability in a silicon liquid bridge by phase-shift interferometry N. Okubo <i>et al.</i>	2245
	Measurement of contact angle and work of adhesion at high temperature N. Eustathopoulos <i>et al.</i>	2271
	Atomistic simulations of reactive wetting in metallic systems E. B. Webb III <i>et al.</i>	2281
	Interaction between liquid aluminum and NiO single crystals N. Sobczak <i>et al.</i>	2313
	Reactive wetting of mullite $\text{Al}_2[\text{Al}_{2+2x}\text{Si}_{2-2x}]\text{O}_{10-x}$ single crystals by yttrium-aluminosilicate and borosilicate glasses W. Braue <i>et al.</i>	2335
	Marangoni flow of molten silicon: The effects of oxygen partial pressure T. Hibiyu	2417
	Application of push-off shear test for evaluation of wetting-interface structure-bonding relationship of solder joints N. Sobczak <i>et al.</i>	2547
	Hematite/nickel oxide multilayers characterizations T. Caillot <i>et al.</i>	2717
	Interfacial shear strength of flax fiber/thermoset polymers estimated by fiber fragmentation tests R. Joffe <i>et al.</i>	2721
Intermetallic alloys and compounds	An investigation of the self-propagating high-temperature synthesis of $\text{Ti}(\text{Si},\text{Al})_2$ A. Chrysanthou <i>et al.</i>	2579
Laser processing	Wet-chemical synthesis of zirconium oxyfluoride D. J. Taylor <i>et al.</i>	2655
	Fabrication of <i>in-situ</i> synthesized TiC particles reinforced composite coating by powder feeding laser cladding S. Yang <i>et al.</i>	2751
Magnetic materials	Magnetic properties of SUS 304 austenitic stainless steel after tensile deformation at elevated temperatures L. Zhang <i>et al.</i>	2709
Mechanical properties	Wetting and mechanical properties, a case study: Liquid metal embrittlement of a martensitic steel by liquid lead and other liquid metals A. Legris <i>et al.</i>	2459
	Application of push-off shear test for evaluation of wetting-interface structure-bonding relationship of solder joints N. Sobczak <i>et al.</i>	2547
	A critical damage criterion for creeping solids C. Phaniraj <i>et al.</i>	2561
	<i>In-situ</i> quasicrystal-reinforced magnesium matrix composite processed by equal channel angular extrusion (ECAE) M. Y. Zheng <i>et al.</i>	2587
	On the power-law indenter used in the analysis of nanoindentation unloading curves G. Fu <i>et al.</i>	2619
	Effects of rare earth elements on microstructure and high temperature mechanical properties of ZC63 alloy J. H. Jun <i>et al.</i>	2659
	How to design a structure able to mimic the arterial wall mechanical behavior? M. R. Jouan <i>et al.</i>	2675
	Evaluation of macro-hardness from nanoindentation tests D. Ma <i>et al.</i>	2685
	Magnetic properties of SUS 304 austenitic stainless steel after tensile deformation at elevated temperatures L. Zhang <i>et al.</i>	2709
Metals and alloys	The oscillation spectrum of a compound drop I. Egry	2239
	Temperature dependences of density and ultrasound velocity of the eutectic Bi-44.6 wt.% Pb melt D. Yagodin <i>et al.</i>	2259
	Measurement of contact angle and work of adhesion at high temperature N. Eustathopoulos <i>et al.</i>	2271
	Atomistic simulations of reactive wetting in metallic systems E. B. Webb III <i>et al.</i>	2281
	Wetting and mechanical properties, a case study: Liquid metal embrittlement of a martensitic steel by liquid lead and other liquid metals A. Legris <i>et al.</i>	2459
	A critical damage criterion for creeping solids C. Phaniraj <i>et al.</i>	2561
	Electronic character of interdiffusion of metals in nickel K. Chen <i>et al.</i>	2569
	<i>In-situ</i> quasicrystal-reinforced magnesium matrix composite processed by equal channel angular extrusion (ECAE) M. Y. Zheng <i>et al.</i>	2587
	Temperature dependence of vacancy wind effect in β -Zr(Al) solid solution A. Laik <i>et al.</i>	2615
	Effects of rare earth elements on microstructure and high temperature mechanical properties of ZC63 alloy J. H. Jun <i>et al.</i>	2659
	Properties of Ta-Mo alloy gate electrode for <i>n</i> -MOSFET C. K. Lee <i>et al.</i>	2693
	Magnetic properties of SUS 304 austenitic stainless steel after tensile deformation at elevated temperatures L. Zhang <i>et al.</i>	2709
Microstructure	Interaction between liquid aluminum and NiO single crystals N. Sobczak <i>et al.</i>	2313
	Quantitative analysis of local fracture surface patterns in materials by shape parameters M. Tanaka <i>et al.</i>	2583
	Evolution of microstructure in bismuth-indium-tin eutectic alloy S. Sengupta <i>et al.</i>	2607
	Temperature-tuned photonic bandgap in polymer synthetic opals B. Li <i>et al.</i>	2611
	Effect of heat treatment on setting behavior and compressive strength of tetracalcium phosphate cement K.-L. Lin <i>et al.</i>	2631
	Turbostratic carbon nitride prepared by pyrolysis of melamine Y. C. Zhao <i>et al.</i>	2645
	Effects of rare earth elements on microstructure and high temperature mechanical properties of ZC63 alloy J. H. Jun <i>et al.</i>	2659
	Fabrication of $\text{Ti}_2\text{AlC}-\text{Ti}_3\text{AlC}_2-\text{Ti}_3\text{SiC}_2$ composite by spark plasma sintering (SPS) method from elemental powders X. Hong <i>et al.</i>	2749

(Continued)

Modelling	Numerical modelling of transient liquid phase bonding and other diffusion controlled phase changes T. C. Illingworth <i>et al.</i> 2505
	Electronic character of interdiffusion of metals in nickel K. Chen <i>et al.</i> 2569
	On the power-law indenter used in the analysis of nanoindentation unloading curves G. Fu <i>et al.</i> 2619
	On the effective indenter shape used in the analysis of nanoindentation unloading curves G. Fu <i>et al.</i> 2683
Multilayer structure	Hematite/nickel oxide multilayers characterizations T. Caillot <i>et al.</i> 2717
Nanocomposites	Nano-structural observation of carbon black dispersion in natural rubber matrix by three-dimensional transmission electron microscopy S. Kohjiya <i>et al.</i> 2553
	Characterization and dielectric property of polyimide-silica composite films prepared via sol-gel and thermal imidization process J. Zhang <i>et al.</i> 2623
Nanomaterials	Unique preparation method of self-assembled spherical particles consisting of hydroxyapatite nanocrystals modified by amino groups T. Furuzono <i>et al.</i> 2627
	Thickness dependent photoelectrochemical cells performance of CdSe and HgS thin films S. S. Kale <i>et al.</i> 2635
	Characterization of MoSe ₂ (0001) and ion-sputtered MoSe ₂ by XPS W. A. Abdallah <i>et al.</i> 2679
	Modification of hydroxyapatite/gelatin composite by polyvinylalcohol M. C. Chang <i>et al.</i> 2723
	Shape factor of nonspherical nanoparticles W. H. Qi <i>et al.</i> 2737
	On the hybrid character of glass fibres surface networks P. Zinck <i>et al.</i> 2759
Optical materials and properties	Porous silicon nitride ceramic phosphors C. Kawai 2591
	Temperature-tuned photonic bandgap in polymer synthetic opals B. Li <i>et al.</i> 2611
Phase transformations	Numerical modelling of transient liquid phase bonding and other diffusion controlled phase changes T. C. Illingworth <i>et al.</i> 2505
	Effect of heat treatment on setting behavior and compressive strength of tetracalcium phosphate cement K.-L. Lin <i>et al.</i> 2631
	Phase evolution in the Ti-Al-B and Ti-Al-C systems during combustion synthesis: Time resolved study by synchrotron radiation diffraction analysis A. S. Rogachev <i>et al.</i> 2689
	Preparation, characterization and dielectric properties of Sr ₄ Ln ₂ Ti ₄ Ta ₆ O ₃₀ (Ln = Nd and Sm) ceramics L. Fang <i>et al.</i> 2701
	Magnetic properties of SUS 304 austenitic stainless steel after tensile deformation at elevated temperatures L. Zhang <i>et al.</i> 2709
Piezoelectric materials	Modified chemical route to prepare Pb(Mg _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ ceramics L. Chunhong <i>et al.</i> 2599
Polymers	Temperature-tuned photonic bandgap in polymer synthetic opals B. Li <i>et al.</i> 2611
	Preparation and characterization of silver-filled polyester matrix composites L. Haurie <i>et al.</i> 2713
	Interfacial shear strength of flax fiber/thermoset polymers estimated by fiber fragmentation tests R. Joffe <i>et al.</i> 2721
	Characterisation of polyphosphate composites based on intermediate temperature T. Uma <i>et al.</i> 2755
Porosity	Porous silicon nitride ceramic phosphors C. Kawai 2591
	Krypton adsorption technique for assessment of structural properties of mesoporous silica and titania thin films O. Bartels <i>et al.</i> 2603
	Simple second-order expression: For the porosity dependence of thermal conductivity W. Pabst 2667
Powder technology	Phase evolution in the Ti-Al-B and Ti-Al-C systems during combustion synthesis: Time resolved study by synchrotron radiation diffraction analysis A. S. Rogachev <i>et al.</i> 2689
Semiconductors	Experimental study on time evolution of Marangoni flow instability in molten silicon bridge N. Yamane <i>et al.</i> 2221
	Non-contact measurement of surface oscillation due to Marangoni flow instability in a silicon liquid bridge by phase-shift interferometry N. Okubo <i>et al.</i> 2245
	Marangoni flow of molten silicon: The effects of oxygen partial pressure T. Hibiya 2417
	Thickness dependent photoelectrochemical cells performance of CdSe and HgS thin films S. S. Kale <i>et al.</i> 2635
Simulations	Numerical modelling of transient liquid phase bonding and other diffusion controlled phase changes T. C. Illingworth <i>et al.</i> 2505
Sintering	Migration of liquid phase in low temperature sintering of AlN R. Fu <i>et al.</i> 2425
	Synthesis and electrochemical properties of LiFePO ₄ /C cathode material X. W. Zhou <i>et al.</i> 2577
	Preparation of plated β -tricalcium phosphate containing hydroxyapatite for use in bonded inorganic-organic composites T. Furuzono <i>et al.</i> 2595
Smart materials	Synthesis and characterization of PLZST prepared by coprecipitation L. H. Xue <i>et al.</i> 2697
Sol-gel preparation	Modified chemical route to prepare Pb(Mg _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ ceramics L. Chunhong <i>et al.</i> 2599
	Deposition of calcium phosphate on carbon fibers using sol-gel-based reactions: The consequences of using predominantly organic solvents on the ultimate phase of calcium phosphate formed M. R. Mucalo <i>et al.</i> 2671
Solidification	Evolution of microstructure in bismuth-indium-tin eutectic alloy S. Sengupta <i>et al.</i> 2607
Sputter deposition	Properties of Ta-Mo alloy gate electrode for <i>n</i> -MOSFET C. K. Lee <i>et al.</i> 2693

(Continued)

Surfaces	Dynamic surface tension measurements on a molten metal-oxygen system: The behaviour of the temperature coefficient of the surface tension of molten tin L. Fiori <i>et al.</i> 2155
	The oscillation spectrum of a compound drop I. Egry 2239
	Recession behavior of $\text{Lu}_2\text{Si}_2\text{O}_7$ /mullite eutectic in steam jet at high temperature S. Ueno <i>et al.</i> 2643
	Characterization of $\text{MoSe}_2(0001)$ and ion-sputtered MoSe_2 by XPS W. A. Abdallah <i>et al.</i> 2679
Thermal properties	Turbostratic carbon nitride prepared by pyrolysis of melamine Y. C. Zhao <i>et al.</i> 2645
	Simple second-order expression: For the porosity dependence of thermal conductivity W. Pabst 2667
	Characterisation of polyphosphate composites based on intermediate temperature T. Uma <i>et al.</i> 2755
Thin and thick film coatings	Krypton adsorption technique for assessment of structural properties of mesoporous silica and titania thin films O. Bartels <i>et al.</i> 2603
	Wet-chemical synthesis of zirconium oxyfluoride D. J. Taylor <i>et al.</i> 2655
Transport mechanism	Migration of liquid phase in low temperature sintering of AlN R. Fu <i>et al.</i> 2425
X-ray techniques	Phase evolution in the Ti-Al-B and Ti-Al-C systems during combustion synthesis: Time resolved study by synchrotron radiation diffraction analysis A. S. Rogachev <i>et al.</i> 2689
	Fabrication of $\text{Ti}_2\text{AlC}\text{-Ti}_3\text{AlC}_2\text{-Ti}_3\text{SiC}_2$ composite by spark plasma sintering (SPS) method from elemental powders X. Hong <i>et al.</i> 2749