

Author index

Aguirre, M.A., On some multiplicative product of k th derivative of Dirac's delta in $x_0 + x $ and $x_0 - x $	27 (2000) 1
Araujo, O. and J. Rada, Randić index and lexicographic order	27 (2000) 201
Arimoto, S., Magic Mountain and Devil's Staircase swapping problems	27 (2000) 213
Atamjyot, see Singh, R.P.	27 (2000) 183
Avery, J., The generalized Sturmian method and inelastic scattering of fast electrons	27 (2000) 279
Avery, J. and C. Coletti, Generalized Sturmians applied to atoms in strong external fields	27 (2000) 43
Bao, G., X. Fang, W. Tan and T. Van, Evanescent energy in square and circular fibers	27 (2000) 251
Baronas, R., F. Ivanauskas and A. Survila, Simulation of electrochemical behavior of partially blocked electrodes under linear potential sweep conditions	27 (2000) 267
Carbó-Dorca, R., A discussion on an apparent MO theory paradox	27 (2000) 35
Carbó-Dorca, R., Quantum QSAR and the eigensystems of stochastic quantum similarity matrices	27 (2000) 357
Coletti, C., see Avery, J.	27 (2000) 43
Csontos, J., see Tasi, G.	27 (2000) 191
Dutt, see Singh, R.P.	27 (2000) 183
Erle, D., Nonoscillation in closed reversible chemical systems	27 (2000) 293
Fang, X., see Bao, G.	27 (2000) 251
Győrffy, W., see Tasi, G.	27 (2000) 191
Ivanauskas, F., see Baronas, R.	27 (2000) 267
Lam, C.-W., Enumeration of isomers of alkylcyclopropanes by means of alkyl 1,1-biradicals	27 (2000) 23
MacLean, D., see Siegel, D.	27 (2000) 89
Marmorino, M.G., Incompleteness of atomic and molecular eigenfunctions	27 (2000) 27
Marmorino, M.G., An exactly soluble base problem for atomic systems	27 (2000) 31

- Mendoza, C., see Schnell, S. 27 (2000) 155
- Mezei, M., A novel approach to the calculation of the free energy due to molecular flexibility 27 (2000) 235
- Mezey, P.G., The T -hull approach to transformations of discrete point sets to continua and shape transformations between discontinuous objects using alpha-hulls 27 (2000) 53
- Mezey, P.G., Shape-similarity relations based on topological resolution 27 (2000) 61
- Mizukami, F., see Tasi, G. 27 (2000) 191
- Monsalve, A., see Sáez, E. 27 (2000) 171
- Pálinkó, I., see Tasi, G. 27 (2000) 191
- Park, Y., Effect of transient condensation of a supercooled gas on the size distribution of new-phase particles 27 (2000) 331
- Pecka, J. and R. Ponec, Simple analytical method for evaluation of statistical importance of correlations in QSAR studies 27 (2000) 13
- Ponec, R., see Pecka, J. 27 (2000) 13
- Qian, H., The mathematical theory of molecular motor movement and chemomechanical energy transduction 27 (2000) 219
- Rada, J., see Araujo, O. 27 (2000) 201
- Sáez, E., I. Szántó and A. Monsalve, Three limit cycles for a first-order exothermic chemical reaction in a continuous stirred-tank reactor 27 (2000) 171
- Schnell, S. and C. Mendoza, Enzyme kinetics of multiple alternative substrates 27 (2000) 155
- Siegel, D. and D. MacLean, Global stability of complex balanced mechanisms 27 (2000) 89
- Simos, T.E., A new explicit Bessel and Neumann fitted eighth algebraic order method for the numerical solution of the Schrödinger equation 27 (2000) 343
- Singh, R.P., T. Singh, J. Dutt and Atamjyot, Mass transfer to tubular electrodes: ECE process 27 (2000) 183
- Singh, T., see Singh, R.P. 27 (2000) 183
- Soss, M. and G.T. Toussaint, Geometric and computational aspects of polymer reconfiguration 27 (2000) 303
- Survila, A., see Baronas, R. 27 (2000) 267
- Szalkai, I., On valuation operators in stoichiometry and in reaction syntheses 27 (2000) 377
- Szántó, I., see Sáez, E. 27 (2000) 171
- Tan, W., see Bao, G. 27 (2000) 251
- Tasi, G., F. Mizukami, J. Csontos, W. Györfly and I. Pálinkó, Quantum algebraic-combinatoric study of the conformational properties of n -alkanes. II 27 (2000) 191
- Temme, F.P., On $SU(2) \times \mathcal{S}_{n \geq 12}$ dual-group tensorial sets and carrier spaces in the multiple invariant physics of multiquantum NMR. I. $k > n/2$ rank maximal $\{\sum_v T^k(v) \rightarrow \sum_{\tilde{\lambda}'} \Lambda_{\tilde{\lambda}'}[\lambda']\}$ Liouvillian $\tilde{U} \times \mathcal{P}$ mappings 27 (2000) 111

- Temme, F.P., On $SU(2) \times \mathcal{S}_{n \geq 12}$ dual-group tensorial sets and carrier spaces in the multiple invariant physics of multiquantum NMR. II. $\{\mathcal{S}_{12} \supset \cdots \supset [2]\mathcal{S}_2\}$ pathways from Yamanouchi monomial reductions as $[A]_{12}$ democratic \mathcal{S}_n -invariant labels 27 (2000) 131
- Toussaint, G.T., see Soss, M. 27 (2000) 303
- Van, T., see Bao, G. 27 (2000) 251
- Wilhelm, T., Chemical systems consisting only of elementary steps – a paradigm for nonlinear behavior 27 (2000) 71
- Zhang, F.-j., see Zhang, L.-z. 27 (2000) 319
- Zhang, L.-z. and F.-j. Zhang, Extremal hexagonal chains concerning k -matchings and k -independent sets 27 (2000) 319