## **Author's Correction**

Journal of Microbiology (2013) Vol. 51, No. 5, pp. 639-643 Copyright © 2013, The Microbiological Society of Korea DOI 10.1007/s12275-013-3412-2

## Experimental Phasing Using Zinc and Sulfur Anomalous Signals Measured at the Zinc Absorption Peak

Sangmin Lee<sup>1,2</sup>, Min-Kyu Kim<sup>1</sup>, Chang-Jun Ji<sup>3</sup>, Jin-Won Lee<sup>3\*</sup>, and Sun-Shin Cha<sup>1,2,4\*</sup>

<sup>1</sup>Marine Biotechnology Research Division, Korea Institute of Ocean Science and Technology, Ansan 426-744, Republic of Korea
<sup>2</sup>Ocean Science and Technology School, Korea Maritime University, Pusan 606-791, Republic of Korea
<sup>3</sup>Department of Life Science and Institute for Natural Sciences, Hanyang University, Seoul 133-791, Republic of Korea
<sup>4</sup>Department of Marine Biotechnology, University of Science and Technology, Daejeon 305-333, Republic of Korea

In the article by Lee *et al.* published in the Journal of Microbiology 2013; 51, 639-643. Acknowledgement should appear as shown below.

This work was supported by the National Research Foundation of Korea Grant NRF-2012R1A2A2A02005978, the CAP through Korea Research Council of Fundamental Science Technology (KRCF), Korea Institute of Science and Technology (KIST), & Korea Institute of Ocean Science and Technology (KIOST), the Marine and Extreme Genome Research Center program, and the Development of Biohydrogen Production Technology Using Hyperthermophilic Archaea program of MOF. Works performed at Hanyang University were supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education, Science and Technology (MEST) (KRF-2008-313-C00774).