



ELSEVIER

Journal of Molecular Catalysis A: Chemical 114 (1996) 361–363

JOURNAL OF  
MOLECULAR  
CATALYSIS  
A: CHEMICAL

## Author Index

- Ai, M.  
Comparison of catalytic properties for partial oxidation between heteropolyacids and phosphates of vanadium and iron (114) 3
- Aiken III, J.D., Lin, Y. and Finke, R.G.  
A perspective on nanocluster catalysis: polyoxoanion and ( $n$ - $C_4H_9$ )<sub>3</sub>N<sup>+</sup> stabilized Ir(0)<sub>~300</sub> nanocluster 'soluble heterogeneous catalysts' (114) 29
- Amadelli, R., see Maldotti, A. (114) 141
- Aouissi, A., see Rocchiccioli-Deltcheff, C. (114) 331
- Argazzi, R., see Maldotti, A. (114) 141
- Asai, Y., see Yamase, T. (114) 237
- Asami, M., see Matsumoto, Y. (114) 161
- Baba, T., Hasada, Y., Nomura, M., Ohno, Y.-i. and Ono, Y.  
1H NMR studies on the dynamic property of protons in Pd<sup>0</sup>-H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub> systems in the presence of dihydrogen (114) 247
- Ballistreri, F.P., Barbuzzi, E., Tomaselli, G.A. and Toscano, R.M.  
Oxidation of *N,N*-benzylalkylamines to nitrones by Mo(VI) and W(VI) polyperoxo complexes (114) 229
- Barbuzzi, E., see Ballistreri, F.P. (114) 229
- Battioni, P., see Maldotti, A. (114) 141
- Bayer, R., Marchal-Roch, C., Liu, F.X., Tézé, A. and Hervé, G.  
Catalysis of the oxidation of isobutyric acid by vanadyl, copper and mixed vanadyl-copper salts of H<sub>3</sub>[PMo<sub>12</sub>O<sub>40</sub>] and H<sub>4</sub>[PMo<sub>11</sub>VO<sub>40</sub>] (114) 277
- Bélangier, R. and Moffat, J.B.  
The interaction of nitrogen oxides with metal-oxygen cluster compounds (heteropoly oxometalates) (114) 319
- Busca, G., Cavani, F., Etienne, E., Finocchio, E., Galli, A., Selleri, G. and Trifirò, F.  
Reactivity of Keggin-type heteropolycompounds in the oxidation of isobutane to methacrolein and methacrylic acid: Reaction mechanism (114) 343
- Cavani, F., see Busca, G. (114) 343
- Chambers, R.C., see Crano, N.J. (114) 65
- Crano, N.J., Chambers, R.C., Lynch, V.M. and Fox, M.A.  
Preparation and photocatalytic studies on a novel Ti-substituted polyoxometalate (114) 65
- Damico Gall, R., see Hill, C.L. (114) 103
- Detusheva, L.G., see Kuznetsova, N.I. (114) 131
- Dong, S., see Xi, X. (114) 257
- Dupont, P. and Lefebvre, F.  
Esterification of propanoic acid by butanol and 2-ethylhexanol catalyzed by heteropolyacids pure or supported on carbon (114) 299
- Ermolenko, L. and Giannotti, C.  
Aerobic photocatalytic oxidation of adamantane with heteropolyoxometalates [X<sup>n+</sup>W<sub>12</sub>O<sub>40</sub>]<sup>8-n-</sup> where X = Si, Co<sup>2+</sup>, Co<sup>3+</sup> (114) 87
- Etienne, E., see Busca, G. (114) 343
- Fedotov, M.A., see Kholdeeva, O.A. (114) 123
- Fedotov, M.A., see Kuznetsova, N.I. (114) 131
- Finke, R.G., see Aiken III, J.D. (114) 29
- Finke, R.G., see Mizuno, N. (114) 15
- Finocchio, E., see Busca, G. (114) 343
- Fournier, M. and Mourad, H.  
Photochemical behavior of Keggin ions and related compounds (114) 53
- Fournier, M., see Rocchiccioli-Deltcheff, C. (114) 331
- Fox, M.A., see Crano, N.J. (114) 65
- Fujibayashi, S., see Yokota, T. (114) 113
- Furuta, H., see Sato, S. (114) 209
- Galli, A., see Busca, G. (114) 343
- Gelbard, G., Raison, F., Roditi-Lachter, E., Thouvenot, R., Ouahab, L. and Grandjean, D.  
Epoxidation of allylic alcohols by hydrogen peroxide in the presence of complexed peroxotungstic species (114) 77
- Giannotti, C., see Ermolenko, L. (114) 87
- Golovin, A.V., see Kholdeeva, O.A. (114) 123
- Grandjean, D., see Gelbard, G. (114) 77
- Grate, J.H.  
Keggin phosphomolybdoxovanadates for catalytic oxidations (114) 93
- Grigoriev, V.A., see Kholdeeva, O.A. (114) 123
- Hamakawa, S., see Shimizu, M. (114) 217
- Han, W., see Mizuno, N. (114) 309
- Hasada, Y., see Baba, T. (114) 247
- Hashimoto, M., see Matsumoto, Y. (114) 161
- Hasik, M., see Stochmal-Pomarzańska, E. (114) 267
- Hayakawa, T., see Shimizu, M. (114) 217
- Hervé, G., see Bayer, R. (114) 277
- Hill, C.L. and Damico Gall, R.  
The first combinatorially prepared and evaluated inorganic catalysts. Polyoxometalates for the aerobic oxidation of the mustard analog tetrahydrothiophene (THT) (114) 103
- Hill, C.L.  
Foreword: Polyoxometalates in catalysis (114) 1
- Hiramatsu, E., see Nomiya, K. (114) 181
- Hiskia, A., see Mylonas, A. (114) 191

- Ishii, Y., see Yokota, T. (114) 113  
 Ishikawa, E., see Yamase, T. (114) 237
- Kanai, S., see Yamase, T. (114) 237
- Khenkin, A.M., see Neumann, R. (114) 169
- Kholdeeva, O.A., Grigoriev, V.A., Maksimov, G.M., Fedotov, M.A., Golovin, A.V. and Zamaraev, K.I.  
 Polyfunctional action of transition metal substituted heteropolytungstates in alkene epoxidation by molecular oxygen in the presence of aldehyde (114) 123
- Kloetstra, K.R., see Kozhevnikov, I.V. (114) 287
- Kondoh, K., see Nomiya, K. (114) 181
- Kozhevnikov, I.V., Kloetstra, K.R., Sinnema, A., Zandbergen, H.W. and Van Bekkum, H.  
 Study of catalysts comprising heteropoly acid  $H_3PW_{12}O_{40}$  supported on MCM-41 molecular sieve and amorphous silica (114) 287
- Kudo, T., see Mizuno, N. (114) 309
- Kuznetsova, L.I., see Kuznetsova, N.I. (114) 131
- Kuznetsova, N.I., Detusheva, L.G., Kuznetsova, L.I., Fedotov, M.A. and Likholobov, V.A.  
 Complexes of palladium(II) and platinum(II) with the  $PW_{11}O_{39}^{7-}$  heteropolyanion as catalytically active species in benzene oxidation (114) 131
- Launay, S., see Rocchiccioli-Deltcheff, C. (114) 331
- Lefebvre, F., see Dupont, P. (114) 299
- Likholobov, V.A., see Kuznetsova, N.I. (114) 131
- Lin, Y., see Aiken III, J.D. (114) 29
- Liu, F.X., see Bayer, R. (114) 277
- Lynch, V.M., see Crano, N.J. (114) 65
- Maksimov, G.M., see Kholdeeva, O.A. (114) 123
- Maldotti, A., Molinari, A., Argazzi, R., Amadelli, R., Battioni, P. and Mansuy, D.  
 Redox properties of photoexcited  $(nBu_4N)_3PW_{12}O_{40}/Fe^{III}$  porphyrins composite systems (114) 141
- Mansuy, D., see Maldotti, A. (114) 141
- Marchal-Roch, C., see Bayer, R. (114) 277
- Matsumoto, Y., Asami, M., Hashimoto, M. and Misono, M.  
 Alkane oxidation with mixed addenda heteropoly catalysts containing Ru(III) and Rh(III) (114) 161
- Matveev, K.I., Odyakov, V.F. and Zhizhina, E.G.  
 Heteropoly acids as oxidation catalysts in synthesis of K-vitamins (114) 151
- Misono, M., see Matsumoto, Y. (114) 161
- Mizuno, N., Suh, D.-J., Han, W. and Kudo, T.  
 Catalytic performance of  $Cs_{2.5}Fe_{0.08}H_{1.26}PVMo_{11}O_{40}$  for direct oxidation of lower alkanes (114) 309
- Mizuno, N., Weiner, H. and Finke, R.G.  
 Co-oxidative epoxidation of cyclohexene with molecular oxygen, isobutyraldehyde reductant, and the polyoxoanion-supported catalyst precursor  $[(n-C_4H_9)_4N]_5Na_3[(1,5-COD)Ir \cdot P_2W_{15}Nb_3O_{62}]$ . The importance of key control experiments including omitting the catalyst and adding radical-chain initiators. (114) 15
- Moffat, J.B., see Bélanger, R. (114) 319
- Molinari, A., see Maldotti, A. (114) 141
- Mourad, H., see Fournier, M. (114) 53
- Mylonas, A., Hiskia, A. and Papaconstantinou, E.  
 Contribution to water purification using polyoxometalates. Aromatic derivatives, chloroacetic acids (114) 191
- Neumann, R. and Khenkin, A.M.  
 A new dinuclear rhodium(III) 'sandwich' polyoxometalate,  $[(WZnRh_2^III)(ZnW_9O_{34})_2]^{10-}$ . Synthesis, characterization and catalytic activity (114) 169
- Nishiyama, Y., see Yokota, T. (114) 113
- Nomiya, K., Yanagibayashi, H., Nozaki, C., Kondoh, K., Hiramatsu, E. and Shimizu, Y.  
 Hydroxylation of benzene catalyzed by selectively site-substituted vanadium(V) heteropolytungstates in the presence of hydrogen peroxide (114) 181
- Nomura, M., see Baba, T. (114) 247
- Nozaki, C., see Nomiya, K. (114) 181
- Nozaki, F., see Sato, S. (114) 209
- Odyakov, V.F., see Matveev, K.I. (114) 151
- Ohno, Y.-i., see Baba, T. (114) 247
- Ono, Y., see Baba, T. (114) 247
- Orita, H., see Shimizu, M. (114) 217
- Ouahab, L., see Gelbard, G. (114) 77
- Papaconstantinou, E., see Mylonas, A. (114) 191
- Pope, M.T., see Zhang, X.-y. (114) 201
- Proń, A., see Stochmal-Pomarańska, E. (114) 267
- Raison, F., see Gelbard, G. (114) 77
- Rocchiccioli-Deltcheff, C., Aouissi, A., Launay, S. and Fournier, M.  
 Silica-supported 12-molybdophosphoric acid catalysts: Influence of the thermal treatments and of the Mo contents on their behavior, from IR, Raman, X-ray diffraction studies, and catalytic reactivity in the methanol oxidation (114) 331
- Roditi-Lachter, E., see Gelbard, G. (114) 77
- Sadakane, M. and Steckhan, E.  
 Investigation of the manganese-substituted  $\alpha$ -Keggin-heteropolyanion  $K_6SiW_{11}O_{39}Mn(H_2O)$  by cyclic voltammetry and its application as oxidation catalyst (114) 221
- Sagara, K., see Sato, S. (114) 209
- Sakaguchi, S., see Yokota, T. (114) 113
- Sato, S., Sagara, K., Furuta, H. and Nozaki, F.  
 Kinetic studies of liquid-phase acetal formation catalyzed by Keggin-type heteropolyacids (114) 209
- Selleri, G., see Busca, G. (114) 343
- Shimizu, M., Orita, H., Suzuki, K., Hayakawa, T., Hamakawa, S. and Takehira, K.  
 Oxidative C-C bond cleavage of *vic*-diols with  $H_2O_2$  catalyzed by heteropolyacids (114) 217
- Shimizu, Y., see Nomiya, K. (114) 181
- Sinnema, A., see Kozhevnikov, I.V. (114) 287
- Steckhan, E., see Sadakane, M. (114) 221
- Stochmal-Pomarańska, E., Hasik, M., Turek, W. and Proń, A.  
 Preparation, spectroscopic and catalytic studies of poly(1,4-phenylene-methylidynenitrilo-1,4-phenylenenitriolmethylidyne) protonated with selected heteropolyacids (114) 267

- Suh, D.-J., see Mizuno, N. (114) 309
- Suzuki, K., see Shimizu, M. (114) 217
- Takehira, K., see Shimizu, M. (114) 217
- Tézé, A., see Bayer, R. (114) 277
- Thouvenot, R., see Gelbard, G. (114) 77
- Tomaselli, G.A., see Ballistreri, F.P. (114) 229
- Toscano, R.M., see Ballistreri, F.P. (114) 229
- Trifirò, F., see Busca, G. (114) 343
- Turek, W., see Stochmal-Pomarzańska, E. (114) 267
- Van Bekkum, H., see Kozhevnikov, I.V. (114) 287
- Weiner, H., see Mizuno, N. (114) 15
- Xi, X. and Dong, S.  
Electrocatalytic reduction of nitrite using Dawson-type tungstodiphosphate anions in aqueous solutions, adsorbed on a glassy carbon electrode and doped in polypyrrole film (114) 257
- Yamase, T., Ishikawa, E., Asai, Y. and Kanai, S.  
Alkene epoxidation by hydrogen peroxide in the presence of titanium-substituted Keggin-type polyoxotungstates  $[\text{PTi}_x\text{W}_{12-x}\text{O}_{40}]^{(3+2x)-}$  and  $[\text{PTi}_x\text{W}_{12-x}\text{O}_{40-x}(\text{O}_2)_x]^{(3+2x)-}$  ( $x = 1$  and  $2$ ) (114) 237
- Yanagibayashi, H., see Nomiya, K. (114) 181
- Yokota, T., Fujibayashi, S., Nishiyama, Y., Sakaguchi, S. and Ishii, Y.  
Molybdovanadophosphate (NPMoV)/hydroquinone/ $\text{O}_2$  system as an efficient reoxidation system in palladium-catalyzed oxidation of alkenes (114) 113
- Zamaraev, K.I., see Kholdeeva, O.A. (114) 123
- Zandbergen, H.W., see Kozhevnikov, I.V. (114) 287
- Zhang, X.-y. and Pope, M.T.  
High-valent manganese in polyoxotungstates. 4. Catalytic and stoichiometric alkene oxidation (114) 201
- Zhizhina, E.G., see Matveev, K.I. (114) 151