

Subject Index

- Active SiO₂-supported RhCo₃(CO)₁₂
Surface chemistry and catalysis of SiO₂-supported RhCo₃(CO)₁₂ (Huang, L. (124) 57)
- Alcohols
Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[(C_5H_5N(CH_2)_{15}CH_3)_7H_2Ho(III)-W_{10}O_{36}; Cetyl-HoW10]$ for H₂O₂-oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)
- Alkaline montmorillonites
Application of basic clays in microwave activated Michael additions: Preparation of *N*-substituted imidazoles (Martín-Aranda, R.M. (124) 115)
- Amination
Tetraalkylammonium *N*-chloro-*p*-toluenesulfonamide as aminating agent of olefins (Cenini, S. (124) 109)
- Aqueous phase catalysis
New water soluble chelating phosphines for aqueous phase catalysis (Ding, H. (124) 21)
- Aurichalcite (A), (Cu,Zn)₅(CO₃)₂(OH)₆
Steam reforming of methanol on binary Cu/ZnO catalysts: Effects of preparation condition upon precursors, surface structure and catalytic activity (Shen, G.-C. (124) 123)
- β -dicarbonyls
Metal-catalysed carbon–carbon bond formation in the reaction of malononitrile with β -dicarbonyls (Veronese, A.C. (124) 99)
- Carbon–carbon coupling
Metal-catalysed carbon–carbon bond formation in the reaction of malononitrile with β -dicarbonyls (Veronese, A.C. (124) 99)
- Carbonylation
Synthesis, structural characterization and catalytic carbonylation of nitrobenzene to phenylurethane using palladium (II) 1,10-phenanthroline diacetato complex (Halligudi, S.B. (124) 147)
- Catalytic properties
Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[(C_5H_5N(CH_2)_{15}CH_3)_7H_2Ho(III)-W_{10}O_{36}; Cetyl-HoW10]$ for H₂O₂-oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)
- Chiral
Chiral Ru(III) metal complex-catalyzed aerobic enantioselective epoxidation of styrene derivatives with co-oxidation of aldehyde (Kureshy, R.I. (124) 91)
- Enantioselective epoxidation
Chiral Ru(III) metal complex-catalyzed aerobic enantioselective epoxidation of styrene derivatives with co-oxidation of aldehyde (Kureshy, R.I. (124) 91)
- Environmental concerns
Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[(C_5H_5N(CH_2)_{15}CH_3)_7H_2Ho(III)-W_{10}O_{36}; Cetyl-HoW10]$ for H₂O₂-oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)
- Epoxidation
Zeolite titanium beta: A versatile epoxidation catalyst. Solvent effects (Van der Waal, J.C. (124) 137)
- High activity and stability
Surface chemistry and catalysis of SiO₂-supported RhCo₃(CO)₁₂ (Huang, L. (124) 57)
- Holmiumdecatungstate
Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[(C_5H_5N(CH_2)_{15}CH_3)_7H_2Ho(III)-W_{10}O_{36}; Cetyl-HoW10]$ for H₂O₂-oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)
- H₂O₂-oxidation
Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[(C_5H_5N(CH_2)_{15}CH_3)_7H_2Ho(III)-W_{10}O_{36}; Cetyl-HoW10]$ for H₂O₂-oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)
- Hydrocarbon conversion
The mechanism of conversion of hydrocarbons on sulfated metal oxides. Part IV. Kinetics of the reaction of methylcyclopentane on sulfated zirconia (Fărcaşiu, D. (124) 67)
- Hydroformylation
Surface chemistry and catalysis of SiO₂-supported RhCo₃(CO)₁₂ (Huang, L. (124) 57)
- Hydrogenolysis of hexanes
Reactivity of hexanes (2MP, MCP and CH) on W, W₂C and WC powders. Part II. Approach to the reaction mechanisms using concepts of organometallic chemistry (Hemming, F. (124) 39)
- Hydrogen peroxide
Zeolite titanium beta: A versatile epoxidation catalyst. Solvent effects (Van der Waal, J.C. (124) 137)
- Hydrozincite (H), Zn₅(CO₃)₂(OH)₆
Steam reforming of methanol on binary Cu/ZnO catalysts: Effects of preparation condition upon precursors, surface structure and catalytic activity (Shen, G.-C. (124) 123)
- Imidazole
Application of basic clays in microwave activated Michael additions: Preparation of *N*-substituted imidazoles (Martín-Aranda, R.M. (124) 115)

Ketones

Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)

Kinetics

The mechanism of conversion of hydrocarbons on sulfated metal oxides. Part IV. Kinetics of the reaction of methylcyclopentane on sulfated zirconia (Fărcașiu, D. (124) 67)

Malachite (M), $\text{Cu}_2\text{CO}_3(\text{OH})_2$

Steam reforming of methanol on binary Cu/ZnO catalysts: Effects of preparation condition upon precursors, surface structure and catalytic activity (Shen, G.-C. (124) 123)

Malononitrile

Metal-catalysed carbon-carbon bond formation in the reaction of malononitrile with β -dicarbonyls (Veronese, A.C. (124) 99)

Metal catalysis

Metal-catalysed carbon-carbon bond formation in the reaction of malononitrile with β -dicarbonyls (Veronese, A.C. (124) 99)

Metalloporphyrins

Tetraalkylammonium *N*-chloro-*p*-toluenesulfonamide as aminating agent of olefins (Cenini, S. (124) 109)

Metal-support interactions

The influence of MSI (metal-support interactions) on phenylacetaldehyde hydrogenation over Pt catalysts (Poondi, D. (124) 79)

Methylcyclopentane

The mechanism of conversion of hydrocarbons on sulfated metal oxides. Part IV. Kinetics of the reaction of methylcyclopentane on sulfated zirconia (Fărcașiu, D. (124) 67)

Michael addition

Application of basic clays in microwave activated Michael additions: Preparation of *N*-substituted imidazoles (Martín-Aranda, R.M. (124) 115)

Microwave irradiation

Application of basic clays in microwave activated Michael additions: Preparation of *N*-substituted imidazoles (Martín-Aranda, R.M. (124) 115)

Molecular oxygen

Chiral Ru(III) metal complex-catalyzed aerobic enantioselective epoxidation of styrene derivatives with co-oxidation of aldehyde (Kureshy, R.I. (124) 91)

Monoclinic

Synthesis, structural characterization and catalytic carbonylation of nitrobenzene to phenylurethane using palladium (II) 1,10-phenanthroline diacetato complex (Halligudi, S.B. (124) 147)

Nitriles

Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)

Nitroalkanes

Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)

1-octene

Zeolite titanium beta: A versatile epoxidation catalyst. Solvent effects (Van der Waal, J.C. (124) 137)

Octene hydroformylation

New water soluble chelating phosphines for aqueous phase catalysis (Ding, H. (124) 21)

Olefins

Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[(\text{C}_5\text{H}_5\text{N}(\text{CH}_2)_{15}\text{CH}_3)_7\text{H}_2\text{Ho}(\text{III})-\text{W}_{10}\text{O}_{36}; \text{Cetyl-HoW10}]$ for H_2O_2 -oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)

Tetraalkylammonium *N*-chloro-*p*-toluenesulfonamide as aminating agent of olefins (Cenini, S. (124) 109)

Orthometalated

Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)

Oxidation state

X-ray photoelectron spectroscopy analysis for oxidation states of titanium chloride on the surface of Ziegler-Natta catalysts (Hasebe, K. (124) L1)

Palladium

Synthesis, structural characterization and catalytic carbonylation of nitrobenzene to phenylurethane using palladium (II) 1,10-phenanthroline diacetato complex (Halligudi, S.B. (124) 147)

1,10-phenanthroline

Synthesis, structural characterization and catalytic carbonylation of nitrobenzene to phenylurethane using palladium (II) 1,10-phenanthroline diacetato complex (Halligudi, S.B. (124) 147)

Phenylacetaldehyde hydrogenation

The influence of MSI (metal-support interactions) on phenylacetaldehyde hydrogenation over Pt catalysts (Poondi, D. (124) 79)

Phenylethanol

The influence of MSI (metal-support interactions) on phenylacetaldehyde hydrogenation over Pt catalysts (Poondi, D. (124) 79)

phenylurethane

Synthesis, structural characterization and catalytic carbonylation of nitrobenzene to phenylurethane using palladium (II) 1,10-phenanthroline diacetato complex (Halligudi, S.B. (124) 147)

Phosphines

New water soluble chelating phosphines for aqueous phase catalysis (Ding, H. (124) 21)

Platinum/titania

The influence of MSI (metal-support interactions) on phenylacetaldehyde hydrogenation over Pt catalysts (Poondi, D. (124) 79)

Polymer based

Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)

Preservation of RhCo_3

Surface chemistry and catalysis of SiO_2 -supported $\text{RhCo}_3(\text{CO})_{12}$ (Huang, L. (124) 57)

Reaction intermediates

Reactivity of hexanes (2MP, MCP and CH) on W, W_2C and WC powders. Part II. Approach to the reaction mechanisms using concepts of organometallic chemistry (Hemming, F. (124) 39)

Reaction mechanisms

Reactivity of hexanes (2MP, MCP and CH) on W, W_2C and WC powders. Part II. Approach to the reaction mechanisms

- using concepts of organometallic chemistry (Hemming, F. (124) 39)
- Reduction**
Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)
- Regeneration of $\text{RhCo}_3(\text{CO})_{12}$**
Surface chemistry and catalysis of SiO_2 -supported $\text{RhCo}_3(\text{CO})_{12}$ (Huang, L. (124) 57)
- Ruthenium**
Chiral Ru(III) metal complex-catalyzed aerobic enantioselective epoxidation of styrene derivatives with co-oxidation of aldehyde (Kureshy, R.I. (124) 91)
- Schiff base**
Use of polystyrene bound orthometalated Schiff base complexes of palladium (II) as catalysts for the dihydrogen reduction of nitroalkanes, nitriles and ketones (Islam, S.M. (124) 5)
- Sodium zinc carbonate (SZC), $\text{Na}_2\text{Zn}_3(\text{CO}_3)_4$**
Steam reforming of methanol on binary Cu/ZnO catalysts: Effects of preparation condition upon precursors, surface structure and catalytic activity (Shen, G.-C. (124) 123)
- Solvent effects**
Zeolite titanium beta: A versatile epoxidation catalyst. Solvent effects (Van der Waal, J.C. (124) 137)
- Styrene**
Chiral Ru(III) metal complex-catalyzed aerobic enantioselective epoxidation of styrene derivatives with co-oxidation of aldehyde (Kureshy, R.I. (124) 91)
- Sulfated metal oxides**
The mechanism of conversion of hydrocarbons on sulfated metal oxides. Part IV. Kinetics of the reaction of methylcyclopentane on sulfated zirconia (Fărcașiu, D. (124) 67)
- Surface analysis**
X-ray photoelectron spectroscopy analysis for oxidation states of titanium chloride on the surface of Ziegler–Natta catalysts (Hasebe, K. (124) L1)
- Temperature programmed oxidation (TPO)**
Steam reforming of methanol on binary Cu/ZnO catalysts: Effects of preparation condition upon precursors, surface structure and catalytic activity (Shen, G.-C. (124) 123)
- Tetraalkylammonium N-chloro-*p*-toluenesulfonamide**
Tetraalkylammonium *N*-chloro-*p*-toluenesulfonamide as aminating agent of olefins (Cenini, S. (124) 109)
- Titanium**
Zeolite titanium beta: A versatile epoxidation catalyst. Solvent effects (Van der Waal, J.C. (124) 137)
- Titanium chloride**
X-ray photoelectron spectroscopy analysis for oxidation states of titanium chloride on the surface of Ziegler–Natta catalysts (Hasebe, K. (124) L1)
- Tungsten carbides**
Reactivity of hexanes (2MP, MCP and CH) on W, W_2C and WC powders. Part II. Approach to the reaction mechanisms using concepts of organometallic chemistry (Hemming, F. (124) 39)
- Turnover frequency (TOF)**
Steam reforming of methanol on binary Cu/ZnO catalysts: Effects of preparation condition upon precursors, surface structure and catalytic activity (Shen, G.-C. (124) 123)
- Working states**
Catalytic properties of holmiumdecatungstate modified with cetylpyridinium cation $[\{\text{C}_5\text{H}_5\text{N}(\text{CH}_2)_{15}\text{CH}_3\}_7\text{H}_2\text{Ho(III)-W}_{10}\text{O}_{36}; \text{Cetyl-HoW10}]$ for H_2O_2 -oxidation of alcohols and olefins and its working states under an organic-solvent-free condition (Siozaki, R. (124) 29)
- X-ray photoelectron spectroscopy**
X-ray photoelectron spectroscopy analysis for oxidation states of titanium chloride on the surface of Ziegler–Natta catalysts (Hasebe, K. (124) L1)
- Zeolite beta**
Zeolite titanium beta: A versatile epoxidation catalyst. Solvent effects (Van der Waal, J.C. (124) 137)
- Ziegler–Natta catalyst**
X-ray photoelectron spectroscopy analysis for oxidation states of titanium chloride on the surface of Ziegler–Natta catalysts (Hasebe, K. (124) L1)
- Zirconia**
The mechanism of conversion of hydrocarbons on sulfated metal oxides. Part IV. Kinetics of the reaction of methylcyclopentane on sulfated zirconia (Fărcașiu, D. (124) 67)