

Subject index

Acetanilide

Fries rearrangement of acetanilide over zeolite catalysts (Balakus Jr., K.J. (134) 137)

Acetic anhydride

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Acidic mordenite

Steric aspects in methylamine and dimethylether synthesis over acidic mordenites (Veefkind, V.A. (134) 111)

Acidity

Butene oligomerization over mesoporous MTS-type aluminosilicates (Chiche, B. (134) 145)

Acylation

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Adsorption

The Delft silicalite-1 membrane: peculiar permeation and counter-intuitive separation phenomena (Kapteijn, F. (134) 201)

Alcohol

Michael addition in the pseudoliquid phase of heteropoly compounds (Kengaku, T. (134) 237)

Alkene hydroformylation

A water-soluble diphosphine ligand with a large 'natural' bite angle for two-phase hydroformylation of alkenes (Schreuder Goedheijt, M. (134) 243)

Amorphous silica–aluminas

Novel dehydration of stilbene oxides to diphenylacetylene using flash vacuum thermolysis with solid acid catalysts (Van der Waals, A.C.L.M. (134) 179)

Anisole

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Aqueous oxidation catalysis

Manganese- and iron-porphyrins embedded in a polydimethylsiloxane membrane: a selective oxidation catalyst (Neys, P.E.F. (134) 209)

Aqueous-phase catalysis

A water-soluble diphosphine ligand with a large 'natural' bite angle for two-phase hydroformylation of alkenes (Schreuder Goedheijt, M. (134) 243)

Aromatic ketone

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Aspergillus oryzae

Immobilised β -galactosidases and their use in galactoside synthesis (Woudenberg-van Oosterom, M. (134) 267)

Basic zeolites

Mechanistic studies of the side-chain alkylation of toluene with methanol on basic zeolites Y by multi-nuclear NMR spectroscopy (Hunger, M. (134) 97)

Benzaldehyde

Highly efficient self-condensation of benzaldehyde to benzyl benzoate over KF-loaded alumina (Handa, H. (134) 171)

Benzene oxidation

Heterogenization of $H_6PMo_9V_3O_{40}$ and palladium acetate in VPI-5 and MCM-41 and their use in the catalytic oxidation of benzene to phenol (Passoni, L.C. (134) 229)

Benzyl benzoate

Highly efficient self-condensation of benzaldehyde to benzyl benzoate over KF-loaded alumina (Handa, H. (134) 171)

Butene oligomerization

Butene oligomerization over mesoporous MTS-type aluminosilicates (Chiche, B. (134) 145)

Candida antarctica lipase

Transesterification of lactulose with ethyl butanoate catalysed by *Candida antarctica* lipase (Van der Heijden, A.M. (134) 259)

Catalyst

Zeolites as solid solvents (Derouane, E.G. (134) 29)

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Catalytic flash vacuum thermolysis

Novel dehydration of stilbene oxides to diphenylacetylene using flash vacuum thermolysis with solid acid catalysts (Van der Waals, A.C.L.M. (134) 179)

CCl_2F_2

Development of a satisfactory palladium on activated carbon catalyst for the selective hydrogenolysis of CCl_2F_2 (CFC-12) into CH_2F_2 (HFC-32) (Makkee, M. (134) 191)

Cesium cations

Mechanistic studies of the side-chain alkylation of toluene with methanol on basic zeolites Y by multi-nuclear NMR spectroscopy (Hunger, M. (134) 97)

Charge distribution

Extending and simplifying the electronegativity equalization method (Njo, S.L. (134) 79)

- CH₂F₂
Development of a satisfactory palladium on activated carbon catalyst for the selective hydrogenolysis of CCl₂F₂ (CFC-12) into CH₂F₂ (HFC-32) (Makkee, M. (134) 191)
- Claisen
Zeolite-catalysed rearrangements in organic synthesis (Sheldon, R.A. (134) 129)
- Clay
Novel dehydration of stilbene oxides to diphenylacetylene using flash vacuum thermolysis with solid acid catalysts (Van der Waals, A.C.L.M. (134) 179)
- Computational chemistry
Semi-empirical atomic charges for use in computational chemistry of molecular sieves (Louwen, J.N. (134) 63)
- Crystallography
Localization of non-framework species in MFI (Van Koningsveld, H. (134) 89)
- Cyclohexenone
Michael addition in the pseudoliquid phase of heteropoly compounds (Kengaku, T. (134) 237)
- 2,6-Dichlorophenylporphyrin
Manganese- and iron-porphyrins embedded in a polydimethylsiloxane membrane: a selective oxidation catalyst (Neys, P.E.F. (134) 209)
- Dimerisation
Active sites in the clay catalysed dimerisation of oleic acid (Koster, R.M. (134) 159)
- Dimethylether
Steric aspects in methylamine and dimethylether synthesis over acidic mordenites (Veeffkind, V.A. (134) 111)
- Diphenyl ether
Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H-β (H-BEA) in the absence of solvent (Smith, K. (134) 121)
- EEM parameterization
Extending and simplifying the electronegativity equalization method (Njo, S.L. (134) 79)
- Enantioselectivity
Entrapment of lipases in hydrophobic magnetite-containing sol-gel materials: magnetic separation of heterogeneous biocatalysts (Reetz, M.T. (134) 251)
- Encapsulation
Heterogenization of H₆PMo₉V₃O₄₀ and palladium acetate in VPI-5 and MCM-41 and their use in the catalytic oxidation of benzene to phenol (Passoni, L.C. (134) 229)
- Epoxidation
Epoxidation of oleic acid catalyzed by peroxo phosphotungstate in a two-phase system (Kozhevnikov, I.V. (134) 223)
- Epoxide rearrangement
Novel dehydration of stilbene oxides to diphenylacetylene using flash vacuum thermolysis with solid acid catalysts (Van der Waals, A.C.L.M. (134) 179)
- Epoxides
Zeolite-catalysed rearrangements in organic synthesis (Sheldon, R.A. (134) 129)
- Esterification
Entrapment of lipases in hydrophobic magnetite-containing sol-gel materials: magnetic separation of heterogeneous biocatalysts (Reetz, M.T. (134) 251)
- Ethyl butanoate
Transesterification of lactulose with ethyl butanoate catalysed by *Candida antarctica* lipase (Van der Heijden, A.M. (134) 259)
- Fatty acids
Active sites in the clay catalysed dimerisation of oleic acid (Koster, R.M. (134) 159)
- Friedel–Crafts acylation
Heteropolyacids and large-pore zeolites as catalysts in acylation reactions using α,β-unsaturated organic acids as acylating agents (De Castro, C. (134) 215)
- Fries rearrangement
Fries rearrangement of acetanilide over zeolite catalysts (Balakus Jr., K.J. (134) 137)
- Galactose
Immobilised β-galactosidases and their use in galactoside synthesis (Woudenberg-van Oosterom, M. (134) 267)
- Gas phase reactions
Novel dehydration of stilbene oxides to diphenylacetylene using flash vacuum thermolysis with solid acid catalysts (Van der Waals, A.C.L.M. (134) 179)
- Germanium and titanium EEM parameters
Extending and simplifying the electronegativity equalization method (Njo, S.L. (134) 79)
- Glycoside
Immobilised β-galactosidases and their use in galactoside synthesis (Woudenberg-van Oosterom, M. (134) 267)
- H-beta
Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H-β (H-BEA) in the absence of solvent (Smith, K. (134) 121)
- Heteropolyacids
Heteropolyacids and large-pore zeolites as catalysts in acylation reactions using α,β-unsaturated organic acids as acylating agents (De Castro, C. (134) 215)
Heterogenization of H₆PMo₉V₃O₄₀ and palladium acetate in VPI-5 and MCM-41 and their use in the catalytic oxidation of benzene to phenol (Passoni, L.C. (134) 229)
- Heteropoly compound
Michael addition in the pseudoliquid phase of heteropoly compounds (Kengaku, T. (134) 237)
- Hydrogenation
Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creighton, E.J. (134) 47)
- Hydrogenolysis
Development of a satisfactory palladium on activated carbon catalyst for the selective hydrogenolysis of CCl₂F₂ (CFC-12) into CH₂F₂ (HFC-32) (Makkee, M. (134) 191)
- Hydrogen transfer
Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creighton, E.J. (134) 47)
- Immobilization
Entrapment of lipases in hydrophobic magnetite-containing sol-gel materials: magnetic separation of heterogeneous biocatalysts (Reetz, M.T. (134) 251)

- Indenones**
Novel dehydration of stilbene oxides to diphenylacetylene using flash vacuum thermolysis with solid acid catalysts (Van der Waals, A.C.L.M. (134) 179)
- Intracrystalline free space**
Zeolites as solid solvents (Derouane, E.G. (134) 29)
- Intramolecular hydroxyalkylation**
Zeolite-catalysed rearrangements in organic synthesis (Sheldon, R.A. (134) 129)
- IR spectroscopy**
Steric aspects in methylamine and dimethylether synthesis over acidic mordenites (Veefkind, V.A. (134) 111)
- KF-loaded alumina**
Highly efficient self-condensation of benzaldehyde to benzyl benzoate over KF-loaded alumina (Handa, H. (134) 171)
- Kluyvermyces fragilis***
Immobilised β -galactosidases and their use in galactoside synthesis (Woudenberg-van Oosterom, M. (134) 267)
- Lipases**
Entrapment of lipases in hydrophobic magnetite-containing sol-gel materials: magnetic separation of heterogeneous biocatalysts (Reetz, M.T. (134) 251)
- Magnetic separation**
Entrapment of lipases in hydrophobic magnetite-containing sol-gel materials: magnetic separation of heterogeneous biocatalysts (Reetz, M.T. (134) 251)
- MCM-41**
Heterogenization of $H_6PMo_9V_3O_{40}$ and palladium acetate in VPI-5 and MCM-41 and their use in the catalytic oxidation of benzene to phenol (Passoni, L.C. (134) 229)
- Meerwein–Ponndorf–Verley reduction**
Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creyghton, E.J. (134) 47)
- Membranes**
Manganese- and iron-porphyrins embedded in a polydimethylsiloxane membrane: a selective oxidation catalyst (Neys, P.E.F. (134) 209)
- Mesoporous aluminosilicates**
Butene oligomerization over mesoporous MTS-type aluminosilicates (Chiche, B. (134) 145)
- Metal cluster**
Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creyghton, E.J. (134) 47)
- Metal complex**
Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creyghton, E.J. (134) 47)
- Methylamine**
Steric aspects in methylamine and dimethylether synthesis over acidic mordenites (Veefkind, V.A. (134) 111)
- MFI zeolite**
Localization of non-framework species in MFI (Van Koningsveld, H. (134) 89)
- Michael addition**
Michael addition in the pseudoliquid phase of heteropoly compounds (Kengaku, T. (134) 237)
- Molecular dynamics calculations**
Extending and simplifying the electronegativity equalization method (Njo, S.L. (134) 79)
- Molecular sieve**
Semi-empirical atomic charges for use in computational chemistry of molecular sieves (Louwen, J.N. (134) 63)
- Montmorillonite**
Active sites in the clay catalysed dimerisation of oleic acid (Koster, R.M. (134) 159)
- Oleic acid**
Epoxidation of oleic acid catalyzed by peroxo phosphotungstate in a two-phase system (Kozhevnikov, I.V. (134) 223)
- Oleochemicals**
Active sites in the clay catalysed dimerisation of oleic acid (Koster, R.M. (134) 159)
- Palladium carbide**
Development of a satisfactory palladium on activated carbon catalyst for the selective hydrogenolysis of CCl_2F_2 (CFC-12) into CH_2F_2 (HFC-32) (Makkee, M. (134) 191)
- Permeation**
The Delft silicalite-1 membrane: peculiar permeation and counter-intuitive separation phenomena (Kapteijn, F. (134) 201)
- Phenetole**
Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)
- Phenol**
Heterogenization of $H_6PMo_9V_3O_{40}$ and palladium acetate in VPI-5 and MCM-41 and their use in the catalytic oxidation of benzene to phenol (Passoni, L.C. (134) 229)
- Photocatalysis**
Fries rearrangement of acetanilide over zeolite catalysts (Balakus Jr., K.J. (134) 137)
- Polydimethylsiloxane**
Manganese- and iron-porphyrins embedded in a polydimethylsiloxane membrane: a selective oxidation catalyst (Neys, P.E.F. (134) 209)
- Polyoxometalates**
Epoxidation of oleic acid catalyzed by peroxo phosphotungstate in a two-phase system (Kozhevnikov, I.V. (134) 223)
- Pseudoliquid phase**
Michael addition in the pseudoliquid phase of heteropoly compounds (Kengaku, T. (134) 237)
- Rearrangement**
Zeolite-catalysed rearrangements in organic synthesis (Sheldon, R.A. (134) 129)
- Rhodium**
A water-soluble diphosphine ligand with a large 'natural' bite angle for two-phase hydroformylation of alkenes (Schreuder Goedheijt, M. (134) 243)
- Self-condensation**
Highly efficient self-condensation of benzaldehyde to benzyl benzoate over KF-loaded alumina (Handa, H. (134) 171)
- Semi-empirical atomic charges**
Semi-empirical atomic charges for use in computational chemistry of molecular sieves (Louwen, J.N. (134) 63)

Separation

The Delft silicalite-1 membrane: peculiar permeation and counter-intuitive separation phenomena (Kapteijn, F. (134) 201)

Shape-selectivity

Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creighton, E.J. (134) 47)

Shielded potential

Extending and simplifying the electronegativity equalization method (Njo, S.L. (134) 79)

Side-chain alkylation of toluene

Mechanistic studies of the side-chain alkylation of toluene with methanol on basic zeolites Y by multi-nuclear NMR spectroscopy (Hunger, M. (134) 97)

Silica–alumina

Butene oligomerization over mesoporous MTS-type aluminosilicates (Chiche, B. (134) 145)

Silicalite-1 membrane

The Delft silicalite-1 membrane: peculiar permeation and counter-intuitive separation phenomena (Kapteijn, F. (134) 201)

Sol–gel

Entrapment of lipases in hydrophobic magnetite-containing sol-gel materials: magnetic separation of heterogeneous biocatalysts (Reetz, M.T. (134) 251)

Solid base

Highly efficient self-condensation of benzaldehyde to benzyl benzoate over KF-loaded alumina (Handa, H. (134) 171)

Solid-state NMR spectroscopy

Mechanistic studies of the side-chain alkylation of toluene with methanol on basic zeolites Y by multi-nuclear NMR spectroscopy (Hunger, M. (134) 97)

Solvent

Zeolites as solid solvents (Derouane, E.G. (134) 29)

Sorbate

Localization of non-framework species in MFI (Van Koningsveld, H. (134) 89)

Sorbents

Zeolites as solid solvents (Derouane, E.G. (134) 29)

Symmetry

Localization of non-framework species in MFI (Van Koningsveld, H. (134) 89)

Synthesis

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Texture

Butene oligomerization over mesoporous MTS-type aluminosilicates (Chiche, B. (134) 145)

Transesterification

Transesterification of lactulose with ethyl butanoate catalysed by *Candida antarctica* lipase (Van der Heijden, A.M. (134) 259)

Two-phase catalysis

A water-soluble diphosphine ligand with a large 'natural' bite angle for two-phase hydroformylation of alkenes (Schreuder Goedheijt, M. (134) 243)

VPI-5

Heterogenization of $H_6PMo_9V_3O_{40}$ and palladium acetate in VPI-5 and MCM-41 and their use in the catalytic oxidation of benzene to phenol (Passoni, L.C. (134) 229)

Water-soluble ligands

A water-soluble diphosphine ligand with a large 'natural' bite angle for two-phase hydroformylation of alkenes (Schreuder Goedheijt, M. (134) 243)

Zeolite

Zeolites as solid solvents (Derouane, E.G. (134) 29)

Shape-selective hydrogenation and hydrogen transfer reactions over zeolite catalysts (Creighton, E.J. (134) 47)

Synthesis of aromatic ketones by acylation of aryl ethers with carboxylic anhydrides in the presence of zeolite H- β (H-BEA) in the absence of solvent (Smith, K. (134) 121)

Zeolite-catalysed rearrangements in organic synthesis (Sheldon, R.A. (134) 129)

Fries rearrangement of acetanilide over zeolite catalysts (Balakus Jr., K.J. (134) 137)

Butene oligomerization over mesoporous MTS-type aluminosilicates (Chiche, B. (134) 145)

Heteropolyacids and large-pore zeolites as catalysts in acylation reactions using α,β -unsaturated organic acids as acylating agents (De Castro, C. (134) 215)