

Subject index

Ab initio molecular orbital calculations

Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)

Acetal

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Acetylene

The role of copper in particulate methane monooxygenase from *Methylosinus trichosporium* OB3b (Takeguchi, M. (137) 161)

Acid–basic site

Effects of structural defects and acid–basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol–gel alumina catalyst (Wang, J.A. (137) 239)

Acrylic ester

$\text{Ru}_3(\text{CO})_{12}/1,10$ -phenanthroline-catalyzed hydroformylation of styrene and acrylic esters (Mitsudo, T.-a. (137) 253)

Active centers of HDS catalysts

Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)

Aldehyde

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Alkanes

Zeolite-encapsulated vanadium picolinate peroxy complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)

Alkenes

Catalytic amination of unsaturated hydrocarbons: reactions of *p*-nitrophenylazide with alkenes catalysed by metalloporphyrins (Cenini, S. (137) 135)

Allylamines

Effects of chelating diphosphines on the rhodium catalysed carbonylation of allylamines (Gomes da Rosa, R. (137) 297)

Allyl ethers

Hydroformylation of allyl ethers. A study of the regioselectivity using rhodium catalysts (Ruiz, N. (137) 93)

²⁷Al-NMR

Fluorinated alcohol modified nickel–phosphine catalyst system for efficient dimerization of propylene (Nomura, K. (137) 1)

Alumina

Effects of structural defects and acid–basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol–gel alumina catalyst (Wang, J.A. (137) 239)

Preparation and characterization of $\text{W}/\gamma\text{-Al}_2\text{O}_3$ and $\text{Pd}-\text{W}/\gamma\text{-Al}_2\text{O}_3$ catalysts from organometallic precursors. The catalytic activity for NO decomposition (Sica, A.M. (137) 287)

Aluminium alkoxide sulphate catalyst

Aluminium alkoxide sulphate catalyst: a computational study (Improta, R. (137) 169)

Aluminum coordination

Effects of structural defects and acid–basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol–gel alumina catalyst (Wang, J.A. (137) 239)

Amination

Catalytic amination of unsaturated hydrocarbons: reactions of *p*-nitrophenylazide with alkenes catalysed by metalloporphyrins (Cenini, S. (137) 135)

Asymmetric hydrogenation

Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)

Autoxidation

Homogeneous and biphasic autoxidation of tetralin catalyzed by transition metal salts and complexes (Chung, Y.M. (137) 23)

Baeyer–Villiger

One-pot synthesis of ketones and lactones by oxidation of the parent hydrocarbons with KHSO_5 catalyzed by manganese(III) porphyrins in a biphasic, solid–liquid, system (Cammarota, L. (137) 155)

Binuclear

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Biphasic catalysis

Studies on catalytic hydrogenation of citral by water-soluble palladium complex (Tin, K.-C. (137) 113)

Hydrogenation of crotonaldehyde and cinnamaldehyde catalyzed by water-soluble palladium complex (Tin, K.-C. (137) 121)

Biphasic synthesis

Homogeneous and biphasic autoxidation of tetralin catalyzed by transition metal salts and complexes (Chung, Y.M. (137) 23)

Boron trifluoride

Toward a quantitative evaluation of Lewis acid strength. A ^{13}C NMR study of the interaction of boron trifluoride with diethyl ether (Fărcașiu, D. (137) 213)

1,3-Butadiene

1,3-butadiene telomerization with methanol catalyzed by hydrogenated palladium complexes (Benvenuti, F. (137) 49)

Carvacrol

Oxidation of aromatic monoterpenes with hydrogen peroxide catalysed by Mn(III) porphyrin complexes (Martins, R.R.L. (137) 41)

Catalysis

Hydroformylation of allyl ethers. A study of the regioselectivity using rhodium catalysts (Ruiz, N. (137) 93)

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Catalyst

Direct synthesis of diphenyl carbonate by oxidative carbonylation of phenol using Pd–Cu based redox catalyst system (Goyal, M. (137) 147)

Effects of structural defects and acid–basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol–gel alumina catalyst (Wang, J.A. (137) 239)

Cation exchange

Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)

Cationic catalyst

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Cationic exchange resin

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

 β -CD

Regulatory nature of β -cyclodextrin in selective ring-opening during reduction of styrene oxide (Ravichandran, R. (137) 31)

 ^{13}C dynamic NMR spectroscopy

Toward a quantitative evaluation of Lewis acid strength. A ^{13}C NMR study of the interaction of boron trifluoride with diethyl ether (Fărcașiu, D. (137) 213)

Characterization

Preparation and characterization of $\text{W}/\gamma\text{-Al}_2\text{O}_3$ and Pd– $\text{W}/\gamma\text{-Al}_2\text{O}_3$ catalysts from organometallic precursors. The catalytic activity for NO decomposition (Sica, A.M. (137) 287)

Chelating diphosphines

Effects of chelating diphosphines on the rhodium catalysed carbonylation of allylamines (Gomes da Rosa, R. (137) 297)

Chiral phosphine ligand

Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)

Chlorinated phenols

Oxidative degradation of chlorinated phenols catalyzed by a non-heme iron(III) complex (Hemmert, C. (137) 205)

Cinnamaldehyde

Hydrogenation of crotonaldehyde and cinnamaldehyde catalyzed by water-soluble palladium complex (Tin, K.-C. (137) 121)

Citral

Studies on catalytic hydrogenation of citral by water-soluble palladium complex (Tin, K.-C. (137) 113)

1:1 Complex

Regulatory nature of β -cyclodextrin in selective ring-opening during reduction of styrene oxide (Ravichandran, R. (137) 31)

Copper

The role of copper in particulate methane monooxygenase from *Methylosinus trichosporium* OB3b (Takeguchi, M. (137) 161)

Coupling

Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)

Crotonaldehyde

Hydrogenation of crotonaldehyde and cinnamaldehyde catalyzed by water-soluble palladium complex (Tin, K.-C. (137) 121)

 Cu^{2+} -exchanged pillared clay

Selective catalytic reduction of NO with hydrocarbon on Cu^{2+} -exchanged pillared clay: An IR study of the NO decomposition mechanism (Sirilumpen, M. (137) 273)

(E, E, Z)-1,5,9-Cyclododecatriene

Oxidation of *(E, E, Z)*-1,5,9-cyclododecatriene catalysed by palladium(II) acetate in the presence of copper(II) acetate and air: A kinetic study (Balbolov, E. (137) 77)

Cyclohexene

$\text{Mn}^{\text{III}}L_x/t\text{-BuOOH}$ -induced activation of dioxygen for the oxygenation of cyclohexene (Matsushita, T. (137) 127)

p-Cymene

Oxidation of aromatic monoterpenes with hydrogen peroxide catalysed by Mn(III) porphyrin complexes (Martins, R.R.L. (137) 41)

Deoxygenation

Regulatory nature of β -cyclodextrin in selective ring-opening during reduction of styrene oxide (Ravichandran, R. (137) 31)

1,2-Diaminopropane

Polymer anchored palladium(II)-diaminopropane complexes: synthesis and catalytic behaviour (John, J. (137) 183)

Diethyl ether

Toward a quantitative evaluation of Lewis acid strength. A ^{13}C NMR study of the interaction of boron trifluoride with diethyl ether (Fărcașiu, D. (137) 213)

Dioxygen

$\text{Mn}^{\text{III}}L_x/t\text{-BuOOH}$ -induced activation of dioxygen for the oxygenation of cyclohexene (Matsushita, T. (137) 127)

Dioxygen activation

$\text{Mn}^{\text{III}}L_x/t\text{-BuOOH}$ -induced activation of dioxygen for the oxygenation of cyclohexene (Matsushita, T. (137) 127)

Diphenyl carbonate

Direct synthesis of diphenyl carbonate by oxidative carbonylation of phenol using Pd–Cu based redox catalyst system (Goyal, M. (137) 147)

- Encapsulated vanadium complexes
Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)
- Epoxidation
Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)
- Ethoxylation
Aluminium alkoxide sulphate catalyst: a computational study (Improta, R. (137) 169)
- Ferrierite
FT-IR study of H₂¹⁶O and H₂¹⁸O adsorption on H-ferrierite (Lee, B. (137) 269)
- FT-IR
FT-IR study of H₂¹⁶O and H₂¹⁸O adsorption on H-ferrierite (Lee, B. (137) 269)
- Heterogenized catalysts
1,3-butadiene telomerization with methanol catalyzed by heterogenized palladium complexes (Benvenuti, F. (137) 49)
- Host-guest catalyst
Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)
- Hydrodesulfurization
Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)
- Hydroformylation
Hydroformylation of allyl ethers. A study of the regioselectivity using rhodium catalysts (Ruiz, N. (137) 93)
Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)
Ru₃(CO)₁₂/1,10-phenanthroline-catalyzed hydroformylation of styrene and acrylic esters (Mitsudo, T.-a. (137) 253)
- Hydrogenation
Studies on catalytic hydrogenation of citral by water-soluble palladium complex (Tin, K.-C. (137) 113)
Hydrogenation of crotonaldehyde and cinnamaldehyde catalyzed by water-soluble palladium complex (Tin, K.-C. (137) 121)
- Hydrogenation of cyclohexene
Polymer anchored palladium(II)-diaminopropane complexes: synthesis and catalytic behaviour (John, J. (137) 183)
- Hydrogen-bonded model
FT-IR study of H₂¹⁶O and H₂¹⁸O adsorption on H-ferrierite (Lee, B. (137) 269)
- Hydrogen peroxide
Oxidation of aromatic monoterpenes with hydrogen peroxide catalysed by Mn(III) porphyrin complexes (Martins, R.R.L. (137) 41)
Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)
- Hydrogen sulfide adsorption
Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)
- Iminium salt
Synthesis of alkyl- and arylthioglycosides and thiodisaccharides via thioiminium salts in a two-phase system (Fujihira, T. (137) 65)
- Immobilization
Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)
- Intercalation
Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)
- Iron
The role of copper in particulate methane monooxygenase from *Methylosinus trichosporium* OB3b (Takeguchi, M. (137) 161)
- Isopropanol decomposition
Effects of structural defects and acid-basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol-gel alumina catalyst (Wang, J.A. (137) 239)
- Isotope labeling
FT-IR study of H₂¹⁶O and H₂¹⁸O adsorption on H-ferrierite (Lee, B. (137) 269)
- Kinetic model
Oxidation of (*E,E,Z*)-1,5,9-cyclododecatriene catalysed by palladium(II) acetate in the presence of copper(II) acetate and air: A kinetic study (Balbolov, E. (137) 77)
- Kinetics of hydrogenation
Polymer anchored palladium(II)-diaminopropane complexes: synthesis and catalytic behaviour (John, J. (137) 183)
- Layer compounds
Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)
- Lewis acid strengths
Toward a quantitative evaluation of Lewis acid strength. A ¹³C NMR study of the interaction of boron trifluoride with diethyl ether (Fărcașiu, D. (137) 213)
- Manganese
One-pot synthesis of ketones and lactones by oxidation of the parent hydrocarbons with KHSO₅ catalyzed by manganese(III) porphyrins in a biphasic, solid-liquid, system (Cammarota, L. (137) 155)
- Manganese complexes
Mn^{III}L_x/*t*-BuOOH-induced activation of dioxygen for the oxygenation of cyclohexene (Matsushita, T. (137) 127)
- Mercaptans
Effect of metal phthalocyanine complex aggregation on the catalytic and photocatalytic oxidation of sulfur containing compounds (Iliev, V. (137) 15)
- Metal carbonyls
Preparation and characterization of W/γ-Al₂O₃ and Pd-W/γ-Al₂O₃ catalysts from organometallic precursors. The catalytic activity for NO decomposition (Sica, A.M. (137) 287)

Metal complex

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Metallo-porphyrins

Catalytic amination of unsaturated hydrocarbons: reactions of *p*-nitrophenylazide with alkenes catalysed by metallo-porphyrins (Cenini, S. (137) 135)

Methanol

1,3-butadiene telomerization with methanol catalyzed by heterogenized palladium complexes (Benvenuti, F. (137) 49)

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Methylosinus trichosporium OB3b

The role of copper in particulate methane monooxygenase from *Methylosinus trichosporium* OB3b (Takeguchi, M. (137) 161)

Mn(III) porphyrin catalysts

Oxidation of aromatic monoterpenes with hydrogen peroxide catalysed by Mn(III) porphyrin complexes (Martins, R.R.L. (137) 41)

Molecular recognition

Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)

Molybdenum disulfide

Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)

Monopersulfate

Oxidative degradation of chlorinated phenols catalyzed by a non-heme iron(III) complex (Hemmert, C. (137) 205)

Multifunctional catalyst

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Naphthols

Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)

Nickel–phosphine complexes

Fluorinated alcohol modified nickel–phosphine catalyst system for efficient dimerization of propylene (Nomura, K. (137) 1)

NiCl₂(PH₃)₂ complex

Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)

³¹P-NMR

Fluorinated alcohol modified nickel–phosphine catalyst system for efficient dimerization of propylene (Nomura, K. (137) 1)

NO decomposition

Preparation and characterization of W/ γ -Al₂O₃ and Pd–W/ γ -Al₂O₃ catalysts from organometallic precursors. The catalytic activity for NO decomposition (Sica, A.M. (137) 287)

NO decomposition mechanism

Selective catalytic reduction of NO with hydrocarbon on Cu²⁺-exchanged pillared clay: An IR study of the NO decomposition mechanism (Sirilumpen, M. (137) 273)

Non-heme iron catalyst

Oxidative degradation of chlorinated phenols catalyzed by a non-heme iron(III) complex (Hemmert, C. (137) 205)

NO reduction

Selective catalytic reduction of NO with hydrocarbon on Cu²⁺-exchanged pillared clay: An IR study of the NO decomposition mechanism (Sirilumpen, M. (137) 273)

Organic azides

Catalytic amination of unsaturated hydrocarbons: reactions of *p*-nitrophenylazide with alkenes catalysed by metallo-porphyrins (Cenini, S. (137) 135)

Oxidation

Effect of metal phthalocyanine complex aggregation on the catalytic and photocatalytic oxidation of sulfur containing compounds (Iliev, V. (137) 15)

Oxidation of aromatic monoterpenes with hydrogen peroxide catalysed by Mn(III) porphyrin complexes (Martins, R.R.L. (137) 41)

Oxidation of (*E,E,Z*)-1,5,9-cyclododecatriene catalysed by palladium(II) acetate in the presence of copper(II) acetate and air: A kinetic study (Balbolov, E. (137) 77)

One-pot synthesis of ketones and lactones by oxidation of the parent hydrocarbons with KHSO₅ catalyzed by manganese(III) porphyrins in a biphasic, solid–liquid, system (Cammarota, L. (137) 155)

Oxidative degradation of chlorinated phenols catalyzed by a non-heme iron(III) complex (Hemmert, C. (137) 205)

Oxidation reactions

Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)

Oxidative addition of H₂

Oxidative addition of dihydrogen as the key step of the active center formation in the HDS sulfide bimetallic catalysts: ab initio MO/MP2 study (Zakharov, I.I. (137) 101)

Oxidative carbonylation

Direct synthesis of diphenyl carbonate by oxidative carbonylation of phenol using Pd–Cu based redox catalyst system (Goyal, M. (137) 147)

Oxygenated Fenton chemistry

Mn^{III}L_x/*t*-BuOOH-induced activation of dioxygen for the oxygenation of cyclohexene (Matsushita, T. (137) 127)

Palladium

Hydrogenation of crotonaldehyde and cinnamaldehyde catalyzed by water-soluble palladium complex (Tin, K.-C. (137) 121)

Palladium complexes

1,3-butadiene telomerization with methanol catalyzed by heterogenized palladium complexes (Benvenuti, F. (137) 49)

Particulate methane monooxygenase

The role of copper in particulate methane monooxygenase from *Methylosinus trichosporium* OB3b (Takeguchi, M. (137) 161)

- Pd(II) complexes**
 Polymer anchored palladium(II)-diaminopropane complexes: synthesis and catalytic behaviour (John, J. (137) 183)
- Pd(OAc)₂**
 Oxidation of (*E,E,Z*)-1,5,9-cyclododecatriene catalysed by palladium(II) acetate in the presence of copper(II) acetate and air: A kinetic study (Balbolov, E. (137) 77)
- Peroxo complex**
 Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)
- Peroxo intermediates**
 Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)
- Peroxomonosulfate**
 One-pot synthesis of ketones and lactones by oxidation of the parent hydrocarbons with KHSO₅ catalyzed by manganese(III) porphyrins in a biphasic, solid–liquid, system (Cammarota, L. (137) 155)
- Phase transfer catalyst (PTC)**
 Synthesis of alkyl- and arylthioglycosides and thiodisaccharides via thioiminium salts in a two-phase system (Fujihira, T. (137) 65)
- Phosphinated styrene/divinylbenzene resins**
 1,3-butadiene telomerization with methanol catalyzed by heterogenized palladium complexes (Benvenuti, F. (137) 49)
- Photocatalysis**
 Effect of metal phthalocyanine complex aggregation on the catalytic and photocatalytic oxidation of sulfur containing compounds (Iliev, V. (137) 15)
- Phthalocyanine complexes**
 Effect of metal phthalocyanine complex aggregation on the catalytic and photocatalytic oxidation of sulfur containing compounds (Iliev, V. (137) 15)
- Polymer anchored catalysts**
 Polymer anchored palladium(II)-diaminopropane complexes: synthesis and catalytic behaviour (John, J. (137) 183)
- Porphyrins**
 One-pot synthesis of ketones and lactones by oxidation of the parent hydrocarbons with KHSO₅ catalyzed by manganese(III) porphyrins in a biphasic, solid–liquid, system (Cammarota, L. (137) 155)
- Potassium superoxide**
 Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)
- Propylene dimerization**
 Fluorinated alcohol modified nickel–phosphine catalyst system for efficient dimerization of propylene (Nomura, K. (137) 1)
- Protonated model**
 FT-IR study of H₂¹⁶O and H₂¹⁸O adsorption on H-ferrierite (Lee, B. (137) 269)
- Raman spectroscopy**
 Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)
- Reaction mechanism**
 Polymer anchored palladium(II)-diaminopropane complexes: synthesis and catalytic behaviour (John, J. (137) 183)
- Redox cocatalyst**
 Direct synthesis of diphenyl carbonate by oxidative carbonylation of phenol using Pd–Cu based redox catalyst system (Goyal, M. (137) 147)
- Reduction**
 Regulatory nature of β -cyclodextrin in selective ring-opening during reduction of styrene oxide (Ravichandran, R. (137) 31)
- Rhodium**
 Hydroformylation of allyl ethers. A study of the regioselectivity using rhodium catalysts (Ruiz, N. (137) 93)
 Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)
 Effects of chelating diphosphines on the rhodium catalysed carbonylation of allylamines (Gomes da Rosa, R. (137) 297)
- Rhodium complex**
 Asymmetric hydrogenation of itaconates by hectorite-intercalated Rh-DIOP complex (Sento, T. (137) 263)
- Ruthenium**
 Ru₃(CO)₁₂/1,10-phenanthroline-catalyzed hydroformylation of styrene and acrylic esters (Mitsudo, T.-a. (137) 253)
- Selective ring-opening**
 Regulatory nature of β -cyclodextrin in selective ring-opening during reduction of styrene oxide (Ravichandran, R. (137) 31)
- Sol–gel**
 Effects of structural defects and acid–basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol–gel alumina catalyst (Wang, J.A. (137) 239)
- Solvent effect**
 Effect of metal phthalocyanine complex aggregation on the catalytic and photocatalytic oxidation of sulfur containing compounds (Iliev, V. (137) 15)
- Structural defects**
 Effects of structural defects and acid–basic properties on the activity and selectivity of isopropanol decomposition on nanocrystallite sol–gel alumina catalyst (Wang, J.A. (137) 239)
- Styrene**
 Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)
 Ru₃(CO)₁₂/1,10-phenanthroline-catalyzed hydroformylation of styrene and acrylic esters (Mitsudo, T.-a. (137) 253)
- Styrene oxide**
 Regulatory nature of β -cyclodextrin in selective ring-opening during reduction of styrene oxide (Ravichandran, R. (137) 31)
- Super acid catalysts**
 Aluminium alkoxide sulphate catalyst: a computational study (Improta, R. (137) 169)
- Surface-active ligand**
 Homogeneous and biphasic autoxidation of tetralin catalyzed by transition metal salts and complexes (Chung, Y.M. (137) 23)

Surface species

Preparation and characterization of W/ γ -Al₂O₃ and Pd–W/ γ -Al₂O₃ catalysts from organometallic precursors. The catalytic activity for NO decomposition (Sica, A.M. (137) 287)

Telomerization

1,3-butadiene telomerization with methanol catalyzed by heterogeneous palladium complexes (Benvenuti, F. (137) 49)

5,10,15,20-Tetraarylporphyrinatoiron(III)chlorides

Oxidation of 1-naphthol and related phenols with hydrogen peroxide and potassium superoxide catalysed by 5,10,15,20-tetraarylporphyrinatoiron(III)chlorides in different reaction conditions (Chauhan, S.M.S. (137) 85)

Tetralin

Homogeneous and biphasic autoxidation of tetralin catalyzed by transition metal salts and complexes (Chung, Y.M. (137) 23)

Thioglycoside

Synthesis of alkyl- and arylthioglycosides and thiodisaccharides via thioiminium salts in a two-phase system (Fujihira, T. (137) 65)

Thiolate

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Thiolato

Hydroformylation of styrene catalyzed by a rhodium thiolate binuclear catalyst supported on a cationic exchange resin (Balué, J. (137) 193)

Thiosulphates

Effect of metal phthalocyanine complex aggregation on the catalytic and photocatalytic oxidation of sulfur containing compounds (Iliev, V. (137) 15)

Thymol

Oxidation of aromatic monoterpenes with hydrogen peroxide catalysed by Mn(III) porphyrin complexes (Martins, R.R.L. (137) 41)

Transition metal complex

Homogeneous and biphasic autoxidation of tetralin catalyzed by transition metal salts and complexes (Chung, Y.M. (137) 23)

Turnover number

Direct synthesis of diphenyl carbonate by oxidative carbonylation of phenol using Pd–Cu based redox catalyst system (Goyal, M. (137) 147)

UV–vis spectroscopy

Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)

Water adsorption

FT-IR study of H₂¹⁶O and H₂¹⁸O adsorption on H-ferrierite (Lee, B. (137) 269)

Water-soluble palladium complex

Studies on catalytic hydrogenation of citral by water-soluble palladium complex (Tin, K.-C. (137) 113)

XAFS

Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)

Zeolite Y

Zeolite-encapsulated vanadium picolinate peroxo complexes active for catalytic hydrocarbon oxidations (Kozlov, A. (137) 223)