

Subject index

Acetic acid

Catalytic ketonisation of acetic acid over modified zirconia. 1. Effect of alkali-metal cations as promoter (Parida, K. (139) 73)

Adsorption

Adsorption of CH₃OH on V₂O₅. Comparative reactivity of the (100) and (010) planes (Sambeth, J. (139) 25)

α -Alkylidene cyclic carbonates

Preparation of alkylidene cyclic carbonates via cyclization of propargylic carbonates (Uemura, K. (139) 1)

Alumina

Formation of Pd₂X₂(μ -S)(μ -dpm)₂ by reaction of PdX₂(dpm) with H₂S in the presence of alumina (X = halogen, dpm = diphenylphosphinomethane) (Wong, T.Y.H. (139) 159)

Aminocinnamic acid

Diastereoselective and enantioselective heterogeneous catalytic hydrogenation of aminocinnamic acid derivatives (Tungler, A. (139) 239)

Ammonia adsorption

The role of K₂O in the selective reduction of NO with NH₃ over a V₂O₅(WO₃)/TiO₂ commercial selective catalytic reduction catalyst (Kamata, H. (139) 189)

Ammonia synthesis

Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)

Anionic metal carbonyl clusters

Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)

ASED-MO

A theoretical study of dehydrogenation of cyclopentene on Pt(111) (Brizuela, G. (139) 209)

Asymmetric

Diastereoselective and enantioselective heterogeneous catalytic hydrogenation of aminocinnamic acid derivatives (Tungler, A. (139) 239)

Bentonite

Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)

p-Benzoquinone

Multistep electron transfer catalytic system for the oxidative carbonylation of phenol to diphenyl carbonate (Vavasori, A. (139) 109)

Benzoylation of *o*-xylene

Selective benzoylation of *o*-xylene to 3,4-dimethylbenzophenone using various zeolite catalysts (Jacob, B. (139) 43)

Biphasic

Biphasic and SAPC hydroformylation catalysed by rhodium phosphines bound to water-soluble polymers (Malmström, T. (139) 139)

Enantioselective hydrogenation in water catalysed by rhodium phosphine complexes bound to polyacrylic acid (Malmström, T. (139) 259)

1,3-Butadiene

1,3-Butadiene telomerization with methanol catalyzed by heterogenized palladium(II) complexes anchored to polymer-bound bis(diphenylphosphino)methane moieties (Benvenuti, F. (139) 177)

Carbon-carbon coupling

Metal-catalysed synthesis of nitroenaminones from α -nitroketones or -esters and nitriles (Basato, M. (139) 121)

Carbon dioxide

Preparation of alkylidene cyclic carbonates via cyclization of propargylic carbonates (Uemura, K. (139) 1)

Carboxylation

Selective synthesis of 2,6-naphthalenedicarboxylic acid by use of cyclodextrin as catalyst (Shiraishi, Y. (139) 149)

Catalysis

Perfluorinated polyethers for the immobilisation of homogeneous nickel catalysts (Keim, W. (139) 171)

Catalytic decomposition

Catalytic decomposition of formic acid on oxide catalysts—an impulse-oscillation model approach to the unimolecular mechanism (Borowiak, M.A. (139) 97)

CeO₂

Decomposition of N₂O on Rh/CeO₂/ZrO₂ composite catalyst (Imamura, S. (139) 55)

Cerium oxide

Roles of cerium oxide and the reducibility and recoverability of the surface oxygen species in the CeO₂/MgAl₂O₄ catalysts (Wang, J.-a. (139) 315)

Chiral modifiers

Enantioselective hydrogenation of α -keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate–modifier interaction (Margitfalvi, J.L. (139) 81)

Chiral phosphine

Synthesis and applications of new chiral diphosphines bearing a diphenylphosphino group and a phenylcyclohexylphosphino group (Robert, F. (139) 105)

CH₃OH

Adsorption of CH₃OH on V₂O₅. Comparative reactivity of the (100) and (010) planes (Sambeth, J. (139) 25)

Cinchonidine

Enantioselective hydrogenation of α -keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate–modifier interaction (Margitfalvi, J.L. (139) 81)

Clay catalyst

Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)

CO

A DRIFTS study of the stability and reactivity of adsorbed CO species on a Rh/ γ -Al₂O₃ catalyst with a very low metal content (Bulushev, D.A. (139) 63)

CO adsorption

IR study of CO adsorption on Cu–Rh/SiO₂ catalysts, coked by reaction with methane (Anderson, J.A. (139) 285)

Commercial catalysts

The role of K₂O in the selective reduction of NO with NH₃ over a V₂O₅(WO₃)/TiO₂ commercial selective catalytic reduction catalyst (Kamata, H. (139) 189)

Composite oxide

Decomposition of N₂O on Rh/CeO₂/ZrO₂ composite catalyst (Imamura, S. (139) 55)

Conformation, inclusion complex

Selective synthesis of 2,6-naphthalenedicarboxylic acid by use of cyclodextrin as catalyst (Shiraishi, Y. (139) 149)

Cu–Rh/SiO₂

IR study of CO adsorption on Cu–Rh/SiO₂ catalysts, coked by reaction with methane (Anderson, J.A. (139) 285)

Cyclopentene

A theoretical study of dehydrogenation of cyclopentene on Pt(111) (Brizuela, G. (139) 209)

Decomposition of N₂O

Decomposition of N₂O on Rh/CeO₂/ZrO₂ composite catalyst (Imamura, S. (139) 55)

Dehydrogenation

A theoretical study of dehydrogenation of cyclopentene on Pt(111) (Brizuela, G. (139) 209)

De-SO₂

Pathway of the cycle between the oxidative adsorption of SO₂ and the reductive decomposition of sulfate on the MgAl_{2–x}Fe_xO₄ catalyst (Wang, J.-a. (139) 31)

Roles of cerium oxide and the reducibility and recoverability of the surface oxygen species in the CeO₂/MgAl₂O₄ catalysts (Wang, J.-a. (139) 315)

Diastereoselective

Diastereoselective and enantioselective heterogeneous catalytic hydrogenation of aminocinnamic acid derivatives (Tungler, A. (139) 239)

Diazonium salts

Palladium-catalyzed synthesis of sulfinic acids from aryldiazonium tetrafluoroborates, sulfur dioxide and hydrogen (Pelzer, G. (139) 235)

10,11-Dihydrocinchonidine

Enantioselective synthesis of ethyl nipecotinate using cinchona modified heterogeneous catalysts (Blaser, H.-U. (139) 253)

3,4-Dimethylbenzophenone

Selective benzylation of *o*-xylene to 3,4-dimethylbenzophenone using various zeolite catalysts (Jacob, B. (139) 43)

DRIFTS

A DRIFTS study of the stability and reactivity of adsorbed CO species on a Rh/ γ -Al₂O₃ catalyst with a very low metal content (Bulushev, D.A. (139) 63)

Enantio-differentiation

Enantioselective hydrogenation of α -keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate–modifier interaction (Margitfalvi, J.L. (139) 81)

Enantioselective hydrogenation

Enantioselective hydrogenation of α -keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate–modifier interaction (Margitfalvi, J.L. (139) 81)

Enantioselective hydrogenation in water catalysed by rhodium phosphine complexes bound to polyacrylic acid (Malmström, T. (139) 259)

Enantioselective hydrogenation of α,β -unsaturated ester

Enantioselective synthesis of ethyl nipecotinate using cinchona modified heterogeneous catalysts (Blaser, H.-U. (139) 253)

Enantioselectivity

Synthesis and applications of new chiral diphosphines bearing a diphenylphosphino group and a phenylcyclohexylphosphino group (Robert, F. (139) 105)

Epoxidation

Catalytic epoxidation of alkenes in the presence of a weakly acidic cation exchanger containing transition metal ions (Kotov, St.V. (139) 271)

Epoxide yield

Catalytic epoxidation of alkenes in the presence of a weakly acidic cation exchanger containing transition metal ions (Kotov, St.V. (139) 271)

EPR

The metallocene/methylaluminoxane catalysts formation: EPR spin probe study of Lewis acidic sites of methylaluminoxane (Talsi, E.P. (139) 131)

Ethyl nipecotinate

Enantioselective synthesis of ethyl nipecotinate using cinchona modified heterogeneous catalysts (Blaser, H.-U. (139) 253)

Ethyl 1,4,5,6-tetrahydro nicotinate

Enantioselective synthesis of ethyl nipecotinate using cinchona modified heterogeneous catalysts (Blaser, H.-U. (139) 253)

Extended Hückel Method

Adsorption of CH₃OH on V₂O₅. Comparative reactivity of the (100) and (010) planes (Sambeth, J. (139) 25)

Fe–Mg–Al oxide/hydroxide

Reduction of 4-nitrotoluene over Fe–Mg–Al lamellar double hydroxides (Auer, S.M. (139) 305)

Fluorous biphasic systems

Perfluorinated polyethers for the immobilisation of homogeneous nickel catalysts (Keim, W. (139) 171)

Formic acid

Catalytic decomposition of formic acid on oxide catalysts—an impulse-oscillation model approach to the unimolecular mechanism (Borowiak, M.A. (139) 97)

FT-IR

The effect of silica dehydroxylation temperature on the activity of SiO₂-supported zirconocene catalysts (Dos Santos, J.H.Z. (139) 199)

Guaiacol

Vanadium catalyzed guaiacol deoxygenation (Filley, J. (139) 245)

Heterogeneous catalytic hydrogenation

Diastereoselective and enantioselective heterogeneous catalytic hydrogenation of aminocinnamic acid derivatives (Tungler, A. (139) 239)

Heterogeneous polymeric catalyst

Catalytic epoxidation of alkenes in the presence of a weakly acidic cation exchanger containing transition metal ions (Kotov, St.V. (139) 271)

Heterogenized catalysts

1,3-Butadiene telomerization with methanol catalyzed by heterogenized palladium(II) complexes anchored to polymer-bound bis(diphenylphosphino)methane moieties (Benvenuti, F. (139) 177)

Heterogenized Wilkinson catalyst

Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)

H₂S

Formation of Pd₂X₂(μ-S)(μ-dpm)₂ by reaction of PdX₂(dpm) with H₂S in the presence of alumina (X = halogen, dpm = diphenylphosphinomethane) (Wong, T.Y.H. (139) 159)

HTlc

Reduction of 4-nitrotoluene over Fe–Mg–Al lamellar double hydroxides (Auer, S.M. (139) 305)

Hydroformylation

Biphasic and SAPC hydroformylation catalysed by rhodium phosphines bound to water-soluble polymers (Malmström, T. (139) 139)

Hydrogenation

Synthesis and applications of new chiral diphosphines bearing a diphenylphosphino group and a phenylcyclohexylphosphino group (Robert, F. (139) 105)

Hydrotalcite-like compound

Reduction of 4-nitrotoluene over Fe–Mg–Al lamellar double hydroxides (Auer, S.M. (139) 305)

Immobilisation

Perfluorinated polyethers for the immobilisation of homogeneous nickel catalysts (Keim, W. (139) 171)

Impulse oscillation model

Catalytic decomposition of formic acid on oxide catalysts—an impulse-oscillation model approach to the unimolecular mechanism (Borowiak, M.A. (139) 97)

Inclusion complex, β-cyclodextrin–2-naphthalenecarboxylate

Selective synthesis of 2,6-naphthalenedicarboxylic acid by use of cyclodextrin as catalyst (Shiraishi, Y. (139) 149)

Iron

Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl

clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)

α-Keto esters

Enantioselective hydrogenation of α-keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate–modifier interaction (Margitfalvi, J.L. (139) 81)

Ketonisation

Catalytic ketonisation of acetic acid over modified zirconia. 1. Effect of alkali-metal cations as promoter (Parida, K. (139) 73)

Lamellar double hydroxide

Reduction of 4-nitrotoluene over Fe–Mg–Al lamellar double hydroxides (Auer, S.M. (139) 305)

LDH

Reduction of 4-nitrotoluene over Fe–Mg–Al lamellar double hydroxides (Auer, S.M. (139) 305)

Lewis acidity

The metallocene/methylaluminoxane catalysts formation: EPR spin probe study of Lewis acidic sites of methylaluminoxane (Talsi, E.P. (139) 131)

Magnesium–alumina spinel

Roles of cerium oxide and the reducibility and recoverability of the surface oxygen species in the CeO₂/MgAl₂O₄ catalysts (Wang, J.-a. (139) 315)

Mechanism

Pathway of the cycle between the oxidative adsorption of SO₂ and the reductive decomposition of sulfate on the MgAl_{2–x}Fe_xO₄ catalyst (Wang, J.-a. (139) 31)

Metal catalysis

Metal-catalysed synthesis of nitroenaminones from α-nitroketones or -esters and nitriles (Basato, M. (139) 121)

Metallic potassium

Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)

Metallocene catalysts

The metallocene/methylaluminoxane catalysts formation: EPR spin probe study of Lewis acidic sites of methylaluminoxane (Talsi, E.P. (139) 131)

Metalloporphyrins

Metalloporphyrin-catalyzed homogeneous oxidation in supercritical carbon dioxide (Birnbaum, E.R. (139) 11)

Methane activation

IR study of CO adsorption on Cu–Rh/SiO₂ catalysts, coked by reaction with methane (Anderson, J.A. (139) 285)

Methanol

1,3-Butadiene telomerization with methanol catalyzed by heterogenized palladium(II) complexes anchored to polymer-bound bis(diphenylphosphino)methane moieties (Benvenuti, F. (139) 177)

Methylaluminoxane

The metallocene/methylaluminoxane catalysts formation: EPR spin probe study of Lewis acidic sites of methylaluminoxane (Talsi, E.P. (139) 131)

- The effect of silica dehydroxylation temperature on the activity of SiO₂-supported zirconocene catalysts (Dos Santos, J.H.Z. (139) 199)
- Mg–Fe–Al–O
Pathway of the cycle between the oxidative adsorption of SO₂ and the reductive decomposition of sulfate on the MgAl_{2-x}Fe_xO₄ catalyst (Wang, J.-a. (139) 31)
- Modified heterogeneous Pd catalyst
Enantioselective synthesis of ethyl nipecotinate using cinchona modified heterogeneous catalysts (Blaser, H.-U. (139) 253)
- Molybdenum-containing cation exchanger
Catalytic epoxidation of alkenes in the presence of a weakly acidic cation exchanger containing transition metal ions (Kotov, St.V. (139) 271)
- Multistep electron transfer catalytic system
Multistep electron transfer catalytic system for the oxidative carbonylation of phenol to diphenyl carbonate (Vavasori, A. (139) 109)
- Nitriles
Metal-catalysed synthesis of nitroenaminones from α -nitroketones or -esters and nitriles (Basato, M. (139) 121)
- Nitroenaminones
Metal-catalysed synthesis of nitroenaminones from α -nitroketones or -esters and nitriles (Basato, M. (139) 121)
- α -Nitroketones
Metal-catalysed synthesis of nitroenaminones from α -nitroketones or -esters and nitriles (Basato, M. (139) 121)
- Nuclear magnetic resonance, ¹H
Selective synthesis of 2,6-naphthalenedicarboxylic acid by use of cyclodextrin as catalyst (Shiraishi, Y. (139) 149)
- Olefins
Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)
- Oligomerisation
Perfluorinated polyethers for the immobilisation of homogeneous nickel catalysts (Keim, W. (139) 171)
- Osmium
Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)
- Oxidation
Metalloporphyrin-catalyzed homogeneous oxidation in supercritical carbon dioxide (Birnbaum, E.R. (139) 11)
- Oxidative carbonylation
Multistep electron transfer catalytic system for the oxidative carbonylation of phenol to diphenyl carbonate (Vavasori, A. (139) 109)
- Palladium
Preparation of alkylidene cyclic carbonates via cyclization of propargylic carbonates (Uemura, K. (139) 1)
Palladium-catalyzed synthesis of sulfinic acids from aryldiazonium tetrafluoroborates, sulfur dioxide and hydrogen (Pelzer, G. (139) 235)
- Palladium(II) complexes
1,3-Butadiene telomerization with methanol catalyzed by heterogenized palladium(II) complexes anchored to polymer-bound bis(diphenylphosphino)methane moieties (Benvenuti, F. (139) 177)
- PdX₂(dpm)
Formation of Pd₂X₂(μ -S)(μ -dpm)₂ by reaction of PdX₂(dpm) with H₂S in the presence of alumina (X = halogen, dpm = diphenylphosphinomethane) (Wong, T.Y.H. (139) 159)
- Pd₂X₂(μ -S)(μ -dpm)₂
Formation of Pd₂X₂(μ -S)(μ -dpm)₂ by reaction of PdX₂(dpm) with H₂S in the presence of alumina (X = halogen, dpm = diphenylphosphinomethane) (Wong, T.Y.H. (139) 159)
- Phenol
Vanadium catalyzed guaiacol deoxygenation (Filley, J. (139) 245)
- Phenylacetylene
Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)
- Phosphinated styrene/divinylbenzene resins
1,3-Butadiene telomerization with methanol catalyzed by heterogenized palladium(II) complexes anchored to polymer-bound bis(diphenylphosphino)methane moieties (Benvenuti, F. (139) 177)
- Platinum
A theoretical study of dehydrogenation of cyclopentene on Pt(111) (Brizuela, G. (139) 209)
- Poisoning
The role of K₂O in the selective reduction of NO with NH₃ over a V₂O₅(WO₃)/TiO₂ commercial selective catalytic reduction catalyst (Kamata, H. (139) 189)
- Pollution control
Pathway of the cycle between the oxidative adsorption of SO₂ and the reductive decomposition of sulfate on the MgAl_{2-x}Fe_xO₄ catalyst (Wang, J.-a. (139) 31)
- Polyacrylic acid
Biphasic and SAPC hydroformylation catalysed by rhodium phosphines bound to water-soluble polymers (Malmström, T. (139) 139)
Enantioselective hydrogenation in water catalysed by rhodium phosphine complexes bound to polyacrylic acid (Malmström, T. (139) 259)
- Potassium oxide
The role of K₂O in the selective reduction of NO with NH₃ over a V₂O₅(WO₃)/TiO₂ commercial selective catalytic reduction catalyst (Kamata, H. (139) 189)
- Promoter
Catalytic ketonisation of acetic acid over modified zirconia. 1. Effect of alkali-metal cations as promoter (Parida, K. (139) 73)
- Propargyl alcohol
Preparation of alkylidene cyclic carbonates via cyclization of propargylic carbonates (Uemura, K. (139) 1)
- Pt/Al₂O₃
Enantioselective hydrogenation of α -keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate-modifier interaction (Margitfalvi, J.L. (139) 81)
- RBS
The effect of silica dehydroxylation temperature on the activity of SiO₂-supported zirconocene catalysts (Dos Santos, J.H.Z. (139) 199)

- Reduction of 4-nitrotoluene
Reduction of 4-nitrotoluene over Fe–Mg–Al lamellar double hydroxides (Auer, S.M. (139) 305)
- Rh
Decomposition of N₂O on Rh/CeO₂/ZrO₂ composite catalyst (Imamura, S. (139) 55)
- RhCl(PPh₃)₃
Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)
- Rh/γ-Al₂O₃
A DRIFTS study of the stability and reactivity of adsorbed CO species on a Rh/γ-Al₂O₃ catalyst with a very low metal content (Bulushev, D.A. (139) 63)
- Rhodium
Biphasic and SAPC hydroformylation catalysed by rhodium phosphines bound to water-soluble polymers (Malmström, T. (139) 139)
Enantioselective hydrogenation in water catalysed by rhodium phosphine complexes bound to polyacrylic acid (Malmström, T. (139) 259)
- Rhodium complex
Synthesis and applications of new chiral diphosphines bearing a diphenylphosphino group and a phenylcyclohexylphosphino group (Robert, F. (139) 105)
- Rotating frame Overhauser enhancement spectroscopy
Selective synthesis of 2,6-naphthalenedicarboxylic acid by use of cyclodextrin as catalyst (Shiraishi, Y. (139) 149)
- Ruthenium
Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)
- SAP
Biphasic and SAPC hydroformylation catalysed by rhodium phosphines bound to water-soluble polymers (Malmström, T. (139) 139)
- SCR reaction
The role of K₂O in the selective reduction of NO with NH₃ over a V₂O₅(WO₃)/TiO₂ commercial selective catalytic reduction catalyst (Kamata, H. (139) 189)
- Shielding effect
Enantioselective hydrogenation of α-keto esters over cinchona-Pt/Al₂O₃ catalyst. Molecular modelling of the substrate–modifier interaction (Margitfalvi, J.L. (139) 81)
- Silica
The effect of silica dehydroxylation temperature on the activity of SiO₂-supported zirconocene catalysts (Dos Santos, J.H.Z. (139) 199)
- Spin probe
The metallocene/methylaluminoxane catalysts formation: EPR spin probe study of Lewis acidic sites of methylaluminoxane (Talsi, E.P. (139) 131)
- State of Rh
Decomposition of N₂O on Rh/CeO₂/ZrO₂ composite catalyst (Imamura, S. (139) 55)
- Sulfinic acids
Palladium-catalyzed synthesis of sulfinic acids from aryldiazonium tetrafluoroborates, sulfur dioxide and hydrogen (Pelzer, G. (139) 235)
- Sulfur dioxide
Palladium-catalyzed synthesis of sulfinic acids from aryldiazonium tetrafluoroborates, sulfur dioxide and hydrogen (Pelzer, G. (139) 235)
- Sulfur-transfer catalyst
Pathway of the cycle between the oxidative adsorption of SO₂ and the reductive decomposition of sulfate on the MgAl_{2–x}Fe_xO₄ catalyst (Wang, J.-a. (139) 31)
Roles of cerium oxide and the reducibility and recoverability of the surface oxygen species in the CeO₂/MgAl₂O₄ catalysts (Wang, J.-a. (139) 315)
- Supercritical carbon dioxide
Metalloporphyrin-catalyzed homogeneous oxidation in supercritical carbon dioxide (Birnbaum, E.R. (139) 11)
- Supported catalysts
Supported ammonia synthesis catalysts based on potassium derivatives of anionic ruthenium, osmium and iron carbonyl clusters. The first catalysts on carbon support exhibiting activity in ammonia synthesis in the absence of a specially added electron promoter (Yunusov, S.M. (139) 219)
- Surface oxygen
Roles of cerium oxide and the reducibility and recoverability of the surface oxygen species in the CeO₂/MgAl₂O₄ catalysts (Wang, J.-a. (139) 315)
- Synthesis, 2,6-naphthalenedicarboxylic acid
Selective synthesis of 2,6-naphthalenedicarboxylic acid by use of cyclodextrin as catalyst (Shiraishi, Y. (139) 149)
- Telomerization
1,3-Butadiene telomerization with methanol catalyzed by heterogenized palladium(II) complexes anchored to polymer-bound bis(diphenylphosphino)methane moieties (Benvenuti, F. (139) 177)
- Temperature-programmed reduction
Roles of cerium oxide and the reducibility and recoverability of the surface oxygen species in the CeO₂/MgAl₂O₄ catalysts (Wang, J.-a. (139) 315)
- α-Terpinene
Vanadium catalyzed guaiacol deoxygenation (Filley, J. (139) 245)
- α,β-Unsaturated ketone
Hydrogenation reactions on heterogenized Wilkinson complexes (Bartók, M. (139) 227)
- Vanadium oxide
Vanadium catalyzed guaiacol deoxygenation (Filley, J. (139) 245)
- V₂O₅
Adsorption of CH₃OH on V₂O₅. Comparative reactivity of the (100) and (010) planes (Sambeth, J. (139) 25)
- Water-soluble phosphines
Biphasic and SAPC hydroformylation catalysed by rhodium phosphines bound to water-soluble polymers (Malmström, T. (139) 139)
Enantioselective hydrogenation in water catalysed by rhodium phosphine complexes bound to polyacrylic acid (Malmström, T. (139) 259)

Yield and selectivity

- Catalytic ketonisation of acetic acid over modified zirconia. 1. Effect of alkali-metal cations as promoter (Parida, K. (139) 73)

Zeolite H-beta

- Selective benzylation of *o*-xylene to 3,4-dimethylbenzophenone using various zeolite catalysts (Jacob, B. (139) 43)

Zirconia

- Catalytic ketonisation of acetic acid over modified zirconia. 1. Effect of alkali-metal cations as promoter (Parida, K. (139) 73)

Zirconocenes

- The effect of silica dehydroxylation temperature on the activity of SiO₂-supported zirconocene catalysts (Dos Santos, J.H.Z. (139) 199)

ZrO₂

- Decomposition of N₂O on Rh/CeO₂/ZrO₂ composite catalyst (Imamura, S. (139) 55)