

Subject index

Acetic acid

The mechanism of the phosphine-modified nickel-catalyzed acetic acid process (Moser, W.R. (143) 71)

The mixed-metal carbonyl cluster anion $[\text{Os}_3\text{Ir}(\text{CO})_{13}]^-$: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)

Acetylenic amines

Sequential reaction of carbon dioxide and carbon monoxide with acetylenic amines in the presence of a palladium catalyst (Chiusoli, G.P. (143) 297)

Acrylic monomers

Esters and *N,N*-dialkylamides of 2-(trifluoromethyl)acrylic acid (TFMAA) through Pd-catalysed carbonylation of fluorinated unsaturated substrates (Matteoli, U. (143) 287)

Active C–H compounds

Intermolecular trapping of acylpalladium and related acylmetal derivatives with active C–H compounds (Negishi, E.-i. (143) 279)

Aldehyde

Palladium-catalyzed cross-carbonylation of phenolic compounds with aldehydes to give benzofuran-2(3*H*)-one derivatives (Satoh, T. (143) 203)

Alkali metal halides

Palladium catalyzed hydroxycarbonylation of olefins in biphasic system: beneficial effect of alkali metal salt and protective-colloid agents on the stability of the catalytic system (Bertoux, F. (143) 23)

Alkoxy-carbonylation

Carbonylation reactions. 7. Regioselective synthesis of 2-arylpropionic acids by catalytic carbonylation of styrene derivatives in the presence of palladium compounds: the critical role of the counter anion (Bonnet, M.C. (143) 131)

High-branched selectivity in the palladium-catalysed alkoxy-carbonylation of styrene in the presence of thiol–thioether atropisomeric ligands (Ruiz, N. (143) 171)

$[\text{PdCl}_2(\text{PPh}_3)_2]$ - PPh_3 catalyzed regiospecific alkoxy-carbonylation of α -chlorocyclohexylketone to β -ketoesters (Cavinato, G. (143) 325)

(Alkoxy-carbonyl)methyleneoxazolidinones

Sequential reaction of carbon dioxide and carbon monoxide with acetylenic amines in the presence of a palladium catalyst (Chiusoli, G.P. (143) 297)

Allylation

Bulk and fine chemicals via aqueous biphasic catalysis (Cornils, B. (143) 1)

Allyl halides

Carbonylation reactions. 8. Chlorocarbonylation reactions: catalytic formation of chloroacyl chlorides without phosgene and

application to the synthesis of 2(H)-5-furanone (Bonnet, M.C. (143) 181)

Allylic halides

Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)

2-Allylphenols

Cyclocarbonylation of 2-allylphenols catalyzed by palladium-montmorillonite (Orejon, A. (143) 137)

Aqueous biphasic catalysis

Bulk and fine chemicals via aqueous biphasic catalysis (Cornils, B. (143) 1)

Aqueous system

Asymmetric hydroformylation of styrene with rhodium complexes of sulfonated diphosphines in aqueous systems (Miquel-Serrano, M.D. (143) 49)

Aramids

Palladium(II)-catalyzed synthesis of polyamides (aramids) from aromatic dichlorides, diamines, and carbon monoxide (Kim, J.S. (143) 197)

Asymmetric catalysis

Asymmetric hydroformylation of styrene with rhodium complexes of sulfonated diphosphines in aqueous systems (Miquel-Serrano, M.D. (143) 49)

Rhodium-diphosphine catalysts for the hydroformylation of styrene: the influence of the excess of ligand and the chelate ring size on the reaction selectivity (Diéguez, M. (143) 111)

Atropisomeric heterodonor ligands

Synthesis, characterization and use in enantioselective hydroformylation of (BINAPO)PtCl₂ (BINAPO = 2-diphenylphosphino-2'-diphenylphosphinyl-1,1'-binaphthalene), the first chiral catalyst with an atropisomeric hemilabile P,O-heterodonor ligand (Gladiali, S. (143) 155)

Benzofuranone

Palladium-catalyzed cross-carbonylation of phenolic compounds with aldehydes to give benzofuran-2(3*H*)-one derivatives (Satoh, T. (143) 203)

Benzyl alcohols

Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)

Benzyl chloride

Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)

- Biphasic catalysis**
Cobalt-catalyzed biphasic hydroformylation of internal short chain olefins (Beller, M. (143) 31)
- Bis-alkoxycarbonylation**
Palladium-catalysed enantioselective bis-alkoxycarbonylation of 1-olefins. Synthesis of optically active 2-substituted-butanedioates (Sperrle, M. (143) 263)
- Bromobenzene**
Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)
- Carbohydrate**
Carbonylation approaches to oxygen heterocyclic compounds (Campi, E.M. (143) 243)
- Carbon dioxide**
Sequential reaction of carbon dioxide and carbon monoxide with acetylenic amines in the presence of a palladium catalyst (Chiusoli, G.P. (143) 297)
- Carbon monoxide**
Reaction of carbon monoxide with strained alkenes catalyzed by a cationic palladium(II) complex (Kawaguchi, T. (143) 253)
Palladium-catalysed enantioselective bis-alkoxycarbonylation of 1-olefins. Synthesis of optically active 2-substituted-butanedioates (Sperrle, M. (143) 263)
Sequential reaction of carbon dioxide and carbon monoxide with acetylenic amines in the presence of a palladium catalyst (Chiusoli, G.P. (143) 297)
- Carbonylation**
Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)
An in situ CIR-FTIR investigation of process effects in the nickel catalyzed carbonylation of methanol (Moser, W.R. (143) 57)
Palladium(II)-catalyzed synthesis of polyamides (aramids) from aromatic dichlorides, diamines, and carbon monoxide (Kim, J.S. (143) 197)
Palladium-catalyzed cross-carbonylation of phenolic compounds with aldehydes to give benzofuran-2(3*H*)-one derivatives (Satoh, T. (143) 203)
Synthesis of steroidal hydroxy esters via palladium-catalyzed carbonylation (Nagy, E. (143) 229)
Carbonylation approaches to oxygen heterocyclic compounds (Campi, E.M. (143) 243)
Intermolecular trapping of acylpalladium and related acylmetal derivatives with active C–H compounds (Negishi, E.-i. (143) 279)
Esters and *N,N*-dialkylamides of 2-(trifluoromethyl)acrylic acid (TFMAA) through Pd-catalysed carbonylation of fluorinated unsaturated substrates (Matteoli, U. (143) 287)
- Carboxylic acid**
[PdCl₂(PPh₃)₂]-PPh₃ catalyzed regioselective alkoxy-carbonylation of α -chlorocyclohexylketone to β -ketoesters (Cavinato, G. (143) 325)
- Catalysis**
High-branched selectivity in the palladium-catalysed alkoxy-carbonylation of styrene in the presence of thiol–thioether atropisomeric ligands (Ruiz, N. (143) 171)
- Chloroacyl chlorides**
Carbonylation reactions. 8. Chlorocarbonylation reactions: catalytic formation of chloroacyl chlorides without phosgene and application to the synthesis of 2(H)-5-furanone (Bonnet, M.C. (143) 181)
- Chlorocarbonylation**
Carbonylation reactions. 8. Chlorocarbonylation reactions: catalytic formation of chloroacyl chlorides without phosgene and application to the synthesis of 2(H)-5-furanone (Bonnet, M.C. (143) 181)
- α -Chlorocyclohexylketone**
[PdCl₂(PPh₃)₂]-PPh₃ catalyzed regioselective alkoxy-carbonylation of α -chlorocyclohexylketone to β -ketoesters (Cavinato, G. (143) 325)
- Ciguatoxin**
Carbonylation approaches to oxygen heterocyclic compounds (Campi, E.M. (143) 243)
- CIR-FTIR**
An in situ CIR-FTIR investigation of process effects in the nickel catalyzed carbonylation of methanol (Moser, W.R. (143) 57)
- Cluster**
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
- Cobalt**
Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)
Cobalt-catalyzed biphasic hydroformylation of internal short chain olefins (Beller, M. (143) 31)
- Colloids**
Palladium catalyzed hydroxycarbonylation of olefins in biphasic system: beneficial effect of alkali metal salt and protective-colloid agents on the stability of the catalytic system (Bertoux, F. (143) 23)
- Cyclic carbonylation**
Rhodium-catalyzed carbonylation of alkynes having a carbonyl group adjacent to carbon–carbon triple bond under water–gas shift reaction conditions (Zhang, S.-W. (143) 211)
- Cyclocarbonylation**
Cyclocarbonylation of 2-allylphenols catalyzed by palladium-montmorillonite (Orejon, A. (143) 137)
- Deuterioformylation**
Rhodium-catalyzed hydroformylation of vinylidene olefins: the different behaviors of the isomeric alkyl–metal intermediates as the origin of the β -regioselectivity (Lazzaroni, R. (143) 123)
- Diarylolefines**
Rhodium-catalyzed hydroformylation of 1,1-bis(*p*-fluorophenyl)ethene and 3,3-bis(*p*-fluorophenyl)propene (Botteghi, C. (143) 233)
- Diphosphine**
Rhodium-diphosphine catalysts for the hydroformylation of styrene: the influence of the excess of ligand and the chelate ring size on the reaction selectivity (Diéguez, M. (143) 111)
- Enol esters**
Intermolecular trapping of acylpalladium and related acylmetal

- derivatives with active C–H compounds (Negishi, E.-i. (143) 279)
- Ethylene
Carbonylation reactions. 8. Chlorocarbonylation reactions: catalytic formation of chloroacyl chlorides without phosgene and application to the synthesis of 2(H)-5-furanone (Bonnet, M.C. (143) 181)
- Hemilabile coordination
Synthesis, characterization and use in enantioselective hydroformylation of (BINAPO)PtCl₂ (BINAPO = 2-diphenylphosphino-2'-diphenylphosphinyl-1,1'-binaphthalene), the first chiral catalyst with an atropisomeric hemilabile P,O-heterodonor ligand (Gladiali, S. (143) 155)
- Herbicides
Aryloxypropanoic herbicides by asymmetric hydroformylation catalyzed by rhodium carbonyl complexes modified with phosphorus ligands (Botteghi, C. (143) 311)
- Homogeneous catalysis
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
Synthesis of steroidal hydroxy esters via palladium-catalyzed carbonylation (Nagy, E. (143) 229)
- Hydriodic acid
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
- Hydrocarboxylation
High-branched selectivity in the palladium-catalysed alkoxy-carbonylation of styrene in the presence of thiol–thioether atropisomeric ligands (Ruiz, N. (143) 171)
- Hydroformylation
Bulk and fine chemicals via aqueous biphasic catalysis (Cornils, B. (143) 1)
Cobalt-catalyzed biphasic hydroformylation of internal short chain olefins (Beller, M. (143) 31)
Mechanistic approach to interfacial catalysis. Hydroformylation of heavy alkenes using tris(*m*-sodiumsulfonatophenyl) phosphine/PPh₃-containing catalysts (Kalck, P. (143) 41)
Asymmetric hydroformylation of styrene with rhodium complexes of sulfonated diphosphines in aqueous systems (Miquel-Serrano, M.D. (143) 49)
Structure–activity relationship for chelating phosphite ligands used in rhodium-catalyzed hydroformylations (Paciello, R. (143) 85)
Kinetics of hydroformylation of styrene using homogeneous rhodium complex catalyst (Nair, V.S. (143) 99)
Rhodium-diphosphine catalysts for the hydroformylation of styrene: the influence of the excess of ligand and the chelate ring size on the reaction selectivity (Diéguez, M. (143) 111)
Rhodium-catalyzed hydroformylation of vinylidene olefins: the different behaviors of the isomeric alkyl–metal intermediates as the origin of the β-regioselectivity (Lazzaroni, R. (143) 123)
Probing new classes of π-acceptor ligands for rhodium catalyzed hydroformylation of styrene (Breit, B. (143) 143)
Rhodium-catalyzed hydroformylation of 1,1-bis(*p*-fluorophenyl)ethene and 3,3-bis(*p*-fluorophenyl)propene (Botteghi, C. (143) 233)
- Carbonylation approaches to oxygen heterocyclic compounds (Campi, E.M. (143) 243)
Aryloxypropanoic herbicides by asymmetric hydroformylation catalyzed by rhodium carbonyl complexes modified with phosphorus ligands (Botteghi, C. (143) 311)
- Hydroxycarbonylation
Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)
Palladium catalyzed hydroxycarbonylation of olefins in biphasic system: beneficial effect of alkali metal salt and protective-colloid agents on the stability of the catalytic system (Bertoux, F. (143) 23)
- Interfacial catalysis
Mechanistic approach to interfacial catalysis. Hydroformylation of heavy alkenes using tris(*m*-sodiumsulfonatophenyl) phosphine/PPh₃-containing catalysts (Kalck, P. (143) 41)
- Internal olefins
Cobalt-catalyzed biphasic hydroformylation of internal short chain olefins (Beller, M. (143) 31)
- Iridium
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
- Kinetics
Kinetics of hydroformylation of styrene using homogeneous rhodium complex catalyst (Nair, V.S. (143) 99)
- Lactone
Reaction of carbon monoxide with strained alkenes catalyzed by a cationic palladium(II) complex (Kawaguchi, T. (143) 253)
- Mechanistic model
Kinetics of hydroformylation of styrene using homogeneous rhodium complex catalyst (Nair, V.S. (143) 99)
- Methanol
An in situ CIR-FTIR investigation of process effects in the nickel catalyzed carbonylation of methanol (Moser, W.R. (143) 57)
- Methanol carbonylation
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
- Methyl acetate
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
- Methyl iodide
The mixed-metal carbonyl cluster anion [Os₃Ir(CO)₁₃]⁻: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)
- Nickel
The mechanism of the phosphine-modified nickel-catalyzed acetic acid process (Moser, W.R. (143) 71)

Olefin

Palladium catalyzed hydroxycarbonylation of olefins in biphasic system: beneficial effect of alkali metal salt and protective-colloid agents on the stability of the catalytic system (Bertoux, F. (143) 23)

Palladium-catalysed enantioselective bis-alkoxycarbonylation of 1-olefins. Synthesis of optically active 2-substituted-butanedioates (Sperrle, M. (143) 263)

Osmium

The mixed-metal carbonyl cluster anion $[\text{Os}_3\text{Ir}(\text{CO})_{13}]^-$: synthesis, structure, reactivity and catalytic activity in the carbonylation of methanol (Süss-Fink, G. (143) 163)

Oxygen heterocycles

Carbonylation approaches to oxygen heterocyclic compounds (Campi, E.M. (143) 243)

 π -Acceptor ligands

Probing new classes of π -acceptor ligands for rhodium catalyzed hydroformylation of styrene (Breit, B. (143) 143)

Palladium

Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)

Palladium catalyzed hydroxycarbonylation of olefins in biphasic system: beneficial effect of alkali metal salt and protective-colloid agents on the stability of the catalytic system (Bertoux, F. (143) 23)

Carbonylation reactions. 7. Regioselective synthesis of 2-arylpropionic acids by catalytic carbonylation of styrene derivatives in the presence of palladium compounds: the critical role of the counter anion (Bonnet, M.C. (143) 131)

Carbonylation reactions. 8. Chlorocarbonylation reactions: catalytic formation of chloroacyl chlorides without phosgene and application to the synthesis of 2(H)-5-furanone (Bonnet, M.C. (143) 181)

Palladium-catalyzed cross-carbonylation of phenolic compounds with aldehydes to give benzofuran-2(3H)-one derivatives (Satoh, T. (143) 203)

Reaction of carbon monoxide with strained alkenes catalyzed by a cationic palladium(II) complex (Kawaguchi, T. (143) 253)

Esters and *N,N*-dialkylamides of 2-(trifluoromethyl)acrylic acid (TFMAA) through Pd-catalysed carbonylation of fluorinated unsaturated substrates (Matteoli, U. (143) 287)

Palladium catalysis

Intermolecular trapping of acylpalladium and related acylmetal derivatives with active C–H compounds (Negishi, E.-i. (143) 279)

Palladium catalysts

Synthesis of steroidal hydroxy esters via palladium-catalyzed carbonylation (Nagy, E. (143) 229)

Palladium-catalysed enantioselective bis-alkoxycarbonylation of 1-olefins. Synthesis of optically active 2-substituted-butanedioates (Sperrle, M. (143) 263)

Sequential reaction of carbon dioxide and carbon monoxide with acetylenic amines in the presence of a palladium catalyst (Chiusoli, G.P. (143) 297)

Palladium complexes

High-branched selectivity in the palladium-catalysed alkoxy-

carbonylation of styrene in the presence of thiol–thioether atropisomeric ligands (Ruiz, N. (143) 171)

Palladium(II)-catalyzed synthesis of polyamides (aramids) from aromatic dichlorides, diamines, and carbon monoxide (Kim, J.S. (143) 197)

Palladium-montmorillonite

Cyclocarbonylation of 2-allylphenols catalyzed by palladium-montmorillonite (Orejon, A. (143) 137)

Partial hydrogenation

Bulk and fine chemicals via aqueous biphasic catalysis (Cornils, B. (143) 1)

Phenethyl bromide

Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)

Phenol

Palladium-catalyzed cross-carbonylation of phenolic compounds with aldehydes to give benzofuran-2(3H)-one derivatives (Satoh, T. (143) 203)

1-Phenylethanol

Carbonylation reactions. 7. Regioselective synthesis of 2-arylpropionic acids by catalytic carbonylation of styrene derivatives in the presence of palladium compounds: the critical role of the counter anion (Bonnet, M.C. (143) 131)

Phosphabenzene-rhodium-catalysts

Probing new classes of π -acceptor ligands for rhodium catalyzed hydroformylation of styrene (Breit, B. (143) 143)

Phosphine

The mechanism of the phosphine-modified nickel-catalyzed acetic acid process (Moser, W.R. (143) 71)

Phosphite ligand

Structure–activity relationship for chelating phosphite ligands used in rhodium-catalyzed hydroformylations (Paciello, R. (143) 85)

Platinum complexes

Synthesis, characterization and use in enantioselective hydroformylation of (BINAPO)PtCl₂ (BINAPO = 2-diphenylphosphino-2'-diphenylphosphinyl-1,1'-binaphthalene), the first chiral catalyst with an atropisomeric hemilabile P,O-heterodonor ligand (Gladiali, S. (143) 155)

Polyamides

Palladium(II)-catalyzed synthesis of polyamides (aramids) from aromatic dichlorides, diamines, and carbon monoxide (Kim, J.S. (143) 197)

Pt–Sn hydroformylation catalysts

Synthesis, characterization and use in enantioselective hydroformylation of (BINAPO)PtCl₂ (BINAPO = 2-diphenylphosphino-2'-diphenylphosphinyl-1,1'-binaphthalene), the first chiral catalyst with an atropisomeric hemilabile P,O-heterodonor ligand (Gladiali, S. (143) 155)

Reaction mechanisms

Carbonylation reactions. 8. Chlorocarbonylation reactions: catalytic formation of chloroacyl chlorides without phosgene and application to the synthesis of 2(H)-5-furanone (Bonnet, M.C. (143) 181)

 β -Regioselectivity

Rhodium-catalyzed hydroformylation of vinylic olefins:

- the different behaviors of the isomeric alkyl–metal intermediates as the origin of the β -regioselectivity (Lazzaroni, R. (143) 123)
- Rhodium**
- Asymmetric hydroformylation of styrene with rhodium complexes of sulfonated diphosphines in aqueous systems (Miquel-Serrano, M.D. (143) 49)
- Structure–activity relationship for chelating phosphite ligands used in rhodium-catalyzed hydroformylations (Paciello, R. (143) 85)
- Rhodium-diphosphine catalysts for the hydroformylation of styrene: the influence of the excess of ligand and the chelate ring size on the reaction selectivity (Diéguez, M. (143) 111)
- Rhodium-catalyzed hydroformylation of vinylidene olefins: the different behaviors of the isomeric alkyl–metal intermediates as the origin of the β -regioselectivity (Lazzaroni, R. (143) 123)
- Carbonylation approaches to oxygen heterocyclic compounds (Campi, E.M. (143) 243)
- Rhodium carbonyl**
- Aryloxypropanoic herbicides by asymmetric hydroformylation catalyzed by rhodium carbonyl complexes modified with phosphorus ligands (Botteghi, C. (143) 311)
- Rhodium catalysts**
- Rhodium-catalyzed carbonylation of alkynes having a carbonyl group adjacent to carbon–carbon triple bond under water–gas shift reaction conditions (Zhang, S.-W. (143) 211)
- Rhodium-catalyzed hydroformylation of 1,1-bis(*p*-fluorophenyl)ethene and 3,3-bis(*p*-fluorophenyl)propene (Botteghi, C. (143) 233)
- Ring size**
- Rhodium-diphosphine catalysts for the hydroformylation of styrene: the influence of the excess of ligand and the chelate ring size on the reaction selectivity (Diéguez, M. (143) 111)
- Steroid**
- Synthesis of steroidal hydroxy esters via palladium-catalyzed carbonylation (Nagy, E. (143) 229)
- Strained alkene**
- Reaction of carbon monoxide with strained alkenes catalyzed by a cationic palladium(II) complex (Kawaguchi, T. (143) 253)
- Structure–activity relationship**
- Structure–activity relationship for chelating phosphite ligands used in rhodium-catalyzed hydroformylations (Paciello, R. (143) 85)
- Styrene, chelate**
- Rhodium-diphosphine catalysts for the hydroformylation of styrene: the influence of the excess of ligand and the chelate ring size on the reaction selectivity (Diéguez, M. (143) 111)
- Succinic acid derivatives**
- Palladium-catalysed enantioselective bis-alkoxycarbonylation of 1-olefins. Synthesis of optically active 2-substituted-butanedioates (Sperrle, M. (143) 263)
- Sulfonated diphosphines**
- Asymmetric hydroformylation of styrene with rhodium complexes of sulfonated diphosphines in aqueous systems (Miquel-Serrano, M.D. (143) 49)
- Suzuki coupling**
- Bulk and fine chemicals via aqueous biphasic catalysis (Cornils, B. (143) 1)
- Telomerization**
- Bulk and fine chemicals via aqueous biphasic catalysis (Cornils, B. (143) 1)
- Tetracyclic lactone**
- Rhodium-catalyzed carbonylation of alkynes having a carbonyl group adjacent to carbon–carbon triple bond under water–gas shift reaction conditions (Zhang, S.-W. (143) 211)
- Thiol–thioether ligands**
- High-branched selectivity in the palladium-catalysed alkoxy-carbonylation of styrene in the presence of thiol–thioether atropisomeric ligands (Ruiz, N. (143) 171)
- TPPTS**
- Cobalt-catalyzed biphasic hydroformylation of internal short chain olefins (Beller, M. (143) 31)
- TPPTS/PPh₃-containing catalysts**
- Mechanistic approach to interfacial catalysis. Hydroformylation of heavy alkenes using tris(*m*-sodiumsulfonatophenyl) phosphine/PPh₃-containing catalysts (Kalck, P. (143) 41)
- Tricyclic lactone**
- Rhodium-catalyzed carbonylation of alkynes having a carbonyl group adjacent to carbon–carbon triple bond under water–gas shift reaction conditions (Zhang, S.-W. (143) 211)
- 2-(Trifluoromethyl)acrylic amides**
- Esters and *N,N*-dialkylamides of 2-(trifluoromethyl)acrylic acid (TFMAA) through Pd-catalysed carbonylation of fluorinated unsaturated substrates (Matteoli, U. (143) 287)
- 2-(Trifluoromethyl)acrylic esters**
- Esters and *N,N*-dialkylamides of 2-(trifluoromethyl)acrylic acid (TFMAA) through Pd-catalysed carbonylation of fluorinated unsaturated substrates (Matteoli, U. (143) 287)
- Two-phase catalysis**
- Cobalt-catalyzed biphasic hydroformylation of internal short chain olefins (Beller, M. (143) 31)
- Two-phase system**
- Advances in transition-metal catalyzed hydroxycarbonylation reactions in aqueous-organic two-phase system (Bertoux, F. (143) 11)
- Palladium catalyzed hydroxycarbonylation of olefins in biphasic system: beneficial effect of alkali metal salt and protective-colloid agents on the stability of the catalytic system (Bertoux, F. (143) 23)
- Vinylidene olefins**
- Rhodium-catalyzed hydroformylation of vinylidene olefins: the different behaviors of the isomeric alkyl–metal intermediates as the origin of the β -regioselectivity (Lazzaroni, R. (143) 123)
- Weakly coordinating anions**
- Carbonylation reactions. 7. Regioselective synthesis of 2-arylpropionic acids by catalytic carbonylation of styrene derivatives in the presence of palladium compounds: the critical role of the counter anion (Bonnet, M.C. (143) 131)