

## Subject index

### Ab initio MO

Ab initio MO studies on protonation mechanism of ethylene over catalyst HZSM-5 (Guiling, Z. (147) 33)

### Acetic anhydride

Nickel-catalyzed carbonylation of methyl acetate to acetic anhydride (Gong, J. (147) 113)

### Acidity properties

Preparation and activity of the catalysts for the synthesis of carboxylic ester with high boiling point (Tang, D. (147) 159)

### Activity

A study on the reforming of natural gas with steam, oxygen and carbon dioxide to produce syngas for methanol feedstock (Xu, H. (147) 41)

### Additives

A study on the reforming of natural gas with steam, oxygen and carbon dioxide to produce syngas for methanol feedstock (Xu, H. (147) 41)

Methanol synthesis from syngas in the homogeneous system (Li, K. (147) 125)

### Aerobic oxidation

Amino acid Schiff base complex catalyst for effective oxidation of olefins with molecular oxygen (Wang, R.-M. (147) 173)

### Alkali soap

The synthesis of sucrose ester and selection of its catalyst (Liu, X. (147) 37)

### Alkyne cycloaddition

Nickel(0)-catalyzed monoynone-maleimide double-cycloaddition and its application to nickel(0)-catalyzed diyne-maleimide, monoynone-dimaleimide, and diyne-dimaleimide double-cycloaddition copolymerizations (Tsuda, T. (147) 11)

### $\pi$ -Allyl

C–O and C–S bond activation of allyl esters, ethers, and sulfides by low valent ruthenium complexes (Planas, J.G. (147) 137)

### Amino acid Schiff base manganese complex

Amino acid Schiff base complex catalyst for effective oxidation of olefins with molecular oxygen (Wang, R.-M. (147) 173)

### Aromatic aldehydes

Photocatalytic oxidation of aromatic aldehydes with Co(II)tetra-(benzoyloxyphenyl)porphyrin and molecular oxygen (Chen, H. (147) 165)

### Asymmetric hydrogenation

Catalytic behavior of a Wool–Pd complex in asymmetric hydrogenation of diacetone alcohol and 3-methyl-2-butanone (Yin, M.-Y. (147) 89)

Asymmetric hydrogenation of ketones catalyzed by a silica-supported chitosan–palladium complex (Yin, M.-Y. (147) 93)

### Asymmetric transfer hydrogenation

Asymmetric transfer hydrogenation of prochiral ketones catalyzed by chiral ruthenium complexes with aminophosphine ligands (Gao, J.-x. (147) 105)

### Carbonylation

Nickel-catalyzed carbonylation of methyl acetate to acetic anhydride (Gong, J. (147) 113)

### Catalysis

Catalytic behaviors of the palladium complex of MgO-supported melamino-formaldehyde polymer for hydrogenations of different substrates (Xu, S. (147) 155)

### Catalysts

A study on the reforming of natural gas with steam, oxygen and carbon dioxide to produce syngas for methanol feedstock (Xu, H. (147) 41)

### Catalytic activity

Preparation and activity of the catalysts for the synthesis of carboxylic ester with high boiling point (Tang, D. (147) 159)

### CeO<sub>2</sub>

Studies of reforming natural gas with carbon dioxide to produce synthesis gas. X. The role of CeO<sub>2</sub> and MgO promoters (Xu, G. (147) 47)

### Chiral ligand

Asymmetric transfer hydrogenation of prochiral ketones catalyzed by chiral ruthenium complexes with aminophosphine ligands (Gao, J.-x. (147) 105)

### Chitosan–palladium complex

Asymmetric hydrogenation of ketones catalyzed by a silica-supported chitosan–palladium complex (Yin, M.-Y. (147) 93)

### *o*-Chloronitrobenzene

Hydrogenation of *o*-chloronitrobenzene over polymer-stabilized palladium–platinum bimetallic colloidal clusters (Yang, X. (147) 55)

### Cinchonidine

Enantioselective hydrogenation of methyl pyruvate over polymer-stabilized and supported iridium clusters (Zuo, X. (147) 63)

### Cloud point

Thermoregulated phase transfer ligands and catalysis. VII. Cloud point of nonionic surface-active phosphine ligands and their thermoregulated phase transfer property (Jiang, J. (147) 131)

- Cobalt(II)porphyrin**  
 Photocatalytic oxidation of aromatic aldehydes with Co(II)tetra-(benzoyloxyphenyl)porphyrin and molecular oxygen (Chen, H. (147) 165)
- C–O bond activation**  
 C–O and C–S bond activation of allyl esters, ethers, and sulfides by low valent ruthenium complexes (Planas, J.G. (147) 137)
- C–S bond activation**  
 C–O and C–S bond activation of allyl esters, ethers, and sulfides by low valent ruthenium complexes (Planas, J.G. (147) 137)
- Cycloaddition copolymerization**  
 Nickel(0)-catalyzed monoynone-maleimide double-cycloaddition and its application to nickel(0)-catalyzed diyne-maleimide, monoynone-dimaleimide, and diyne-dimaleimide double-cycloaddition copolymerizations (Tsuda, T. (147) 11)
- Cyclohexene**  
 Amino acid Schiff base complex catalyst for effective oxidation of olefins with molecular oxygen (Wang, R.-M. (147) 173)
- Diacetone alcohol**  
 Catalytic behavior of a Wool–Pd complex in asymmetric hydrogenation of diacetone alcohol and 3-methyl-2-butanone (Yin, M.-Y. (147) 89)
- Dicyclopentadiene**  
 Ring-opening metathesis polymerization of dicyclopentadiene by tungsten catalysts supported on polystyrene (Li, H. (147) 83)
- Enantioselective hydrogenation**  
 Enantioselective hydrogenation of methyl pyruvate over polymer-stabilized and supported iridium clusters (Zuo, X. (147) 63)
- Ester exchange**  
 The synthesis of sucrose ester and selection of its catalyst (Liu, X. (147) 37)
- Esterification**  
 Preparation and activity of the catalysts for the synthesis of carboxylic ester with high boiling point (Tang, D. (147) 159)
- Ethylene**  
 Ab initio MO studies on protonation mechanism of ethylene over catalyst HZSM-5 (Guiling, Z. (147) 33)  
 Hydrogenation and hydroformylation of olefins with water-soluble  $\text{Ru}_3(\text{CO})_9(\text{TPPMS})_3$  catalyst (Gao, J.-x. (147) 99)
- Glass transition temperature**  
 Synthesis and characterization of poly(norbornene) substituted with phthalimide and ammonium groups via living ring-opening metathesis polymerization (Liaw, D.-J. (147) 23)
- Heck reaction**  
 Palladium-catalyzed arylation of ethylene. A synthetic route to styrenes, stilbenes, and poly(phenylene vinylene)s (Kiji, J. (147) 3)
- Higher olefins**  
 Thermoregulated phase transfer ligands and catalysis. VII. Cloud point of nonionic surface-active phosphine ligands and their thermoregulated phase transfer property (Jiang, J. (147) 131)
- Homogeneous synthesis**  
 Methanol synthesis from syngas in the homogeneous system (Li, K. (147) 125)
- Hydroformylation**  
 Hydrogenation and hydroformylation of olefins with water-soluble  $\text{Ru}_3(\text{CO})_9(\text{TPPMS})_3$  catalyst (Gao, J.-x. (147) 99)  
 Thermoregulated phase transfer ligands and catalysis. VII. Cloud point of nonionic surface-active phosphine ligands and their thermoregulated phase transfer property (Jiang, J. (147) 131)
- Hydrogenation**  
 Hydrogenation of *o*-chloronitrobenzene over polymer-stabilized palladium–platinum bimetallic colloidal clusters (Yang, X. (147) 55)  
 Hydrogenation and hydroformylation of olefins with water-soluble  $\text{Ru}_3(\text{CO})_9(\text{TPPMS})_3$  catalyst (Gao, J.-x. (147) 99)  
 Catalytic behaviors of the palladium complex of MgO-supported melamino-formaldehyde polymer for hydrogenations of different substrates (Xu, S. (147) 155)
- Iridium**  
 Enantioselective hydrogenation of methyl pyruvate over polymer-stabilized and supported iridium clusters (Zuo, X. (147) 63)
- Ketones**  
 Asymmetric hydrogenation of ketones catalyzed by a silica-supported chitosan–palladium complex (Yin, M.-Y. (147) 93)  
 Asymmetric transfer hydrogenation of prochiral ketones catalyzed by chiral ruthenium complexes with aminophosphine ligands (Gao, J.-x. (147) 105)
- Ligand**  
 Nickel-catalyzed carbonylation of methyl acetate to acetic anhydride (Gong, J. (147) 113)
- Living ROMP**  
 Synthesis and characterization of poly(norbornene) substituted with phthalimide and ammonium groups via living ring-opening metathesis polymerization (Liaw, D.-J. (147) 23)
- Low temperature**  
 Methanol synthesis from syngas in the homogeneous system (Li, K. (147) 125)
- Magnesium oxide support**  
 Catalytic behaviors of the palladium complex of MgO-supported melamino-formaldehyde polymer for hydrogenations of different substrates (Xu, S. (147) 155)
- Mechanism**  
 Ab initio MO studies on protonation mechanism of ethylene over catalyst HZSM-5 (Guiling, Z. (147) 33)  
 Nickel-catalyzed carbonylation of methyl acetate to acetic anhydride (Gong, J. (147) 113)

- Melamino-formaldehyde polymer  
Catalytic behaviors of the palladium complex of MgO-supported melamino-formaldehyde polymer for hydrogenations of different substrates (Xu, S. (147) 155)
- Metal cation  
Modification of metal cations to the supported metal colloid catalysts (Yu, W. (147) 73)
- Metal ion modifier  
Hydrogenation of *o*-chloronitrobenzene over polymer-stabilized palladium–platinum bimetallic colloidal clusters (Yang, X. (147) 55)
- Methane reforming with CO<sub>2</sub>  
Studies of reforming natural gas with carbon dioxide to produce synthesis gas. X. The role of CeO<sub>2</sub> and MgO promoters (Xu, G. (147) 47)
- Methanol  
Methanol synthesis from syngas in the homogeneous system (Li, K. (147) 125)
- Methanol feedstock  
A study on the reforming of natural gas with steam, oxygen and carbon dioxide to produce syngas for methanol feedstock (Xu, H. (147) 41)
- Methyl pyruvate  
Enantioselective hydrogenation of methyl pyruvate over polymer-stabilized and supported iridium clusters (Zuo, X. (147) 63)
- MgO  
Studies of reforming natural gas with carbon dioxide to produce synthesis gas. X. The role of CeO<sub>2</sub> and MgO promoters (Xu, G. (147) 47)
- Mixed catalyst  
The synthesis of sucrose ester and selection of its catalyst (Liu, X. (147) 37)
- Modification  
Modification of metal cations to the supported metal colloid catalysts (Yu, W. (147) 73)
- Molecular oxygen  
Photocatalytic oxidation of aromatic aldehydes with Co(II)tetra-(benzoyloxyphenyl)porphyrin and molecular oxygen (Chen, H. (147) 165)
- MoO<sub>4</sub><sup>2-</sup>-encapsulated polyoxovanadate  
Photochemical self-assembly reactions of polyoxovanadates. Structure of MoO<sub>4</sub><sup>2-</sup>-encapsulated mixed-valent cluster [V<sub>22</sub>O<sub>54</sub>(MoO<sub>4</sub>)]<sup>8-</sup> and template-exchange reaction of [V<sub>18</sub>O<sub>42</sub>(H<sub>2</sub>O)]<sup>12-</sup> (Yamase, T. (147) 179)
- Natural gas reforming  
A study on the reforming of natural gas with steam, oxygen and carbon dioxide to produce syngas for methanol feedstock (Xu, H. (147) 41)
- NBEMA  
Synthesis and characterization of poly(norbornene) substituted with phthalimide and ammonium groups via living ring-opening metathesis polymerization (Liaw, D.-J. (147) 23)
- NBEPI  
Synthesis and characterization of poly(norbornene) substituted with phthalimide and ammonium groups via living ring-opening metathesis polymerization (Liaw, D.-J. (147) 23)
- Nickel  
Nickel(0)-catalyzed monoynne-maleimide double-cycloaddition and its application to nickel(0)-catalyzed diyne-maleimide, monoynne-dimaleimide, and diyne-dimaleimide double-cycloaddition copolymerizations (Tsuda, T. (147) 11)
- Nickel catalyst  
Nickel-catalyzed carbonylation of methyl acetate to acetic anhydride (Gong, J. (147) 113)  
Methanol synthesis from syngas in the homogeneous system (Li, K. (147) 125)
- Non-ionic surface active agent  
The synthesis of sucrose ester and selection of its catalyst (Liu, X. (147) 37)
- Nonionic surface-active phosphine  
Thermoregulated phase transfer ligands and catalysis. VII. Cloud point of nonionic surface-active phosphine ligands and their thermoregulated phase transfer property (Jiang, J. (147) 131)
- Oxidative addition  
C–O and C–S bond activation of allyl esters, ethers, and sulfides by low valent ruthenium complexes (Planas, J.G. (147) 137)
- Palladium complex  
Catalytic behaviors of the palladium complex of MgO-supported melamino-formaldehyde polymer for hydrogenations of different substrates (Xu, S. (147) 155)
- Pd/Pt bimetallic colloid  
Hydrogenation of *o*-chloronitrobenzene over polymer-stabilized palladium–platinum bimetallic colloidal clusters (Yang, X. (147) 55)
- Photocatalytic oxidation  
Photocatalytic oxidation of aromatic aldehydes with Co(II)tetra-(benzoyloxyphenyl)porphyrin and molecular oxygen (Chen, H. (147) 165)
- Photoencapsulation  
Photochemical self-assembly reactions of polyoxovanadates. Structure of MoO<sub>4</sub><sup>2-</sup>-encapsulated mixed-valent cluster [V<sub>22</sub>O<sub>54</sub>(MoO<sub>4</sub>)]<sup>8-</sup> and template-exchange reaction of [V<sub>18</sub>O<sub>42</sub>(H<sub>2</sub>O)]<sup>12-</sup> (Yamase, T. (147) 179)
- Platinum colloid  
Modification of metal cations to the supported metal colloid catalysts (Yu, W. (147) 73)
- Poly(bicyclooctene)  
Nickel(0)-catalyzed monoynne-maleimide double-cycloaddition and its application to nickel(0)-catalyzed diyne-maleimide, monoynne-dimaleimide, and diyne-dimaleimide double-cycloaddition copolymerizations (Tsuda, T. (147) 11)
- Poly(imide)  
Nickel(0)-catalyzed monoynne-maleimide double-cycloaddition and its application to nickel(0)-catalyzed diyne-maleimide, monoynne-dimaleimide, and diyne-dimaleimide double-cycloaddition copolymerizations (Tsuda, T. (147) 11)
- Poly(phenylene vinylene)  
Palladium-catalyzed arylation of ethylene. A synthetic route to styrenes, stilbenes, and poly(phenylene vinylene)s (Kiji, J. (147) 3)

**Promoter**

Studies of reforming natural gas with carbon dioxide to produce synthesis gas. X. The role of CeO<sub>2</sub> and MgO promoters (Xu, G. (147) 47)

**Propylene**

Hydrogenation and hydroformylation of olefins with water-soluble Ru<sub>3</sub>(CO)<sub>9</sub>(TPPMS)<sub>3</sub> catalyst (Gao, J.-x. (147) 99)

**Rare earth**

Preparation and activity of the catalysts for the synthesis of carboxylic ester with high boiling point (Tang, D. (147) 159)

**Rate-promoting effect**

Enantioselective hydrogenation of methyl pyruvate over polymer-stabilized and supported iridium clusters (Zuo, X. (147) 63)

**Resistance to carbon deposition**

Studies of reforming natural gas with carbon dioxide to produce synthesis gas. X. The role of CeO<sub>2</sub> and MgO promoters (Xu, G. (147) 47)

**Ring-opening metathesis polymerization**

Ring-opening metathesis polymerization of dicyclopentadiene by tungsten catalysts supported on polystyrene (Li, H. (147) 83)

**Ruthenium**

C–O and C–S bond activation of allyl esters, ethers, and sulfides by low valent ruthenium complexes (Planas, J.G. (147) 137)

**Ruthenium complex**

Asymmetric transfer hydrogenation of prochiral ketones catalyzed by chiral ruthenium complexes with aminophosphine ligands (Gao, J.-x. (147) 105)

**Selective hydrogenation**

Modification of metal cations to the supported metal colloid catalysts (Yu, W. (147) 73)

**Self-assembly reaction**

Photochemical self-assembly reactions of polyoxovanadates. Structure of MoO<sub>4</sub><sup>2-</sup>-encapsulated mixed-valent cluster [V<sub>22</sub>O<sub>54</sub>(MoO<sub>4</sub>)<sup>8-</sup>] and template-exchange reaction of [V<sub>18</sub>O<sub>42</sub>(H<sub>2</sub>O)]<sup>12-</sup> (Yamase, T. (147) 179)

**Stability**

A study on the reforming of natural gas with steam, oxygen and carbon dioxide to produce syngas for methanol feedstock (Xu, H. (147) 41)

**Stilbene**

Palladium-catalyzed arylation of ethylene. A synthetic route to styrenes, stilbenes, and poly(phenylene vinylene)s (Kiji, J. (147) 3)

**Styrene**

Palladium-catalyzed arylation of ethylene. A synthetic route to styrenes, stilbenes, and poly(phenylene vinylene)s (Kiji, J. (147) 3)

**Sucrose ester**

The synthesis of sucrose ester and selection of its catalyst (Liu, X. (147) 37)

**Supported catalyst**

Ring-opening metathesis polymerization of dicyclopentadiene by tungsten catalysts supported on polystyrene (Li, H. (147) 83)

**Template-exchange reaction**

Photochemical self-assembly reactions of polyoxovanadates. Structure of MoO<sub>4</sub><sup>2-</sup>-encapsulated mixed-valent cluster [V<sub>22</sub>O<sub>54</sub>(MoO<sub>4</sub>)<sup>8-</sup>] and template-exchange reaction of [V<sub>18</sub>O<sub>42</sub>(H<sub>2</sub>O)]<sup>12-</sup> (Yamase, T. (147) 179)

**Thermoregulated phase transfer ligands**

Thermoregulated phase transfer ligands and catalysis. VII. Cloud point of nonionic surface-active phosphine ligands and their thermoregulated phase transfer property (Jiang, J. (147) 131)

**Tungsten**

Ring-opening metathesis polymerization of dicyclopentadiene by tungsten catalysts supported on polystyrene (Li, H. (147) 83)

**Water-soluble cluster catalyst**

Hydrogenation and hydroformylation of olefins with water-soluble Ru<sub>3</sub>(CO)<sub>9</sub>(TPPMS)<sub>3</sub> catalyst (Gao, J.-x. (147) 99)

**Wool–Pd complex**

Catalytic behavior of a Wool–Pd complex in asymmetric hydrogenation of diacetone alcohol and 3-methyl-2-butanone (Yin, M.-Y. (147) 89)

**X-ray diffractometry**

Photochemical self-assembly reactions of polyoxovanadates. Structure of MoO<sub>4</sub><sup>2-</sup>-encapsulated mixed-valent cluster [V<sub>22</sub>O<sub>54</sub>(MoO<sub>4</sub>)<sup>8-</sup>] and template-exchange reaction of [V<sub>18</sub>O<sub>42</sub>(H<sub>2</sub>O)]<sup>12-</sup> (Yamase, T. (147) 179)