



ELSEVIER

Journal of Molecular Catalysis A: Chemical 149 (1999) 329–333

**JOURNAL OF
MOLECULAR
CATALYSIS
A: CHEMICAL**

www.elsevier.com/locate/molcata

Subject index

Acidity

Structure, acidity and catalytic properties of dealuminated SAPO-11 molecular sieves (Tian, H. (149) 205)

Acylation

Catalytic activity of rare-earth-supported catalysts in Friedel–Crafts acylations (Baudry-Barbier, D. (149) 215)

Alkyl azides

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α -tosyloxyketones: synthesis of alkyl azides and α -azidoketones (Varma, R.S. (149) 153)

Alkyl halides

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α -tosyloxyketones: synthesis of alkyl azides and α -azidoketones (Varma, R.S. (149) 153)

γ -Al₂O₃

TAP study of the sorption of H₂ and O₂ on Rh/ γ -Al₂O₃ (Dewaele, O. (149) 263)

Alumina

Olefin metathesis over tin-modified non-transition metal oxides (Buffon, R. (149) 275)

Amination

Nickel-catalyzed amination of 1,3-propanediols differently substituted at C2-position: influence of reactant structure on diamine production (Fischer, A. (149) 197)

α -Azidoketones

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α -tosyloxyketones: synthesis of alkyl azides and α -azidoketones (Varma, R.S. (149) 153)

Beckmann rearrangement (homogeneous liquid phase)

Homogeneous liquid-phase Beckmann rearrangement of oxime catalyzed by phosphorous pentaoxide and accelerated by fluorine-containing strong acid (Sato, H. (149) 25)

Bidentate phosphines

Catalytic studies with ruthenium clusters substituted with diphosphines. Part I. Studies with Ru₃(CO)₁₀(Ph₂PCH₂PPh₂) (Fontal, B. (149) 75)

Catalytic studies with ruthenium clusters substituted with diphosphines. Part II. Studies with Ru₃(CO)₈(Ph₂PCH₂PPh₂)₂ (Fontal, B. (149) 87)

Bimetallic catalyst

Highly dispersed cobalt in CuCo/SiO₂ cluster-derived catalyst (Llorca, J. (149) 225)

Bimetallic catalysts

Rhodium amine complexes tethered on silica-supported gold–palladium bimetal catalysts. Arene hydrogenation (Perera, M.A.D.N. (149) 99)

Biphasic catalytic system

Micellar effect in high olefin hydroformylation catalyzed by water-soluble rhodium complex (Chen, H. (149) 1)

Biphasic hydroformylation

Thermoregulated phase-transfer ligands and catalysis. VIII. Two-phase hydroformylation of 4-isobutylstyrene catalyzed by thermoregulated phase-transfer catalyst OPGPP/Rh (Chen, R. (149) 113)

Boria–alumina

Olefin metathesis over tin-modified non-transition metal oxides (Buffon, R. (149) 275)

n-Butane isomerization

Preparation of Ni/ZrO₂–SO₄²⁻ catalysts by incipient wetness method: effect of nickel on the isomerization of *n*-butane (Pérez, M. (149) 169)

Butene isomerization

Structure, acidity and catalytic properties of dealuminated SAPO-11 molecular sieves (Tian, H. (149) 205)

Calixarene

Calixarenes as a new class of external electron donors in Ziegler–Natta polypropylene catalysts (Kemp, R.A. (149) 125)

ϵ -Caprolactam, DMF (solvent)

Homogeneous liquid-phase Beckmann rearrangement of oxime catalyzed by phosphorous pentaoxide and accelerated by fluorine-containing strong acid (Sato, H. (149) 25)

Catalyst

Homogeneous liquid-phase Beckmann rearrangement of oxime catalyzed by phosphorous pentaoxide and accelerated by fluorine-containing strong acid (Sato, H. (149) 25)

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

Catalyst characterisation

A combined theoretical and experimental study of VO_x/ γ -Al₂O₃ catalyst (Ferreira, M.L. (149) 33)

Characterization

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

Chiral catalysis

Asymmetric transfer hydrogenation of aryl-alkyl ketones catalyzed by ruthenium(II) complexes having chiral pyridylmethylamine and phosphine ligands (Mizushima, E. (149) 43)

Chiral modifier

Comparison of chiral modifiers in the Pd catalysed hydrogenation of phenylcinnamic acid and isophorone (Tungler, A. (149) 135)

Cluster-derived catalysts

Highly dispersed cobalt in CuCo/SiO₂ cluster-derived catalyst (Llorca, J. (149) 225)

Colloid catalyst

Selective photocatalytic transfer-hydrogenation to 1,5-cyclooctadiene with light transition metal modified rhodium colloid catalyst (Hanaoka, T.-a. (149) 161)

Copper–cobalt catalysts

Highly dispersed cobalt in CuCo/SiO₂ cluster-derived catalyst (Llorca, J. (149) 225)

Critical micelle concentration

Micellar effect in high olefin hydroformylation catalyzed by water-soluble rhodium complex (Chen, H. (149) 1)

Cumene cracking

Structure, acidity and catalytic properties of dealuminated SAPO-11 molecular sieves (Tian, H. (149) 205)

Cyclohexanone oxime

Homogeneous liquid-phase Beckmann rearrangement of oxime catalyzed by phosphorous pentoxide and accelerated by fluorine-containing strong acid (Sato, H. (149) 25)

Dealuminated SAPO-11

Structure, acidity and catalytic properties of dealuminated SAPO-11 molecular sieves (Tian, H. (149) 205)

1,3-Diaminopropanes

Nickel-catalyzed amination of 1,3-propanediols differently substituted at C2-position: influence of reactant structure on diamine production (Fischer, A. (149) 197)

Dihydroapovincaminic acid ethyl ester

Comparison of chiral modifiers in the Pd catalysed hydrogenation of phenylcinnamic acid and isophorone (Tungler, A. (149) 135)

Enantioselectivity

Comparison of chiral modifiers in the Pd catalysed hydrogenation of phenylcinnamic acid and isophorone (Tungler, A. (149) 135)

EPR

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

Esterification

Reaction of glycerol with fatty acids in the presence of ion-exchange resins. Preparation of monoglycerides (Pouilloux, Y. (149) 243)

Ethene

Increased catalytic activity of cationic palladium(II) complexes on immobilisation in Nafion-H⁺ (Seen, A.J. (149) 233)

Extended Hückel

A combined theoretical and experimental study of VO_x/γ-Al₂O₃ catalyst (Ferreira, M.L. (149) 33)

Extent of hydrolysis

Influence of water/alkoxide ratio on the properties of Ru/Al₂O₃ xerogel catalysts (Okafor, V.I. (149) 297)

External donor

Calixarenes as a new class of external electron donors in Ziegler–Natta polypropylene catalysts (Kemp, R.A. (149) 125)

Fatty acids

Reaction of glycerol with fatty acids in the presence of ion-exchange resins. Preparation of monoglycerides (Pouilloux, Y. (149) 243)

Friedel–Crafts

Catalytic activity of rare-earth-supported catalysts in Friedel–Crafts acylations (Baudry-Barbier, D. (149) 215)

Gold

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Rhodium amine complexes tethered on silica-supported gold–palladium bimetal catalysts. Arene hydrogenation (Perera, M.A.D.N. (149) 99)

Heterogeneous hydrogenation

Supported Wilkinson's complex used as a high active hydrogenation catalyst (Quiroga, M.E. (149) 147)

Higher alcohol synthesis

Highly dispersed cobalt in CuCo/SiO₂ cluster-derived catalyst (Llorca, J. (149) 225)

HMCM-41

Isopropylation of naphthalene over modified HMCM-41, HY and SAPO-5 catalysts (Kamalakar, G. (149) 283)

Homogeneous hydrogenation

Supported Wilkinson's complex used as a high active hydrogenation catalyst (Quiroga, M.E. (149) 147)

HY

Isopropylation of naphthalene over modified HMCM-41, HY and SAPO-5 catalysts (Kamalakar, G. (149) 283)

Hydroformylation

Micellar effect in high olefin hydroformylation catalyzed by water-soluble rhodium complex (Chen, H. (149) 1)

Hydrogen

Spin uncoupling in molecular hydrogen activation by platinum clusters (Minaev, B. (149) 179)

TAP study of the sorption of H₂ and O₂ on Rh/γ-Al₂O₃ (Dewaele, O. (149) 263)

Hydrogenation

Catalytic studies with ruthenium clusters substituted with diphosphines. Part II. Studies with Ru₃(CO)₈(Ph₂PCH₂PPh₂)₂ (Fontal, B. (149) 87)

Synergic effect of polymer-supported bimetallic catalysts in the hydrogenation and isomerization of 1-octene (Liu, C. (149) 119)

Comparison of chiral modifiers in the Pd catalysed hydrogenation of phenylcinnamic acid and isophorone (Tungler, A. (149) 135)

Hydrogenation and isomerization catalysts

Catalytic studies with ruthenium clusters substituted with diphosphines. Part I. Studies with Ru₃(CO)₁₀(Ph₂PCH₂PPh₂) (Fontal, B. (149) 75)

IBS

Thermoregulated phase-transfer ligands and catalysis. VIII. Two-phase hydroformylation of 4-isobutylstyrene catalyzed by thermoregulated phase-transfer catalyst OPGPP/Rh (Chen, R. (149) 113)

Incipient wetness method

Preparation of Ni/ZrO₂-SO₄²⁻ catalysts by incipient wetness method: effect of nickel on the isomerization of *n*-butane (Pérez, M. (149) 169)

Intermolecular distance distribution

Analysis of cooperative catalysis by a molecular water oxidation catalyst adsorbed onto an inorganic particle matrix (Yagi, M. (149) 289)

Ion-exchange resins

Reaction of glycerol with fatty acids in the presence of ion-exchange resins. Preparation of monoglycerides (Pouilloux, Y. (149) 243)

IR

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

Isomerization

Synergic effect of polymer-supported bimetallic catalysts in the hydrogenation and isomerization of 1-octene (Liu, C. (149) 119)

Isomerization catalysts

Catalytic studies with ruthenium clusters substituted with diphosphines. Part II. Studies with Ru₃(CO)₈(Ph₂PCH₂PPh₂)₂ (Fontal, B. (149) 87)

Isophorone

Comparison of chiral modifiers in the Pd catalysed hydrogenation of phenylcinnamic acid and isophorone (Tungler, A. (149) 135)

Isopropylation of naphthalene

Isopropylation of naphthalene over modified HMCM-41, HY and SAPO-5 catalysts (Kamalakar, G. (149) 283)

Isotacticity

Calixarenes as a new class of external electron donors in Ziegler–Natta polypropylene catalysts (Kemp, R.A. (149) 125)

Kinetic equation

Reduced rate method for discrimination of the kinetic models for the water–gas shift reaction (Zhao, H. (149) 141)

Kinetic model

Reduced rate method for discrimination of the kinetic models for the water–gas shift reaction (Zhao, H. (149) 141)

Kinetics

TAP study of the sorption of H₂ and O₂ on Rh/γ-Al₂O₃ (Dewaele, O. (149) 263)

Kinetic study

Synthesis of menadione over selective oxidation zeolites (Anunziata, O.A. (149) 255)

Lanthanides

Catalytic activity of rare-earth-supported catalysts in Friedel–Crafts acylations (Baudry-Barbier, D. (149) 215)

Metathesis

Olefin metathesis over tin-modified non-transition metal oxides (Buffon, R. (149) 275)

Micelle

Micellar effect in high olefin hydroformylation catalyzed by water-soluble rhodium complex (Chen, H. (149) 1)

Model discrimination

Reduced rate method for discrimination of the kinetic models for the water–gas shift reaction (Zhao, H. (149) 141)

Molecular sieves

Synthesis and catalytic properties of Ti-substituted SAPO molecular sieves (Hsu, B.-Y. (149) 7)

Monoglycerides

Reaction of glycerol with fatty acids in the presence of ion-exchange resins. Preparation of monoglycerides (Pouilloux, Y. (149) 243)

Montmorillonite K 10 clay

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α-tosyloxyketones: synthesis of alkyl azides and α-azidoketones (Varma, R.S. (149) 153)

Nafion

Increased catalytic activity of cationic palladium(II) complexes on immobilisation in Nafion-H⁺ (Seen, A.J. (149) 233)

Naphthalene alkylation

Isopropylation of naphthalene over modified HMCM-41, HY and SAPO-5 catalysts (Kamalakar, G. (149) 283)

Nickel

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Preparation of Ni/ZrO₂-SO₄²⁻ catalysts by incipient wetness method: effect of nickel on the isomerization of *n*-butane (Pérez, M. (149) 169)

Nickel-catalyzed amination of 1,3-propanediols differently substituted at C2-position: influence of reactant structure on diamine production (Fischer, A. (149) 197)

1-Octene

Synergic effect of polymer-supported bimetallic catalysts in the hydrogenation and isomerization of 1-octene (Liu, C. (149) 119)

Olefins

Olefin metathesis over tin-modified non-transition metal oxides (Buffon, R. (149) 275)

Oligomerisation

Increased catalytic activity of cationic palladium(II) complexes on immobilisation in Nafion-H⁺ (Seen, A.J. (149) 233)

OPGPP/Rh

Thermoregulated phase-transfer ligands and catalysis. VIII. Two-phase hydroformylation of 4-isobutylstyrene catalyzed by thermoregulated phase-transfer catalyst OPGPP/Rh (Chen, R. (149) 113)

Oxidation catalysts

Synthesis of menadione over selective oxidation zeolites (Anunziata, O.A. (149) 255)

Oxygen

TAP study of the sorption of H₂ and O₂ on Rh/γ-Al₂O₃ (Dewaele, O. (149) 263)

Palladium

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Rhodium amine complexes tethered on silica-supported gold–palladium bimetal catalysts. Arene hydrogenation (Perera, M.A.D.N. (149) 99)

Increased catalytic activity of cationic palladium(II) complexes on immobilisation in Nafion-H⁺ (Seen, A.J. (149) 233)

Phenylcinnamic acid

Comparison of chiral modifiers in the Pd catalysed hydrogenation of phenylcinnamic acid and isophorone (Tungler, A. (149) 135)

Phosphorous pentaoxide

Homogeneous liquid-phase Beckmann rearrangement of oxime catalyzed by phosphorous pentaoxide and accelerated by fluorine-containing strong acid (Sato, H. (149) 25)

Photocatalyst

Selective photocatalytic transfer-hydrogenation to 1,5-cyclooctadiene with light transition metal modified rhodium colloid catalyst (Hanaoka, T.-a. (149) 161)

Platinum

Spin uncoupling in molecular hydrogen activation by platinum clusters (Minaev, B. (149) 179)

Polymer-supported bimetallic catalyst

Synergic effect of polymer-supported bimetallic catalysts in the hydrogenation and isomerization of 1-octene (Liu, C. (149) 119)

Polypropylene

Calixarenes as a new class of external electron donors in Ziegler–Natta polypropylene catalysts (Kemp, R.A. (149) 125)

1,3-Propanediols

Nickel-catalyzed amination of 1,3-propanediols differently substituted at C2-position: influence of reactant structure on diamine production (Fischer, A. (149) 197)

Pt black

Analysis of cooperative catalysis by a molecular water oxidation catalyst adsorbed onto an inorganic particle matrix (Yagi, M. (149) 289)

Pyridylmethylamine ligands

Asymmetric transfer hydrogenation of aryl-alkyl ketones catalyzed by ruthenium(II) complexes having chiral pyridylmethylamine and phosphine ligands (Mizushima, E. (149) 43)

Rare-earth compounds

Catalytic activity of rare-earth-supported catalysts in Friedel–Crafts acylations (Baudry-Barbier, D. (149) 215)

Reduced rate

Reduced rate method for discrimination of the kinetic models for the water–gas shift reaction (Zhao, H. (149) 141)

Rh

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

TAP study of the sorption of H₂ and O₂ on Rh/γ-Al₂O₃ (Dewaele, O. (149) 263)

Rhodium–phosphine complex

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Rh, Pd and Ni complexes

Supported Wilkinson's complex used as a high active hydrogenation catalyst (Quiroga, M.E. (149) 147)

Ru/Al₂O₃ catalysts

Influence of water/alkoxide ratio on the properties of Ru/Al₂O₃ xerogel catalysts (Okafor, V.I. (149) 297)

Ruthenium cluster

Catalytic studies with ruthenium clusters substituted with diphosphines. Part I. Studies with Ru₃(CO)₁₀(Ph₂PCH₂PPh₂) (Fontal, B. (149) 75)

Catalytic studies with ruthenium clusters substituted with diphosphines. Part II. Studies with Ru₃(CO)₈(Ph₂PCH₂PPh₂)₂ (Fontal, B. (149) 87)

Ruthenium complex

Asymmetric transfer hydrogenation of aryl-alkyl ketones catalyzed by ruthenium(II) complexes having chiral pyridylmethylamine and phosphine ligands (Mizushima, E. (149) 43)

Analysis of cooperative catalysis by a molecular water oxidation catalyst adsorbed onto an inorganic particle matrix (Yagi, M. (149) 289)

SAPO

Synthesis and catalytic properties of Ti-substituted SAPO molecular sieves (Hsu, B.-Y. (149) 7)

SAPO-5

Isopropylation of naphthalene over modified HMCM-41, HY and SAPO-5 catalysts (Kamalakar, G. (149) 283)

Silica

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Silica–alumina

Olefin metathesis over tin-modified non-transition metal oxides (Buffon, R. (149) 275)

Sol–gel

Influence of water/alkoxide ratio on the properties of Ru/Al₂O₃ xerogel catalysts (Okafor, V.I. (149) 297)

Sonochemical acceleration

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α-tosyloxyketones: synthesis of alkyl azides and α-azidoketones (Varma, R.S. (149) 153)

Spin uncoupling

Spin uncoupling in molecular hydrogen activation by platinum clusters (Minaev, B. (149) 179)

Supercritical fluids

Nickel-catalyzed amination of 1,3-propanediols differently substituted at C2-position: influence of reactant structure on diamine production (Fischer, A. (149) 197)

Supported catalysis

Catalytic activity of rare-earth-supported catalysts in Friedel–Crafts acylations (Baudry-Barbier, D. (149) 215)

Supported catalysts

Increased catalytic activity of cationic palladium(II) complexes on immobilisation in Nafion-H⁺ (Seen, A.J. (149) 233)

Supported metal catalysts

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Surface modification

Selective photocatalytic transfer-hydrogenation to 1,5-cyclooctadiene with light transition metal modified rhodium colloid catalyst (Hanaoka, T.-a. (149) 161)

Surfactant

Micellar effect in high olefin hydroformylation catalyzed by water-soluble rhodium complex (Chen, H. (149) 1)

Synergic effect

Synergic effect of polymer-supported bimetallic catalysts in the hydrogenation and isomerization of 1-octene (Liu, C. (149) 119)

Synthesis

Synthesis and catalytic properties of Ti-substituted SAPO molecular sieves (Hsu, B.-Y. (149) 7)

TCSM

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Rhodium amine complexes tethered on silica-supported gold–palladium bimetal catalysts. Arene hydrogenation (Perera, M.A.D.N. (149) 99)

Temporal analysis of products

TAP study of the sorption of H₂ and O₂ on Rh/ γ -Al₂O₃ (Dewaale, O. (149) 263)

Tethered complex catalysts

Rhodium–phosphine complex catalysts tethered on silica-supported heterogeneous metal catalysts: arene hydrogenation under atmospheric pressure (Gao, H. (149) 63)

Rhodium amine complexes tethered on silica-supported gold–palladium bimetal catalysts. Arene hydrogenation (Perera, M.A.D.N. (149) 99)

Tetraalkylammonium bromides

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α -tosyloxyketones: synthesis of alkyl azides and α -azidoketones (Varma, R.S. (149) 153)

Tetrabutyltin

Olefin metathesis over tin-modified non-transition metal oxides (Buffon, R. (149) 275)

Toluene disproportionation

Structure, acidity and catalytic properties of dealuminated SAPO-11 molecular sieves (Tian, H. (149) 205)

Toluene hydrogenation

Rhodium amine complexes tethered on silica-supported gold–palladium bimetal catalysts. Arene hydrogenation (Perera, M.A.D.N. (149) 99)

 α -Tosyloxyketones

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α -tosyloxyketones: synthesis of alkyl azides and α -azidoketones (Varma, R.S. (149) 153)

TPR

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

Transfer hydrogenation

Asymmetric transfer hydrogenation of aryl-alkyl ketones catalyzed by ruthenium(II) complexes having chiral pyridyl-

methylamine and phosphine ligands (Mizushima, E. (149) 43)

Selective photocatalytic transfer-hydrogenation to 1,5-cyclooctadiene with light transition metal modified rhodium colloid catalyst (Hanaoka, T.-a. (149) 161)

Trifluoromethanesulfonic acid

Homogeneous liquid-phase Beckmann rearrangement of oxime catalyzed by phosphorous pentoxide and accelerated by fluorine-containing strong acid (Sato, H. (149) 25)

Triphase catalyst

Can ultrasound substitute for a phase-transfer catalyst? Triphase catalysis and sonochemical acceleration in nucleophilic substitution of alkyl halides and α -tosyloxyketones: synthesis of alkyl azides and α -azidoketones (Varma, R.S. (149) 153)

TRPTC

Thermoregulated phase-transfer ligands and catalysis. VIII. Two-phase hydroformylation of 4-isobutylstyrene catalyzed by thermoregulated phase-transfer catalyst OPGPP/Rh (Chen, R. (149) 113)

Vanadium supported catalysts

A combined theoretical and experimental study of VO_x/ γ -Al₂O₃ catalyst (Ferreira, M.L. (149) 33)

Vitamin K₃ synthesis

Synthesis of menadione over selective oxidation zeolites (Anunziata, O.A. (149) 255)

Water/alkoxide ratio

Influence of water/alkoxide ratio on the properties of Ru/Al₂O₃ xerogel catalysts (Okafor, V.I. (149) 297)

Water–gas shift reaction

Reduced rate method for discrimination of the kinetic models for the water–gas shift reaction (Zhao, H. (149) 141)

Water oxidation catalyst

Analysis of cooperative catalysis by a molecular water oxidation catalyst adsorbed onto an inorganic particle matrix (Yagi, M. (149) 289)

Water-soluble rhodium complex

Micellar effect in high olefin hydroformylation catalyzed by water-soluble rhodium complex (Chen, H. (149) 1)

Wilkinson's catalyst

Supported Wilkinson's complex used as a high active hydrogenation catalyst (Quiroga, M.E. (149) 147)

Xerogel

Influence of water/alkoxide ratio on the properties of Ru/Al₂O₃ xerogel catalysts (Okafor, V.I. (149) 297)

XPS

Characterization of Rh-based catalysts with EPR, TPR, IR and XPS (Wang, Y. (149) 51)

Zeolites materials

Synthesis of menadione over selective oxidation zeolites (Anunziata, O.A. (149) 255)

Ziegler–Natta catalyst

Calixarenes as a new class of external electron donors in Ziegler–Natta polypropylene catalysts (Kemp, R.A. (149) 125)