

Subject index

- Acetophenone**
Asymmetric reduction and hydrogenation over heterogenous catalysts prepared by reacting nickel-boride with norephedrine (Molvinger, K. (150) 267)
- Acidic density**
Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (II): catalytic performance under various reaction conditions (Kang, M. (150) 205)
- Acidic property**
Synthesis of Ga-incorporated SAPO-34s (GaAPSO-34) and their catalytic performance on methanol conversion (Kang, M. (150) 213)
- AgCl/Al₂O₃ catalyst**
Photocatalytic conversion of NO_x on AgCl/Al₂O₃ catalyst (Yamashita, Y. (150) 233)
- Alkenes**
Selective oxidation of alkenes catalysed by ruthenium(II) complexes containing coordinated perchlorate (Kanmani, A.S. (150) 95)
- Allylic**
Enantioselective palladium catalyzed allylic substitution using chiral P,N,O Schiff base ligands (Kwong, H.-L. (150) 23)
- β-Amido alcohols**
Phase transfer catalysis: some recent applications in organic synthesis (Albanese, D. (150) 113)
- Amine**
Preparation of new modified catalyst carriers (Juvaste, H. (150) 1)
- Amine synthesis**
Amine synthesis via carbonylation reactions: aminomethylation (Schulte, M.M. (150) 147)
- α-Amino acids and esters**
Phase transfer catalysis: some recent applications in organic synthesis (Albanese, D. (150) 113)
- Aminomethylation**
Amine synthesis via carbonylation reactions: aminomethylation (Schulte, M.M. (150) 147)
- Anhydrous potassium carbonate as PTC base**
Phase transfer catalysis: some recent applications in organic synthesis (Albanese, D. (150) 113)
- Anionic matrix**
Characterization and catalytic activity of iron(III) mono(4-*N*-methyl pyridyl)-tris(halophenyl) porphyrins in homogeneous and heterogeneous systems (Prado-Manso, C.M.C. (150) 251)
- Aromatic nitriles**
Hydrosilylation of aromatic nitriles promoted by solvated rhodium atom-derived catalysts (Caporusso, A.M. (150) 275)
- Asymmetric reduction**
Asymmetric reduction and hydrogenation over heterogenous catalysts prepared by reacting nickel-boride with norephedrine (Molvinger, K. (150) 267)
- Bentonite clay**
Catalytic promotion of piperonyl alcohol to trimethylenedioxy-orthocyclophane by bentonitic earth, or by hydrochloric acid (Miranda, R. (150) 299)
- Benzylic alcohols**
A mechanistic study on oxidation of benzylic alcohols with PPh₄HSO₅ catalysed by manganese(III) porphyrins in homogeneous solution (Campestrini, S. (150) 77)
- Bimetallic catalysts**
Comparison of a range of rhodium-based catalysts for the hydroformylation of selected alkenes (Dickson, R.S. (150) 133)
- Bromination of aromatics**
Liquid phase bromination of aromatics over zeolite H-beta catalyst (Singh, A.P. (150) 241)
- Bromination of chlorobenzene**
Liquid phase bromination of aromatics over zeolite H-beta catalyst (Singh, A.P. (150) 241)
- Brucine**
Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)
- Carbohydrate**
Sonocatalysis of the TEMPO-mediated oxidation of glucosides (Brochette-Lemoine, S. (150) 31)
- Catalysis**
Hydrosilylation of aromatic nitriles promoted by solvated rhodium atom-derived catalysts (Caporusso, A.M. (150) 275)
- Catalyst**
Selective oxidation of alkenes catalysed by ruthenium(II) complexes containing coordinated perchlorate (Kanmani, A.S. (150) 95)
- Catalytic activity**
Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (II): catalytic performance under various reaction conditions (Kang, M. (150) 205)
- Catalyzed**
Synthesis, physico-chemical studies and solvent-dependent enantioselective epoxidation of 1,2-dihydronaphthalene catalysed by chiral Ruthenium(II) Schiff base complexes. I (Kureshy, R.I. (150) 163)

- Chiral Ru(II) Schiff base complex-catalysed enantioselective epoxidation of styrene derivatives using iodosyl benzene as oxidant. II (Kureshy, R.I. (150) 175)
- Catechol dioxygenase
Mechanism of oxygenative cleavage of catechols by nonheme iron complexes in relevance to catechol dioxygenases studied by quantum chemical calculations (Funabiki, T. (150) 37)
- Cation-forming reagent
Profiles of ethylene polymerization with zirconocene–trialkylaluminum/borane compound (Naga, N. (150) 155)
- Cationic iron(III) porphyrin
Characterization and catalytic activity of iron(III) mono(4-*N*-methyl pyridyl)-tris(halophenyl) porphyrins in homogeneous and heterogeneous systems (Prado-Manso, C.M.C. (150) 251)
- C–C cleavage
Practical dihydroxylation and C–C cleavage of unsaturated fatty acids (Oakley, M.A. (150) 105)
- Chiral Schiff base
Synthesis, physico-chemical studies and solvent-dependent enantioselective epoxidation of 1,2-dihydronaphthalene catalysed by chiral Ruthenium(II) Schiff base complexes. I (Kureshy, R.I. (150) 163)
Chiral Ru(II) Schiff base complex-catalysed enantioselective epoxidation of styrene derivatives using iodosyl benzene as oxidant. II (Kureshy, R.I. (150) 175)
- Chromium oxide catalysts
EPR and UV–visible spectroscopic studies of alumina-supported chromium oxide catalysts (Khaddar-Zine, S. (150) 223)
- Coke formation
Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (II): catalytic performance under various reaction conditions (Kang, M. (150) 205)
- Complexes
Synthesis, physico-chemical studies and solvent-dependent enantioselective epoxidation of 1,2-dihydronaphthalene catalysed by chiral Ruthenium(II) Schiff base complexes. I (Kureshy, R.I. (150) 163)
- Crystallinity
Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (I): effect of preparation factors on the gel formation (Kang, M. (150) 195)
- Crystallization rate
Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (I): effect of preparation factors on the gel formation (Kang, M. (150) 195)
- (*Z*)-Cyclooctene epoxidation
Characterization and catalytic activity of iron(III) mono(4-*N*-methyl pyridyl)-tris(halophenyl) porphyrins in homogeneous and heterogeneous systems (Prado-Manso, C.M.C. (150) 251)
- Cyclopentadienyl
Preparation of new modified catalyst carriers (Juvaste, H. (150) 1)
- Cyclotrimertrilene analogues
Catalytic promotion of piperonyl alcohol to trimethylenedioxy-orthocyclophane by bentonitic earth, or by hydrochloric acid (Miranda, R. (150) 299)
- Dihydroxylation
Practical dihydroxylation and C–C cleavage of unsaturated fatty acids (Oakley, M.A. (150) 105)
- Dimethylsulfide
Kinetics and mechanism of oxo-transfer from pyridine *N*-oxide to dimethyl sulfide catalysed by [Ru^{III}(edta)(H₂O)][−] complex (edta = ethylenediaminetetraacetate) (Chatterjee, D. (150) 49)
- Effect of KOH
Phase-transfer catalytic reaction of 2,4,6-tribromophenol and dibromomethane: effect of potassium hydroxide (Wang, M.-L. (150) 11)
- Enantioselective
Synthesis, physico-chemical studies and solvent-dependent enantioselective epoxidation of 1,2-dihydronaphthalene catalysed by chiral Ruthenium(II) Schiff base complexes. I (Kureshy, R.I. (150) 163)
Chiral Ru(II) Schiff base complex-catalysed enantioselective epoxidation of styrene derivatives using iodosyl benzene as oxidant. II (Kureshy, R.I. (150) 175)
Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)
- Enantioselectivity
Enantioselective palladium catalyzed allylic substitution using chiral P,N,O Schiff base ligands (Kwong, H.-L. (150) 23)
- Epoxidation
Synthesis, physico-chemical studies and solvent-dependent enantioselective epoxidation of 1,2-dihydronaphthalene catalysed by chiral Ruthenium(II) Schiff base complexes. I (Kureshy, R.I. (150) 163)
Chiral Ru(II) Schiff base complex-catalysed enantioselective epoxidation of styrene derivatives using iodosyl benzene as oxidant. II (Kureshy, R.I. (150) 175)
Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)
- EPR
EPR and UV–visible spectroscopic studies of alumina-supported chromium oxide catalysts (Khaddar-Zine, S. (150) 223)
- Ethylene polymerization
Profiles of ethylene polymerization with zirconocene–trialkylaluminum/borane compound (Naga, N. (150) 155)
- FTIR spectroscopy
Preparation of new modified catalyst carriers (Juvaste, H. (150) 1)
- Ga-incorporated SAPO-34 (GaAPSO-34)
Synthesis of Ga-incorporated SAPO-34s (GaAPSO-34) and their catalytic performance on methanol conversion (Kang, M. (150) 213)
- Heterogeneous catalysis
Immobilization of Cr(salen) moiety in MCM-41 and studies on its catalytic properties (Koner, S. (150) 295)
Catalytic promotion of piperonyl alcohol to trimethylenedioxy-orthocyclophane by bentonitic earth, or by hydrochloric acid (Miranda, R. (150) 299)
- Hindered amine bases
Base-functionalized MCM-41 as catalysts for the synthesis of monoglycerides (Lin, X. (150) 287)

- H₂O₂**
 Selective oxidation of alkenes catalysed by ruthenium(II) complexes containing coordinated perchlorate (Kanmani, A.S. (150) 95)
- Homogeneous oxidation**
 Selective oxidation of alkenes catalysed by ruthenium(II) complexes containing coordinated perchlorate (Kanmani, A.S. (150) 95)
- Hydrofluorination reactions**
 Phase transfer catalysis: some recent applications in organic synthesis (Albanese, D. (150) 113)
- Hydroformylation**
 Comparison of a range of rhodium-based catalysts for the hydroformylation of selected alkenes (Dickson, R.S. (150) 133)
 Amine synthesis via carbonylation reactions: aminomethylation (Schulte, M.M. (150) 147)
- Hydrogenation**
 Hydrogenation of non-activated alkenes catalysed by water-soluble ruthenium carbonyl clusters using a biphasic protocol (Ellis, D.J. (150) 71)
- Hydrogen peroxide**
 A novel palladium catalyst for the synthesis of hydrogen peroxide from carbon monoxide, water and oxygen (Bianchi, D. (150) 87)
- Hydrosilylation**
 Hydrosilylation of aromatic nitriles promoted by solvated rhodium atom-derived catalysts (Caporusso, A.M. (150) 275)
- Internal and external**
 Effect of different donors on kinetics of Zn catalysts and molecular weight of the obtained polypropylene (Ferreira, M.L. (150) 53)
- Isophorone**
 Asymmetric reduction and hydrogenation over heterogenous catalysts prepared by reacting nickel-boride with norephedrine (Molvinger, K. (150) 267)
- Kinetic model**
 Phase-transfer catalytic reaction of 2,4,6-tribromophenol and dibromomethane: effect of potassium hydroxide (Wang, M.-L. (150) 11)
- Kinetics**
 Kinetics and mechanism of oxo-transfer from pyridine *N*-oxide to dimethyl sulfide catalysed by [Ru^{III}(edta)(H₂O)]⁻ complex (edta = ethylenediaminetetraacetate) (Chatterjee, D. (150) 49)
- Lewis bases**
 Effect of different donors on kinetics of Zn catalysts and molecular weight of the obtained polypropylene (Ferreira, M.L. (150) 53)
- Manganese**
 A mechanistic study on oxidation of benzylic alcohols with PPh₄HSO₅ catalysed by manganese(III) porphyrins in homogeneous solution (Campestrini, S. (150) 77)
- MCM-41**
 Base-functionalized MCM-41 as catalysts for the synthesis of monoglycerides (Lin, X. (150) 287)
- Immobilization of Cr(salen) moiety in MCM-41 and studies on its catalytic properties (Koner, S. (150) 295)
- Mechanism**
 Mechanism of oxygenative cleavage of catechols by nonheme iron complexes in relevance to catechol dioxygenases studied by quantum chemical calculations (Funabiki, T. (150) 37)
 Kinetics and mechanism of oxo-transfer from pyridine *N*-oxide to dimethyl sulfide catalysed by [Ru^{III}(edta)(H₂O)]⁻ complex (edta = ethylenediaminetetraacetate) (Chatterjee, D. (150) 49)
- Mesoporous materials**
 Base-functionalized MCM-41 as catalysts for the synthesis of monoglycerides (Lin, X. (150) 287)
- Methanol conversion**
 Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (II): catalytic performance under various reaction conditions (Kang, M. (150) 205)
 Synthesis of Ga-incorporated SAPO-34s (GaAPSO-34) and their catalytic performance on methanol conversion (Kang, M. (150) 213)
- 4-Methylpentan-2-one**
 Asymmetric reduction and hydrogenation over heterogenous catalysts prepared by reacting nickel-boride with norephedrine (Molvinger, K. (150) 267)
- MgCl₂ supported catalysts**
 Effect of different donors on kinetics of Zn catalysts and molecular weight of the obtained polypropylene (Ferreira, M.L. (150) 53)
- Model catecholatoiron complexes**
 Mechanism of oxygenative cleavage of catechols by nonheme iron complexes in relevance to catechol dioxygenases studied by quantum chemical calculations (Funabiki, T. (150) 37)
- Monoglyceride synthesis**
 Base-functionalized MCM-41 as catalysts for the synthesis of monoglycerides (Lin, X. (150) 287)
- NiAPSO-34**
 Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (I): effect of preparation factors on the gel formation (Kang, M. (150) 195)
- NiAPSO-34 catalyst**
 Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (II): catalytic performance under various reaction conditions (Kang, M. (150) 205)
- Nickel-boride**
 Asymmetric reduction and hydrogenation over heterogenous catalysts prepared by reacting nickel-boride with norephedrine (Molvinger, K. (150) 267)
- Nitroxide**
 Sonocatalysis of the TEMPO-mediated oxidation of glucosides (Brochette-Lemoine, S. (150) 31)
- N-ligands**
 A novel palladium catalyst for the synthesis of hydrogen peroxide from carbon monoxide, water and oxygen (Bianchi, D. (150) 87)
- N,N*-Disilylamines**
 Hydrosilylation of aromatic nitriles promoted by solvated rhodium atom-derived catalysts (Caporusso, A.M. (150) 275)
- NO_x**
 Photocatalytic conversion of NO_x on AgCl/Al₂O₃ catalyst (Yamashita, Y. (150) 233)

Non-activated alkenes

Hydrogenation of non-activated alkenes catalysed by water-soluble ruthenium carbonyl clusters using a biphasic protocol (Ellis, D.J. (150) 71)

Non-functionalised

Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)

Norephedrine

Asymmetric reduction and hydrogenation over heterogeneous catalysts prepared by reacting nickel-boride with norephedrine (Molvinger, K. (150) 267)

Nuclear magnetic resonance

Preparation of new modified catalyst carriers (Juvaste, H. (150) 1)

Oligomerization

Catalytic promotion of piperonyl alcohol to trimethylenedioxy-orthocyclophane by bentonitic earth, or by hydrochloric acid (Miranda, R. (150) 299)

Optically resolved

Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)

Organic–inorganic hybrid catalyst

Base-functionalized MCM-41 as catalysts for the synthesis of monoglycerides (Lin, X. (150) 287)

Organic solvent

Phase-transfer catalytic reaction of 2,4,6-tribromophenol and dibromomethane: effect of potassium hydroxide (Wang, M.-L. (150) 11)

Oxidation

Sonocatalysis of the TEMPO-mediated oxidation of glucosides (Brochette-Lemoine, S. (150) 31)

A mechanistic study on oxidation of benzylic alcohols with PPh₄HSO₅ catalysed by manganese(III) porphyrins in homogeneous solution (Campestrini, S. (150) 77)

Oxidation reaction

Immobilization of Cr(salen) moiety in MCM-41 and studies on its catalytic properties (Koner, S. (150) 295)

Oxidation state

EPR and UV–visible spectroscopic studies of alumina-supported chromium oxide catalysts (Khaddar-Zine, S. (150) 223)

Oxo-transfer

Kinetics and mechanism of oxo-transfer from pyridine *N*-oxide to dimethyl sulfide catalysed by [Ru^{III}(edta)(H₂O)][−] complex (edta = ethylenediaminetetraacetate) (Chatterjee, D. (150) 49)

Oxygen insertion process

Mechanism of oxygenative cleavage of catechols by nonheme iron complexes in relevance to catechol dioxygenases studied by quantum chemical calculations (Funabiki, T. (150) 37)

Palladium

A novel palladium catalyst for the synthesis of hydrogen peroxide from carbon monoxide, water and oxygen (Bianchi, D. (150) 87)

Particle size distribution

Synthesis and catalytic performance on methanol conversion of NiAPSO-34 crystals (I): effect of preparation factors on the gel formation (Kang, M. (150) 195)

Peroxomonosulphate

A mechanistic study on oxidation of benzylic alcohols with PPh₄HSO₅ catalysed by manganese(III) porphyrins in homogeneous solution (Campestrini, S. (150) 77)

Phase-transfer catalysis

Phase-transfer catalytic reaction of 2,4,6-tribromophenol and dibromomethane: effect of potassium hydroxide (Wang, M.-L. (150) 11)

Phase transfer catalysis

Phase transfer catalysis: some recent applications in organic synthesis (Albanese, D. (150) 113)

Photocatalytic conversion

Photocatalytic conversion of NO_x on AgCl/Al₂O₃ catalyst (Yamashita, Y. (150) 233)

Porphyrin

Characterization and catalytic activity of iron(III) mono(4-*N*-methyl pyridyl)-tris(halophenyl) porphyrins in homogeneous and heterogeneous systems (Prado-Manso, C.M.C. (150) 251)

Porphyrins

A mechanistic study on oxidation of benzylic alcohols with PPh₄HSO₅ catalysed by manganese(III) porphyrins in homogeneous solution (Campestrini, S. (150) 77)

Prochiral alkenes

Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)

Propylene polymerization

Effect of different donors on kinetics of Zn catalysts and molecular weight of the obtained polypropylene (Ferreira, M.L. (150) 53)

Pyridine *N*-oxide

Kinetics and mechanism of oxo-transfer from pyridine *N*-oxide to dimethyl sulfide catalysed by [Ru^{III}(edta)(H₂O)][−] complex (edta = ethylenediaminetetraacetate) (Chatterjee, D. (150) 49)

Quantum chemical calculation

Mechanism of oxygenative cleavage of catechols by nonheme iron complexes in relevance to catechol dioxygenases studied by quantum chemical calculations (Funabiki, T. (150) 37)

Quaternary onium fluorides, hydrogendifluorides and dihydrogen-trifluorides

Phase transfer catalysis: some recent applications in organic synthesis (Albanese, D. (150) 113)

Rhodium catalysts

Comparison of a range of rhodium-based catalysts for the hydroformylation of selected alkenes (Dickson, R.S. (150) 133)

Rhodium nanoparticles

Hydrosilylation of aromatic nitriles promoted by solvated rhodium atom-derived catalysts (Caporusso, A.M. (150) 275)

Ru-edta complex

Kinetics and mechanism of oxo-transfer from pyridine *N*-oxide to dimethyl sulfide catalysed by [Ru^{III}(edta)(H₂O)][−] complex (edta = ethylenediaminetetraacetate) (Chatterjee, D. (150) 49)

Ru(III)(PDTA-H)Cl

Enantioselective epoxidation reaction of non-functionalised prochiral alkenes using optically resolved [brucine](*R*)-[Ru(PDTA-H)Cl] and [brucine](*S*)-[Ru(PDTA-H)Cl] complexes (Abdi, S.H.R. (150) 185)

Ruthenium

Synthesis, physico-chemical studies and solvent-dependent enantioselective epoxidation of 1,2-dihydronaphthalene catalysed by chiral Ruthenium(II) Schiff base complexes. I (Kureshy, R.I. (150) 163)

Chiral Ru(II) Schiff base complex-catalysed enantioselective epoxidation of styrene derivatives using iodosyl benzene as oxidant. II (Kureshy, R.I. (150) 175)

Ruthenium carbonyl

Hydrogenation of non-activated alkenes catalysed by water-soluble ruthenium carbonyl clusters using a biphasic protocol (Ellis, D.J. (150) 71)

Ruthenium(II) perchlorate

Selective oxidation of alkenes catalysed by ruthenium(II) complexes containing coordinated perchlorate (Kanmani, A.S. (150) 95)

Salen complex

Immobilization of Cr(salen) moiety in MCM-41 and studies on its catalytic properties (Koner, S. (150) 295)

Schiff ligand

Enantioselective palladium catalyzed allylic substitution using chiral P,N,O Schiff base ligands (Kwong, H.-L. (150) 23)

Silane

Preparation of new modified catalyst carriers (Juvaste, H. (150) 1)

Silica

Preparation of new modified catalyst carriers (Juvaste, H. (150) 1)

Sonochemistry

Sonocatalysis of the TEMPO-mediated oxidation of glucosides (Brochette-Lemoine, S. (150) 31)

Styrene

Chiral Ru(II) Schiff base complex-catalysed enantioselective epoxidation of styrene derivatives using iodosyl benzene as oxidant. II (Kureshy, R.I. (150) 175)

Supported catalysts

Characterization and catalytic activity of iron(III) mono(4-*N*-methyl pyridyl)-tris(halophenyl) porphyrins in homogeneous and heterogeneous systems (Prado-Manso, C.M.C. (150) 251)

Synthesis of acetal

Phase-transfer catalytic reaction of 2,4,6-tribromophenol and dibromomethane: effect of potassium hydroxide (Wang, M.-L. (150) 11)

TBHP

Selective oxidation of alkenes catalysed by ruthenium(II) complexes containing coordinated perchlorate (Kanmani, A.S. (150) 95)

Tetramethylpiperidine

Effect of different donors on kinetics of Zn catalysts and molecular weight of the obtained polypropylene (Ferreira, M.L. (150) 53)

Toluene

Liquid phase bromination of aromatics over zeolite H-beta catalyst (Singh, A.P. (150) 241)

Trialkylaluminum

Profiles of ethylene polymerization with zirconocene-trialkylaluminum/borane compound (Naga, N. (150) 155)

Trimethylenedioxyorthocyclophane

Catalytic promotion of piperonyl alcohol to trimethylenedioxyorthocyclophane by bentonitic earth, or by hydrochloric acid (Miranda, R. (150) 299)

Unsaturated fatty acids

Practical dihydroxylation and C–C cleavage of unsaturated fatty acids (Oakley, M.A. (150) 105)

Xylenes

Liquid phase bromination of aromatics over zeolite H-beta catalyst (Singh, A.P. (150) 241)

Zeolite H-beta

Liquid phase bromination of aromatics over zeolite H-beta catalyst (Singh, A.P. (150) 241)

Ziegler Natta catalysts

Effect of different donors on kinetics of Zn catalysts and molecular weight of the obtained polypropylene (Ferreira, M.L. (150) 53)

Zirconocene catalyst

Profiles of ethylene polymerization with zirconocene-trialkylaluminum/borane compound (Naga, N. (150) 155)