



ELSEVIER

Journal of Molecular Catalysis A: Chemical 156 (2000) 309–313

**JOURNAL OF
MOLECULAR
CATALYSIS
A: CHEMICAL**

www.elsevier.com/locate/molcata

Subject index

Acetaldehyde

Acetaldehyde as a probe for the chemical properties of aluminophosphate molecular sieves. An in situ FT-IR study (Jeong, M.S. (156) 245)

Active center

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khushch, N.E. (156) 69)

Aerobic oxidation

Aerobic oxidative cleavage of pinanediols by cobalt(II) acetylacetonate in the presence of 2-methylpropanal (Mastrorilli, P. (156) 279)

Alkanes

Hydroxylation of alkanes catalysed by a chiral μ -oxo diferric complex: a metal-based mechanism (Mekmouche, Y. (156) 85)

Alkylation

Studies on anion promoted Titania 2: Preparation, characterisation and catalytic activity towards aromatic alkylation over sulfated titania (Samantaray, S.K. (156) 267)

Alkynes

Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)

Aluminophosphate molecular sieve

Acetaldehyde as a probe for the chemical properties of aluminophosphate molecular sieves. An in situ FT-IR study (Jeong, M.S. (156) 245)

Amination

Is the zeolite-catalyzed amination of styrenes possible? (Domeier, W. (156) 255)

Aromatic carboxylic acid esters

Palladium-catalyzed carbonylation of aryl halides — a detailed investigation of the alkoxy-carbonylation of 4-bromoacetophenone (Mägerlein, W. (156) 213)

Aromatic compounds

Studies on anion promoted Titania 2: Preparation, characterisation and catalytic activity towards aromatic alkylation over sulfated titania (Samantaray, S.K. (156) 267)

Asymmetric catalysis

Thioureas as new chiral ligands for the asymmetric hydroformylation of styrene with rhodium(I) catalysts (Breuzard, J.A.J. (156) 223)

Asymmetric hydrogenation

Influence of amphiphile concentration on the enantioselectivity in the rhodium-catalyzed reduction of unsaturated substrates in water (Robert, F. (156) 127)

Basic zeolites

In situ MAS NMR spectroscopy of surface compounds formed from methanol and from a toluene/methanol mixture on basic zeolite X (Hunger, M. (156) 153)

Benzene

Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates (Nomiya, K. (156) 143)

Benzyl chloride

Benzylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)

Butadiene

Telomerization of butadiene with water catalyzed by heterogeneous palladium catalysts (Lee, B.I. (156) 283)

Carbonylation

Palladium-catalyzed carbonylation of aryl halides — a detailed investigation of the alkoxy-carbonylation of 4-bromoacetophenone (Mägerlein, W. (156) 213)

Carbonyl complexes

Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)

Catalysis

Substituent effect on oligomerization of isoprene catalyzed by ring-substituted $(\text{RCp})_2\text{TiCl}_2/i\text{-C}_3\text{H}_7\text{MgCl}$ system (Tao, X. (156) 121)

Catalyst

Design of complexity of industrial catalytic systems — impulse oscillation model studies (Borowiak, M.A. (156) 21)

Catalysts

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khushch, N.E. (156) 69)

Catalytic epoxidation

Enhanced activity of manganese(III) porphyrin epoxidation catalysts through supramolecular complexation (Merlau, M.L. (156) 79)

Catalyzed hydrogenation

Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)

Chemisorption of carbon monoxide

Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)

- Chemisorption of unsaturated hydrocarbons
 Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)
- Chiral thioureas
 Thioureas as new chiral ligands for the asymmetric hydroformylation of styrene with rhodium(I) catalysts (Breuzard, J.A.J. (156) 223)
- Chromium
 Immobilization of $\text{CrCl}_3(\text{THF})_3$ on a cyclopentadienyl surface of silica (Uusitalo, A.-M. (156) 181)
- Chromium hexacarbonyl
 Controlled deposition of chromium hexacarbonyl on silica surfaces in a fluidised bed reactor (Myllyoja, S. (156) 195)
- Clay catalysis
 Benzoylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)
- CMC
 Influence of amphiphile concentration on the enantioselectivity in the rhodium-catalyzed reduction of unsaturated substrates in water (Robert, F. (156) 127)
- Complexes
 Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)
- Complexes of unsaturated hydrocarbons
 Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)
- Cyclohexane
 Hydroxylation of cyclohexane catalyzed by porphyrinatoiron(III) with molecular oxygen: the effect of the photochemical stability of porphyrinatoiron(III) in various solvents (Huang, J.-W. (156) 275)
- Diaryl methanes
 Benzoylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)
- Diphenol
 Catalytic activity of $\text{K}_{0.5}(\text{NH}_4)_{5.5}[\text{MnMo}_9\text{O}_{32}] \cdot 6\text{H}_2\text{O}$ in phenol hydroxylation with hydrogen peroxide (Lin, S. (156) 113)
- DRIFT
 Controlled deposition of chromium hexacarbonyl on silica surfaces in a fluidised bed reactor (Myllyoja, S. (156) 195)
- Enantioselective hydroformylation
 Thioureas as new chiral ligands for the asymmetric hydroformylation of styrene with rhodium(I) catalysts (Breuzard, J.A.J. (156) 223)
- Ethylene
 Immobilization of $\text{CrCl}_3(\text{THF})_3$ on a cyclopentadienyl surface of silica (Uusitalo, A.-M. (156) 181)
- Ethylene polymerization
 Effect of ligand structures on high temperature homo- and copolymerization of ethylene by cationic hafnocene catalysts based on tetrakis(pentafluorophenyl)borate (Yano, A. (156) 133)
- Fe^{3+} -exchanged clay
 Benzoylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)
- Fe-impregnation
 Benzoylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)
- Flow conditions
 In situ MAS NMR spectroscopy of surface compounds formed from methanol and from a toluene/methanol mixture on basic zeolite X (Hunger, M. (156) 153)
- Formate species
 In situ MAS NMR spectroscopy of surface compounds formed from methanol and from a toluene/methanol mixture on basic zeolite X (Hunger, M. (156) 153)
- Friedel–Crafts benzoylation
 Benzoylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)
- Gas–solid reactions
 Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)
- Hafnocene
 Effect of ligand structures on high temperature homo- and copolymerization of ethylene by cationic hafnocene catalysts based on tetrakis(pentafluorophenyl)borate (Yano, A. (156) 133)
- Heterogeneous catalysis, relativistic effects in
 Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)
- Heterogeneous catalyst
 Immobilization of $\text{CrCl}_3(\text{THF})_3$ on a cyclopentadienyl surface of silica (Uusitalo, A.-M. (156) 181)
- Heterogeneous palladium catalysts
 Telomerization of butadiene with water catalyzed by heterogeneous palladium catalysts (Lee, B.I. (156) 283)
- High temperature
 Effect of ligand structures on high temperature homo- and copolymerization of ethylene by cationic hafnocene catalysts based on tetrakis(pentafluorophenyl)borate (Yano, A. (156) 133)
- Homogeneous catalysis
 Catalytic activity of $\text{K}_{0.5}(\text{NH}_4)_{5.5}[\text{MnMo}_9\text{O}_{32}] \cdot 6\text{H}_2\text{O}$ in phenol hydroxylation with hydrogen peroxide (Lin, S. (156) 113)
 Palladium-catalyzed carbonylation of aryl halides — a detailed investigation of the alkoxy carbonylation of 4-bromoacetophenone (Mägerlein, W. (156) 213)
- Homogeneous catalysis, relativistic effects in
 Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)
- Hydrocyanation
 Catalytic hydrocyanation of α -ketoalkynes by $\text{Ni}(\text{CN})_2/\text{CO}/\text{KCN}$ system in alkaline aqueous media: Identification of the active species (Rosas, N. (156) 103)

Hydrogen

Photobiocatalytic production of hydrogen using sensitized TiO_2 - MV^{2+} system coupled *Rhodospseudomonas capsulata* (Gurunathan, K. (156) 59)

Hydrogen peroxide

Catalytic activity of $\text{K}_{0.5}(\text{NH}_4)_{5.5}[\text{MnMo}_9\text{O}_{32}] \cdot 6\text{H}_2\text{O}$ in phenol hydroxylation with hydrogen peroxide (Lin, S. (156) 113)

Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates (Nomiya, K. (156) 143)

Hydrosilylation

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Hydroxylation

Hydroxylation of alkanes catalysed by a chiral μ -oxo diferric complex: a metal-based mechanism (Mekmouche, Y. (156) 85)

Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates (Nomiya, K. (156) 143)

Hydroxylation of cyclohexane catalyzed by porphyrinatoiron(III) with molecular oxygen: the effect of the photochemical stability of porphyrinatoiron(III) in various solvents (Huang, J.-W. (156) 275)

Induction period

Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates (Nomiya, K. (156) 143)

Industrial system

Design of complexity of industrial catalytic systems — impulse oscillation model studies (Borowiak, M.A. (156) 21)

Infrared spectroscopy

Acetaldehyde as a probe for the chemical properties of aluminophosphate molecular sieves. An in situ FT-IR study (Jeong, M.S. (156) 245)

In situ MAS NMR spectroscopy

In situ MAS NMR spectroscopy of surface compounds formed from methanol and from a toluene/methanol mixture on basic zeolite X (Hunger, M. (156) 153)

IOM

Design of complexity of industrial catalytic systems — impulse oscillation model studies (Borowiak, M.A. (156) 21)

Iron pillared clay

Iron pillared clay — an efficient catalyst for ring opening of oxiranes (Lakshmi Kantam, M. (156) 289)

 α -ketoalkynes

Catalytic hydrocyanation of α -ketoalkynes by $\text{Ni}(\text{CN})_2/\text{CO}/\text{KCN}$ system in alkaline aqueous media: Identification of the active species (Rosas, N. (156) 103)

Kinetics

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Lewis acid sites

Acetaldehyde as a probe for the chemical properties of aluminophosphate molecular sieves. An in situ FT-IR study (Jeong, M.S. (156) 245)

Ligand

Effect of ligand structures on high temperature homo- and copolymerization of ethylene by cationic hafnocene catalysts based on tetrakis(pentafluorophenyl)borate (Yano, A. (156) 133)

Manganese

Enhanced activity of manganese(III) porphyrin epoxidation catalysts through supramolecular complexation (Merlau, M.L. (156) 79)

Manganese(IV) complex

Catalytic activity of $\text{K}_{0.5}(\text{NH}_4)_{5.5}[\text{MnMo}_9\text{O}_{32}] \cdot 6\text{H}_2\text{O}$ in phenol hydroxylation with hydrogen peroxide (Lin, S. (156) 113)

Mechanism

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Metal β -diketonates

Aerobic oxidative cleavage of pinanediols by cobalt(II) acetylacetonate in the presence of 2-methylpropanal (Mastrolilli, P. (156) 279)

Metalocene catalysts

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Metalocene cation

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Metalocenes

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Methane

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Methane evolution

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Methylalumoxane

Interaction of zirconocenes with polymethylalumoxane. Kinetics of methane liberation (Khrushch, N.E. (156) 69)

Molecular stacking

Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)

Montmorillonite

Telomerization of butadiene with water catalyzed by heterogeneous palladium catalysts (Lee, B.I. (156) 283)

Montmorillonite K10

Benylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of FeCl_3 (Pai, S.G. (156) 233)

Octadienol

Telomerization of butadiene with water catalyzed by heterogeneous palladium catalysts (Lee, B.I. (156) 283)

Oligomerization of isoprene

Substituent effect on oligomerization of isoprene catalyzed by ring-substituted $(\text{RCp})_2\text{TiCl}_2/i\text{-C}_3\text{H}_7\text{MgCl}$ system (Tao, X. (156) 121)

Oxidation

Oxidation of pinane to 2-pinane hydroperoxide over encaged metal phthalocyanines in Y zeolites. Mechanism and kinetic modelling (Valente, A.A. (156) 163)

Catalytic oxidation of styrene using *cis*-MoO₂(L)(solv) [L = salicylidene salicyloyl hydrazine] and its zeolite composite as catalysts in the presence of molecular oxygen (Rao, S.N. (156) 205)

Oxidative cleavage

Aerobic oxidative cleavage of pinanediols by cobalt(II) acetylacetonate in the presence of 2-methylpropanal (Mastrorilli, P. (156) 279)

Oxiranes

Iron pillared clay — an efficient catalyst for ring opening of oxiranes (Lakshmi Kantam, M. (156) 289)

 μ -Oxo diferric complex

Hydroxylation of alkanes catalysed by a chiral μ -oxo diferric complex: a metal-based mechanism (Mekmouche, Y. (156) 85)

Palladium

Palladium-catalyzed carbonylation of aryl halides — a detailed investigation of the alkoxy carbonylation of 4-bromoacetophenone (Mägerlein, W. (156) 213)

Phenol hydroxylation

Catalytic activity of K_{0.5}(NH₄)_{5.5}[MnMo₉O₃₂]·6H₂O in phenol hydroxylation with hydrogen peroxide (Lin, S. (156) 113)

Phenylacetylene

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Phenyl acetylene derivatives

Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)

Photobiocatalytic production

Photobiocatalytic production of hydrogen using sensitized TiO₂-MV²⁺ system coupled *Rhodospseudomonas capsulata* (Gurunathan, K. (156) 59)

Photochemical stability

Hydroxylation of cyclohexane catalyzed by porphyrinatoiron(III) with molecular oxygen: the effect of the photochemical stability of porphyrinatoiron(III) in various solvents (Huang, J.-W. (156) 275)

Phthalocyanine complexes

Oxidation of pinane to 2-pinane hydroperoxide over encaged metal phthalocyanines in Y zeolites. Mechanism and kinetic modelling (Valente, A.A. (156) 163)

Pinane

Oxidation of pinane to 2-pinane hydroperoxide over encaged metal phthalocyanines in Y zeolites. Mechanism and kinetic modelling (Valente, A.A. (156) 163)

Pinane hydroperoxide

Oxidation of pinane to 2-pinane hydroperoxide over encaged metal phthalocyanines in Y zeolites. Mechanism and kinetic modelling (Valente, A.A. (156) 163)

Polymerization

Immobilization of CrCl₃(THF)₃ on a cyclopentadienyl surface of silica (Uusitalo, A.-M. (156) 181)

Polymer-supported catalysts

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Porphyrinatoiron(III)

Hydroxylation of cyclohexane catalyzed by porphyrinatoiron(III) with molecular oxygen: the effect of the photochemical stability of porphyrinatoiron(III) in various solvents (Huang, J.-W. (156) 275)

Porphyrins

Enhanced activity of manganese(III) porphyrin epoxidation catalysts through supramolecular complexation (Merlau, M.L. (156) 79)

 π - π interaction

Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)

Pt(II) catalysts

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Pyrrolinone

Catalytic hydrocyanation of α -ketoalkynes by Ni(CN)₂/CO/KCN system in alkaline aqueous media: Identification of the active species (Rosas, N. (156) 103)

Recycling

Iron pillared clay — an efficient catalyst for ring opening of oxiranes (Lakshmi Kantam, M. (156) 289)

Relativistic effects

Relativistic effects in coordination, chemisorption and catalysis (Bond, G.C. (156) 1)

Rh(I) catalysts

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Rhodium

Influence of amphiphile concentration on the enantioselectivity in the rhodium-catalyzed reduction of unsaturated substrates in water (Robert, F. (156) 127)

Rhodium(I)

Thioureas as new chiral ligands for the asymmetric hydroformylation of styrene with rhodium(I) catalysts (Breuzard, J.A.J. (156) 223)

Rhodospseudomonas capsulata

Photobiocatalytic production of hydrogen using sensitized TiO₂-MV²⁺ system coupled *Rhodospseudomonas capsulata* (Gurunathan, K. (156) 59)

Ring opening

Iron pillared clay — an efficient catalyst for ring opening of oxiranes (Lakshmi Kantam, M. (156) 289)

Ring-substituted titanocene

Substituent effect on oligomerization of isoprene catalyzed by ring-substituted (RCp)₂TiCl₂/*i*-C₃H₇MgCl system (Tao, X. (156) 121)

Sensitized TiO₂-MV²⁺ system

Photobiocatalytic production of hydrogen using sensitized TiO₂-MV²⁺ system coupled *Rhodospseudomonas capsulata* (Gurunathan, K. (156) 59)

²⁹Si CP MAS NMR

Controlled deposition of chromium hexacarbonyl on silica surfaces in a fluidised bed reactor (Myllyoja, S. (156) 195)

Side-chain alkylation of toluene

In situ MAS NMR spectroscopy of surface compounds formed from methanol and from a toluene/methanol mixture on basic zeolite X (Hunger, M. (156) 153)

Silica

Immobilization of CrCl₃(THF)₃ on a cyclopentadienyl surface of silica (Uusitalo, A.-M. (156) 181)

Controlled deposition of chromium hexacarbonyl on silica surfaces in a fluidised bed reactor (Myllyoja, S. (156) 195)

Stereoselectivity

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Styrene

Catalytic oxidation of styrene using *cis*-MoO₂(L)(solv) [L = salicylidene salicyloyl hydrazine] and its zeolite composite as catalysts in the presence of molecular oxygen (Rao, S.N. (156) 205)

Thioureas as new chiral ligands for the asymmetric hydroformylation of styrene with rhodium(I) catalysts (Breuzard, J.A.J. (156) 223)

Is the zeolite-catalyzed amination of styrenes possible? (Domeier, W. (156) 255)

Substituent effect

Substituent effect on oligomerization of isoprene catalyzed by ring-substituted (RCp)₂TiCl₂/*i*-C₃H₇MgCl system (Tao, X. (156) 121)

Sulfated titania

Studies on anion promoted Titania 2: Preparation, characterisation and catalytic activity towards aromatic alkylation over sulfated titania (Samantaray, S.K. (156) 267)

Supramolecular chemistry

Enhanced activity of manganese(III) porphyrin epoxidation catalysts through supramolecular complexation (Merlau, M.L. (156) 79)

Catalyzed hydrogenation of solid alkynes: an example of supramolecular enhanced catalytic hydrogenation reaction (Pri-Bar, I. (156) 173)

Surfactants

Influence of amphiphile concentration on the enantioselectivity in the rhodium-catalyzed reduction of unsaturated substrates in water (Robert, F. (156) 127)

Telomerization

Telomerization of butadiene with water catalyzed by heterogeneous palladium catalysts (Lee, B.I. (156) 283)

Tetracyanonickelate

Catalytic hydrocyanation of α -ketoalkynes by Ni(CN)₂/CO/KCN system in alkaline aqueous media: Identification of the active species (Rosas, N. (156) 103)

TPD

Controlled deposition of chromium hexacarbonyl on silica surfaces in a fluidised bed reactor (Myllyoja, S. (156) 195)

TPR

Controlled deposition of chromium hexacarbonyl on silica surfaces in a fluidised bed reactor (Myllyoja, S. (156) 195)

Transition metals

Acetaldehyde as a probe for the chemical properties of aluminophosphate molecular sieves. An in situ FT-IR study (Jeong, M.S. (156) 245)

Turnover vs. time curve

Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates (Nomiya, K. (156) 143)

Vanadium(V)-substituted polyoxomolybdates

Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates (Nomiya, K. (156) 143)

Vicinal diols

Aerobic oxidative cleavage of pinanediols by cobalt(II) acetylacetonate in the presence of 2-methylpropanal (Mastrorilli, P. (156) 279)

X-ray photoelectron spectroscopy, XPS

Hydrosilylation of phenylacetylene catalyzed by metal complex catalysts supported on polyamides containing a pyridine moiety (Michalska, Z.M. (156) 91)

Yield

Studies on anion promoted Titania 2: Preparation, characterisation and catalytic activity towards aromatic alkylation over sulfated titania (Samantaray, S.K. (156) 267)

Zeolite

Is the zeolite-catalyzed amination of styrenes possible? (Domeier, W. (156) 255)

Zeolite Y

Oxidation of pinane to 2-pinane hydroperoxide over encaged metal phthalocyanines in Y zeolites. Mechanism and kinetic modelling (Valente, A.A. (156) 163)

Zeolite-Y encapsulated composite

Catalytic oxidation of styrene using *cis*-MoO₂(L)(solv) [L = salicylidene salicyloyl hydrazine] and its zeolite composite as catalysts in the presence of molecular oxygen (Rao, S.N. (156) 205)