

Subject index

Acid media catalysis

Amination of benzene and toluene with hydroxylamine in the presence of transition metal redox catalysts (Kuznetsova, N.I. (161) 1)

Active centres

Determination of active centres in $\text{Re}_2\text{O}_7\text{-Al}_2\text{O}_3$ metathesis catalysts by titration method (Mahmood, C.S. (161) 11)

Acyl chlorides

Coupling reactions between acyl chlorides and Grignard reagents in the presence of a supported Fe(III)-complex (Dell'Anna, M.M. (161) 239)

Adsorption

In situ DRIFTS study of the adsorption–oxidation of CH_3OH on V_2O_5 (Sambeth, J.E. (161) 89)

Alcohol dehydration

Silica-supported heteropolyacids as catalysts in alcohol dehydration reactions (Vázquez, P. (161) 223)

Aluminium

Synthesis and properties of homogeneous models of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst (Doledec, G. (161) 125)

Amorphous ternary molybdenum sulfides

Pretreatment of new reduced ternary molybdenum sulfide catalysts (Thompson, R.K. (161) 75)

Aryloxy

Synthesis and properties of homogeneous models of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst (Doledec, G. (161) 125)

Assisted catalysis

A general model for both three-way and deNO_x catalysis: dissociative or associative nitric oxide adsorption, and its assisted decomposition in the presence of a reductant Part I. Nitric oxide decomposition assisted by CO over reduced or oxidized rhodium species supported on ceria (Djéga-Mariadasou, G. (161) 179)

Associative/Dissociative NO chemisorption

A general model for both three-way and deNO_x catalysis: dissociative or associative nitric oxide adsorption, and its assisted decomposition in the presence of a reductant Part I. Nitric oxide decomposition assisted by CO over reduced or oxidized rhodium species supported on ceria (Djéga-Mariadasou, G. (161) 179)

Asymmetric cyclopropanation

Catalytic enantioselective cyclopropanation of styrene derivatives using *N*-(2',4'-*tert*-butyl)salicylidene-4-amino[2.2]paracyclophane as an asymmetric ligand (Masterson, D.S. (161) 65)

Benzaldehyde

Studies on styrene oxidation reaction catalyzed by ruthenium substituted polyoxotungstates: kinetics and phase transfer effect (Xinrong, L. (161) 163)

Benzene amination

Amination of benzene and toluene with hydroxylamine in the presence of transition metal redox catalysts (Kuznetsova, N.I. (161) 1)

t-BuOOH

Oxidation of organic substrates catalyzed by a novel mixed-ligand ruthenium(III) complex (Chatterjee, D. (161) 17)

Carbon sp^2 -substituent bond cleavage

Mechanism of carbon sp^2 -heteroatom bond cleavage in hydroprocessing of substituted benzenes over unsupported transition metal sulfides (Moreau, C. (161) 141)

Carbonylation

Hydroxycarbonylation of styrene with palladium catalysts The influence of the mono- and bidentate phosphorus ligand (Del Río, I. (161) 39)

Carbonylation reactions

Mechanistic study of the $\text{Ru}_3(\text{CO})_{12}$ /chloride catalyzed carbonylation reactions of nitroarenes to carbamates and ureas; the role of the alkylammonium cation (Ragaini, F. (161) 31)

Carbothermal reduction

Vapour phase catalytic hydrodechlorination of chlorobenzene over Ni–carbon composite catalysts (Lingaiah, N. (161) 157)

Catalysis

Hydroxycarbonylation of styrene with palladium catalysts The influence of the mono- and bidentate phosphorus ligand (Del Río, I. (161) 39)

Synthesis and properties of homogeneous models of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst (Doledec, G. (161) 125)

Catalyst

Studies on styrene oxidation reaction catalyzed by ruthenium substituted polyoxotungstates: kinetics and phase transfer effect (Xinrong, L. (161) 163)

Ceria

Cerium dioxide as a photocatalyst for water decomposition to O₂ in the presence of Ce_{aq}⁴⁺ and Fe_{aq}³⁺ species (Bamwenda, G.R. (161) 105)

Ceric and ferric cations

Cerium dioxide as a photocatalyst for water decomposition to O₂ in the presence of Ce_{aq}⁴⁺ and Fe_{aq}³⁺ species (Bamwenda, G.R. (161) 105)

Cerium oxidants, reactivity

Electrocatalytic oxidation of alcohols, diols and arenes with ceric *p*-methoxybenzenesulfonate and ceric *p*-toluenesulfonate (Purgato, F.L.S. (161) 99)

Cerium oxides

Decomposition of ammonia over a catalyst consisting of ruthenium metal and cerium oxides supported on Y-form zeolite (Hashimoto, K. (161) 171)

Cerium salts

Electrocatalytic oxidation of alcohols, diols and arenes with ceric *p*-methoxybenzenesulfonate and ceric *p*-toluenesulfonate (Purgato, F.L.S. (161) 99)

Chemical probe

Determination of active centres in Re₂O₇–Al₂O₃ metathesis catalysts by titration method (Mahmood, C.S. (161) 11)

Chevrel phases

Pretreatment of new reduced ternary molybdenum sulfide catalysts (Thompson, R.K. (161) 75)

Chiral Schiff-base

Catalytic enantioselective cyclopropanation of styrene derivatives using *N*-(2',4'-di-*tert*-butyl)salicylidene-4-amino[2.2]paracyclophane as an asymmetric ligand (Masterson, D.S. (161) 65)

Chlorobenzene

Vapour phase catalytic hydrodechlorination of chlorobenzene over Ni–carbon composite catalysts (Lingaiah, N. (161) 157)

CH₄ oxidation

Investigation of the state of copper in supported copper–titanium oxide catalysts (Komova, O.V. (161) 191)

Cluster complexes of cobalt and manganese

Formation and role of cobalt and manganese cluster complexes in the oxidation of *p*-xylene (Chavan, S.A. (161) 49)

CoAPSO-34

Effect of cobalt incorporated into the framework of SAPO-34 (CoAPSO-34s) on NO removal (Kang, M. (161) 115)

Co/Mn/Br[−] catalyst

Formation and role of cobalt and manganese cluster complexes in the oxidation of *p*-xylene (Chavan, S.A. (161) 49)

Copper catalyst

Catalytic enantioselective cyclopropanation of styrene derivatives using *N*-(2',4'-di-*tert*-butyl)salicylidene-4-amino[2.2]paracyclophane as an asymmetric ligand (Masterson, D.S. (161) 65)

Copper states

Investigation of the state of copper in supported copper–titanium oxide catalysts (Komova, O.V. (161) 191)

Coupling reactions

Coupling reactions between acyl chlorides and Grignard reagents in the presence of a supported Fe(III)-complex (Dell'Anna, M.M. (161) 239)

Cyclohexane

Oxidation of organic substrates catalyzed by a novel mixed-ligand ruthenium(III) complex (Chatterjee, D. (161) 17)

Cyclopropane carboxylic acid derivatives

Mg–Al 3:1 hydrotalcite catalyst in the synthesis of cyclopropane carboxylic acid derivatives (Finta, Z. (161) 149)

Dicopper complex

aRadical-controlledb oxidative polymerization of 4-phenoxyphenol catalyzed by a dicopper complex of a dinucleating ligand (Higashimura, H. (161) 233)

Dinucleating ligand

aRadical-controlledb oxidative polymerization of 4-phenoxyphenol catalyzed by a dicopper complex of a dinucleating ligand (Higashimura, H. (161) 233)

DRIFTS

In situ DRIFTS study of the adsorption–oxidation of CH₃OH on V₂O₅ (Sambeth, J.E. (161) 89)

Electronic spectroscopy

Formation and role of cobalt and manganese cluster complexes in the oxidation of *p*-xylene (Chavan, S.A. (161) 49)

EPR spectroscopy

Formation and role of cobalt and manganese cluster complexes in the oxidation of *p*-xylene (Chavan, S.A. (161) 49)

Friedel–Crafts acylation

Catalytic activity of solvated and unsolvated lanthanide halides in Friedel–Crafts acylations (Barbier-Baudry, D. (161) 23)

General model

A general model for both three-way and deNO_x catalysis: dissociative or associative nitric oxide adsorption, and its assisted decomposition in the presence of a reductant Part I. Nitric oxide decomposition assisted by CO over reduced or oxidized rhodium species supported on ceria (Djéga-Mariadasou, G. (161) 179)

Grignard reagents

Coupling reactions between acyl chlorides and Grignard reagents in the presence of a supported Fe(III)-complex (Dell'Anna, M.M. (161) 239)

Hexane

Isomerization of hexane by zeolite HZSM-5 The effect of cyclic hydrocarbons (Fărcașiu, D. (161) 213)

Homogeneous catalysis

Catalytic activity of solvated and unsolvated lanthanide halides in Friedel–Crafts acylations (Barbier-Baudry, D. (161) 23)

Mechanistic study of the Ru₃(CO)₁₂/chloride catalyzed carbonylation reactions of nitroarenes to carbamates and ureas; the role of the alkylammonium cation (Ragaini, F. (161) 31)

H₂ pretreatment

Pretreatment of new reduced ternary molybdenum sulfide catalysts (Thompson, R.K. (161) 75)

Hydrodechlorination

Vapour phase catalytic hydrodechlorination of chlorobenzene over Ni–carbon composite catalysts (Lingaiah, N. (161) 157)

Hydrosulfurization

Pretreatment of new reduced ternary molybdenum sulfide catalysts (Thompson, R.K. (161) 75)

Hydrotalcite catalyst

Mg–Al 3:1 hydrotalcite catalyst in the synthesis of cyclopropane carboxylic acid derivatives (Finta, Z. (161) 149)

Hydroxylamine

Amination of benzene and toluene with hydroxylamine in the presence of transition metal redox catalysts (Kuznetsova, N.I. (161) 1)

HZSM-5

Isomerization of hexane by zeolite HZSM-5 The effect of cyclic hydrocarbons (Fărcașiu, D. (161) 213)

Intramolecular cyclization reaction

Mg–Al 3:1 hydrotalcite catalyst in the synthesis of cyclopropane carboxylic acid derivatives (Finta, Z. (161) 149)

Isomerization

Isomerization of hexane by zeolite HZSM-5 The effect of cyclic hydrocarbons (Fărcașiu, D. (161) 213)

Keggin phase

Silica-supported heteropolyacids as catalysts in alcohol dehydration reactions (Vázquez, P. (161) 223)

Ketones

Coupling reactions between acyl chlorides and Grignard reagents in the presence of a supported Fe(III)-complex (Dell'Anna, M.M. (161) 239)

Lanthanides

Catalytic activity of solvated and unsolvated lanthanide halides in Friedel–Crafts acylations (Barbier-Baudry, D. (161) 23)

Metal sulfide clusters

Pretreatment of new reduced ternary molybdenum sulfide catalysts (Thompson, R.K. (161) 75)

Metathesis

Determination of active centres in $\text{Re}_2\text{O}_7\text{--Al}_2\text{O}_3$ metathesis catalysts by titration method (Mahmood, C.S. (161) 11)

Synthesis and properties of homogeneous models of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst (Doledec, G. (161) 125)

Methanol

In situ DRIFTS study of the adsorption–oxidation of CH_3OH on V_2O_5 (Sambeth, J.E. (161) 89)

Neodymium

Catalytic activity of solvated and unsolvated lanthanide halides in Friedel–Crafts acylations (Barbier-Baudry, D. (161) 23)

Ni–carbon composite

Vapour phase catalytic hydrodechlorination of chlorobenzene over Ni–carbon composite catalysts (Lingaiah, N. (161) 157)

Nitric oxide

Role of oxygen vacancy in the plasma-treated TiO_2 photocatalyst with visible light activity for NO removal (Nakamura, I. (161) 205)

Nitrobenzene

Mechanistic study of the $\text{Ru}_3(\text{CO})_{12}$ /chloride catalyzed carbonylation reactions of nitroarenes to carbamates and ureas; the role of the alkylammonium cation (Ragaini, F. (161) 31)

Nitrobenzene carbonylation

Nitrobenzene carbonylation in the presence of $\text{PdCl}_2/\text{Fe}/\text{I}_2$ and $\text{PdCl}_2\text{Py}_2/\text{Fe}/\text{I}_2$ systems (Skupińska, J. (161) 69)

NO removal

Effect of cobalt incorporated into the framework of SAPO-34 (CoAPSO-34s) on NO removal (Kang, M. (161) 115)

Oxidation

In situ DRIFTS study of the adsorption–oxidation of CH_3OH on V_2O_5 (Sambeth, J.E. (161) 89)

Oxidation mediator

Electrocatalytic oxidation of alcohols, diols and arenes with ceric *p*-methoxybenzenesulfonate and ceric *p*-toluenesulfonate (Purgato, F.L.S. (161) 99)

Oxidation of *p*-xylene

Formation and role of cobalt and manganese cluster complexes in the oxidation of *p*-xylene (Chavan, S.A. (161) 49)

Oxidative polymerization

aRadical-controlledb oxidative polymerization of 4-phenoxyphenol catalyzed by a dicopper complex of a dinucleating ligand (Higashimura, H. (161) 233)

Oxo-transfer catalysis

Oxidation of organic substrates catalyzed by a novel mixed-ligand ruthenium(III) complex (Chatterjee, D. (161) 17)

Oxygen

Cerium dioxide as a photocatalyst for water decomposition to O_2 in the presence of $\text{Ce}_{\text{aq}}^{4+}$ and $\text{Fe}_{\text{aq}}^{3+}$ species (Bamwenda, G.R. (161) 105)

Oxygen vacancy

Role of oxygen vacancy in the plasma-treated TiO_2 photocatalyst with visible light activity for NO removal (Nakamura, I. (161) 205)

Palladium

Hydroxycarbonylation of styrene with palladium catalysts The influence of the mono- and bidentate phosphorus ligand (Del Río, I. (161) 39)

Palladium catalysts

Nitrobenzene carbonylation in the presence of $\text{PdCl}_2/\text{Fe}/\text{I}_2$ and $\text{PdCl}_2\text{Py}_2/\text{Fe}/\text{I}_2$ systems (Skupińska, J. (161) 69)

[2.2]paracyclophane

Catalytic enantioselective cyclopropanation of styrene derivatives using *N*-(2',4'-di-*tert*-butyl)salicylidene-4-amino[2.2]paracyclophane as an asymmetric ligand (Masterson, D.S. (161) 65)

4-Phenoxyphenol

aRadical-controlledb oxidative polymerization of 4-phenoxyphenol catalyzed by a dicopper complex of a dinucleating ligand (Higashimura, H. (161) 233)

Phosphine ligand

Hydroxycarbonylation of styrene with palladium catalysts The influence of the mono- and bidentate phosphorus ligand (Del Río, I. (161) 39)

Photocatalysis

Role of oxygen vacancy in the plasma-treated TiO₂ photocatalyst with visible light activity for NO removal (Nakamura, I. (161) 205)

Photocatalysts

Cerium dioxide as a photocatalyst for water decomposition to O₂ in the presence of Ce_{aq}⁴⁺ and Fe_{aq}³⁺ species (Bamwenda, G.R. (161) 105)

Polyoxotungstates

Studies on styrene oxidation reaction catalyzed by ruthenium substituted polyoxotungstates: kinetics and phase transfer effect (Xinrong, L. (161) 163)

Rapid crystallization method

Effect of cobalt incorporated into the framework of SAPO-34 (CoAPSO-34s) on NO removal (Kang, M. (161) 115)

Reaction mechanisms

Mechanism of carbon sp²-heteroatom bond cleavage in hydroprocessing of substituted benzenes over unsupported transition metal sulfides (Moreau, C. (161) 141)

Regioselectivity

Hydroxycarbonylation of styrene with palladium catalysts The influence of the mono- and bidentate phosphorus ligand (Del Río, I. (161) 39)

Rhenium

Synthesis and properties of homogeneous models of the Re₂O₇/Al₂O₃ metathesis catalyst (Doledec, G. (161) 125)

Rhenium oxide on alumina

Determination of active centres in Re₂O₇-Al₂O₃ metathesis catalysts by titration method (Mahmood, C.S. (161) 11)

Rhodium

A general model for both three-way and deNO_x catalysis: dissociative or associative nitric oxide adsorption, and its assisted decomposition in the presence of a reductant Part I. Nitric oxide decomposition assisted by CO over reduced or oxidized rhodium species supported on ceria (Djéga-Mariadasou, G. (161) 179)

Ruthenium

Mechanistic study of the Ru₃(CO)₁₂/chloride catalyzed carbonylation reactions of nitroarenes to carbamates and ureas; the role of the alkylammonium cation (Ragaini, F. (161) 31)

Ruthenium complex

Oxidation of organic substrates catalyzed by a novel mixed-ligand ruthenium(III) complex (Chatterjee, D. (161) 17)

Ruthenium metal

Decomposition of ammonia over a catalyst consisting of ruthenium metal and cerium oxides supported on Y-form zeolite (Hashimoto, K. (161) 171)

Samarium

Catalytic activity of solvated and unsolvated lanthanide halides in Friedel-Crafts acylations (Barbier-Baudry, D. (161) 23)

SCR with ammonia

Investigation of the state of copper in supported copper-titanium oxide catalysts (Komova, O.V. (161) 191)

Silica

Silica-supported heteropolyacids as catalysts in alcohol dehydration reactions (Vázquez, P. (161) 223)

Stilbenes

Oxidation of organic substrates catalyzed by a novel mixed-ligand ruthenium(III) complex (Chatterjee, D. (161) 17)

Sulfided catalysts

Mechanism of carbon sp²-heteroatom bond cleavage in hydroprocessing of substituted benzenes over unsupported transition metal sulfides (Moreau, C. (161) 141)

Supported catalysts

Coupling reactions between acyl chlorides and Grignard reagents in the presence of a supported Fe(III)-complex (Dell'Anna, M.M. (161) 239)

Supported heteropolyacids

Silica-supported heteropolyacids as catalysts in alcohol dehydration reactions (Vázquez, P. (161) 223)

Terephthalic acid

Formation and role of cobalt and manganese cluster complexes in the oxidation of *p*-xylene (Chavan, S.A. (161) 49)

Titania

Investigation of the state of copper in supported copper-titanium oxide catalysts (Komova, O.V. (161) 191)

Titanium dioxide

Role of oxygen vacancy in the plasma-treated TiO₂ photocatalyst with visible light activity for NO removal (Nakamura, I. (161) 205)

Urethane

Mechanistic study of the Ru₃(CO)₁₂/chloride catalyzed carbonylation reactions of nitroarenes to carbamates and ureas; the role of the alkylammonium cation (Ragaini, F. (161) 31)

Urethanes

Nitrobenzene carbonylation in the presence of PdCl₂/Fe/I₂ and PdCl₂Py₂/Fe/I₂ systems (Skupińska, J. (161) 69)

Visible light activity

Role of oxygen vacancy in the plasma-treated TiO₂ photocatalyst with visible light activity for NO removal (Nakamura, I. (161) 205)

V₂O₅

In situ DRIFTS study of the adsorption-oxidation of CH₃OH on V₂O₅ (Sambeth, J.E. (161) 89)

Water oxidation

Cerium dioxide as a photocatalyst for water decomposition to O₂ in the presence of Ce_{aq}⁴⁺ and Fe_{aq}³⁺ species (Bamwenda, G.R. (161) 105)

Y-form zeolite

Decomposition of ammonia over a catalyst consisting of ruthenium metal and cerium oxides supported on Y-form zeolite (Hashimoto, K. (161) 171)