

Author index

- Aboulayt, A., see Sahibed-Dine, A. (162) 125
Ahlafl, H., see Nawdali, M. (162) 247
Ahmed, S., see Reitz, T.L. (162) 275
Alexeev, O.S., Kim, D.-W. and Gates, B.C.
Partially decarbonylated tetrairidium clusters on MgO: structural characterization and catalysis of toluene hydrogenation (162) 67
Amelichkina, G.E., see Gekhman, A.E. (162) 111
Amoureux, J.-P., see Quartararo, J. (162) 353
- Baiker, A., see Köhler, K. (162) 423
Bal, R., Chaudhari, K., Srinivas, D., Sivasanker, S. and Ratnasamy, P.
Redox and catalytic chemistry of Ti in titanosilicate molecular sieves: an EPR investigation (162) 199
Bánsági, T., see Cserényi, J. (162) 335
Beck, A., see Schay, Z. (162) 191
Beikler, R., see Taglauer, E. (162) 97
Bensitel, M., see Sahibed-Dine, A. (162) 125
Bentrup, U., Brückner, A., Martin, A. and Lücke, B.
Selective oxidation of *p*-substituted toluenes to the corresponding benzaldehydes over (VO)₂P₂O₇: an in situ FTIR and EPR study (162) 391
Berndt, H., see Landmesser, H. (162) 257
Besselmann, S., Löffler, E. and Muhler, M.
On the role of monomeric vanadyl species in toluene adsorption and oxidation on V₂O₅/TiO₂ catalysts: a Raman and in situ DRIFTS study (162) 401
Bianchi, D., see Nawdali, M. (162) 247
Birkenheuer, U., see Vayssilov, G.N. (162) 135
Blasco, T., Concepción, P., Grotz, P., López Nieto, J.M. and Martínez-Arias, A.
On the nature of V and Mg ions in V, Mg-containing AlPO₄-5 catalysts (162) 267
Bondareva, V.M., see Lapina, O.B. (162) 381
Borbáth, I., see Margitfalvi, J.L. (162) 209
Bouchy, C., Pham-huu, C. and Ledoux, M.J.
On the role of hydrogen during the reduction–carburation of MoO₃ into molybdenum oxycarbide (162) 317
Brückner, A., see Bentrup, U. (162) 391
Buchholz, S., see Zanthoff, H.W. (162) 443
- Chaudhari, K., see Bal, R. (162) 199
Che, M., see Lambert, J.-F. (162) 5
- Chen, H.-Y., El-Malki, E.-M., Wang, X., Van Santen, R.A. and Sachtler, W.M.H.
Identification of active sites and adsorption complexes in Fe/MFI catalysts for NO_x reduction (162) 159
Chen, Y., see Hu, Y. (162) 307
Chowdhury, B., see Reddy, B.M. (162) 431
Christensen, S.V., see Nielsen, L.P. (162) 375
Clausen, B.S., see Nielsen, L.P. (162) 375
Concepción-Heydorn, P., Jia, C., Herein, D., Pfänder, N., Karge, H.G. and Jentoft, F.C.
Structural and catalytic properties of sodium and cesium exchanged X and Y zeolites, and germanium-substituted X zeolite (162) 227
Concepción, P., see Blasco, T. (162) 267
Corma, A., see Palomares, A.E. (162) 175
Cserényi, J., Óvári, L., Bánsági, T. and Solymosi, F.
Adsorption and reactions of CH₃Cl on Mo₂C based catalyst (162) 335
- Daturi, M., see Sahibed-Dine, A. (162) 125
Dellwig, T., Hartmann, J., Libuda, J., Meusel, I., Rupprechter, G., Unterhalt, H. and Freund, H.-J.
Complex model catalysts under UHV and high pressure conditions: CO adsorption and oxidation on alumina-supported Pd particles (162) 51
Dieterle, M., see Mestl, G. (162) 463
Ding, W., see Hu, Y. (162) 307
Diwald, O., see Knözinger, E. (162) 83
Domokos, L., Lefferts, L., Seshan, K. and Lercher, J.A.
The importance of acid site locations for *n*-butene skeletal isomerization on ferrierite (162) 147
Dong, L., see Hu, Y. (162) 307
Doornkamp, C. and Ponec, V.
The universal character of the Mars and Van Krevelen mechanism (162) 19
Drochner, A., see Krauß, K. (162) 413
- Eckstein, W., see Taglauer, E. (162) 97
El-Malki, E.-M., see Chen, H.-Y. (162) 159
Engweiler, J., see Köhler, K. (162) 423
- Fehlings, M., see Krauß, K. (162) 413
Fernández, A., see Reddy, B.M. (162) 431
Find, J., see Mestl, G. (162) 463
Freund, H.-J., see Dellwig, T. (162) 51

- Gates, B.C., see Alexeev, O.S. (162) 67
- Gekhman, A.E., Amelichkina, G.E., Moiseeva, N.I., Vargaftik, M.N. and Moiseev, I.I.
Pathways of $^1\text{O}_2$ transfer in the oxidation of anthracenes with the $\text{H}_2\text{O}_2/\text{V}^{\text{V}}/\text{AcOH}$ system (162) 111
- Göbölös, S., see Margitfalvi, J.L. (162) 209
- Goodman, D.W., see Lai, X. (162) 33
- Gottschall, R., see Mestl, G. (162) 463
- Grimblot, J., see Quartararo, J. (162) 353
- Grotz, P., see Blasco, T. (162) 267
- Grünert, W., see Zanthoff, H.W. (162) 443
- Guczi, L., see Schay, Z. (162) 191
- Haber, J., Matachowski, L., Pamin, K. and Połtowicz, J.
Manganese porphyrins as catalysts for oxidation of cyclooctane in Lyons system (162) 105
- Hartmann, J., see Dellwig, T. (162) 51
- Heber, M., see Zanthoff, H.W. (162) 443
- Hegedűs, M., see Margitfalvi, J.L. (162) 209
- Herein, D., see Concepción-Heydorn, P. (162) 227
- Herein, D., see Mestl, G. (162) 463
- Hu, A., see Vayssilov, G.N. (162) 135
- Hu, Y., Dong, L., Wang, J., Ding, W. and Chen, Y.
Activities of supported copper oxide catalysts in the $\text{NO} + \text{CO}$ reaction at low temperatures (162) 307
- Ibsen, L., see Nielsen, L.P. (162) 375
- Jäger, J., see Mestl, G. (162) 463
- James, V.S., see Schay, Z. (162) 191
- Jentoft, F.C., see Concepción-Heydorn, P. (162) 227
- Jia, C., see Concepción-Heydorn, P. (162) 227
- Karge, H.G., see Concepción-Heydorn, P. (162) 227
- Khabibulin, D.F., see Lapina, O.B. (162) 381
- Kim, D.-W., see Alexeev, O.S. (162) 67
- Knözinger, E., Diwald, O. and Sterrer, M.
Chemical vapour deposition — a new approach to reactive surface defects of uniform geometry on high surface area magnesium oxide (162) 83
- Kohl, A., see Taglauer, E. (162) 97
- Köhler, K., Engweiler, J. and Baiker, A.
Vanadia–chromia grafted on titania: structural and catalytic properties in the selective catalytic reduction of NO by NH_3 (162) 423
- Krauß, K., Drochner, A., Fehlings, M., Kunert, J. and Vogel, H.
Characterisation of the structure of adsorbates An in situ DRIFTS-study of the partial oxidation of unsaturated aldehydes on Mo/V oxide catalysts (162) 413
- Krumpelt, M., see Reitz, T.L. (162) 275
- Kumar, R., see Reitz, T.L. (162) 275
- Kunath, D., see Landmesser, H. (162) 257
- Kunert, J., see Krauß, K. (162) 413
- Kung, H.H., see Reitz, T.L. (162) 275
- Lai, X. and Goodman, D.W.
Structure–reactivity correlations for oxide-supported metal catalysts: new perspectives from STM (162) 33
- Lambert, J.-F. and Che, M.
The molecular approach to supported catalysts synthesis: state of the art and future challenges (162) 5
- Landmesser, H., Berndt, H., Kunath, D. and Lücke, B.
DRIFTS and NIR Raman investigations on unsupported and supported allyl–lanthanoid complexes — catalysts for the polymerization of butadiene (162) 257
- Lapina, O.B., Khabibulin, D.F., Shubin, A.A. and Bondareva, V.M.
 ^{51}V and ^{31}P NMR studies of VO_x/TiO_2 catalysts modified by phosphorous (162) 381
- Lavalley, J.C., see Sahibed-Dine, A. (162) 125
- Ledoux, M.J., see Bouchy, C. (162) 317
- Lefferts, L., see Domokos, L. (162) 147
- Lercher, J.A., see Domokos, L. (162) 147
- Libuda, J., see Dellwig, T. (162) 51
- Linsmeier, C., see Mestl, G. (162) 463
- Liu, C.-C., see Walters, A.B. (162) 287
- Löffler, E., see Besselmann, S. (162) 401
- López Nieto, J.M., see Blasco, T. (162) 267
- Lücke, B., see Bentrup, U. (162) 391
- Lücke, B., see Landmesser, H. (162) 257
- Margitfalvi, J.L., Borbáth, I., Vankó, G., Hegedűs, M., Göbölös, S. and Vértes, A.
Zeolite supported Sn–Pt catalysts prepared by surface reactions (162) 209
- Márquez, F., see Palomares, A.E. (162) 175
- Martin, A., see Bentrup, U. (162) 391
- Martinez-Arias, A., see Blasco, T. (162) 267
- Matachowski, L., see Haber, J. (162) 105
- Mestl, G., Linsmeier, C., Gottschall, R., Dieterle, M., Find, J., Herein, D., Jäger, J., Uchida, Y. and Schlögl, R.
Molybdenum oxide based partial oxidation catalyst: 1. Thermally induced oxygen deficiency, elemental and structural heterogeneity and the relation to catalytic performance (162) 463
- Meusel, I., see Dellwig, T. (162) 51
- Mohammed Saad, A.B., see Sahibed-Dine, A. (162) 125
- Moiseev, I.I., see Gekhman, A.E. (162) 111
- Moiseeva, N.I., see Gekhman, A.E. (162) 111
- Muhler, M., see Besselmann, S. (162) 401
- Na, B.-K., see Walters, A.B. (162) 287
- Nawdali, M., Ahlafi, H., Pajonk, G.M. and Bianchi, D.
Elementary steps involved in the hydrogenation of the linear CO species adsorbed on a $\text{Ru}/\text{Al}_2\text{O}_3$ catalyst (162) 247
- Nielsen, L.P., Ibsen, L., Christensen, S.V. and Clausen, B.S.
The effect of NO adsorption on the chemical state of promoted hydrotreating catalysts (162) 375
- Óvári, L., see Cserényi, J. (162) 335
- Pajonk, G.M., see Nawdali, M. (162) 247
- Pál-Borbély, G., see Schay, Z. (162) 191
- Palomares, A.E., Márquez, F., Valencia, S. and Corma, A.
On the researching of a new zeolite structure for the selective catalytic reduction of NO The possibilities of Cu-exchanged IM5 (162) 175

- Pamin, K., see Haber, J. (162) 105
Pfänder, N., see Concepción-Heydorn, P. (162) 227
Pham-huu, C., see Bouchy, C. (162) 317
Połtowicz, J., see Haber, J. (162) 105
Ponec, V., see Doornkamp, C. (162) 19
Prins, R., see Rota, F. (162) 367
- Quartararo, J., Amoureux, J.-P. and Grimblot, J.
Sol-gel synthesis, characterization by solid state NMR and HDS activity of Mo–alumina and Mo–P–alumina based catalysts (162) 353
- Ramaswamy, A.V., see Schay, Z. (162) 191
Ratnasamy, P., see Bal, R. (162) 199
Reddy, B.M., Chowdhury, B., Reddy, E.P. and Fernández, A.
Characterization of MoO₃/TiO₂–ZrO₂ catalysts by XPS and other techniques (162) 431
Reddy, E.P., see Reddy, B.M. (162) 431
Reitz, T.L., Ahmed, S., Krumpelt, M., Kumar, R. and Kung, H.H.
Characterization of CuO/ZnO under oxidizing conditions for the oxidative methanol reforming reaction (162) 275
Rösch, N., see Vayssilov, G.N. (162) 135
Rota, F. and Prins, R.
Mechanism of the C–N-bond breaking in the hydrodenitrogenation of methylcyclohexylamine over sulfided NiMo/γ-Al₂O₃ (162) 367
Rupprechter, G., see Dellwig, T. (162) 51
- Sachtler, W.M.H., see Chen, H.-Y. (162) 159
Sahibed-Dine, A., Aboulayt, A., Bensitel, M., Mohammed Saad, A.B., Daturi, M. and Lavalley, J.C.
IR study of CS₂ adsorption on metal oxides: relation with their surface oxygen basicity and mobility (162) 125
Sakakini, B.H., Tabatabaei, J., Watson, M.J. and Waugh, K.C.
Structural changes of the Cu surface of a Cu/ZnO/Al₂O₃ catalyst, resulting from oxidation and reduction, probed by CO infrared spectroscopy (162) 297
Schay, Z., James, V.S., Pál-Borbély, G., Beck, A., Ramaswamy, A.V. and Guzzi, L.
Decomposition and selective catalytic reduction of NO by propane on CuZSM-5 zeolites: a mechanistic study (162) 191
Schlögl, R., see Mestl, G. (162) 463
Seshan, K., see Domokos, L. (162) 147
Shubin, A.A., see Lapina, O.B. (162) 381
Sivasanker, S., see Bal, R. (162) 199
Solymosi, F., see Cserényi, J. (162) 335
Srinivas, D., see Bal, R. (162) 199
Sterrer, M., see Knözinger, E. (162) 83
Stievano, L., see Zanthoff, H.W. (162) 443
- Tabatabaei, J., see Sakakini, B.H. (162) 297
Taglauer, E., Kohl, A., Eckstein, W. and Beikler, R.
Aspects of analysing supported catalysts by low-energy ion scattering (162) 97
- Uchida, Y., see Mestl, G. (162) 463
Unterhalt, H., see Dellwig, T. (162) 51
- Valencia, S., see Palomares, A.E. (162) 175
Vankó, G., see Margitfalvi, J.L. (162) 209
Vannice, M.A., see Walters, A.B. (162) 287
Van Santen, R.A., see Chen, H.-Y. (162) 159
Vargaftik, M.N., see Gekhman, A.E. (162) 111
Vayssilov, G.N., Hu, A., Birkenheuer, U. and Rösch, N.
Dinitrogen as probe molecule of alkali-exchanged zeolites A density functional study (162) 135
Vértes, A., see Margitfalvi, J.L. (162) 209
Vogel, H., see Krauß, K. (162) 413
- Wagner, F.E., see Zanthoff, H.W. (162) 443
Walters, A.B., Na, B.-K., Liu, C.-C. and Vannice, M.A.
Distinguishing surface and bulk electron charge carriers for ZnO powders (162) 287
Wang, J., see Hu, Y. (162) 307
Wang, X., see Chen, H.-Y. (162) 159
Watson, M.J., see Sakakini, B.H. (162) 297
Waugh, K.C., see Sakakini, B.H. (162) 297
Wolf, G.U., see Zanthoff, H.W. (162) 443
- Zanthoff, H.W., Grünert, W., Buchholz, S., Heber, M., Stievano, L., Wagner, F.E. and Wolf, G.U.
Bulk and surface structure and composition of V–Sb mixed-oxide catalysts for the ammoxidation of propane (162) 443