

Subject index

Acetic acid synthesis

Synthesis of methyl acetate from methanol catalyzed by $[(\eta^5\text{-C}_5\text{H}_5)(\text{phosphine})_2\text{RuX}]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{phosphine})_2\text{Ru}(\text{SnX}_3)]$ (X=F, Cl, Br): ligand effect (Robles-Dutenhefner, P.A. (164) 39)

Addition of diethylzinc

Chiral 8-substituted 2-(2-methoxyphenyl) and 2-(2-hydroxyphenyl)-5,6,7,8-tetrahydro-6,6-dimethyl-5,7-methanoquinolines as ligands for enantioselective catalysis: palladium catalyzed allylic substitution and addition of diethylzinc to benzaldehyde (Chelucci, G. (164) 173)

Alcohol

Tungstate-modified aluminium phosphate. 1. Preparation, characterisation and catalytic activity towards alcohol and cumene conversion reactions (Parida, K.M. (164) 217)

Allylic substitution

Chiral 8-substituted 2-(2-methoxyphenyl) and 2-(2-hydroxyphenyl)-5,6,7,8-tetrahydro-6,6-dimethyl-5,7-methanoquinolines as ligands for enantioselective catalysis: palladium catalyzed allylic substitution and addition of diethylzinc to benzaldehyde (Chelucci, G. (164) 173)

Aminophosphonite–phosphite

New electron-deficient aminophosphonite–phosphite ligands for asymmetric hydroformylation of styrene (Lot, O. (164) 125)

Aromatic coupling

Investigation of the palladium catalyzed aromatic coupling of pyridine derivatives (Hagelin, H. (164) 137)

Autocatalysis

Autocatalytic formation of colloidal mercury in the redox reaction between Hg^{2+} and Fe^{2+} and between Hg_2^{2+} and Fe^{2+} (Raposo, R.R. (164) 49)

B₁₂ Coenzyme

Biradical mechanism of the 1,2-bond shift reaction catalysed by vitamin B₁₂ coenzyme (Amir-Ebrahimi, V. (164) 291)

Bentonite

Unusual nucleophilic versus electrophilic aromatic substitution on nitroanilines (Álvarez-Toledano, C. (164) 85)

Benzaldehyde

Gas phase hydrogenation of benzaldehyde over supported copper catalysts (Saadi, A. (164) 205)

Bimetallic catalysts

Catalytic behavior and active sites structure of PtAu/Al₂O₃ bimetallic catalysts prepared by surface redox reactions (Espinoza, G. (164) 253)

Binuclear alkoxides

On the mechanism of the copper(II) catalysis of the formation of urethanes from alcohols and isocyanates (Evans, S.D. (164) 157)

Biphasic catalysis

Ionic liquids in regioselective platinum-catalysed hydroformylation (Wasserscheid, P. (164) 61)

Borate cocatalyst

Effect of cocatalyst in 1-hexene polymerization by $\text{Cp}^*\text{Ti-Me}_2(\text{O}-2,6\text{-}i\text{Pr}_2\text{C}_6\text{H}_3)$ complex (Nomura, K. (164) 131)

Bridging ligand

Synthesis and characterization of dihydroxo-bridged dicopper(II) complex and its catalytic properties for catechol oxidation (Gao, J. (164) 1)

Catalysis

(Dimethyl)dioxomolybdenum(VI) complexes: syntheses and catalytic applications (KuhnKühn, F.E. (164) 25)

Investigation of the palladium catalyzed aromatic coupling of pyridine derivatives (Hagelin, H. (164) 137)

Kinetics and mechanism of selective hydroxylation of benzene catalysed by vanadium substituted heteropolymolybdates (Alekar, N.A. (164) 181)

Oxidation of alkanes and alkenes by iodosylbenzene and hydrogen peroxide catalysed by halogenated manganese porphyrins in homogeneous solution and covalently bound to silica (Doro, F.G. (164) 97)

Synthesis and characterization of bis(cyclopentadienyl)zirconium dichloride complexes with -fluorenylalkyl or silyl substituents and their application in catalytic ethylene polymerization (Licht, E.H. (164) 9)

Catalyst preparation (reduction)

Catalytic behavior and active sites structure of PtAu/Al₂O₃ bimetallic catalysts prepared by surface redox reactions (Espinoza, G. (164) 253)

Catalysts characterization

On the nature of highly dispersed vanadium oxide catalysts: effect of the support on the structure of VO_x species (Ferreira, M.L. (164) 281)

Catalysts

Gas phase hydrogenation of benzaldehyde over supported copper catalysts (Saadi, A. (164) 205)

Catalytic oxidation

Synthesis and characterization of dihydroxo-bridged dicopper(II) complex and its catalytic properties for catechol oxidation (Gao, J. (164) 1)

Catechol

Synthesis and characterization of dihydroxo-bridged dicopper(II) complex and its catalytic properties for catechol oxidation (Gao, J. (164) 1)

Cationic phase-transfer catalysts

Investigation of the catalytic behavior of ion-pair complexes of vanadium(V) in the liquid-phase oxidation of hydrocarbons with molecular O₂ (Csányi, L.J. (164) 109)

Changes in structure (and catalytic activity) of inverse micelles with concentration

Investigation of the catalytic behavior of ion-pair complexes of vanadium(V) in the liquid-phase oxidation of hydrocarbons with molecular O₂ (Csányi, L.J. (164) 109)

Chiral tetrahydroquinolines

Chiral 8-substituted 2-(2-methoxyphenyl) and 2-(2-hydroxyphenyl)-5,6,7,8-tetrahydro-6,6-dimethyl-5,7-methanoquinolines as ligands for enantioselective catalysis: palladium catalyzed allylic substitution and addition of diethylzinc to benzaldehyde (Chelucci, G. (164) 173)

4-Chlorophenol

Photocatalytic properties of neodymium diphthalocyanine towards the transformation of 4-chlorophenol (Nensala, N. (164) 69)

Chlorostannate melt

Ionic liquids in regioselective platinum-catalysed hydroformylation (Wasserscheid, P. (164) 61)

Cobalt

Temperature programmed studies of Co on MCM-41 and SiO₂ (Suvanto, S. (164) 273)

 π -Complexed half-reaction states

Biradical mechanism of the 1,2-bond shift reaction catalysed by vitamin B₁₂ coenzyme (Amir-Ebrahimi, V. (164) 291)

Computer simulation

Autocatalytic formation of colloidal mercury in the redox reaction between Hg²⁺ and Fe²⁺ and between Hg₂²⁺ and Fe²⁺ (Raposo, R.R. (164) 49)

Continuous-flow

In-situ multinuclear solid-state NMR spectroscopy under continuous-flow conditions for investigations of Ziegler–Natta catalyzed propene polymerization (Mori, H. (164) 235)

Copper catalysis

On the mechanism of the copper(II) catalysis of the formation of urethanes from alcohols and isocyanates (Evans, S.D. (164) 157)

Copper

Gas phase hydrogenation of benzaldehyde over supported copper catalysts (Saadi, A. (164) 205)

Crotonaldehyde

Crotonaldehyde hydrogenation on Ir supported catalysts (Reyes, P. (164) 245)

Cumene

Tungstate-modified aluminium phosphate. 1. Preparation, characterisation and catalytic activity towards alcohol and cumene conversion reactions (Parida, K.M. (164) 217)

Cyclohexene

Catalytic oxidation of 1-hexene and cyclohexene with molecular oxygen by iridium nitro complexes (Baricelli, P.J. (164) 77)

 α -Diazocarbonyl

Rhodium(II) catalysed decomposition of 3-diazo-4-hydroxycoumarin. An easy access to furocoumarin ring system (Cenini, S. (164) 165)

Dicopper(II) complex catalyst

Synthesis and characterization of dihydroxo-bridged dicopper(II) complex and its catalytic properties for catechol oxidation (Gao, J. (164) 1)

Electrophilic

Unusual nucleophilic versus electrophilic aromatic substitution on nitroanilines (Álvarez-Toledano, C. (164) 85)

Enantioselective catalysis

New electron-deficient aminophosphonite–phosphite ligands for asymmetric hydroformylation of styrene (Lot, O. (164) 125)

Enantioselectivity

Chiral 8-substituted 2-(2-methoxyphenyl) and 2-(2-hydroxyphenyl)-5,6,7,8-tetrahydro-6,6-dimethyl-5,7-methanoquinolines as ligands for enantioselective catalysis: palladium catalyzed allylic substitution and addition of diethylzinc to benzaldehyde (Chelucci, G. (164) 173)

Ethene

Fe³⁺ as a reoxidant for Nafion immobilised palladium(II) catalysts (Seen, A.J. (164) 91)

Ethylene polymerization

Synthesis and characterization of bis(cyclopentadienyl)zirconium dichloride complexes with -fluorenylalkyl or silyl substituents and their application in catalytic ethylene polymerization (Licht, E.H. (164) 9)

Extended Hückel

On the nature of highly dispersed vanadium oxide catalysts: effect of the support on the structure of VO_x species (Ferreira, M.L. (164) 281)

Friedel–Crafts acylation

Uranium^{IV} and uranyle salts, efficient and reusable catalysts for acylation of aromatic compounds (Barbier-Baudry, D. (164) 195)

Furocoumarin

Rhodium(II) catalysed decomposition of 3-diazo-4-hydroxycoumarin. An easy access to furocoumarin ring system (Cenini, S. (164) 165)

Heteropolymolybdates

Kinetics and mechanism of selective hydroxylation of benzene catalysed by vanadium substituted heteropolymolybdates (Alekar, N.A. (164) 181)

1-Hexene

Catalytic oxidation of 1-hexene and cyclohexene with molecular oxygen by iridium nitro complexes (Baricelli, P.J. (164) 77)

Effect of cocatalyst in 1-hexene polymerization by Cp⁺Ti-Me₂(O-2,6-*i*-Pr₂C₆H₃) complex (Nomura, K. (164) 131)

Higher oxygenates

Bimetallic Pd–Zn silica-supported catalyst for CO hydrogenation. In situ DRIFT study (Araña, J. (164) 297)

Homogeneous catalysis

Quinone platinum complex catalyzed hydrosilylation of alkenes and alkynes (Hopf, A. (164) 191)

Uranium^{IV} and uranyl salts, efficient and reusable catalysts for acylation of aromatic compounds (Barbier-Baudry, D. (164) 195)

Hydratropaldehyde

New electron-deficient aminophosphonite–phosphite ligands for asymmetric hydroformylation of styrene (Lot, O. (164) 125)

Hydrocarbon oxidation

Oxidation of alkanes and alkenes by iodosylbenzene and hydrogen peroxide catalysed by halogenated manganese porphyrins in homogeneous solution and covalently bound to silica (Doro, F.G. (164) 97)

Hydroformylation

Ionic liquids in regioselective platinum-catalysed hydroformylation (Wasserscheid, P. (164) 61)

New electron-deficient aminophosphonite–phosphite ligands for asymmetric hydroformylation of styrene (Lot, O. (164) 125)

Hydrogenation

Crotonaldehyde hydrogenation on Ir supported catalysts (Reyes, P. (164) 245)

Gas phase hydrogenation of benzaldehyde over supported copper catalysts (Saadi, A. (164) 205)

Hydrosilylation

Quinone platinum complex catalyzed hydrosilylation of alkenes and alkynes (Hopf, A. (164) 191)

Hydroxylation of benzene

Kinetics and mechanism of selective hydroxylation of benzene catalysed by vanadium substituted heteropolymolybdates (Alekar, N.A. (164) 181)

In situ

In-situ multinuclear solid-state NMR spectroscopy under continuous-flow conditions for investigations of Ziegler–Natta catalyzed propene polymerization (Mori, H. (164) 235)

In-situ DRIFT

Bimetallic Pd–Zn silica-supported catalyst for CO hydrogenation. In situ DRIFT study (Araña, J. (164) 297)

Ion-pair complexes of vanadium(V)

Investigation of the catalytic behavior of ion-pair complexes of vanadium(V) in the liquid-phase oxidation of hydrocarbons with molecular O₂ (Csányi, L.J. (164) 109)

Ionic liquids

Ionic liquids in regioselective platinum-catalysed hydroformylation (Wasserscheid, P. (164) 61)

Iridium catalysts

Crotonaldehyde hydrogenation on Ir supported catalysts (Reyes, P. (164) 245)

Iridium complexes

Catalytic oxidation of 1-hexene and cyclohexene with molecular oxygen by iridium nitro complexes (Baricelli, P.J. (164) 77)

Iron(II)

Autocatalytic formation of colloidal mercury in the redox reaction between Hg²⁺ and Fe²⁺ and between Hg₂²⁺ and Fe²⁺ (Raposo, R.R. (164) 49)

Kinetics

Kinetics and mechanism of selective hydroxylation of benzene catalysed by vanadium substituted heteropolymolybdates (Alekar, N.A. (164) 181)

Ligand exchange reaction

Synthesis and characterization of dihydroxo-bridged dicopper(II) complex and its catalytic properties for catechol oxidation (Gao, J. (164) 1)

Manganese porphyrins

Oxidation of alkanes and alkenes by iodosylbenzene and hydrogen peroxide catalysed by halogenated manganese porphyrins in homogeneous solution and covalently bound to silica (Doro, F.G. (164) 97)

MCM-41

Temperature programmed studies of Co on MCM-41 and SiO₂ (Suvanto, S. (164) 273)

Mercury colloid

Autocatalytic formation of colloidal mercury in the redox reaction between Hg²⁺ and Fe²⁺ and between Hg₂²⁺ and Fe²⁺ (Raposo, R.R. (164) 49)

Mercury(I)

Autocatalytic formation of colloidal mercury in the redox reaction between Hg²⁺ and Fe²⁺ and between Hg₂²⁺ and Fe²⁺ (Raposo, R.R. (164) 49)

Mercury(II)

Autocatalytic formation of colloidal mercury in the redox reaction between Hg²⁺ and Fe²⁺ and between Hg₂²⁺ and Fe²⁺ (Raposo, R.R. (164) 49)

Metallocene complexes

Synthesis and characterization of bis(cyclopentadienyl)zirconium dichloride complexes with -fluorenylalkyl or silyl substituents and their application in catalytic ethylene polymerization (Licht, E.H. (164) 9)

Methanol

Synthesis of methyl acetate from methanol catalyzed by [(η⁵-C₅H₅)(phosphine)₂RuX] and [(η⁵-C₅H₅)(phosphine)₂Ru(SnX₃)] (X=F, Cl, Br): ligand effect (Robles-Dutenhefner, P.A. (164) 39)

Methyl-3-pentenoate

Ionic liquids in regioselective platinum-catalysed hydroformylation (Wasserscheid, P. (164) 61)

Methylcyclopentane reaction

Catalytic behavior and active sites structure of PtAu/Al₂O₃ bimetallic catalysts prepared by surface redox reactions (Espinoza, G. (164) 253)

Molybdenum

(Dimethyl)dioxomolybdenum(VI) complexes: syntheses and catalytic applications (KuhnKühn, F.E. (164) 25)

Monopersulfate

Manganeseporphyrin-catalysed heterogeneous and unusually chemoselective oxidations of sulfides by monopersulfate in supercritical CO₂ (Campestrini, S. (164) 263)

Nafion

Fe³⁺ as a reoxidant for Nafion immobilised palladium(II) catalysts (Seen, A.J. (164) 91)

- Neodymium diphthalocyanine
Photocatalytic properties of neodymium diphthalocyanine towards the transformation of 4-chlorophenol (Nensala, N. (164) 69)
- Nitro complexes
Catalytic oxidation of 1-hexene and cyclohexene with molecular oxygen by iridium nitro complexes (Baricelli, P.J. (164) 71)
- Nitroanilines
Unusual nucleophilic versus electrophilic aromatic substitution on nitroanilines (Álvarez-Toledano, C. (164) 85)
- Nitrobenzene
The reduction of nitrobenzene as catalyzed by poly(4-vinylpyridine)-immobilized [Rh(COD)(amine)₂](PF₆) complexes under WGS conditions (Pardey, A.J. (164) 225)
- Nitrogen ligands
(Dimethyl)dioxomolybdenum(VI) complexes: syntheses and catalytic applications (KuhnKühn, F.E. (164) 25)
- NMR
Investigation of the palladium catalyzed aromatic coupling of pyridine derivatives (Hagelin, H. (164) 137)
- Nucleophilic
Unusual nucleophilic versus electrophilic aromatic substitution on nitroanilines (Álvarez-Toledano, C. (164) 85)
- Olefin polymerization
Effect of cocatalyst in 1-hexene polymerization by Cp*Ti-Me₂(O-2,6-ⁱPr₂C₆H₃) complex (Nomura, K. (164) 131)
- Olefin epoxidation
(Dimethyl)dioxomolybdenum(VI) complexes: syntheses and catalytic applications (KuhnKühn, F.E. (164) 25)
- Oligomerisation
Fe³⁺ as a reoxidant for Nafion immobilised palladium(II) catalysts (Seen, A.J. (164) 91)
- Oxidation of cyclohexene, tetralin by O₂
Investigation of the catalytic behavior of ion-pair complexes of vanadium(V) in the liquid-phase oxidation of hydrocarbons with molecular O₂ (Csányi, L.J. (164) 109)
- Oxidation
Catalytic oxidation of 1-hexene and cyclohexene with molecular oxygen by iridium nitro complexes (Baricelli, P.J. (164) 77)
Manganeseporphyrin-catalysed heterogeneous and unusually chemoselective oxidations of sulfides by monopersulfate in supercritical CO₂ (Campestrini, S. (164) 263)
- Oxide complexes
(Dimethyl)dioxomolybdenum(VI) complexes: syntheses and catalytic applications (KuhnKühn, F.E. (164) 25)
- Palladium complex
Chiral 8-substituted 2-(2-methoxyphenyl) and 2-(2-hydroxyphenyl)-5,6,7,8-tetrahydro-6,6-dimethyl-5,7-methanoquinolines as ligands for enantioselective catalysis: palladium catalyzed allylic substitution and addition of diethylzinc to benzaldehyde (Chelucci, G. (164) 173)
- Palladium
Fe³⁺ as a reoxidant for Nafion immobilised palladium(II) catalysts (Seen, A.J. (164) 91)
Investigation of the palladium catalyzed aromatic coupling of pyridine derivatives (Hagelin, H. (164) 137)
- Partial oxidation catalysts
On the nature of highly dispersed vanadium oxide catalysts: effect of the support on the structure of VO_x species (Ferreira, M.L. (164) 281)
- Pd-Zn bimetallics
Bimetallic Pd-Zn silica-supported catalyst for CO hydrogenation. In situ DRIFT study (Araña, J. (164) 297)
- Photocatalysts
Photocatalytic properties of neodymium diphthalocyanine towards the transformation of 4-chlorophenol (Nensala, N. (164) 69)
- Platinum complexes
Quinone platinum complex catalyzed hydrosilylation of alkenes and alkynes (Hopf, A. (164) 191)
- Platinum-gold/alumina
Catalytic behavior and active sites structure of PtAu/Al₂O₃ bimetallic catalysts prepared by surface redox reactions (Espinoza, G. (164) 253)
- Poly(4-vinylpyridine)
The reduction of nitrobenzene as catalyzed by poly(4-vinylpyridine)-immobilized [Rh(COD)(amine)₂](PF₆) complexes under WGS conditions (Pardey, A.J. (164) 225)
- Porphyrins
Oxidation of alkanes and alkenes by iodosylbenzene and hydrogen peroxide catalysed by halogenated manganese porphyrins in homogeneous solution and covalently bound to silica (Doro, F.G. (164) 97)
Manganeseporphyrin-catalysed heterogeneous and unusually chemoselective oxidations of sulfides by monopersulfate in supercritical CO₂ (Campestrini, S. (164) 263)
- Proline auxiliary
Diastereoselective hydrogenation of *o*-toluic acid coupled with (*S*)-proline and (*S*)-pyroglutamic acid methyl esters on ruthenium catalysts (Bachiller-Baeza, B. (164) 147)
- Propene polymerization
In-situ multinuclear solid-state NMR spectroscopy under continuous-flow conditions for investigations of Ziegler-Natta catalyzed propene polymerization (Mori, H. (164) 235)
- Pyroglutamic acid auxiliary
Diastereoselective hydrogenation of *o*-toluic acid coupled with (*S*)-proline and (*S*)-pyroglutamic acid methyl esters on ruthenium catalysts (Bachiller-Baeza, B. (164) 147)
- Quinones
Quinone platinum complex catalyzed hydrosilylation of alkenes and alkynes (Hopf, A. (164) 191)
- Rhodium complexes
The reduction of nitrobenzene as catalyzed by poly(4-vinylpyridine)-immobilized [Rh(COD)(amine)₂](PF₆) complexes under WGS conditions (Pardey, A.J. (164) 225)
- Rhodium
New electron-deficient aminophosphonite-phosphite ligands for asymmetric hydroformylation of styrene (Lot, O. (164) 125)

Rhodium(II)

Rhodium(II) catalysed decomposition of 3-diazo-4-hydroxycoumarin. An easy access to furocoumarin ring system (Cenini, S. (164) 165)

Ruthenium catalysts

Diastereoselective hydrogenation of *o*-toluic acid coupled with (*S*)-proline and (*S*)-pyroglutamic acid methyl esters on ruthenium catalysts (Bachiller-Baeza, B. (164) 147)

Ruthenium

Synthesis of methyl acetate from methanol catalyzed by $[(\eta^5\text{-C}_5\text{H}_5)(\text{phosphine})_2\text{RuX}]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{phosphine})_2\text{Ru}(\text{SnX}_3)]$ (X=F, Cl, Br): ligand effect (Robles-Dutenhefner, P.A. (164) 39)

Semiconductor

Photocatalytic properties of neodymium diphthalocyanine towards the transformation of 4-chlorophenol (Nensala, N. (164) 69)

Silica

Temperature programmed studies of Co on MCM-41 and SiO₂ (Suvanto, S. (164) 273)

Sol-gel technique

Crotonaldehyde hydrogenation on Ir supported catalysts (Reyes, P. (164) 245)

Solid-state NMR

In-situ multinuclear solid-state NMR spectroscopy under continuous-flow conditions for investigations of Ziegler-Natta catalyzed propene polymerization (Mori, H. (164) 235)

Spectroscopy

Kinetics and mechanism of selective hydroxylation of benzene catalysed by vanadium substituted heteropolymolybdates (Alekar, N.A. (164) 181)

Spin-spin coupled biradical intermediates

Biradical mechanism of the 1,2-bond shift reaction catalysed by vitamin B₁₂ coenzyme (Amir-Ebrahimi, V. (164) 291)

Stereoselective hydrogenation

Diastereoselective hydrogenation of *o*-toluic acid coupled with (*S*)-proline and (*S*)-pyroglutamic acid methyl esters on ruthenium catalysts (Bachiller-Baeza, B. (164) 147)

Styrene

New electron-deficient aminophosphonite-phosphite ligands for asymmetric hydroformylation of styrene (Lot, O. (164) 125)

Substituents

Synthesis and characterization of bis(cyclopentadienyl)zirconium dichloride complexes with -fluorenylalkyl or silyl substituents and their application in catalytic ethylene polymerization (Licht, E.H. (164) 9)

Substitution

Unusual nucleophilic versus electrophilic aromatic substitution on nitroanilines (Álvarez-Toledano, C. (164) 85)

Sulfides

Manganeseporphyrin-catalysed heterogeneous and unusually chemoselective oxidations of sulfides by monopersulfate in supercritical CO₂ (Campestrini, S. (164) 263)

Supercritical CO₂

Manganeseporphyrin-catalysed heterogeneous and unusually chemoselective oxidations of sulfides by monopersulfate in supercritical CO₂ (Campestrini, S. (164) 263)

Supported catalysts

Fe³⁺ as a reoxidant for Nafion immobilised palladium(II) catalysts (Seen, A.J. (164) 91)

Oxidation of alkanes and alkenes by iodosylbenzene and hydrogen peroxide catalysed by halogenated manganese porphyrins in homogeneous solution and covalently bound to silica (Doro, F.G. (164) 97)

Supported vanadia

On the nature of highly dispersed vanadium oxide catalysts: effect of the support on the structure of VO_x species (Ferreira, M.L. (164) 281)

Supports

Gas phase hydrogenation of benzaldehyde over supported copper catalysts (Saadi, A. (164) 205)

Surface redox reaction

Catalytic behavior and active sites structure of PtAu/Al₂O₃ bimetallic catalysts prepared by surface redox reactions (Espinoza, G. (164) 253)

Temperature programmed treatments

Temperature programmed studies of Co on MCM-41 and SiO₂ (Suvanto, S. (164) 273)

Tin

Synthesis of methyl acetate from methanol catalyzed by $[(\eta^5\text{-C}_5\text{H}_5)(\text{phosphine})_2\text{RuX}]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{phosphine})_2\text{Ru}(\text{SnX}_3)]$ (X=F, Cl, Br): ligand effect (Robles-Dutenhefner, P.A. (164) 39)

Titanium complex

Effect of cocatalyst in 1-hexene polymerization by Cp*TiMe₂(O-2,6-*i*Pr₂C₆H₃) complex (Nomura, K. (164) 131)

Tungstated aluminium phosphate

Tungstate-modified aluminium phosphate. 1. Preparation, characterisation and catalytic activity towards alcohol and cumene conversion reactions (Parida, K.M. (164) 217)

Uranium

Uranium^{IV} and uranyle salts, efficient and reusable catalysts for acylation of aromatic compounds (Barbier-Baudry, D. (164) 195)

Uranyle

Uranium^{IV} and uranyle salts, efficient and reusable catalysts for acylation of aromatic compounds (Barbier-Baudry, D. (164) 195)

Urethane

On the mechanism of the copper(II) catalysis of the formation of urethanes from alcohols and isocyanates (Evans, S.D. (164) 157)

VO_x catalysts

On the nature of highly dispersed vanadium oxide catalysts: effect of the support on the structure of VO_x species (Ferreira, M.L. (164) 281)

WGSR

The reduction of nitrobenzene as catalyzed by poly(4-vinylpyridine)-immobilized [Rh(COD)(amine)₂](PF₆) complexes under WGSR conditions (Pardey, A.J. (164) 225)

XPS

Investigation of the palladium catalyzed aromatic coupling of pyridine derivatives (Hagelin, H. (164) 137)

The reduction of nitrobenzene as catalyzed by poly-(4-vinylpyridine)-immobilized $[\text{Rh}(\text{COD})(\text{amine})_2](\text{PF}_6)$ complexes under WGS conditions (Pardey, A.J. (164) 225)

Crotonaldehyde hydrogenation on Ir supported catalysts (Reyes, P. (164) 245)

Ziegler–Natta catalyst

In-situ multinuclear solid-state NMR spectroscopy under continuous-flow conditions for investigations of Ziegler–Natta catalyzed propene polymerization (Mori, H. (164) 235)

Zirconium

Synthesis and characterization of bis(cyclopentadienyl)zirconium dichloride complexes with -fluorenylalkyl or silyl substituents and their application in catalytic ethylene polymerization (Licht, E.H. (164) 9)