

Subject index

Acid clays

A study of the surface acidity of acid-treated montmorillonite clay catalysts (Flessner, U. (168) 247)

Acidity

A study of the surface acidity of acid-treated montmorillonite clay catalysts (Flessner, U. (168) 247)

Acidity

Propan-2-ol transformation on simple metal oxides TiO₂, ZrO₂ and CeO₂ (Haffad, D. (168) 153)

Acylation

Mn(III) salen complex: an efficient reusable acylation catalyst (Choudary, B.M. (168) 69)

Alcohols

Mn(III) salen complex: an efficient reusable acylation catalyst (Choudary, B.M. (168) 69)

Alkoxy carbonylation

Palladium-catalyzed alkoxy carbonylation of allylic natural terpenic functionalized olefins (Houssame, S.E. (168) 15)

Alkynes

(2-Furyl)phenyl(2-pyridyl)phosphine as a new ligand in the alkoxy carbonylation of terminal alkynes (Scrivanti, A. (168) 75)

Allylic functionalized terpenic olefin

Palladium-catalyzed alkoxy carbonylation of allylic natural terpenic functionalized olefins (Houssame, S.E. (168) 15)

Alumina

Cobalt–aluminum co-precipitated catalysts and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 193)

Alumina

Epoxidation of alkenes with hydrogen peroxide catalyzed by ReO₄–SiO₂–Al₂O₃ and ReO₄–Al₂O₃ (Mandelli, D. (168) 165)

Aluminophosphate molecular sieve

Studies on esterification reaction over aluminophosphate and silicoaluminophosphate molecular sieves (Zhao, Z.H. (168) 147)

Aluminosilicates

Lower order atomic multipole moments of the oxygen atoms of “small size” H-form aluminosilicate frameworks (Larin, A.V. (168) 123)

Amine

Ruthenium mediated hydroamination of ethylene (Schaffrath, H. (168) 9)

Amphiphiles

Asymmetric hydrogenation in a membrane reactor: recycling of the chiral catalyst by using a retainable micellar system (Dwars, T. (168) 81)

Anchored complex

Parametric calculations of Mo-allyl complexes anchored on silica (Griffe, B. (168) 265)

Aromatization

Synthesis and characterization of galloaluminosilicate/gallosilicalite (MFI) and their evaluation in methane dehydro-aromatization (Ma, D. (168) 139)

Asymmetric catalysis

(*R,R*)-*N*-phenyl-3,4-bis(diphenylphosphino)pyrrolidine: an *N*-aryl pyrrolidine ligand for enantioselective transfer hydrogenation (Gonsalves, A.M.d.R. (168) 53)

Asymmetric hydrogenation

Asymmetric hydrogenation in a membrane reactor: recycling of the chiral catalyst by using a retainable micellar system (Dwars, T. (168) 81)

Basicity

Propan-2-ol transformation on simple metal oxides TiO₂, ZrO₂ and CeO₂ (Haffad, D. (168) 153)

Benzoquinone

Dinuclear complexes [NAPH (Cu^{II})₂ (μ-X) (bipy)₂]ClO₄: synthesis, characterization and Tyr-like activity (Gao, J. (168) 1)

Bi₂MNbO₇ (M = Fe³⁺, In³⁺)

Substitution effects of In³⁺ by Fe³⁺ on photocatalytic and structural properties of Bi₂InNbO₇ photocatalysts (Zou, Z. (168) 289)

Brønsted centre

Lower order atomic multipole moments of the oxygen atoms of “small size” H-form aluminosilicate frameworks (Larin, A.V. (168) 123)

Carbon dioxide chemisorption

Novel dicopper(II) complex catalyst. Cu₂(II)(μ-Cl)₂/SiO₂: a study on synthesis of EC from CO₂ reaction with ethylene oxide (Gao, J. (168) 241)

Carbonylation

(2-Furyl)phenyl(2-pyridyl)phosphine as a new ligand in the alkoxy carbonylation of terminal alkynes (Scrivanti, A. (168) 75)

Carbonylation

An in situ spectroscopic study of the ruthenium catalyzed carbonylation of piperidine starting with triruthenium dodecacarbonyl. The importance of path dependence in homogeneous catalysis (Liu, G. (168) 33)

Catalysis

Molecular oxygen reactions catalyzed by an oxorhenium(V) compound (Huang, R. (168) 39)

Catalysis

On the mechanism of carboxylic acid co-catalyst assisted metalloporphyrin oxidations (d'A. Rocha Gonsalves, A.M. (168) 25)

Catalysts

Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)

Catalyst

Studies on esterification reaction over aluminophosphate and silicoaluminophosphate molecular sieves (Zhao, Z.H. (168) 147)

Catalytic oxidation

Dinuclear complexes [NAPH (Cu^{II})₂ (μ-X) (bipy)₂]ClO₄: synthesis, characterization and Tyr-like activity (Gao, J. (168) 1)

Catalytic transfer reduction

Catalytic transfer reduction (CTR) of alkyl alkyl, alkyl aryl, cyclic and unsaturated ketones over calcined Mg–Al hydrotalcites (Jyothi, T.M. (168) 187)

Catechol

Dinuclear complexes [NAPH (Cu^{II})₂ (μ-X) (bipy)₂]ClO₄: synthesis, characterization and Tyr-like activity (Gao, J. (168) 1)

Chloride ion

Photocatalytic mineralization of vinyl chloride on TiO₂ (Sano, T. (168) 233)

Clays

Cobalt-containing catalysts supported by synthetic Zn- and Mg-stevensites and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 209)

CNDO-UHF

Parametric calculations of Mo-allyl complexes anchored on silica (Griffe, B. (168) 265)

Co(II)saloph complexes

Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)

Cobalt

Cobalt–aluminum co-precipitated catalysts and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 193)

Cobalt

Cobalt-containing catalysts supported by synthetic Zn- and Mg-stevensites and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 209)

Copper phthalocyanine

Effect of peripheral substitution on spectral and catalytic properties of copper phthalocyanine complexes (Seelan, S. (168) 61)

Cyclohexene

Epoxidation of alkenes with hydrogen peroxide catalyzed by ReO₄–SiO₂·Al₂O₃ and ReO₄–Al₂O₃ (Mandelli, D. (168) 165)

Cyclooctene

Epoxidation of alkenes with hydrogen peroxide catalyzed by ReO₄–SiO₂·Al₂O₃ and ReO₄–Al₂O₃ (Mandelli, D. (168) 165)

Dicopper(II) complexes

Dinuclear complexes [NAPH (Cu^{II})₂ (μ-X) (bipy)₂]ClO₄: synthesis, characterization and Tyr-like activity (Gao, J. (168) 1)

Dicopper(II) complexes

Novel dicopper(II) complex catalyst. Cu₂(II)(μ-Cl)₂/SiO₂: a study on synthesis of EC from CO₂ reaction with ethylene oxide (Gao, J. (168) 241)

p-*N,N*-dimethylaminobenzoic acid (DMABA)

TiO₂/Y-Zeolite encapsulating intramolecular charge transfer molecules: a new photocatalyst for photoreduction of methyl orange in aqueous medium (Kim, Y. (168) 257)

1,3-Dioxolanes

Brønsted acid catalyzed formation of 1,3-dioxolanes from oxiranes and ketones (Bucsi, I. (168) 47)

Epoxidation

Direct epoxidation of olefins catalyzed by heteropolyoxometalates with molecular oxygen and recyclable reductant (Xi, Z. (168) 299)

Epoxidation

Epoxidation of alkenes with hydrogen peroxide catalyzed by ReO₄–SiO₂·Al₂O₃ and ReO₄–Al₂O₃ (Mandelli, D. (168) 165)

EPR

Effect of peripheral substitution on spectral and catalytic properties of copper phthalocyanine complexes (Seelan, S. (168) 61)

Esterification

Studies on esterification reaction over aluminophosphate and silicoaluminophosphate molecular sieves (Zhao, Z.H. (168) 147)

2-Ethylanthrahydroquinone

Direct epoxidation of olefins catalyzed by heteropolyoxometalates with molecular oxygen and recyclable reductant (Xi, Z. (168) 299)

Ethylene oxide chemisorption

Novel dicopper(II) complex catalyst. Cu₂(II)(μ-Cl)₂/SiO₂: a study on synthesis of EC from CO₂ reaction with ethylene oxide (Gao, J. (168) 241)

Ethylene

Ruthenium mediated hydroamination of ethylene (Schaffrath, H. (168) 9)

Fischer–Tropsch synthesis

Cobalt-containing catalysts supported by synthetic Zn- and Mg-stevensites and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 209)

Fischer–Tropsch

Cobalt–aluminum co-precipitated catalysts and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 193)

Five-membered chelate

(*R,R*)-*N*-phenyl-3,4-bis(diphenylphosphino)pyrrolidine: an *N*-aryl pyrrolidine ligand for enantioselective transfer hydrogenation (Gonsalves, A.M.d.R. (168) 53)

Formic acid

Photocatalytic mineralization of vinyl chloride on TiO₂ (Sano, T. (168) 233)

Functionalization

Combining the advantages of homogeneous and heterogeneous catalysis: rhodium complex on functionalized MCM-41 for the hydrogenation of arenes (Liu, A.M. (168) 303)

- (2-Furyl)phenyl(2-pyridyl)phosphine
(2-Furyl)phenyl(2-pyridyl)phosphine as a new ligand in the alkoxy carbonylation of terminal alkynes (Scrivanti, A. (168) 75)
- Galloaluminosilicate (MFI)
Synthesis and characterization of galloaluminosilicate/gallosilicalite (MFI) and their evaluation in methane dehydro-aromatization (Ma, D. (168) 139)
- Gallosilicalite (MFI)
Synthesis and characterization of galloaluminosilicate/gallosilicalite (MFI) and their evaluation in methane dehydro-aromatization (Ma, D. (168) 139)
- Heterogeneous catalysis
Mn(III) salen complex: an efficient reusable acylation catalyst (Choudary, B.M. (168) 69)
- Heteropoly acids
Brønsted acid catalyzed formation of 1,3-dioxolanes from oxiranes and ketones (Bucsi, I. (168) 47)
- Heteropolyacid
Oxidative dehydrogenation of isobutyric acid over 12-molybdophosphoric acids modified by tetrahydrofuran (Park, G.I. (168) 115)
- Heteropolyoxometalate
Direct epoxidation of olefins catalyzed by heteropolyoxometalates with molecular oxygen and recyclable reductant (Xi, Z. (168) 299)
- H-forms
Lower order atomic multipole moments of the oxygen atoms of "small size" H-form aluminosilicate frameworks (Larin, A.V. (168) 123)
- Homogeneous catalysis
Ruthenium mediated hydroamination of ethylene (Schaffrath, H. (168) 9)
- Hydroamination
Ruthenium mediated hydroamination of ethylene (Schaffrath, H. (168) 9)
- Hydrogen peroxide
Epoxidation of alkenes with hydrogen peroxide catalyzed by $\text{ReO}_4\text{-SiO}_2\text{-Al}_2\text{O}_3$ and $\text{ReO}_4\text{-Al}_2\text{O}_3$ (Mandelli, D. (168) 165)
- Hydrogen peroxide
On the mechanism of carboxylic acid co-catalyst assisted metalloporphyrin oxidations (d'A. Rocha Gonsalves, A.M. (168) 25)
- Hydrogenation of acetonitrile
Gas-phase hydrogenation of acetonitrile over nickel supported on alumina- and mixed alumina/gallium oxide-pillared tin phosphate catalysts (Braos-García, P. (168) 279)
- Hydrogenation
Combining the advantages of homogeneous and heterogeneous catalysis: rhodium complex on functionalized MCM-41 for the hydrogenation of arenes (Liu, A.M. (168) 303)
- Hydrogenation
Selective hydrogenation of α,β -unsaturated aldehyde to unsaturated alcohol with supported platinum catalysts at high pressures of hydrogen (Shirai, M. (168) 99)
- Intermediates
Studies on the decomposition of N_2O over Nd_2CuO_4 , $\text{Nd}_{1.6}\text{Ba}_{0.4}\text{CuO}_4$ and $\text{Nd}_{1.8}\text{Ce}_{0.2}\text{CuO}_4$ (Gao, L.Z. (168) 173)
- Intramolecular charge transfer (ICT)
 TiO_2/Y -Zeolite encapsulating intramolecular charge transfer molecules: a new photocatalyst for photoreduction of methyl orange in aqueous medium (Kim, Y. (168) 257)
- Isobutyric acid
Oxidative dehydrogenation of isobutyric acid over 12-molybdophosphoric acids modified by tetrahydrofuran (Park, G.I. (168) 115)
- β -Isophorone
Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)
- K10 montmorillonite
Brønsted acid catalyzed formation of 1,3-dioxolanes from oxiranes and ketones (Bucsi, I. (168) 47)
- K-catalysts
A study of the surface acidity of acid-treated montmorillonite clay catalysts (Flessner, U. (168) 247)
- Ketone
Catalytic transfer reduction (CTR) of alkyl alkyl, alkyl aryl, cyclic and unsaturated ketones over calcined Mg-Al hydrotalcites (Jyothi, T.M. (168) 187)
- Ketones
Brønsted acid catalyzed formation of 1,3-dioxolanes from oxiranes and ketones (Bucsi, I. (168) 47)
- Kinetics
Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)
- Layered metal phosphate
Gas-phase hydrogenation of acetonitrile over nickel supported on alumina- and mixed alumina/gallium oxide-pillared tin phosphate catalysts (Braos-García, P. (168) 279)
- MAS NMR
Synthesis and characterization of galloaluminosilicate/gallosilicalite (MFI) and their evaluation in methane dehydro-aromatization (Ma, D. (168) 139)
- MCM-41
Combining the advantages of homogeneous and heterogeneous catalysis: rhodium complex on functionalized MCM-41 for the hydrogenation of arenes (Liu, A.M. (168) 303)
- Mechanism
Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)
- Membrane reactor
Asymmetric hydrogenation in a membrane reactor: recycling of the chiral catalyst by using a retainable micellar system (Dwars, T. (168) 81)
- Metalloporphyrin
On the mechanism of carboxylic acid co-catalyst assisted metalloporphyrin oxidations (d'A. Rocha Gonsalves, A.M. (168) 25)

- Metal-support interaction**
Cobalt–aluminum co-precipitated catalysts and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 193)
- Metal-support interaction**
Cobalt-containing catalysts supported by synthetic Zn- and Mg-stevensites and their performance in the Fischer–Tropsch synthesis (Khassin, A.A. (168) 209)
- Metathesis**
Parametric calculations of Mo-allyl complexes anchored on silica (Griffe, B. (168) 265)
- Methacrylic acid**
Oxidative dehydrogenation of isobutyric acid over 12-molybdophosphoric acids modified by tetrahydrofuran (Park, G.I. (168) 115)
- Methane**
Synthesis and characterization of galloaluminosilicate/gallosilicalite (MFI) and their evaluation in methane dehydro-aromatization (Ma, D. (168) 139)
- Methyl orange**
TiO₂/Y-Zeolite encapsulating intramolecular charge transfer molecules: a new photocatalyst for photoreduction of methyl orange in aqueous medium (Kim, Y. (168) 257)
- Mg–Al hydrotalcites**
Catalytic transfer reduction (CTR) of alkyl alkyl, alkyl aryl, cyclic and unsaturated ketones over calcined Mg–Al hydrotalcites (Jyothi, T.M. (168) 187)
- Mn(III) salen complex**
Mn(III) salen complex: an efficient reusable acylation catalyst (Choudary, B.M. (168) 69)
- Mo/HZSM-5**
A simulation study on the absorption of molybdenum species in the channels of HZSM-5 zeolite (Zhou, D. (168) 225)
- Mo-allyl catalyst**
Parametric calculations of Mo-allyl complexes anchored on silica (Griffe, B. (168) 265)
- Mobile Mo species**
A simulation study on the absorption of molybdenum species in the channels of HZSM-5 zeolite (Zhou, D. (168) 225)
- Molecular oxygen**
Direct epoxidation of olefins catalyzed by heteropolyoxometalates with molecular oxygen and recyclable reductant (Xi, Z. (168) 299)
- Mote Carlo calculation**
A simulation study on the absorption of molybdenum species in the channels of HZSM-5 zeolite (Zhou, D. (168) 225)
- Nafion-H**
Brønsted acid catalyzed formation of 1,3-dioxolanes from oxiranes and ketones (Bucsi, I. (168) 47)
- Naphthalene isopropylation**
Dialkylation of naphthalene with isopropanol over acidic zeolites. Influence of pore structure on selectivity (Moreau, P. (168) 105)
- Nd_{1.6}Ba_{0.4}CuO₄**
Studies on the decomposition of N₂O over Nd₂CuO₄, Nd_{1.6}Ba_{0.4}CuO₄ and Nd_{1.8}Ce_{0.2}CuO₄ (Gao, L.Z. (168) 173)
- Nd_{1.8}Ce_{0.2}CuO₄**
Studies on the decomposition of N₂O over Nd₂CuO₄, Nd_{1.6}Ba_{0.4}CuO₄ and Nd_{1.8}Ce_{0.2}CuO₄ (Gao, L.Z. (168) 173)
- Nd₂CuO₄**
Studies on the decomposition of N₂O over Nd₂CuO₄, Nd_{1.6}Ba_{0.4}CuO₄ and Nd_{1.8}Ce_{0.2}CuO₄ (Gao, L.Z. (168) 173)
- N₂O decomposition**
Studies on the decomposition of N₂O over Nd₂CuO₄, Nd_{1.6}Ba_{0.4}CuO₄ and Nd_{1.8}Ce_{0.2}CuO₄ (Gao, L.Z. (168) 173)
- Oxidation properties**
Propan-2-ol transformation on simple metal oxides TiO₂, ZrO₂ and CeO₂ (Haffad, D. (168) 153)
- Oxidation**
On the mechanism of carboxylic acid co-catalyst assisted metalloporphyrin oxidations (d'A. Rocha Gonsalves, A.M. (168) 25)
- Oxidation**
Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)
- Oxidation**
Oxidative dehydrogenation of isobutyric acid over 12-molybdophosphoric acids modified by tetrahydrofuran (Park, G.I. (168) 115)
- Oxygen**
Molecular oxygen reactions catalyzed by an oxorhenium(V) compound (Huang, R. (168) 39)
- Palladium**
(2-Furyl)phenyl(2-pyridyl)phosphine as a new ligand in the alkoxy carbonylation of terminal alkynes (Scrivanti, A. (168) 75)
- Palladium**
Palladium-catalyzed alkoxy carbonylation of allylic natural terpene functionalized olefins (Houssame, S.E. (168) 15)
- Parametric method**
Parametric calculations of Mo-allyl complexes anchored on silica (Griffe, B. (168) 265)
- Phosphine**
Molecular oxygen reactions catalyzed by an oxorhenium(V) compound (Huang, R. (168) 39)
- Photocatalyst**
Photocatalytic mineralization of vinyl chloride on TiO₂ (Sano, T. (168) 233)
- Photocatalyst**
Substitution effects of In³⁺ by Fe³⁺ on photocatalytic and structural properties of Bi₂InNbO₇ photocatalysts (Zou, Z. (168) 289)
- Photocatalytic reduction**
TiO₂/Y-Zeolite encapsulating intramolecular charge transfer molecules: a new photocatalyst for photoreduction of methyl orange in aqueous medium (Kim, Y. (168) 257)
- Pillared solids**
Gas-phase hydrogenation of acetonitrile over nickel supported on alumina- and mixed alumina/gallium oxide-pillared tin phosphate catalysts (Braos-García, P. (168) 279)
- Piperidine**
An in situ spectroscopic study of the ruthenium catalyzed carbonylation of piperidine starting with triruthenium dodeca-

- carbonyl. The importance of path dependence in homogeneous catalysis (Liu, G. (168) 33)
- Platinum catalysts
 Selective hydrogenation of α -, β -unsaturated aldehyde to unsaturated alcohol with supported platinum catalysts at high pressures of hydrogen (Shirai, M. (168) 99)
- Pressure effects
 Selective hydrogenation of α -, β -unsaturated aldehyde to unsaturated alcohol with supported platinum catalysts at high pressures of hydrogen (Shirai, M. (168) 99)
- Propan-2-ol transformation
 Propan-2-ol transformation on simple metal oxides TiO₂, ZrO₂ and CeO₂ (Haffad, D. (168) 153)
- Pyrrolidine diphosphine
 (*R,R*)-*N*-phenyl-3,4-bis(diphenylphosphino)pyrrolidine: an *N*-aryl pyrrolidine ligand for enantioselective transfer hydrogenation (Gonsalves, A.M.d.R. (168) 53)
- Redox action
 Studies on the decomposition of N₂O over Nd₂CuO₄, Nd_{1.6}Ba_{0.4}CuO₄ and Nd_{1.8}Ce_{0.2}CuO₄ (Gao, L.Z. (168) 173)
- Reductant
 Direct epoxidation of olefins catalyzed by heteropolyoxometalates with molecular oxygen and recyclable reductant (Xi, Z. (168) 299)
- Rhenium
 Epoxidation of alkenes with hydrogen peroxide catalyzed by ReO₄-SiO₂-Al₂O₃ and ReO₄-Al₂O₃ (Mandelli, D. (168) 165)
- Rhenium
 Molecular oxygen reactions catalyzed by an oxorhenium(V) compound (Huang, R. (168) 39)
- Rhodium complex
 Asymmetric hydrogenation in a membrane reactor: recycling of the chiral catalyst by using a retainable micellar system (Dwars, T. (168) 81)
- Rhodium complex
 Combining the advantages of homogeneous and heterogeneous catalysis: rhodium complex on functionalized MCM-41 for the hydrogenation of arenes (Liu, A.M. (168) 303)
- Rhodium
 (*R,R*)-*N*-phenyl-3,4-bis(diphenylphosphino)pyrrolidine: an *N*-aryl pyrrolidine ligand for enantioselective transfer hydrogenation (Gonsalves, A.M.d.R. (168) 53)
- Ruthenium pentacarbonyl
 An in situ spectroscopic study of the ruthenium catalyzed carbonylation of piperidine starting with triruthenium dodecacarbonyl. The importance of path dependence in homogeneous catalysis (Liu, G. (168) 33)
- Ruthenium
 Ruthenium mediated hydroamination of ethylene (Schaffrath, H. (168) 9)
- Selectivity
 Selective hydrogenation of α , β -unsaturated aldehyde to unsaturated alcohol with supported platinum catalysts at high pressures of hydrogen (Shirai, M. (168) 99)
- Shape-selective catalysis
 Dialkylation of naphthalene with isopropanol over acidic zeolites. Influence of pore structure on selectivity (Moreau, P. (168) 105)
- Silica carrier
 Novel dicopper(II) complex catalyst. Cu₂(II)(μ -Cl)₂/SiO₂: a study on synthesis of EC from CO₂ reaction with ethylene oxide (Gao, J. (168) 241)
- Silica
 Cobalt-containing catalysts supported by synthetic Zn- and Mg-stevensites and their performance in the Fischer-Tropsch synthesis (Khassin, A.A. (168) 209)
- Silicoaluminophosphate molecular sieve
 Studies on esterification reaction over aluminophosphate and silicoaluminophosphate molecular sieves (Zhao, Z.H. (168) 147)
- Solid-state reaction
 Substitution effects of In³⁺ by Fe³⁺ on photocatalytic and structural properties of Bi₂InNbO₇ photocatalysts (Zou, Z. (168) 289)
- Sorption
 A simulation study on the absorption of molybdenum species in the channels of HZSM-5 zeolite (Zhou, D. (168) 225)
- Spinels
 Cobalt-aluminum co-precipitated catalysts and their performance in the Fischer-Tropsch synthesis (Khassin, A.A. (168) 193)
- Structure characterization
 Dinuclear complexes [NAPH (Cu^{II})₂ (μ -X) (bipy)₂]ClO₄: synthesis, characterization and Tyr-like activity (Gao, J. (168) 1)
- Structure-activity correlation
 Effect of peripheral substitution on spectral and catalytic properties of copper phthalocyanine complexes (Seelan, S. (168) 61)
- Styrene epoxidation
 Effect of peripheral substitution on spectral and catalytic properties of copper phthalocyanine complexes (Seelan, S. (168) 61)
- Substituent effects
 Effect of peripheral substitution on spectral and catalytic properties of copper phthalocyanine complexes (Seelan, S. (168) 61)
- Substitution effect
 Substitution effects of In³⁺ by Fe³⁺ on photocatalytic and structural properties of Bi₂InNbO₇ photocatalysts (Zou, Z. (168) 289)
- Superoxo
 Oxidation by molecular oxygen using zeolite encapsulated Co(II)saloph complexes (Joseph, T. (168) 87)
- Supported catalyst
 Novel dicopper(II) complex catalyst. Cu₂(II)(μ -Cl)₂/SiO₂: a study on synthesis of EC from CO₂ reaction with ethylene oxide (Gao, J. (168) 241)
- Supported nickel catalysts
 Gas-phase hydrogenation of acetonitrile over nickel supported on alumina- and mixed alumina/gallium oxide-pillared tin phosphate catalysts (Braos-García, P. (168) 279)
- Synthesis method
 Dinuclear complexes [NAPH (Cu^{II})₂ (μ -X) (bipy)₂]ClO₄: synthesis, characterization and Tyr-like activity (Gao, J. (168) 1)

Synthesis of ethylene carbonate

Novel dicopper(II) complex catalyst. $\text{Cu}_2(\text{II})(\mu\text{-Cl})_2/\text{SiO}_2$: a study on synthesis of EC from CO_2 reaction with ethylene oxide (Gao, J. (168) 241)

Synthesis

Studies on esterification reaction over aluminophosphate and silicoaluminophosphate molecular sieves (Zhao, Z.H. (168) 147)

Tetrahydrofuran

Oxidative dehydrogenation of isobutyric acid over 12-molybdophosphoric acids modified by tetrahydrofuran (Park, G.I. (168) 115)

Tin hydrogenphosphate

Gas-phase hydrogenation of acetonitrile over nickel supported on alumina- and mixed alumina/gallium oxide-pillared tin phosphate catalysts (Braos-García, P. (168) 279)

 TiO_2/Y -zeolite

TiO_2/Y -Zeolite encapsulating intramolecular charge transfer molecules: a new photocatalyst for photoreduction of methyl orange in aqueous medium (Kim, Y. (168) 257)

 TiO_2

Photocatalytic mineralization of vinyl chloride on TiO_2 (Sano, T. (168) 233)

Transfer hydrogenation

(*R,R*)-*N*-phenyl-3,4-bis(diphenylphosphino)pyrrolidine: an *N*-aryl pyrrolidine ligand for enantioselective transfer hydrogenation (Gonsalves, A.M.d.R. (168) 53)

Triruthenium dodecacarbonyl

An in situ spectroscopic study of the ruthenium catalyzed carbonylation of piperidine starting with triruthenium dodecacarbonyl. The importance of path dependence in homogeneous catalysis (Liu, G. (168) 33)

Turnover frequency

An in situ spectroscopic study of the ruthenium catalyzed carbonylation of piperidine starting with triruthenium dodecacarbonyl. The importance of path dependence in homogeneous catalysis (Liu, G. (168) 33)

Unsaturated aldehyde

Selective hydrogenation of α -, β -unsaturated aldehyde to unsaturated alcohol with supported platinum catalysts at high pressures of hydrogen (Shirai, M. (168) 99)

UV-VIS

Effect of peripheral substitution on spectral and catalytic properties of copper phthalocyanine complexes (Seelan, S. (168) 61)

Vinyl chloride

Photocatalytic mineralization of vinyl chloride on TiO_2 (Sano, T. (168) 233)

Zeolite-Na-Y

Oxidation by molecular oxygen using zeolite encapsulated $\text{Co}(\text{II})\text{saloph}$ complexes (Joseph, T. (168) 87)

Zeolites

Dialkylation of naphthalene with isopropanol over acidic zeolites. Influence of pore structure on selectivity (Moreau, P. (168) 105)