

Author index

- Ahn, W.-S., see Suh, Y.-W. (174) 249
Alt, H.G., see Reb, A. (174) 35
Anderson, M.W., see Philippou, A. (174) 223
Aresta, M., Dibenedetto, A., Quaranta, E., Boscolo, M. and Larsson, R.
The kinetics and mechanism of the reaction between carbon dioxide and a series of amines. Observation and interpretation of an isokinetic effect (174) 7
Asakura, N., Hiraishi, T., Kamachi, T. and Okura, I.
Lysine-linked viologen for substrate of hydrogenase on hydrogen evolution (174) 1
The role of specific lysine in cytochrome c_3 on the electron transfer with hydrogenase (174) 289
Bargon, J., see Eichhorn, A. (174) 293
Barkanova, S.V. and Makarova, E.A.
Mechanism of the interaction of Mn tetraazaporphines with peracetic acid. The comparative reactivity of Mn(III) porphinoide complexes in the formation of Mn-oxenes (174) 89
Bethell, D., see Laidlaw, P. (174) 187
Bischoff, S., see Köckritz, A. (174) 119
Borowski, A.F., Sabo-Etienne, S. and Chaudret, B.
Homogeneous hydrogenation of arenes catalyzed by the bis(dihydrogen) complex $[\text{RuH}_2(\text{H}_2)_2(\text{PCy}_3)_2]$ (174) 69
Boscolo, M., see Aresta, M. (174) 7
Brown, S.M., see Laidlaw, P. (174) 187
Canudas, N., see Herrera, V. (174) 141
Cenini, S., see Ragaini, F. (174) 51
Chaube, V.D., Moreau, P., Finiels, A., Ramaswamy, A.V. and Singh, A.P.
Propionylation of phenol to 4-hydroxypropiophenone over zeolite H-beta (174) 255
Chaudret, B., see Borowski, A.F. (174) 69
Chen, M.D., see Yuan, J.C. (174) 63
Chen, Y., see He, D. (174) 21
Choi, Y.H. and Lee, W.Y.
Effect of second metals and Cu content on catalyst performance of Ni–Cu/SiO₂ in the hydrodechlorination of 1,1,2-trichloroethane into vinyl chloride monomer (174) 193
Chung, Y.K., see Park, H.-J. (174) 151
Cibulka, R., see Kotoučová, H. (174) 59
Court, J., see Molvinger, K. (174) 245
Cramail, H., see Pédeutour, J.-N. (174) 81
Danilova, I.G., see Panchenko, V.N. (174) 107
das Dores Assis, M., see Schiavon, M.A. (174) 213
Deffieux, A., see Pédeutour, J.-N. (174) 81
Dibenedetto, A., see Aresta, M. (174) 7
Dieterle, M., Mestl, G., Jäger, J., Uchida, Y., Hibst, H. and Schlögl, R.
Mixed molybdenum oxide based partial oxidation catalyst. 2. Combined X-ray diffraction, electron microscopy and Raman investigation of the phase stability of (MoVW)₅O₁₄-type oxides (174) 169
Dwyer, J., see Philippou, A. (174) 223
Eichhorn, A., Koch, A. and Bargon, J.
In situ PHIP NMR — a new tool to investigate hydrogenation mediated by colloidal catalysts (174) 293
Finiels, A., see Chaube, V.D. (174) 255
Gasperini, M., see Ragaini, F. (174) 51
Ghanbari-Siahkhalil, A., see Philippou, A. (174) 223
Goncharov, V.G., see Panchenko, V.N. (174) 107
Grillo, M.E. and Sautet, P.
On the nature of RuS₂ HDS active sites: insight from ab initio theory (174) 239
Hampl, F., see Kotoučová, H. (174) 59
Han, J.W., see Park, H.-J. (174) 151
He, D., Pang, D., Wang, T.-e., Chen, Y., Liu, Y., Liu, J. and Zhu, Q.
Hydroformylation of mixture of isomeric octenes to C₉-aldehydes catalyzed by Rh–phosphine oxide complexes (174) 21
Herrera, V., Muñoz, B., Landaeta, V. and Canudas, N.
Homogeneous hydrogenation of imines catalyzed by rhodium and iridium complexes. Kinetics and mechanism of the hydrogenation of *N*-(β-naphthyl methylene) aniline using $[\text{Ir}(\text{COD})(\text{PPh}_3)_2]\text{PF}_6$ as catalyst precursor (174) 141
Hibst, H., see Dieterle, M. (174) 169
Hiraishi, T., see Asakura, N. (174) 1, 289
Hukkamäki, J. and Pakkanen, T.T.
Study on catalytic hydrogenation in synthesis of four-directional amine-terminated dendritic molecules (174) 205
Hupp, J.T., see Morris, G.A. (174) 15
Hutchings, G.J., see Laidlaw, P. (174) 187
Iamamoto, Y., see Schiavon, M.A. (174) 213
Iamamoto, Y., see Vinhado, F.S. (174) 279
Imanishi, Y., see Nomura, K. (174) 127

- Jäger, J., see Dieterle, M. (174) 169
Jang, H.-Y., see Park, H.-J. (174) 151
Jobic, H., see Molvinger, K. (174) 245
Johnstone, R.A.W., Liu, J.-Y. and Whittaker, D.
Mechanism of heterogeneous gas phase dehydration of 1-methylcyclohexanol catalysed by metal(IV) phosphates (174) 159
- Kamachi, T., see Asakura, N. (174) 1, 289
Kant, M., see Köckritz, A. (174) 119
Kim, N.-K., see Suh, Y.-W. (174) 249
Koch, A., see Eichhorn, A. (174) 293
Köckritz, A., Bischoff, S., Kant, M. and Siefken, R.
Asymmetric hydroformylation and hydrogenation catalyzed by chiral rhodium and ruthenium complexes of phosphorylated 2,2'-bis(diphenyl-phosphino)-1,1'-binaphthyls (174) 119
Kotoučová, H., Cibulka, R., Hampl, F. and Liška, F.
Amphiphilic quaternary pyridinium ketoximes as functional hydrolytic micellar catalysts — does the nucleophilic function position influence their reactivity? (174) 59
- Laidlaw, P., Bethell, D., Brown, S.M. and Hutchings, G.J.
Benzoylation of substituted arenes using Zn- and Fe-exchanged zeolites as catalysts (174) 187
Landaeta, V., see Herrera, V. (174) 141
Larsson, R., see Aresta, M. (174) 7
Lee, W.Y., see Choi, Y.H. (174) 193
Liška, F., see Kotoučová, H. (174) 59
Liu, J., see He, D. (174) 21
Liu, J.-Y., see Johnstone, R.A.W. (174) 159
Liu, Y., see He, D. (174) 21
Lofrano, R.C.Z., Queiroz, J.V. and Romero, J.R.
Preparation and properties of an electrode with platinum microcrystals dispersed in films of poly(allyl ether *p*-benzenammonium derivatives). Electrocatalytic hydrogenation of organic substrates (174) 231
Lu, S.J., see Yuan, J.C. (174) 63
- Makarova, E.A., see Barkanova, S.V. (174) 89
Marziano, N.C., Ronchin, L., Tortato, C., Zingales, A. and Sheikh-Osman, A.A.
Acidity and reactivity of trifluoromethanesulfonic acid in liquid and solid acid catalysts (174) 265
Mestl, G., see Dieterle, M. (174) 169
Molvinger, K., Court, J. and Jobic, H.
Evidence for the anchoring of 2-amino-3-methyl-1-butanol at the surface of NiB₂ agglomerate by inelastic neutron spectroscopy (174) 245
Moreau, P., see Chaube, V.D. (174) 255
Morris, G.A., Nguyen, S.T. and Hupp, J.T.
Enhanced activity of enantioselective (salen)Mn(III) epoxidation catalysts through supramolecular complexation (174) 15
Muñoz, B., see Herrera, V. (174) 141
Nascimento, O.R., see Schiavon, M.A. (174) 213
Nguyen, S.T., see Morris, G.A. (174) 15
Nomura, K., Oya, K. and Imanishi, Y.
Ethylene/ α -olefin copolymerization by various nonbridged (cyclopentadienyl)(aryloxy)titanium(IV) complexes — MAO catalyst system (174) 127
Okura, I., see Asakura, N. (174) 1, 289
Oya, K., see Nomura, K. (174) 127
- Pakkanen, T.T., see Hukkamäki, J. (174) 205
Panchenko, V.N., Zakharov, V.A., Danilova, I.G., Paukshtis, E.A., Zakharov, I.I., Goncharov, V.G. and Suknev, A.P.
Structure and performance of the solid methylalumoxane at temperatures 20–250°C. Experimental and DFT calculation study (174) 107
Pang, D., see He, D. (174) 21
Park, H.-J., Han, J.W., Seo, H., Jang, H.-Y., Chung, Y.K. and Suh, J.
Preparation and application of polymer-supported π -allylpalladium complex as a chiral catalyst in the asymmetric allylic alkylation (174) 151
Partenheimer, W.
The structure of metal/bromide catalysts in acetic acid/water mixtures and its significance in autoxidation (174) 29
Paukshtis, E.A., see Panchenko, V.N. (174) 107
Pazè, C., see Philippou, A. (174) 223
Pédeutour, J.-N., Cramail, H. and Deffieux, A.
The negative role of chloride counter-anion in the activation process of zirconocene dichloride by methylaluminoxane (174) 81
Philippou, A., Dwyer, J., Ghanbari-Siahkali, A., Pazè, C. and Anderson, M.W.
Solid-state NMR studies of *n*-butene isomerisation over H-ferrierite (174) 223
Prado-Manso, C.M.C., see Vinhado, F.S. (174) 279
- Quaranta, E., see Aresta, M. (174) 7
Queiroz, J.V., see Lofrano, R.C.Z. (174) 231
- Ragaini, F., Cenini, S. and Gasperini, M.
Reduction of nitrobenzene to aniline by CO/H₂O, catalysed by Ru₃(CO)₁₂/chelating diimines (174) 51
Ramaswamy, A.V., see Chaube, V.D. (174) 255
Reb, A. and Alt, H.G.
Diastereomeric amido functionalized *ansa* half-sandwich complexes of titanium and zirconium as catalyst precursors for ethylene polymerization to give resins with bimodal molecular weight distributions (174) 35
Rhee, H.-K., see Suh, Y.-W. (174) 249
Romero, J.R., see Lofrano, R.C.Z. (174) 231
Ronchin, L., see Marziano, N.C. (174) 265
- Sabo-Etienne, S., see Borowski, A.F. (174) 69
Sacco, H.C., see Vinhado, F.S. (174) 279
Sautet, P., see Grillo, M.E. (174) 239
Schiavon, M.A., Iamamoto, Y., Nascimento, O.R. and das Dores Assis, M.
Catalytic activity of nitro- and carboxy-substituted iron porphyrins in hydrocarbon oxidation. Homogeneous solution and supported systems (174) 213

- Schlögl, R., see Dieterle, M. (174) 169
- Seo, H., see Park, H.-J. (174) 151
- Sheikh-Osman, A.A., see Marziano, N.C. (174) 265
- Siefken, R., see Köckritz, A. (174) 119
- Singh, A.P., see Chaube, V.D. (174) 255
- Suh, J., see Park, H.-J. (174) 151
- Suh, Y.-W., Kim, N.-K., Ahn, W.-S. and Rhee, H.-K.
Redox-mesoporous molecular sieve as a bifunctional catalyst for
the one-pot synthesis of campholenic aldehyde from α -pinene
(174) 249
- Suknev, A.P., see Panchenko, V.N. (174) 107
- Tortato, C., see Marziano, N.C. (174) 265
- Uchida, Y., see Dieterle, M. (174) 169
- Vinhado, F.S., Prado-Manso, C.M.C., Sacco, H.C. and Yamamoto, Y.
Cationic manganese(III) porphyrins bound to a novel bis-func-
tionalised silica as catalysts for hydrocarbons oxygenation by
iodosylbenzene and hydrogen peroxide (174) 279
- Wang, T.-e., see He, D. (174) 21
- Whittaker, D., see Johnstone, R.A.W. (174) 159
- Yuan, J.C., Zhang, Y.H., Chen, M.D. and Lu, S.J.
Regio- and stereoselective alternating copolymerization of
carbon monoxide with functionalized olefins (174) 63
- Zakharov, I.I., see Panchenko, V.N. (174) 107
- Zakharov, V.A., see Panchenko, V.N. (174) 107
- Zhang, Y.H., see Yuan, J.C. (174) 63
- Zhu, Q., see He, D. (174) 21
- Zingales, A., see Marziano, N.C. (174) 265