

Subject index

- Acetophenone**
Multiphase heterogeneous catalytic enantioselective hydrogenation of acetophenone over cinchona-modified Pt/C (Perosa, A. (180) 169)
- Alkylation**
Regioselective hydrophenylation of olefins catalyzed by an Ir(III) complex (Matsumoto, T. (180) 1)
- 2-Aminophenol oxidation**
TEMPO-initiated oxidation of 2-aminophenol to 2-aminophenoxazin-3-one (Kaizer, J. (180) 91)
- Anti-Markovnikov**
Regioselective hydrophenylation of olefins catalyzed by an Ir(III) complex (Matsumoto, T. (180) 1)
- Aromatic alkylation**
The transition state shape-selective aromatic alkylation over MnAPO-11 molecular sieve catalysts (Yeom, Y.H. (180) 133)
- Aromatization**
Relationship between the molybdenum phases and the conversion of *n*-butane over Mo/HZSM-5 (Yuan, S. (180) 245)
- Asymmetric reactions**
Synthesis and catalytic activity of new chiral unsymmetrical Mn(III)-Schiff-base complexes containing salicylaldehyde and 1-(2-hydroxyphenyl)ketone units (Pietikäinen, P. (180) 59)
- Atmospheric pressure plasma**
Decomposition of toluene using an atmospheric pressure plasma/TiO₂ catalytic system (Kang, M. (180) 125)
- Atom transfer radical polymerization**
A new class of ruthenium complexes containing Schiff base ligands as promising catalysts for atom transfer radical polymerization and ring opening metathesis polymerization (De Clercq, B. (180) 67)
- Aziridination**
Aziridination of styrene: comparison of [*N*-(*p*-tolylsulfonyl)imino]phenyliodinane and chloramine-T as nitrene donors (Gullick, J. (180) 85)
- Base-adduct**
Palladium-based supported liquid phase catalysts: influence of preparation variables on the activity and enhancement of the activity on recycling in the Heck reaction (Fujita, S. (180) 277)
- Benzylation of benzene by benzyl chloride**
Benzylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)
- Binaphthol**
Synthesis of binaphthols over mesoporous molecular sieves (Ramakrishna Prasad, M. (180) 109)
- Bismuth**
The role of bismuth as promoter in Pd–Bi catalysts for the selective oxidation of glucose to gluconate (Wenkin, M. (180) 141)
- Bridged cyclic alkene epoxidation**
H₂O₂-based epoxidation of bridged cyclic alkenes with [P{Ti(O₂)₂W₁₀O₃₈}⁷⁻ in monophasic systems: active site and kinetics (Gao, F. (180) 97)
- Catalytic epoxidation**
Alkene epoxidation catalysed by binuclear manganese complexes (Louloudi, M. (180) 19)
- CH activation**
Regioselective hydrophenylation of olefins catalyzed by an Ir(III) complex (Matsumoto, T. (180) 1)
- Chiral catalysts**
A novel strategy for heterogenisation of homogeneous and colloidal chiral catalysts and their application in enantioselective reactions (Köckritz, A. (180) 231)
- Chloramine-T**
Aziridination of styrene: comparison of [*N*-(*p*-tolylsulfonyl)imino]phenyliodinane and chloramine-T as nitrene donors (Gullick, J. (180) 85)
- Cinchona**
Multiphase heterogeneous catalytic enantioselective hydrogenation of acetophenone over cinchona-modified Pt/C (Perosa, A. (180) 169)
- CO oxidation**
Zirconia supported La, Co oxides and LaCoO₃ perovskite: structural characterization and catalytic CO oxidation (Colonna, S. (180) 161)
NO reduction and CO oxidation over Cu/Ce/Mg/Al mixed oxide catalyst in FCC operation (Wen, B. (180) 187)
- Co perovskites**
Zirconia supported La, Co oxides and LaCoO₃ perovskite: structural characterization and catalytic CO oxidation (Colonna, S. (180) 161)
- Crotonaldehyde**
Performance of Pt/SnO₂ catalyst in the gas phase hydrogenation of crotonaldehyde (Liberková, K. (180) 221)
- Cu/Fe_{imp}NaY**
Synthesis of binaphthols over mesoporous molecular sieves (Ramakrishna Prasad, M. (180) 109)

- Cu_{imp}NaMCM-41**
 Synthesis of binaphthols over mesoporous molecular sieves (Ramakrishna Prasad, M. (180) 109)
- Deactivation**
 The role of bismuth as promoter in Pd–Bi catalysts for the selective oxidation of glucose to gluconate (Wenkin, M. (180) 141)
- Diethylamine**
 The transition state shape-selective aromatic alkylation over MnAPO-11 molecular sieve catalysts (Yeom, Y.H. (180) 133)
- Diphenylmethane**
 Benzylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)
- Diphosphines**
 A novel strategy for heterogenisation of homogeneous and colloidal chiral catalysts and their application in enantioselective reactions (Köckritz, A. (180) 231)
- Electronic state**
 Influence of electronic state and dispersion of platinum particles on the conversion and selectivity of hydrogenation of an α,β -unsaturated aldehyde in supercritical carbon dioxide (Zhao, F. (180) 259)
- Enantioselective catalysis**
 Synthesis and catalytic activity of new supported rhodium(I) complexes for the enantioselective hydrogenation of methyl-(Z)- α -N-acetamidocinnamate (Mastrorilli, P. (180) 177)
- Enantioselective**
 Multiphase heterogeneous catalytic enantioselective hydrogenation of acetophenone over cinchona-modified Pt/C (Perosa, A. (180) 169)
- Encapsulation**
 Zeolite-encapsulated Cr(III), Fe(III), Ni(II), Zn(II) and Bi(III) salpn complexes as catalysts for the decomposition of H₂O₂ and oxidation of phenol (Maurya, M.R. (180) 201)
- Entrapment**
 A novel strategy for heterogenisation of homogeneous and colloidal chiral catalysts and their application in enantioselective reactions (Köckritz, A. (180) 231)
- Epoxidations**
 Synthesis and catalytic activity of new chiral unsymmetrical Mn(III)-Schiff-base complexes containing salicylaldehyde and 1-(2-hydroxyphenyl)ketone units (Pietikäinen, P. (180) 59)
- Ethane**
 Oxygen species on NiO/Al₂O₃ and their reactivities (Zhang, X. (180) 293)
- Ethylene**
 Oxygen species on NiO/Al₂O₃ and their reactivities (Zhang, X. (180) 293)
- FCC**
 NO reduction and CO oxidation over Cu/Ce/Mg/Al mixed oxide catalyst in FCC operation (Wen, B. (180) 187)
- FeCl₃ supported on clay**
 Benzylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)
- FeCl₃ supported on Si-MCM-41**
 Benzylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)
- Fluorinated phosphines**
 Palladium-catalyzed Heck coupling reactions using different fluorinated phosphine ligands in compressed carbon dioxide and conventional organic solvents (Fujita, S. (180) 35)
- GaCl₃ supported on clay**
 Benzylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)
- GaCl₃ supported on Si-MCM-41**
 Benzylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)
- Gluconate**
 The role of bismuth as promoter in Pd–Bi catalysts for the selective oxidation of glucose to gluconate (Wenkin, M. (180) 141)
- Glucose**
 The role of bismuth as promoter in Pd–Bi catalysts for the selective oxidation of glucose to gluconate (Wenkin, M. (180) 141)
- H₂O and SO₂ poisoning**
 NO reduction and CO oxidation over Cu/Ce/Mg/Al mixed oxide catalyst in FCC operation (Wen, B. (180) 187)
- H₂O₂ decomposition**
 Zeolite-encapsulated Cr(III), Fe(III), Ni(II), Zn(II) and Bi(III) salpn complexes as catalysts for the decomposition of H₂O₂ and oxidation of phenol (Maurya, M.R. (180) 201)
- H₂O₂**
 H₂O₂-based epoxidation of bridged cyclic alkenes with [P{Ti(O₂)₂W₁₀O₃₈}⁷⁻ in monophasic systems: active site and kinetics (Gao, F. (180) 97)
- Heck coupling**
 Palladium-catalyzed Heck coupling reactions using different fluorinated phosphine ligands in compressed carbon dioxide and conventional organic solvents (Fujita, S. (180) 35)
- Heck reaction**
 Palladium-based supported liquid phase catalysts: influence of preparation variables on the activity and enhancement of the activity on recycling in the Heck reaction (Fujita, S. (180) 277)
- Heck vinylation**
 The leaching and re-deposition of metal species from and onto conventional supported palladium catalysts in the Heck reaction of iodobenzene and methyl acrylate in *N*-methylpyrrolidone (Zhao, F. (180) 211)
- Heterogeneous catalysis**
 The leaching and re-deposition of metal species from and onto conventional supported palladium catalysts in the Heck reaction of iodobenzene and methyl acrylate in *N*-methylpyrrolidone (Zhao, F. (180) 211)

Heterogenisation

A novel strategy for heterogenisation of homogeneous and colloidal chiral catalysts and their application in enantioselective reactions (Köckritz, A. (180) 231)

Homogeneous catalysis

A new class of ruthenium complexes containing Schiff base ligands as promising catalysts for atom transfer radical polymerization and ring opening metathesis polymerization (De Clercq, B. (180) 67)

Hydrogen peroxide

Alkene epoxidation catalysed by binuclear manganese complexes (Louloudi, M. (180) 19)

Hydrogenation

Multiphase heterogeneous catalytic enantioselective hydrogenation of acetophenone over cinchona-modified Pt/C (Perosa, A. (180) 169)

Performance of Pt/SnO₂ catalyst in the gas phase hydrogenation of crotonaldehyde (Liberková, K. (180) 221)

In situ method

Decomposition of toluene using an atmospheric pressure plasma/TiO₂ catalytic system (Kang, M. (180) 125)

InCl₃ supported on clay

Benylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)

InCl₃ supported on Si-MCM-41

Benylation of benzene and substituted benzenes by benzyl chloride over InCl₃, GaCl₃, FeCl₃ and ZnCl₂ supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)

Iridium complex

Regioselective hydrophenylation of olefins catalyzed by an Ir(III) complex (Matsumoto, T. (180) 1)

Iron oxide

Occurrence and prevention of photodissolution at the phase junction of magnetite and titanium dioxide (Beydoun, D. (180) 193)

Keggin-type hydroperoxotitanium complex

H₂O₂-based epoxidation of bridged cyclic alkenes with [P{Ti(O₂)₂W₁₀O₃₈}⁷⁻ in monophasic systems: active site and kinetics (Gao, F. (180) 97)

Leaching

The leaching and re-deposition of metal species from and onto conventional supported palladium catalysts in the Heck reaction of iodobenzene and methyl acrylate in *N*-methylpyrrolidone (Zhao, F. (180) 211)

Ligand effects

Palladium-catalyzed Heck coupling reactions using different fluorinated phosphine ligands in compressed carbon dioxide and conventional organic solvents (Fujita, S. (180) 35)

Magnetic photocatalyst

Occurrence and prevention of photodissolution at the phase junction of magnetite and titanium dioxide (Beydoun, D. (180) 193)

Manganese complexes

Alkene epoxidation catalysed by binuclear manganese complexes (Louloudi, M. (180) 19)

Metallocene–methylalumoxane

Alkyl-substituted cyclopentadienyl- and phospholyl-zirconium/MAO catalysts for propene and 1-hexene oligomerization (Janiak, C. (180) 43)

MnAPO-11 molecular sieves

The transition state shape-selective aromatic alkylation over MnAPO-11 molecular sieve catalysts (Yeom, Y.H. (180) 133)

Mo/HZSM-5

Relationship between the molybdenum phases and the conversion of *n*-butane over Mo/HZSM-5 (Yuan, S. (180) 245)

Molybdenum carbide

Relationship between the molybdenum phases and the conversion of *n*-butane over Mo/HZSM-5 (Yuan, S. (180) 245)

MoO₃

Relationship between the molybdenum phases and the conversion of *n*-butane over Mo/HZSM-5 (Yuan, S. (180) 245)

Multiphase

Multiphase heterogeneous catalytic enantioselective hydrogenation of acetophenone over cinchona-modified Pt/C (Perosa, A. (180) 169)

β-Naphthol

Synthesis of binaphthols over mesoporous molecular sieves (Ramakrishna Prasad, M. (180) 109)

NiO/Al₂O₃

Oxygen species on NiO/Al₂O₃ and their reactivities (Zhang, X. (180) 293)

Nitrene donors

Aziridination of styrene: comparison of [*N*-(*p*-tolylsulfonyl)-imino]phenyliodinane and chloramine-T as nitrene donors (Gullick, J. (180) 85)

NO and CO co-adsorption

NO reduction and CO oxidation over Cu/Ce/Mg/Al mixed oxide catalyst in FCC operation (Wen, B. (180) 187)

NO reduction

NO reduction and CO oxidation over Cu/Ce/Mg/Al mixed oxide catalyst in FCC operation (Wen, B. (180) 187)

Oligomerization

Alkyl-substituted cyclopentadienyl- and phospholyl-zirconium/MAO catalysts for propene and 1-hexene oligomerization (Janiak, C. (180) 43)

Oxidation of phenol

Zeolite-encapsulated Cr(III), Fe(III), Ni(II), Zn(II) and Bi(III) salen complexes as catalysts for the decomposition of H₂O₂ and oxidation of phenol (Maurya, M.R. (180) 201)

Oxidation

Oxidation of primary alcohols to aldehydes with oxygen catalysed by tetra-*n*-propylammonium perruthenate (Hasan, M. (180) 77)

The role of bismuth as promoter in Pd–Bi catalysts for the selective oxidation of glucose to gluconate (Wenkin, M. (180) 141)

- Oxidative coupling
 Synthesis of binaphthols over mesoporous molecular sieves (Ramakrishna Prasad, M. (180) 109)
- Oxidative dehydrogenation
 Oxygen species on NiO/Al₂O₃ and their reactivities (Zhang, X. (180) 293)
- Oxygen species
 Oxygen species on NiO/Al₂O₃ and their reactivities (Zhang, X. (180) 293)
- Palladium
 Palladium-catalyzed Heck coupling reactions using different fluorinated phosphine ligands in compressed carbon dioxide and conventional organic solvents (Fujita, S. (180) 35)
 The leaching and re-deposition of metal species from and onto conventional supported palladium catalysts in the Heck reaction of iodobenzene and methyl acrylate in *N*-methylpyrrolidone (Zhao, F. (180) 211)
 Palladium-based supported liquid phase catalysts: influence of preparation variables on the activity and enhancement of the activity on recycling in the Heck reaction (Fujita, S. (180) 277)
 Effects of the addition of titania on the thermal characterization of alumina-supported palladium (Wang, C.-B. (180) 285)
- Perylene diol
 Synthesis of binaphthols over mesoporous molecular sieves (Ramakrishna Prasad, M. (180) 109)
- Phenoxazinone synthase
 TEMPO-initiated oxidation of 2-aminophenol to 2-aminophenoxazin-3-one (Kaizer, J. (180) 91)
- Photodissolution
 Occurrence and prevention of photodissolution at the phase junction of magnetite and titanium dioxide (Beydoun, D. (180) 193)
- Platinum dispersion
 Influence of electronic state and dispersion of platinum particles on the conversion and selectivity of hydrogenation of an α,β -unsaturated aldehyde in supercritical carbon dioxide (Zhao, F. (180) 259)
- Polyelectrolytes
 A novel strategy for heterogenisation of homogeneous and colloidal chiral catalysts and their application in enantioselective reactions (Köckritz, A. (180) 231)
- Polymerizable complexes
 Synthesis and catalytic activity of new supported rhodium(I) complexes for the enantioselective hydrogenation of methyl-(*Z*)- α -*N*-acetamidocinnamate (Mastrorilli, P. (180) 177)
- Polymerization
 Alkyl-substituted cyclopentadienyl- and phospholyl-zirconium/MAO catalysts for propene and 1-hexene oligomerization (Janiak, C. (180) 43)
- Primary alcohols
 Oxidation of primary alcohols to aldehydes with oxygen catalysed by tetra-*n*-propylammonium perruthenate (Hasan, M. (180) 77)
- ³¹P NMR spectroscopy
 H₂O₂-based epoxidation of bridged cyclic alkenes with [P{Ti(O₂)₂W₁₀O₃₈}⁷⁻ in monophasic systems: active site and kinetics (Gao, F. (180) 97)
- Pt-Sn alloy
 Performance of Pt/SnO₂ catalyst in the gas phase hydrogenation of crotonaldehyde (Liberková, K. (180) 221)
- Pt/SiO₂ catalyst
 Influence of electronic state and dispersion of platinum particles on the conversion and selectivity of hydrogenation of an α,β -unsaturated aldehyde in supercritical carbon dioxide (Zhao, F. (180) 259)
- Pt/SnO₂
 Performance of Pt/SnO₂ catalyst in the gas phase hydrogenation of crotonaldehyde (Liberková, K. (180) 221)
- Questionimycin A
 TEMPO-initiated oxidation of 2-aminophenol to 2-aminophenoxazin-3-one (Kaizer, J. (180) 91)
- Re-deposition
 The leaching and re-deposition of metal species from and onto conventional supported palladium catalysts in the Heck reaction of iodobenzene and methyl acrylate in *N*-methylpyrrolidone (Zhao, F. (180) 211)
- Recycling
 Palladium-based supported liquid phase catalysts: influence of preparation variables on the activity and enhancement of the activity on recycling in the Heck reaction (Fujita, S. (180) 277)
- Regioselective hydro phenylation
 Regioselective hydrophenylation of olefins catalyzed by an Ir(III) complex (Matsumoto, T. (180) 1)
- n*-C₄H₁₀
 Relationship between the molybdenum phases and the conversion of *n*-butane over Mo/HZSM-5 (Yuan, S. (180) 245)
- Rhodium
 Synthesis and catalytic activity of new supported rhodium(I) complexes for the enantioselective hydrogenation of methyl-(*Z*)- α -*N*-acetamidocinnamate (Mastrorilli, P. (180) 177)
- Ring opening metathesis polymerization
 A new class of ruthenium complexes containing Schiff base ligands as promising catalysts for atom transfer radical polymerization and ring opening metathesis polymerization (De Clercq, B. (180) 67)
- Ruthenium alkylidene
 A new class of ruthenium complexes containing Schiff base ligands as promising catalysts for atom transfer radical polymerization and ring opening metathesis polymerization (De Clercq, B. (180) 67)
- Salen
 Synthesis and catalytic activity of new chiral unsymmetrical Mn(III)-Schiff-base complexes containing salicylaldehyde and 1-(2-hydroxyphenyl)ketone units (Pietikäinen, P. (180) 59)
- Schiff base
 Alkene epoxidation catalysed by binuclear manganese complexes (Louloudi, M. (180) 19)

Schiff bases

Synthesis and catalytic activity of new chiral unsymmetrical Mn(III)-Schiff-base complexes containing salicylaldehyde and 1-(2-hydroxyphenyl)ketone units (Pietikäinen, P. (180) 59)

A new class of ruthenium complexes containing Schiff base ligands as promising catalysts for atom transfer radical polymerization and ring opening metathesis polymerization (De Clercq, B. (180) 67)

Selective C=O bond hydrogenation

Performance of Pt/SnO₂ catalyst in the gas phase hydrogenation of crotonaldehyde (Liberková, K. (180) 221)

Selective hydrogenation

Influence of electronic state and dispersion of platinum particles on the conversion and selectivity of hydrogenation of an α,β -unsaturated aldehyde in supercritical carbon dioxide (Zhao, F. (180) 259)

SHELL-higher-olefin process

Alkyl-substituted cyclopentadienyl- and phospholyl-zirconium/MAO catalysts for propene and 1-hexene oligomerization (Janiak, C. (180) 43)

Spectroscopy

Zeolite-encapsulated Cr(III), Fe(III), Ni(II), Zn(II) and Bi(III) salpn complexes as catalysts for the decomposition of H₂O₂ and oxidation of phenol (Maurya, M.R. (180) 201)

Stereospecific active site

Formation, deactivation and transformation of stereospecific active sites on TiCl₄/dibutylphthalate/Mg(OEt)₂ catalyst induced by short time reaction with Al-alkyl cocatalyst (Nitta, T. (180) 25)

Stopped-flow propene polymerization

Influence of electronic state and dispersion of platinum particles on the conversion and selectivity of hydrogenation of an α,β -unsaturated aldehyde in supercritical carbon dioxide (Zhao, F. (180) 259)

Formation, deactivation and transformation of stereospecific active sites on TiCl₄/dibutylphthalate/Mg(OEt)₂ catalyst induced by short time reaction with Al-alkyl cocatalyst (Nitta, T. (180) 25)

Supercritical carbon dioxide

Palladium-catalyzed Heck coupling reactions using different fluorinated phosphine ligands in compressed carbon dioxide and conventional organic solvents (Fujita, S. (180) 35)

Supported liquid phase catalysts

Palladium-based supported liquid phase catalysts: influence of preparation variables on the activity and enhancement of the activity on recycling in the Heck reaction (Fujita, S. (180) 277)

Supported

Synthesis and catalytic activity of new supported rhodium(I) complexes for the enantioselective hydrogenation of methyl-(Z)- α -N-acetamidocinnamate (Mastorilli, P. (180) 177)

TEMPO

TEMPO-initiated oxidation of 2-aminophenol to 2-aminophenoxazin-3-one (Kaizer, J. (180) 91)

TG/DSC

Effects of the addition of titania on the thermal characterization of alumina-supported palladium (Wang, C.-B. (180) 285)

Thermal characterization

Effects of the addition of titania on the thermal characterization of alumina-supported palladium (Wang, C.-B. (180) 285)

Ti-active species for epoxidation

H₂O₂-based epoxidation of bridged cyclic alkenes with [P{Ti(O₂)₂W₁₀O₃₈}⁷⁻ in monophasic systems: active site and kinetics (Gao, F. (180) 97)

TiCl₄/dibutylphthalate/Mg(OEt)₂

Formation, deactivation and transformation of stereospecific active sites on TiCl₄/dibutylphthalate/Mg(OEt)₂ catalyst induced by short time reaction with Al-alkyl cocatalyst (Nitta, T. (180) 25)

TiO₂ catalyst

Decomposition of toluene using an atmospheric pressure plasma/TiO₂ catalytic system (Kang, M. (180) 125)

Titanium dioxide

Occurrence and prevention of photodissolution at the phase junction of magnetite and titanium dioxide (Beydoun, D. (180) 193)

Toluene decomposition

Decomposition of toluene using an atmospheric pressure plasma/TiO₂ catalytic system (Kang, M. (180) 125)

TPD

Effects of the addition of titania on the thermal characterization of alumina-supported palladium (Wang, C.-B. (180) 285)

TPR

Effects of the addition of titania on the thermal characterization of alumina-supported palladium (Wang, C.-B. (180) 285)

Transformation

Formation, deactivation and transformation of stereospecific active sites on TiCl₄/dibutylphthalate/Mg(OEt)₂ catalyst induced by short time reaction with Al-alkyl cocatalyst (Nitta, T. (180) 25)

Transition state

The transition state shape-selective aromatic alkylation over MnAPO-11 molecular sieve catalysts (Yeom, Y.H. (180) 133)

Unsaturated aldehydes

Oxidation of primary alcohols to aldehydes with oxygen catalysed by tetra-*n*-propylammonium perruthenate (Hasan, M. (180) 77)

Unsymmetrical catalysts

Synthesis and catalytic activity of new chiral unsymmetrical Mn(III)-Schiff-base complexes containing salicylaldehyde and 1-(2-hydroxyphenyl)ketone units (Pietikäinen, P. (180) 59)

XRD and SEM

The transition state shape-selective aromatic alkylation over MnAPO-11 molecular sieve catalysts (Yeom, Y.H. (180) 133)

Y-zeolite

Zeolite-encapsulated Cr(III), Fe(III), Ni(II), Zn(II) and Bi(III) salpn complexes as catalysts for the decomposition of H₂O₂ and oxidation of phenol (Maurya, M.R. (180) 201)

Ziegler–Natta catalyst

Formation, deactivation and transformation of stereospecific active sites on TiCl_4 /dibutylphthalate/ $\text{Mg}(\text{OEt})_2$ catalyst induced by short time reaction with Al-alkyl cocatalyst (Nitta, T. (180) 25)

Zirconia-supported La

Zirconia supported La, Co oxides and LaCoO_3 perovskite: structural characterization and catalytic CO oxidation (Colonna, S. (180) 161)

 ZnCl_2 supported on clay

Benylation of benzene and substituted benzenes by benzyl chloride over InCl_3 , GaCl_3 , FeCl_3 and ZnCl_2 supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)

 ZnCl_2 supported on Si-MCM-41

Benylation of benzene and substituted benzenes by benzyl chloride over InCl_3 , GaCl_3 , FeCl_3 and ZnCl_2 supported on clays and Si-MCM-41 (Choudhary, V.R. (180) 267)