



ELSEVIER

Journal of Molecular Catalysis A: Chemical 185 (2002) 317–319

JOURNAL OF
MOLECULAR
CATALYSIS
A: CHEMICAL

www.elsevier.com/locate/molcata

Author index

- Abu-Reziq, R., Avnir, D., Miloslavski, I., Schumann, H. and Blum, J.
Entrapment of metallic palladium and a rhodium(I) complex in a silica sol-gel matrix. Formation of a highly active recyclable arene hydrogenation catalyst (185) 179
- Avnir, D., see Abu-Reziq, R. (185) 179
- Babbar, P., see Singh, U.P. (185) 33
- Beller, M., see Jackstell, R. (185) 105
- Benedito, F.L., see Nakagaki, S. (185) 203
- Bennur, T.H., Sabne, S., Deshpande, S.S., Srinivas, D. and Sivasanker, S.
Benzyllic oxidation with H_2O_2 catalyzed by Mn complexes of N,N',N'' -trimethyl-1,4,7-triazacyclonane: spectroscopic investigations of the active Mn species (185) 71
- Bianchini, D., dos Santos, J.H.Z., Uozumi, T. and Sano, T.
Characterization of MAO-modified silicas (185) 223
- Bildstein, B., see Jackstell, R. (185) 105
- Blum, J., see Abu-Reziq, R. (185) 179
- Blume, A., see Ovsitser, O. (185) 291
- Brunner, H., see Singh, U.P. (185) 33
- Buffon, R., see Dallmann, K. (185) 187
- Burton, H.A. and Kozhevnikov, I.V.
Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (185) 285
- Cao, Y., see Hu, J.-C. (185) 1
- Červený, L., see Kukula, P. (185) 195
- Chand, M., see Sharma, L.D. (185) 135
- Charoenchaide, S., Chavadej, S. and Gulari, E.
Borane-functionalized silica supports. In situ activated heterogeneous zirconocene catalysts for MAO-free ethylene polymerization (185) 167
- Chavadej, S., see Charoenchaide, S. (185) 167
- Chen, H., see Huang, Y. (185) 41
- Cheng, P., see Huang, Y. (185) 41
- Claver, C., see Diéguéz, M. (185) 11
- Cramail, H., see Pédeutour, J.-N. (185) 119
- Cunningham, I.D., Danks, T.N., Hay, J.N., Hamerton, I., Gunathilagan, S. and Janczak, C.
Stability of various metalloporphyrin catalysts during hydrogen peroxide epoxidation of alkene (185) 25
- Dalai, A.K., see Mishra, H.K. (185) 237
- Dallmann, K. and Buffon, R.
Hydrogenation and isomerization of 1-hexene with $Ru_3(CO)_9(PPh_2CH_2CH_2Si(OMe)_3)_3$ immobilized in silica matrices via the sol-gel method (185) 187
- Danks, T.N., see Cunningham, I.D. (185) 25
- Deffieux, A., see Pédeutour, J.-N. (185) 119
- Deguchi, K., see Osawa, T. (185) 65
- Deng, J.-F., see Hu, J.-C. (185) 1
- Deshpande, S.S., see Bennur, T.H. (185) 71
- Dias, M.L., Lopes, D.E.B. and Grafov, A.V.
Propylene—ethylene copolymers by one-monomer metallocene catalyzed polymerization (185) 57
- Diéguéz, M., Pàmies, O., Net, G., Ruiz, A. and Claver, C.
Mixed thioether-phosphite and phosphine-phosphite ligands for copper-catalyzed asymmetric 1,4-addition of organometallic reagents to cyclohexenone (185) 11
- Dieterle, M., see Ovsitser, O. (185) 291
- do Rosário Ribeiro, M., see Zhao, C.-T. (185) 81
- dos Santos, E.N., see Foca, C.M. (185) 17
- dos Santos, J.H.Z., see Bianchini, D. (185) 223
- Esakkidurai, T. and Pitchumani, K.
Zeolite-mediated regioselective nitration of phenol in solid state (185) 305
- Fan, K.-N., see Hu, J.-C. (185) 1
- Foca, C.M., dos Santos, E.N. and Gusevskaya, E.V.
Diastereoselective hydroformylation of camphene catalyzed by platinum/tin complexes (185) 17
- Frisch, A., see Jackstell, R. (185) 105
- Gonçalves, J.A., Howarth, O.W. and Gusevskaya, E.V.
Palladium catalyzed oxidation of monoterpenes: novel oxidation of myrcene with dioxygen (185) 97
- Grafov, A.V., see Dias, M.L. (185) 57
- Gulari, E., see Charoenchaide, S. (185) 167
- Gunathilagan, S., see Cunningham, I.D. (185) 25
- Gupta, J.K., see Sharma, L.D. (185) 135
- Gusevskaya, E.V., see Foca, C.M. (185) 17
- Gusevskaya, E.V., see Gonçalves, J.A. (185) 97
- Hamerton, I., see Cunningham, I.D. (185) 25
- Harada, T., see Osawa, T. (185) 65
- Hassler, B., see Singh, U.P. (185) 33
- Hay, J.N., see Cunningham, I.D. (185) 25

- Hibst, H., see Ovsitser, O. (185) 291
- Horniakova, J., Mravec, D., Joffre, J. and Moreau, P.
Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (185) 249
- Howarth, O.W., see Gonçalves, J.A. (185) 97
- Hu, J.-C., Cao, Y., Yang, P., Deng, J.-F. and Fan, K.-N.
A novel homogeneous catalyst made of poly(*N*-vinyl-2-pyrrolidone)-CuCl₂ complex for the oxidative carbonylation of methanol to dimethyl carbonate (185) 1
- Huang, Y., Min, L.-e., Li, Y., Chen, H., Cheng, P. and Li, X.
Novel effect of additional metal ion on hydroformylation of hexene-1 in biphasic system (185) 41
- Imanishi, Y., see Nomura, K. (185) 311
- Jackstell, R., Frisch, A., Beller, M., Röttger, D., Malaun, M. and Bildstein, B.
Efficient telomerization of 1,3-butadiene with alcohols in the presence of in situ generated palladium(0)carbene complexes (185) 105
- Jäger, J., see Ovsitser, O. (185) 291
- Janczak, C., see Cunningham, I.D. (185) 25
- Jia, M.J., Zhang, W.X. and Wu, T.H.
The role of copper species and Brønsted acidity in CuCl/ZSM-5 catalysts during the selective catalytic reduction of NO by propene (185) 151
- Jiang, H.-S., Mao, X., Xie, S.-J. and Zhong, B.-K.
Partially reduced heteropoly compound catalysts for the selective oxidation of propane (185) 143
- Jiang, R., Wang, Y., Zhao, X., Wang, S., Jin, C. and Zhang, C.
Characterization of catalyst in the synthesis of dimethyl carbonate by gas-phase oxidative carbonylation of methanol (185) 159
- Jin, C., see Jiang, R. (185) 159
- Joffre, J., see Horniakova, J. (185) 249
- Kozhevnikov, I.V., see Burton, H.A. (185) 285
- Krishnan, R. and Vancheesan, S.
Polynuclear manganese complexes catalyzed epoxidation of olefins with molecular oxygen (185) 87
- Kukula, P. and Červený, L.
Effects of reaction variables on enantioselectivity of modified Raney nickel catalyst (185) 195
- Kumar, M., see Sharma, L.D. (185) 135
- Le Bras, J. and Muzart, J.
Selective copper-catalyzed allylic oxidations using a 1/1 ratio of cycloalkene and *tert*-butylperbenzoate (185) 113
- Li, X., see Huang, Y. (185) 41
- Li, Y., see Huang, Y. (185) 41
- Li, Z., Xia, C.-G. and Zhang, X.-M.
Preparation and catalysis of DMTY and MCM-41 encapsulated cationic Mn(III)-porphyrin complex (185) 47
- Lopes, D.E.B., see Dias, M.L. (185) 57
- Malaun, M., see Jackstell, R. (185) 105
- Mao, X., see Jiang, H.-S. (185) 143
- Mestl, G., see Ovsitser, O. (185) 291
- Michalska, Z.M., Ostaszewski, B., Zientarska, J. and Rynkowski, J.M.
Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (185) 279
- Miloslavski, I., see Abu-Reziq, R. (185) 179
- Min, L.-e., see Huang, Y. (185) 41
- Mishra, H.K., Dalai, A.K. and Parida, K.M.
Studies on the effects of CO₂ and CO on *n*-butane isomerisation activity over sulfated zirconia (185) 237
- Montes de Correa, C., see Villa de P., A.L. (185) 269
- Moreau, P., see Horniakova, J. (185) 249
- Mravec, D., see Horniakova, J. (185) 249
- Muzart, J., see Le Bras, J. (185) 113
- Nakagaki, S., Ramos, A.R., Benedito, F.L., Peralta-Zamora, P.G. and Zarbin, A.J.G.
Immobilization of iron porphyrins into porous vycor glass: characterization and study of catalytic activity (185) 203
- Net, G., see Diéguez, M. (185) 11
- Nishiyama, H., see Singh, U.P. (185) 33
- Nomura, K., Ogura, H. and Imanishi, Y.
Hydrogenation of PhCH₂CHO catalyzed by ruthenium complex containing "polymer-attached" ligand prepared by living ring-opening metathesis polymerization (185) 311
- Ogura, H., see Nomura, K. (185) 311
- Osawa, T., Sakai, S., Deguchi, K., Harada, T. and Takayasu, O.
High durability of asymmetrically modified nickel catalysts prepared by in situ modification (185) 65
- Ostaszewski, B., see Michalska, Z.M. (185) 279
- Ovsitser, O., Uchida, Y., Mestl, G., Weinberg, G., Blume, A., Jäger, J., Dieterle, M., Hibst, H. and Schlägl, R.
Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (185) 291
- Pàmies, O., see Diéguez, M. (185) 11
- Parida, K.M., see Mishra, H.K. (185) 237
- Pastorini, A., see Tagliatesta, P. (185) 127
- Paul, J., see Sayan, S. (185) 211
- Pédeutour, J.-N., Radhakrishnan, K., Cramail, H. and Deffieux, A.
Use of "TMA-depleted" MAO for the activation of zirconocenes in olefin polymerization (185) 119
- Peralta-Zamora, P.G., see Nakagaki, S. (185) 203
- Pitchumani, K., see Esakkidurai, T. (185) 305
- Portela, M.F., see Zhao, C.-T. (185) 81
- Radhakrishnan, K., see Pédeutour, J.-N. (185) 119
- Ramos, A.R., see Nakagaki, S. (185) 203
- Röttger, D., see Jackstell, R. (185) 105
- Ruiz, A., see Diéguez, M. (185) 11
- Rynkowski, J.M., see Michalska, Z.M. (185) 279
- Sabne, S., see Bennur, T.H. (185) 71
- Sakai, S., see Osawa, T. (185) 65

- Sano, T., see Bianchini, D. (185) 223
Saxena, A.K., see Sharma, L.D. (185) 135
Sayan, S. and Paul, J.
 Hydrogenation of naphthalene and methylnaphthalene: modelling and spectroscopy (185) 211
Schlögl, R., see Ovsitser, O. (185) 291
Schumann, H., see Abu-Reziq, R. (185) 179
Sharma, L.D., Kumar, M., Saxena, A.K., Chand, M. and Gupta, J.K.
 Influence of pore size distribution on Pt dispersion in Pt-Sn/
 Al₂O₃ reforming catalyst (185) 135
Singh, U.P., Babbar, P., Hassler, B., Nishiyama, H. and Brunner, H.
 Optically active pyrazolylborate: synthesis, characterization
 and uses in enantioselective cyclopropanation reaction (185)
 33
Sivasanker, S., see Bennur, T.H. (185) 71
Sreekumar, K. and Sugunan, S.
 Ferrospinels based on Co and Ni prepared via a low temperature
 route as efficient catalysts for the selective synthesis of *o*-cresol
 and 2,6-xylenol from phenol and methanol (185) 259
Srinivas, D., see Bennur, T.H. (185) 71
Sugunan, S., see Sreekumar, K. (185) 259
Taborda A., F., see Villa de P., A.L. (185) 269
Tagliatesta, P. and Pastorini, A.
 Electronic and steric effects on the stereoselectivity of cyclo-
 propanation reactions catalysed by rhodium *meso*-tetraphenyl-
 porphyrins (185) 127
Takayasu, O., see Osawa, T. (185) 65
Uchida, Y., see Ovsitser, O. (185) 291
Uozumi, T., see Bianchini, D. (185) 223
Vancheesan, S., see Krishnan, R. (185) 87
Villa de P., A.L., Taborda A., F. and Montes de Correa, C.
 Kinetics of limonene epoxidation by hydrogen peroxide on PW-
 Amberlite (185) 269
Wang, S., see Jiang, R. (185) 159
Wang, Y., see Jiang, R. (185) 159
Weinberg, G., see Ovsitser, O. (185) 291
Wu, T.H., see Jia, M.J. (185) 151
Xia, C.-G., see Li, Z. (185) 47
Xie, S.-J., see Jiang, H.-S. (185) 143
Yang, P., see Hu, J.-C. (185) 1
Zarbin, A.J.G., see Nakagaki, S. (185) 203
Zhang, C., see Jiang, R. (185) 159
Zhang, W.X., see Jia, M.J. (185) 151
Zhang, X.-M., see Li, Z. (185) 47
Zhao, C.-T., do Rosário Ribeiro, M. and Portela, M.F.
 Addition polymerisation of 5-vinyl-2-norbornene with nickel
 bis(acetyl acetonate)/methylaluminoxane system (185) 81
Zhao, X., see Jiang, R. (185) 159
Zhong, B.-K., see Jiang, H.-S. (185) 143
Zientarska, J., see Michalska, Z.M. (185) 279