

Subject index

Acrolein selective oxidation

Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)

Activation

Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)

Active species

Characterization of catalyst in the synthesis of dimethyl carbonate by gas-phase oxidative carbonylation of methanol (Jiang, R. (185) 159)

Addition polymerisation

Addition polymerisation of 5-vinyl-2-norbornene with nickel bis(acetyl acetonate)/methylaluminoxane system (Zhao, C.-T. (185) 81)

Additional salts

Novel effect of additional metal ion on hydroformylation of hexene-1 in biphasic system (Huang, Y. (185) 41)

Allylic oxidation

Selective copper-catalyzed allylic oxidations using a 1/1 ratio of cycloalkene and *tert*-butylperbenzoate (Le Bras, J. (185) 113)

Amberlite

Kinetics of limonene epoxidation by hydrogen peroxide on PW-Amberlite (Villa de P., A.L. (185) 269)

Arene hydrogenation

Entrapment of metallic palladium and a rhodium(I) complex in a silica sol–gel matrix. Formation of a highly active recyclable arene hydrogenation catalyst (Abu-Reziq, R. (185) 179)

Benzene

Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)

Benzylic oxidation

Benzylic oxidation with H₂O₂ catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)

Biphenyl *tert*-butylation

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Biphenyl isopropylation

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Borane

Borane-functionalized silica supports. In situ activated heterogeneous zirconocene catalysts for MAO-free ethylene polymerization (Charoenchaidet, S. (185) 167)

Brønsted acidity

The role of copper species and Brønsted acidity in CuCl/ZSM-5 catalysts during the selective catalytic reduction of NO by propene (Jia, M.J. (185) 151)

Camphene

Diastereoselective hydroformylation of camphene catalyzed by platinum/tin complexes (Foca, C.M. (185) 17)

Carbenes

Efficient telomerization of 1,3-butadiene with alcohols in the presence of in situ generated palladium(0)carbene complexes (Jackstell, R. (185) 105)

Catalysis

Selective copper-catalyzed allylic oxidations using a 1/1 ratio of cycloalkene and *tert*-butylperbenzoate (Le Bras, J. (185) 113)

Immobilization of iron porphyrins into porous vycor glass: characterization and study of catalytic activity (Nakagaki, S. (185) 203)

Catalyst

Polynuclear manganese complexes catalyzed epoxidation of olefins with molecular oxygen (Krishnan, R. (185) 87)

Electronic and steric effects on the stereoselectivity of cyclopropanation reactions catalysed by rhodium *meso*-tetraphenylporphyrins (Tagliatesta, P. (185) 127)

Catalytic activity

Addition polymerisation of 5-vinyl-2-norbornene with nickel bis(acetyl acetonate)/methylaluminoxane system (Zhao, C.-T. (185) 81)

Characterization

Characterization of catalyst in the synthesis of dimethyl carbonate by gas-phase oxidative carbonylation of methanol (Jiang, R. (185) 159)

Complexation

A novel homogeneous catalyst made of poly(*N*-vinyl-2-pyrrolidone)-CuCl₂ complex for the oxidative carbonylation of methanol to dimethyl carbonate (Hu, J.-C. (185) 1)

Computational modelling

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Conjugate addition

Mixed thioether-phosphite and phosphine-phosphite ligands for copper-catalyzed asymmetric 1,4-addition of organometallic reagents to cyclohexenone (Diéguez, M. (185) 11)

Copolymer

Propylene-ethylene copolymers by one-monomer metallocene catalyzed polymerization (Dias, M.L. (185) 57)

Copper ions

The role of copper species and Brønsted acidity in CuCl/ZSM-5 catalysts during the selective catalytic reduction of NO by propene (Jia, M.J. (185) 151)

Copper

Mixed thioether-phosphite and phosphine-phosphite ligands for copper-catalyzed asymmetric 1,4-addition of organometallic reagents to cyclohexenone (Diéguez, M. (185) 11)

Selective copper-catalyzed allylic oxidations using a 1/1 ratio of cycloalkene and *tert*-butylperbenzoate (Le Bras, J. (185) 113)

Copper, rhodium and ruthenium catalysts

Optically active pyrazolylborate: synthesis, characterization and uses in enantioselective cyclopropanation reaction (Singh, U.P. (185) 33)

o-Cresol

Ferrosinels based on Co and Ni prepared via a low temperature route as efficient catalysts for the selective synthesis of *o*-cresol and 2,6-xyleneol from phenol and methanol (Sreekumar, K. (185) 259)

Crotonaldehyde

Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (Michalska, Z.M. (185) 279)

Crotyl alcohol

Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (Michalska, Z.M. (185) 279)

CuCl/ZSM-5

The role of copper species and Brønsted acidity in CuCl/ZSM-5 catalysts during the selective catalytic reduction of NO by propene (Jia, M.J. (185) 151)

Cyclopropanation

Optically active pyrazolylborate: synthesis, characterization and uses in enantioselective cyclopropanation reaction (Singh, U.P. (185) 33)

Electronic and steric effects on the stereoselectivity of cyclopropanation reactions catalysed by rhodium *meso*-tetraphenylporphyrins (Tagliatesta, P. (185) 127)

Cytochrome P-450

Immobilization of iron porphyrins into porous vycor glass: characterization and study of catalytic activity (Nakagaki, S. (185) 203)

Diffusion energies

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Diluent effects

Studies on the effects of CO₂ and CO on *n*-butane isomerisation activity over sulfated zirconia (Mishra, H.K. (185) 237)

Dimethyl carbonate (DMC)

A novel homogeneous catalyst made of poly(*N*-vinyl-2-pyrrolidone)-CuCl₂ complex for the oxidative carbonylation of methanol to dimethyl carbonate (Hu, J.-C. (185) 1)

Dimethyl carbonate synthesis

Characterization of catalyst in the synthesis of dimethyl carbonate by gas-phase oxidative carbonylation of methanol (Jiang, R. (185) 159)

Dioxygen

Palladium catalyzed oxidation of monoterpenes: novel oxidation of myrcene with dioxygen (Gonçalves, J.A. (185) 97)

DRIFTS

Characterization of MAO-modified silicas (Bianchini, D. (185) 223)

Effect of polymer support

Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (Michalska, Z.M. (185) 279)

Enantio-differentiating

High durability of asymmetrically modified nickel catalysts prepared by in situ modification (Osawa, T. (185) 65)

Enantioselective catalysis

Mixed thioether-phosphite and phosphine-phosphite ligands for copper-catalyzed asymmetric 1,4-addition of organometallic reagents to cyclohexenone (Diéguez, M. (185) 11)

Enantioselective hydrogenation

Effects of reaction variables on enantioselectivity of modified Raney nickel catalyst (Kukula, P. (185) 195)

Enantioselectivity

Optically active pyrazolylborate: synthesis, characterization and uses in enantioselective cyclopropanation reaction (Singh, U.P. (185) 33)

Epoxidation

Stability of various metalloporphyrin catalysts during hydrogen peroxide epoxidation of alkene (Cunningham, I.D. (185) 25)

Preparation and catalysis of DMY and MCM-41 encapsulated cationic Mn(III)-porphyrin complex (Li, Z. (185) 47)

Polynuclear manganese complexes catalyzed epoxidation of olefins with molecular oxygen (Krishnan, R. (185) 87)

Kinetics of limonene epoxidation by hydrogen peroxide on PW-Amberlite (Villa de P., A.L. (185) 269)

ESR

Benzylic oxidation with H₂O₂ catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)

Ethylene polymerization

Borane-functionalized silica supports. In situ activated heterogeneous zirconocene catalysts for MAO-free ethylene polymerization (Charoenchaidet, S. (185) 167)

Gas-phase oxidative carbonylation

Characterization of catalyst in the synthesis of dimethyl carbonate by gas-phase oxidative carbonylation of methanol (Jiang, R. (185) 159)

Heterogeneous catalysis

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Heteropoly acid

Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)

Heteropoly compound

Partially reduced heteropoly compound catalysts for the selective oxidation of propane (Jiang, H.-S. (185) 143)

Heteropolyacids

Kinetics of limonene epoxidation by hydrogen peroxide on PW-Amberlite (Villa de P., A.L. (185) 269)

Homogeneous catalysis

Efficient telomerization of 1,3-butadiene with alcohols in the presence of in situ generated palladium(0)carbene complexes (Jackstell, R. (185) 105)

Hydroformylation

Novel effect of additional metal ion on hydroformylation of hexene-1 in biphasic system (Huang, Y. (185) 41)

Diastereoselective hydroformylation of camphene catalyzed by platinum/tin complexes (Foca, C.M. (185) 17)

Hydrogen peroxide

Stability of various metalloporphyrin catalysts during hydrogen peroxide epoxidation of alkene (Cunningham, I.D. (185) 25)

Hydrogenation

High durability of asymmetrically modified nickel catalysts prepared by in situ modification (Osawa, T. (185) 65)

Hydrogenation and isomerization of 1-hexene with $\text{Ru}_3(\text{CO})_9(\text{PPh}_2\text{CH}_2\text{CH}_2\text{Si}(\text{OMe})_3)_3$ immobilized in silica matrices via the sol-gel method (Dallmann, K. (185) 187)

Hydrogenation of PhCH_2CHO catalyzed by ruthenium complex containing “polymer-attached” ligand prepared by living ring-opening metathesis polymerization (Nomura, K. (185) 311)

Hydrotreatment

Hydrogenation of naphthalene and methylnaphthalene: modeling and spectroscopy (Sayan, S. (185) 211)

In situ activated catalyst

Borane-functionalized silica supports. In situ activated heterogeneous zirconocene catalysts for MAO-free ethylene polymerization (Charoenchaidet, S. (185) 167)

In situ modification

High durability of asymmetrically modified nickel catalysts prepared by in situ modification (Osawa, T. (185) 65)

1,3-Insertion

Propylene-ethylene copolymers by one-monomer metallocene catalyzed polymerization (Dias, M.L. (185) 57)

Interface

Novel effect of additional metal ion on hydroformylation of hexene-1 in biphasic system (Huang, Y. (185) 41)

Iodosylbenzene

Preparation and catalysis of DMY and MCM-41 encapsulated cationic Mn(III)-porphyrin complex (Li, Z. (185) 47)

Isomerisation

Studies on the effects of CO_2 and CO on *n*-butane isomerisation activity over sulfated zirconia (Mishra, H.K. (185) 237)

Kinetic diameter

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

 σ -Ligand

Propylene-ethylene copolymers by one-monomer metallocene catalyzed polymerization (Dias, M.L. (185) 57)

Limonene

Kinetics of limonene epoxidation by hydrogen peroxide on PW-Amberlite (Villa de P., A.L. (185) 269)

Manganese complexes

Benzylic oxidation with H_2O_2 catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)

Manganese-porphyrin

Preparation and catalysis of DMY and MCM-41 encapsulated cationic Mn(III)-porphyrin complex (Li, Z. (185) 47)

MAO

Use of “TMA-depleted” MAO for the activation of zirconocenes in olefin polymerization (Pédeutour, J.-N. (185) 119)
Characterization of MAO-modified silicas (Bianchini, D. (185) 223)

Metallocene

Propylene-ethylene copolymers by one-monomer metallocene catalyzed polymerization (Dias, M.L. (185) 57)

Metalloporphyrins

Stability of various metalloporphyrin catalysts during hydrogen peroxide epoxidation of alkene (Cunningham, I.D. (185) 25)

Electronic and steric effects on the stereoselectivity of cyclopropanation reactions catalysed by rhodium *meso*-tetraphenylporphyrins (Tagliatesta, P. (185) 127)

Methyl acetoacetate

High durability of asymmetrically modified nickel catalysts prepared by in situ modification (Osawa, T. (185) 65)

Effects of reaction variables on enantioselectivity of modified Raney nickel catalyst (Kukula, P. (185) 195)

Methylnaphthalene

Hydrogenation of naphthalene and methylnaphthalene: modeling and spectroscopy (Sayan, S. (185) 211)

Mn-tmtacn

Benzylic oxidation with H_2O_2 catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)

 Mo_5O_{14} -type structure

Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)

Modeling

Hydrogenation of naphthalene and methylnaphthalene: modeling and spectroscopy (Sayan, S. (185) 211)

- Modified Raney nickel**
Effects of reaction variables on enantioselectivity of modified Raney nickel catalyst (Kukula, P. (185) 195)
- Molecular sieve**
Preparation and catalysis of DMY and MCM-41 encapsulated cationic Mn(III)-porphyrin complex (Li, Z. (185) 47)
- Molybdenum**
Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)
- Myrcene**
Palladium catalyzed oxidation of monoterpenes: novel oxidation of myrcene with dioxygen (Gonçalves, J.A. (185) 97)
- Naphthalene**
Hydrogenation of naphthalene and methyl-naphthalene: modeling and spectroscopy (Sayan, S. (185) 211)
- Nickel bis(acetyl acetonate)/methylaluminumoxane**
Addition polymerisation of 5-vinyl-2-norbornene with nickel bis(acetyl acetonate)/methylaluminumoxane system (Zhao, C.-T. (185) 81)
- Nitration**
Zeolite-mediated regioselective nitration of phenol in solid state (Esakkidurai, T. (185) 305)
- Octadienyl ethers**
Efficient telomerization of 1,3-butadiene with alcohols in the presence of in situ generated palladium(0)carbene complexes (Jackstell, R. (185) 105)
- Olefins**
Selective copper-catalyzed allylic oxidations using a 1/1 ratio of cycloalkene and *tert*-butylperbenzoate (Le Bras, J. (185) 113)
Electronic and steric effects on the stereoselectivity of cyclopropanation reactions catalysed by rhodium *meso*-tetraphenylporphyrins (Tagliatesta, P. (185) 127)
- Optical activity**
Optically active pyrazolylborate: synthesis, characterization and uses in enantioselective cyclopropanation reaction (Singh, U.P. (185) 33)
- Oxidation with H₂O₂**
Benzylic oxidation with H₂O₂ catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)
- Oxidation**
Palladium catalyzed oxidation of monoterpenes: novel oxidation of myrcene with dioxygen (Gonçalves, J.A. (185) 97)
Immobilization of iron porphyrins into porous vycor glass: characterization and study of catalytic activity (Nakagaki, S. (185) 203)
Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)
- Oxidative carbonylation**
A novel homogeneous catalyst made of poly(*N*-vinyl-2-pyrrolidone)-CuCl₂ complex for the oxidative carbonylation of methanol to dimethyl carbonate (Hu, J.-C. (185) 1)
- Oxidative coupling**
Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)
- Oxy species**
Studies on the effects of CO₂ and CO on *n*-butane isomerisation activity over sulfated zirconia (Mishra, H.K. (185) 237)
- Oxygen**
Polynuclear manganese complexes catalyzed epoxidation of olefins with molecular oxygen (Krishnan, R. (185) 87)
Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)
- Palladium**
Palladium catalyzed oxidation of monoterpenes: novel oxidation of myrcene with dioxygen (Gonçalves, J.A. (185) 97)
Efficient telomerization of 1,3-butadiene with alcohols in the presence of in situ generated palladium(0)carbene complexes (Jackstell, R. (185) 105)
Entrapment of metallic palladium and a rhodium(I) complex in a silica sol-gel matrix. Formation of a highly active recyclable arene hydrogenation catalyst (Abu-Reziq, R. (185) 179)
- Palladium(II)**
Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)
- Partially reduced**
Partially reduced heteropoly compound catalysts for the selective oxidation of propane (Jiang, H.-S. (185) 143)
- Perester**
Selective copper-catalyzed allylic oxidations using a 1/1 ratio of cycloalkene and *tert*-butylperbenzoate (Le Bras, J. (185) 113)
- Peroxo-phosphotungstate**
Kinetics of limonene epoxidation by hydrogen peroxide on PW-Amberlite (Villa de P., A.L. (185) 269)
- Phenol**
Biphasic oxidation of arenes with oxygen catalysed by Pd(II)—heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)
Zeolite-mediated regioselective nitration of phenol in solid state (Esakkidurai, T. (185) 305)
- Phosphine-phosphite**
Mixed thioether-phosphite and phosphine-phosphite ligands for copper-catalyzed asymmetric 1,4-addition of organometallic reagents to cyclohexenone (Diéguez, M. (185) 11)
- Platinum-tin catalysts**
Diastereoselective hydroformylation of camphene catalyzed by platinum/tin complexes (Foca, C.M. (185) 17)
- Poly(5-vinyl-2-norbornene)**
Addition polymerisation of 5-vinyl-2-norbornene with nickel bis(acetyl acetonate)/methylaluminumoxane system (Zhao, C.-T. (185) 81)
- Polyamide-supported catalyst**
Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (Michalska, Z.M. (185) 279)

Polymer supported catalyst

Hydrogenation of PhCH₂CHO catalyzed by ruthenium complex containing “*polymer-attached*” ligand prepared by living ring-opening metathesis polymerization (Nomura, K. (185) 311)

Polymer-bound monometallic catalyst

A novel homogeneous catalyst made of poly(*N*-vinyl-2-pyrrolidone)-CuCl₂ complex for the oxidative carbonylation of methanol to dimethyl carbonate (Hu, J.-C. (185) 1)

Polynuclear manganese complexes

Polynuclear manganese complexes catalyzed epoxidation of olefins with molecular oxygen (Krishnan, R. (185) 87)

Pore size distribution

Influence of pore size distribution on Pt dispersion in Pt-Sn/Al₂O₃ reforming catalyst (Sharma, L.D. (185) 135)

Porous glass

Immobilization of iron porphyrins into porous vycor glass: characterization and study of catalytic activity (Nakagaki, S. (185) 203)

Porphyrin

Immobilization of iron porphyrins into porous vycor glass: characterization and study of catalytic activity (Nakagaki, S. (185) 203)

Propane

Partially reduced heteropoly compound catalysts for the selective oxidation of propane (Jiang, H.-S. (185) 143)

Propylene

Propylene-ethylene copolymers by one-monomer metallocene catalyzed polymerization (Dias, M.L. (185) 57)

Pt dispersion

Influence of pore size distribution on Pt dispersion in Pt-Sn/Al₂O₃ reforming catalyst (Sharma, L.D. (185) 135)

Pt-Sn catalyst

Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (Michalska, Z.M. (185) 279)

Pt-Sn/Al₂O₃

Influence of pore size distribution on Pt dispersion in Pt-Sn/Al₂O₃ reforming catalyst (Sharma, L.D. (185) 135)

Pyrazolylborate

Optically active pyrazolylborate: synthesis, characterization and uses in enantioselective cyclopropanation reaction (Singh, U.P. (185) 33)

Reaction mechanism

Characterization of catalyst in the synthesis of dimethyl carbonate by gas-phase oxidative carbonylation of methanol (Jiang, R. (185) 159)

Reforming catalyst

Influence of pore size distribution on Pt dispersion in Pt-Sn/Al₂O₃ reforming catalyst (Sharma, L.D. (185) 135)

Regioselectivity

Zeolite-mediated regioselective nitration of phenol in solid state (Esakkidurai, T. (185) 305)

Repeated use

High durability of asymmetrically modified nickel catalysts prepared by in situ modification (Osawa, T. (185) 65)

Rhodium

Novel effect of additional metal ion on hydroformylation of hexene-1 in biphasic system (Huang, Y. (185) 41)

Electronic and steric effects on the stereoselectivity of cyclopropanation reactions catalysed by rhodium *meso*-tetraphenylporphyrins (Tagliatesta, P. (185) 127)

Entrapment of metallic palladium and a rhodium(I) complex in a silica sol-gel matrix. Formation of a highly active recyclable arene hydrogenation catalyst (Abu-Reziq, R. (185) 179)

Ring-opening metathesis polymerization (ROMP)

Hydrogenation of PhCH₂CHO catalyzed by ruthenium complex containing “*polymer-attached*” ligand prepared by living ring-opening metathesis polymerization (Nomura, K. (185) 311)

Ruthenium clusters

Hydrogenation and isomerization of 1-hexene with Ru₃(CO)₉(PPh₂CH₂CH₂Si(OMe)₃)₃ immobilized in silica matrices via the sol-gel method (Dallmann, K. (185) 187)

Ruthenium

Hydrogenation of PhCH₂CHO catalyzed by ruthenium complex containing “*polymer-attached*” ligand prepared by living ring-opening metathesis polymerization (Nomura, K. (185) 311)

Schiff base

Polynuclear manganese complexes catalyzed epoxidation of olefins with molecular oxygen (Krishnan, R. (185) 87)

SCR of NO

The role of copper species and Brønsted acidity in CuCl/ZSM-5 catalysts during the selective catalytic reduction of NO by propene (Jia, M.J. (185) 151)

Selective hydrogenation

Novel polymer-supported platinum catalyst for selective hydrogenation of crotonaldehyde (Michalska, Z.M. (185) 279)

Selective oxidation

Benzylic oxidation with H₂O₂ catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)

Partially reduced heteropoly compound catalysts for the selective oxidation of propane (Jiang, H.-S. (185) 143)

Selectivity

Ferrosinels based on Co and Ni prepared via a low temperature route as efficient catalysts for the selective synthesis of *o*-cresol and 2,6-xyleneol from phenol and methanol (Sreekumar, K. (185) 259)

Shape-selectivity

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Silica

Characterization of MAO-modified silicas (Bianchini, D. (185) 223)

Sol-gel process

Hydrogenation and isomerization of 1-hexene with Ru₃(CO)₉(PPh₂CH₂CH₂Si(OMe)₃)₃ immobilized in silica matrices via the sol-gel method (Dallmann, K. (185) 187)

Sol-gel-entrapment

Entrapment of metallic palladium and a rhodium(I) complex in a silica sol-gel matrix. Formation of a highly active recyclable arene hydrogenation catalyst (Abu-Reziq, R. (185) 179)

Spectroscopic investigations

Benzylic oxidation with H₂O₂ catalyzed by Mn complexes of *N,N',N''*-trimethyl-1,4,7-triazacyclononane: spectroscopic investigations of the active Mn species (Bennur, T.H. (185) 71)

Stability

Stability of various metalloporphyrin catalysts during hydrogen peroxide epoxidation of alkene (Cunningham, I.D. (185) 25)

Structure-activity relation

Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)

Sulfated zirconia

Studies on the effects of CO₂ and CO on *n*-butane isomerisation activity over sulfated zirconia (Mishra, H.K. (185) 237)

Supported metallocene

Borane-functionalized silica supports. In situ activated heterogeneous zirconocene catalysts for MAO-free ethylene polymerization (Charoenchaidet, S. (185) 167)

Tartaric acid

Effects of reaction variables on enantioselectivity of modified Raney nickel catalyst (Kukula, P. (185) 195)

Telomerization

Efficient telomerization of 1,3-butadiene with alcohols in the presence of in situ generated palladium(0)carbene complexes (Jackstell, R. (185) 105)

Temperature dependence

Addition polymerisation of 5-vinyl-2-norbornene with nickel bis(acetyl acetonate)/methylaluminoxane system (Zhao, C.-T. (185) 81)

Thioether-phosphite

Mixed thioether-phosphite and phosphine-phosphite ligands for copper-catalyzed asymmetric 1,4-addition of organometallic reagents to cyclohexenone (Diéguez, M. (185) 11)

TMA

Use of "TMA-depleted" MAO for the activation of zirconocenes in olefin polymerization (Pédeutour, J.-N. (185) 119)

Characterization of MAO-modified silicas (Bianchini, D. (185) 223)

Toluene

Biphasic oxidation of arenes with oxygen catalysed by Pd(II)-heteropoly acid system: oxidative coupling versus hydroxylation (Burton, H.A. (185) 285)

Tungsten mixed oxide catalyst

Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)

Turnover frequency

Novel effect of additional metal ion on hydroformylation of hexene-1 in biphasic system (Huang, Y. (185) 41)

UV/visible spectroscopy

Use of "TMA-depleted" MAO for the activation of zirconocenes in olefin polymerization (Pédeutour, J.-N. (185) 119)

Vanadium

Molybdenum oxide based partial oxidation catalyst. Part 3. Structural changes of a MoVW mixed oxide catalyst during activation and relation to catalytic performance in acrolein oxidation (Ovsitser, O. (185) 291)

XPS

Characterization of MAO-modified silicas (Bianchini, D. (185) 223)

2,6-Xylenol

Ferrospinel based on Co and Ni prepared via a low temperature route as efficient catalysts for the selective synthesis of *o*-cresol and 2,6-xylenol from phenol and methanol (Sreekumar, K. (185) 259)

Zeolite

Preparation and catalysis of DMY and MCM-41 encapsulated cationic Mn(III)-porphyrin complex (Li, Z. (185) 47)

Selective alkylation of biphenyl over H-MOR and H-BEA zeolites: analysis of experimental results by computational modelling (Horniakova, J. (185) 249)

Zeolite-mediated regioselective nitration of phenol in solid state (Esakkidurai, T. (185) 305)

Zirconocene catalyst

Borane-functionalized silica supports. In situ activated heterogeneous zirconocene catalysts for MAO-free ethylene polymerization (Charoenchaidet, S. (185) 167)

Zirconocenes

Use of "TMA-depleted" MAO for the activation of zirconocenes in olefin polymerization (Pédeutour, J.-N. (185) 119)