

Subject index

Acidic-alumina

Oxidation of cyclohexene with *tert*-butylhydroperoxide and hydrogen peroxide catalyzed by alumina-supported manganese(II) complexes (Salavati-Niasari, M. (186) 101)

Acidity

Activation of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst by aryloxyaluminium complexes (Commereuc, D. (186) 215)

Active sites

Effect of solvent, catalyst type and catalyst activation on the microwave transformation of 2-*tert*-butylphenol (Radoiu, M.T. (186) 121)

Al-MCM-41

Comparison of mesoporous Al-MCM-41 molecular sieves in the production of *p*-cymene for isopropylation of toluene (Selvaraj, M. (186) 173)

Aluminium

Activation of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst by aryloxyaluminium complexes (Commereuc, D. (186) 215)

Aluminum phthalocyanine

Aluminum phthalocyanine complex covalently bonded to MCM-41 silica as heterogeneous catalyst for the synthesis of cyclic carbonates (Lu, X.-B. (186) 33)

Ammonia adsorption

Interaction of NH_3 and oxygen with Cu(1 1 0), investigated by FT-IRAS (Pradier, C.-M. (186) 193)

Ammonia oxy-dehydrogenation

Interaction of NH_3 and oxygen with Cu(1 1 0), investigated by FT-IRAS (Pradier, C.-M. (186) 193)

Ammonium

Decamolybdodicobaltate(III) heteropolyanion: structural, spectroscopical, thermal and hydrotreating catalytic properties (Cabello, C.I. (186) 89)

Aqueous/non-aqueous media

An efficient synthesis of heterocyclic *N*-oxides over molecular sieve catalysts (Ramakrishna Prasad, M. (186) 109)

Aqueous-biphase catalysis

Synthesis, characterization and catalytic applications in aqueous-biphase system of a new tungsten complex $\text{W}(\text{CO})_5(\text{CH}_3\text{CN})(\text{TPPTS})_2$ (Baricelli, P.J. (186) 57)

Bleaching

Mechanism of bleaching by peroxides. Part 5. Kinetics of the peroxide bleaching of crocetin catalysed by $[\text{Co}^{\text{II}}\text{W}\{\text{Co}^{\text{II}}\text{W}_9\text{O}_{34}\}_2(\text{H}_2\text{O})_2]^{12-}$ (Gould, D.M. (186) 69)

Carbon dioxide

Aluminum phthalocyanine complex covalently bonded to MCM-41 silica as heterogeneous catalyst for the synthesis of cyclic carbonates (Lu, X.-B. (186) 33)

Carbonyl compounds

Hydrogenation of carbonyl compounds using tin-modified platinum-based catalysts prepared via surface organometallic chemistry on metals (SOMC/M) (Santori, G.F. (186) 223)

Catalase-like activity

Dimanganese(II)-catalase-like model complexes: synthesis, structure characterization and catalytic mechanism (Gao, J. (186) 25)

Catalysis

Activation of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst by aryloxyaluminium complexes (Commereuc, D. (186) 215)

Rate enhancements in the four-electron reduction of O_2 by mixtures of vanadium(III) Schiff base complexes and decamethylferrocene in acetonitrile (Liu, Z. (186) 43)

Catalyst activation

Effect of solvent, catalyst type and catalyst activation on the microwave transformation of 2-*tert*-butylphenol (Radoiu, M.T. (186) 121)

Catalysts

Diastereoselective hydrogenation of 2-methylnicotinic acid derivatives with supported metallic catalysts (Douja, N. (186) 145)

Catalytic hydrogenation

Rhodium complexes with *N*-phenyl anthranilic acid ligands as catalysts for hydrogenation (Ros, T.G. (186) 13)

Catalytic mechanism

Dimanganese(II)-catalase-like model complexes: synthesis, structure characterization and catalytic mechanism (Gao, J. (186) 25)

Catalytic reaction

The reaction of aryl bromides with ethyl cyanoacetate anion catalyzed by palladium complexes with chelated phosphine ligands (Tao, X. (186) 53)

Characterization

Comparison of mesoporous Al-MCM-41 molecular sieves in the production of *p*-cymene for isopropylation of toluene (Selvaraj, M. (186) 173)

Chelated phosphine ligands

The reaction of aryl bromides with ethyl cyanoacetate anion catalyzed by palladium complexes with chelated phosphine ligands (Tao, X. (186) 53)

Chiral modifiers

(*S*)- α,α -Diphenyl- and (*S*)- α,α -dinaphthyl-2-pyrrolidinemethanol as chiral modifiers in asymmetric heterogeneous catalytic hydrogenation of isophorone (Sípos, É. (186) 187)

Cobalt

Hydrogenolysis of ethane on silica-supported cobalt catalysts (Lomot, D. (186) 163)

Colloids

Hydrogenolysis of 1,1a,6,10b-tetrahydro-1,6-methanodibenzo [*a,e*]cyclopropa[*c*]-cycloheptene over silica- and zirconia-embedded Ru-colloids (Oprescu, S. (186) 153)

Co–Mo/ γ -Al₂O₃ hydrotreating catalysts

Decamolybdodicobaltate(III) heteropolyanion: structural, spectroscopical, thermal and hydrotreating catalytic properties (Cabello, C.I. (186) 89)

Computational

Nucleophile assisted hydrolysis of carbon–oxygen bonds in ethers (Polydore, C. (186) 65)

Copper oxide

Methanol decomposition over copper particles incorporated in the interlayer regions of zinc aluminum silicate hydroxide (Hashimot, K. (186) 79)

Cu(1 1 0)

Interaction of NH₃ and oxygen with Cu(1 1 0), investigated by FT-IRAS (Pradier, C.-M. (186) 193)

Cyclic carbonate

Aluminum phthalocyanine complex covalently bonded to MCM-41 silica as heterogeneous catalyst for the synthesis of cyclic carbonates (Lu, X.-B. (186) 33)

p-Cymene

Comparison of mesoporous Al-MCM-41 molecular sieves in the production of *p*-cymene for isopropylation of toluene (Selvaraj, M. (186) 173)

Decamethylferrocene

Rate enhancements in the four-electron reduction of O₂ by mixtures of vanadium(III) Schiff base complexes and decamethylferrocene in acetonitrile (Liu, Z. (186) 43)

Decamolybdodicobaltate(III)

Decamolybdodicobaltate(III) heteropolyanion: structural, spectroscopical, thermal and hydrotreating catalytic properties (Cabello, C.I. (186) 89)

Diastereoselection

Diastereoselective hydrogenation of 2-methylnicotinic acid derivatives with supported metallic catalysts (Douja, N. (186) 145)

Dimanganese(II) complexes

Dimanganese(II)-catalase-like model complexes: synthesis, structure characterization and catalytic mechanism (Gao, J. (186) 25)

(*S*)- α,α -Dinaphthyl-2-pyrrolidinemethanol

(*S*)- α,α -Diphenyl- and (*S*)- α,α -dinaphthyl-2-pyrrolidinemethanol as chiral modifiers in asymmetric heterogeneous catalytic hydrogenation of isophorone (Sípos, É. (186) 187)

Dioxygen

Rate enhancements in the four-electron reduction of O₂ by

mixtures of vanadium(III) Schiff base complexes and decamethylferrocene in acetonitrile (Liu, Z. (186) 43)

(*S*)- α,α -Diphenyl-2-pyrrolidinemethanol

(*S*)- α,α -Diphenyl- and (*S*)- α,α -dinaphthyl-2-pyrrolidinemethanol as chiral modifiers in asymmetric heterogeneous catalytic hydrogenation of isophorone (Sípos, É. (186) 187)

Enantioselective

(*S*)- α,α -Diphenyl- and (*S*)- α,α -dinaphthyl-2-pyrrolidinemethanol as chiral modifiers in asymmetric heterogeneous catalytic hydrogenation of isophorone (Sípos, É. (186) 187)

Epoxide

Aluminum phthalocyanine complex covalently bonded to MCM-41 silica as heterogeneous catalyst for the synthesis of cyclic carbonates (Lu, X.-B. (186) 33)

Nucleophile assisted hydrolysis of carbon–oxygen bonds in ethers (Polydore, C. (186) 65)

Ethane hydrogenolysis

Hydrogenolysis of ethane on silica-supported cobalt catalysts (Lomot, D. (186) 163)

Ether

Nucleophile assisted hydrolysis of carbon–oxygen bonds in ethers (Polydore, C. (186) 65)

Ethyl aryl cyanoacetates

The reaction of aryl bromides with ethyl cyanoacetate anion catalyzed by palladium complexes with chelated phosphine ligands (Tao, X. (186) 53)

Ethylene carbonate

Synthesis of ethylene carbonate from supercritical carbon dioxide/ethylene oxide mixture in the presence of bifunctional catalyst (Lu, X.-B. (186) 1)

Fine particles

Methanol decomposition over copper particles incorporated in the interlayer regions of zinc aluminum silicate hydroxide (Hashimot, K. (186) 79)

FT synthesis

Studies with a precipitated iron Fischer-Tropsch catalyst reduced by H₂ or CO (Bian, G. (186) 203)

FT-IR

Studies with a precipitated iron Fischer-Tropsch catalyst reduced by H₂ or CO (Bian, G. (186) 203)

FT-IRAS

Interaction of NH₃ and oxygen with Cu(1 1 0), investigated by FT-IRAS (Pradier, C.-M. (186) 193)

Heterocycles

An efficient synthesis of heterocyclic *N*-oxides over molecular sieve catalysts (Ramakrishna Prasad, M. (186) 109)

Heterogeneous catalyst

Oxidation of cyclohexene with *tert*-butylhydroperoxide and hydrogen peroxide catalyzed by alumina-supported manganese(II) complexes (Salavati-Niasari, M. (186) 101)

Hydrogenolysis of 1,1a,6,10b-tetrahydro-1,6-methanodibenzo[*a,e*]cyclopropa[*c*]-cycloheptene over silica- and zirconia-embedded Ru-colloids (Oprescu, S. (186) 153)

Heteropolyoxometalates

Decamolybdodictate(III) heteropolyanion: structural, spectroscopic, thermal and hydrotreating catalytic properties (Cabello, C.I. (186) 89)

Hexaaluminate

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)

High-pressure syngas adsorption

Studies with a precipitated iron Fischer-Tropsch catalyst reduced by H₂ or CO (Bian, G. (186) 203)

H₂O₂

Oxidation of cyclohexene with *tert*-butylhydroperoxide and hydrogen peroxide catalyzed by alumina-supported manganese(II) complexes (Salavati-Niasari, M. (186) 101)

Hydrogen peroxide

Mechanism of bleaching by peroxides. Part 5. Kinetics of the peroxide bleaching of crocetin catalysed by [Co^{II}W₉O₃₄]₂(H₂O)₂]¹²⁻ (Gould, D.M. (186) 69)

Dimanganese(II)-catalase-like model complexes: synthesis, structure characterization and catalytic mechanism (Gao, J. (186) 25)

Rates of formation of peroxyacetic acid from hydrogen peroxide and acetic acid in the presence of metal(IV) phosphates (Rocha, G.O. (186) 127)

Hydrogenation

(*S*)- α,α -Diphenyl- and (*S*)- α,α -dinaphthyl-2-pyrrolidinemethanol as chiral modifiers in asymmetric heterogeneous catalytic hydrogenation of isophorone (Sipos, É. (186) 187)

Diastereoselective hydrogenation of 2-methylnicotinic acid derivatives with supported metallic catalysts (Douja, N. (186) 145)

Hydrogenation of carbonyl compounds using tin-modified platinum-based catalysts prepared via surface organometallic chemistry on metals (SOMC/M) (Santori, G.F. (186) 223)

Synthesis, characterization and catalytic applications in aqueous-biphase system of a new tungsten complex W(CO)₃(CH₃CN)(TPPTS)₂ (Baricelli, P.J. (186) 57)

Hydrogenolysis

Hydrogenolysis of 1,1a,6,10b-tetrahydro-1,6-methanodibenzo[*a,e*]cyclopropa[*c*]-cycloheptene over silica- and zirconia-embedded Ru-colloids (Oprescu, S. (186) 153)

Hydrolysis

Nucleophile assisted hydrolysis of carbon-oxygen bonds in ethers (Polydore, C. (186) 65)

Infrared spectroscopy

Rhodium complexes with *N*-phenyl anthranilic acid ligands as catalysts for hydrogenation (Ros, T.G. (186) 13)

Iron catalyst

Studies with a precipitated iron Fischer-Tropsch catalyst reduced by H₂ or CO (Bian, G. (186) 203)

Isopropylation

Comparison of mesoporous Al-MCM-41 molecular sieves in the production of *p*-cymene for isopropylation of toluene (Selvaraj, M. (186) 173)

Kinetics

Mechanism of bleaching by peroxides. Part 5. Kinetics of the peroxide bleaching of crocetin catalysed by [Co^{II}W₉O₃₄]₂(H₂O)₂]¹²⁻ (Gould, D.M. (186) 69)

MCM-41

Aluminum phthalocyanine complex covalently bonded to MCM-41 silica as heterogeneous catalyst for the synthesis of cyclic carbonates (Lu, X.-B. (186) 33)

Mercury poisoning

Rhodium complexes with *N*-phenyl anthranilic acid ligands as catalysts for hydrogenation (Ros, T.G. (186) 13)

Mesoporous molecular sieves

Comparison of mesoporous Al-MCM-41 molecular sieves in the production of *p*-cymene for isopropylation of toluene (Selvaraj, M. (186) 173)

Metathesis

Activation of the Re₂O₇/Al₂O₃ metathesis catalyst by aryloxyaluminium complexes (Commereuc, D. (186) 215)

Methanol decomposition

Methanol decomposition over copper particles incorporated in the interlayer regions of zinc aluminum silicate hydroxide (Hashimot, K. (186) 79)

Mica

Methanol decomposition over copper particles incorporated in the interlayer regions of zinc aluminum silicate hydroxide (Hashimot, K. (186) 79)

Microstructure

Studies with a precipitated iron Fischer-Tropsch catalyst reduced by H₂ or CO (Bian, G. (186) 203)

Microwaves

Effect of solvent, catalyst type and catalyst activation on the microwave transformation of 2-*tert*-butylphenol (Radoiu, M.T. (186) 121)

Mn(II) complexes

Oxidation of cyclohexene with *tert*-butylhydroperoxide and hydrogen peroxide catalyzed by alumina-supported manganese(II) complexes (Salavati-Niasari, M. (186) 101)

Molybdate

Nucleophile assisted hydrolysis of carbon-oxygen bonds in ethers (Polydore, C. (186) 65)

Nucleophilic substitution

The reaction of aryl bromides with ethyl cyanoacetate anion catalyzed by palladium complexes with chelated phosphine ligands (Tao, X. (186) 53)

Olefin

Synthesis, characterization and catalytic applications in aqueous-biphase system of a new tungsten complex W(CO)₃(CH₃CN)(TPPTS)₂ (Baricelli, P.J. (186) 57)

Oxidation catalysis

Mechanism of bleaching by peroxides. Part 5. Kinetics of the peroxide bleaching of crocetin catalysed by [Co^{II}W₉O₃₄]₂(H₂O)₂]¹²⁻ (Gould, D.M. (186) 69)

Oxidation of cyclohexene

Oxidation of cyclohexene with *tert*-butylhydroperoxide and hydrogen peroxide catalyzed by alumina-supported manganese(II) complexes (Salavati-Niasari, M. (186) 101)

N-Oxides

An efficient synthesis of heterocyclic *N*-oxides over molecular sieve catalysts (Ramakrishna Prasad, M. (186) 109)

Palladium

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)

Palladium complex

The reaction of aryl bromides with ethyl cyanoacetate anion catalyzed by palladium complexes with chelated phosphine ligands (Tao, X. (186) 53)

Palladium oxide

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)

Peroxyacetic acid

Rates of formation of peroxyacetic acid from hydrogen peroxide and acetic acid in the presence of metal(IV) phosphates (Rocha, G.O. (186) 127)

Phase change

Synthesis of ethylene carbonate from supercritical carbon dioxide/ethylene oxide mixture in the presence of bifunctional catalyst (Lu, X.-B. (186) 1)

N-phenyl anthranilic acid

Rhodium complexes with *N*-phenyl anthranilic acid ligands as catalysts for hydrogenation (Ros, T.G. (186) 13)

Piperidine

Diastereoselective hydrogenation of 2-methylnicotinic acid derivatives with supported metallic catalysts (Douja, N. (186) 145)

Platinum-tin catalysts

Hydrogenation of carbonyl compounds using tin-modified platinum-based catalysts prepared via surface organometallic chemistry on metals (SOMC/M) (Santori, G.F. (186) 223)

Polyoxometalate

Mechanism of bleaching by peroxides. Part 5. Kinetics of the peroxide bleaching of crocetin catalysed by $[\text{Co}^{\text{II}}\text{W}\{\text{Co}^{\text{II}}\text{W}_9\text{O}_{34}\}_2(\text{H}_2\text{O})_2]^{12-}$ (Gould, D.M. (186) 69)

Pyridine

Diastereoselective hydrogenation of 2-methylnicotinic acid derivatives with supported metallic catalysts (Douja, N. (186) 145)

Redox molecular sieves

An efficient synthesis of heterocyclic *N*-oxides over molecular sieve catalysts (Ramakrishna Prasad, M. (186) 109)

Reduction

Rate enhancements in the four-electron reduction of O_2 by mixtures of vanadium(III) Schiff base complexes and decamethylferrocene in acetonitrile (Liu, Z. (186) 43)

Rhenium

Activation of the $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ metathesis catalyst by arylox-yaluminium complexes (Commereuc, D. (186) 215)

Rhodium complexes

Rhodium complexes with *N*-phenyl anthranilic acid ligands as catalysts for hydrogenation (Ros, T.G. (186) 13)

Salen-aluminum complexes

Synthesis of ethylene carbonate from supercritical carbon dioxide/ethylene oxide mixture in the presence of bifunctional catalyst (Lu, X.-B. (186) 1)

Scandium

Rates of formation of peroxyacetic acid from hydrogen peroxide and acetic acid in the presence of metal(IV) phosphates (Rocha, G.O. (186) 127)

Selective energy transfer

Hydrogenolysis of ethane on silica-supported cobalt catalysts (Lomot, D. (186) 163)

Silica supported catalysts

Hydrogenolysis of ethane on silica-supported cobalt catalysts (Lomot, D. (186) 163)

Solvent effect

Effect of solvent, catalyst type and catalyst activation on the microwave transformation of 2-*tert*-butylphenol (Radoiu, M.T. (186) 121)

Supercritical carbon dioxide

Synthesis of ethylene carbonate from supercritical carbon dioxide/ethylene oxide mixture in the presence of bifunctional catalyst (Lu, X.-B. (186) 1)

Surface organometallic chemistry

Hydrogenation of carbonyl compounds using tin-modified platinum-based catalysts prepared via surface organometallic chemistry on metals (SOMC/M) (Santori, G.F. (186) 223)

Synergistic effect

Aluminum phthalocyanine complex covalently bonded to MCM-41 silica as heterogeneous catalyst for the synthesis of cyclic carbonates (Lu, X.-B. (186) 33)

Synthesis of ethylene carbonate from supercritical carbon dioxide/ethylene oxide mixture in the presence of bifunctional catalyst (Lu, X.-B. (186) 1)

Synthesis

Comparison of mesoporous Al-MCM-41 molecular sieves in the production of *p*-cymene for isopropylation of toluene (Selvaraj, M. (186) 173)

TBHP

Oxidation of cyclohexene with *tert*-butylhydroperoxide and hydrogen peroxide catalyzed by alumina-supported manganese(II) complexes (Salavati-Niasari, M. (186) 101)

tert-Butylphenols

Effect of solvent, catalyst type and catalyst activation on the microwave transformation of 2-*tert*-butylphenol (Radoiu, M.T. (186) 121)

Tetravalent metal phosphates

Rates of formation of peroxyacetic acid from hydrogen peroxide and acetic acid in the presence of metal(IV) phosphates (Rocha, G.O. (186) 127)

1,1a,6,10b-Tetrahydro-1,6-methanodibenzo[*a,e*]cyclopropa[*c*]-cycloheptene

Hydrogenolysis of 1,1a,6,10b-tetrahydro-1,6-methanodibenzo[*a,e*]cyclopropa[*c*]-cycloheptene over silica- and zirconia-embedded Ru-colloids (Oprescu, S. (186) 153)

TPD

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)

TPRO

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)

TPRX

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)

Tungsten

Synthesis, characterization and catalytic applications in aqueous-biphase system of a new tungsten complex $W(CO)_3(CH_3CN)(TPPTS)_2$ (Baricelli, P.J. (186) 57)

α,β -Unsaturated aldehydes

Hydrogenation of carbonyl compounds using tin-modified platinum-based catalysts prepared via surface organometallic chemistry on metals (SOMC/M) (Santori, G.F. (186) 223)

Vanadium–Schiff base

Rate enhancements in the four-electron reduction of O_2 by mixtures of vanadium(III) Schiff base complexes and decamethylferrocene in acetonitrile (Liu, Z. (186) 43)

XPS

Catalytic properties and characterization of Pd supported on hexaaluminate in high temperature combustion (Sohn, J.M. (186) 135)