

Subject index

Acrolein oxidation

Molybdenum oxide based partial oxidation catalyst 4. TEM identification of a new oxygen-reduced phase formed during acrolein partial oxidation under reducing conditions (Uchida, Y. (187) 247)

Acylbis(pyrazolinone)

Cerium complexes with acetato acylbis(pyrazolinone) ligands as an efficient catalyst for the oxidation of cresols by molecular oxygen (Yoshikuni, T. (187) 143)

Additives

ZrCl₄-TEA-EASC three-component catalyst for the oligomerization of ethylene: the role of organoaluminum co-catalysts and additives (Shiraki, Y. (187) 283)

Aldehydes

Liquid phase hydroformylation of 1,1-diarylethenes catalyzed by rhodium based heterogeneous catalysts (Lenarda, M. (187) 129)

Alkyl hydroperoxides

Oxidative catalysis by Mn₄O₄⁶⁺ cubane complexes (Carrell, T.G. (187) 3)

Alkynes

Polymerization of phenylacetylene catalyzed by organoiridium compounds (Marigo, M. (187) 169)

AlPOs

Ethylation of ethylbenzene with ethanol over substituted medium pore aluminophosphate-based molecular sieves (Rajesh, B. (187) 259)

Amination

Amino cyclization of terminal (α,ω)-diols over modified ZSM-5 catalysts (Radha Rani, V. (187) 237)

Anthracene

Photoinduced charge separation at polymer–solution interface (Shiroishi, H. (187) 47)

Ascorbic acid

Facilitation of pentachlorophenol degradation by the addition of ascorbic acid to aqueous mixtures of tetrakis(sulfonatophenyl)-porphyrin and iron(II) (Fukushima, M. (187) 201)

Asymmetric epoxidation

Asymmetric alkene epoxidation with chromium oxo salen complexes. Effect of π -rich and other types of additives (Dalton, C.T. (187) 179)

Biphasic catalysis

Homogeneous and heterogeneous catalyzed three-step synthesis of 2-ethylheptanoic acid from carbon dioxide, butadiene and hydrogen (Behr, A. (187) 69)

Biphasic hydroformylation

Effect of reaction engineering factors on biphasic hydroformylation of 1-dodecene catalyzed by water-soluble rhodium complex (Yang, C. (187) 35)

Butane-1,4-diol

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

2-Butene-1,4-diol

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Carbon dioxide

Homogeneous and heterogeneous catalyzed three-step synthesis of 2-ethylheptanoic acid from carbon dioxide, butadiene and hydrogen (Behr, A. (187) 69)

Carbonylative coupling

Total regioselective control of the carbonylative coupling of 1-heptyne with aniline and *N*-methyl aniline catalyzed by palladium(II) and phosphine ligand (El Ali, B. (187) 17)

Catalysis by spinels

Study of cyclohexanol decomposition reaction over the ferrosinels, A_{1-x}Cu_xFe₂O₄ (A = Ni or Co and $x = 0, 0.3, 0.5, 0.7$ and 1), prepared by ‘soft’ chemical methods (Ramankutty, C.G. (187) 105)

Catalysis

Catalytic effects of metal(IV) phosphates on the oxidation of phenol and 2-naphthol (Rocha, G.V.M.S.R.O. (187) 95)

Study of the surface acidity of an hematite powder (Ferretto, L. (187) 119)

Liquid phase hydroformylation of 1,1-diarylethenes catalyzed by rhodium based heterogeneous catalysts (Lenarda, M. (187) 129)

Catalyst pre-treatment

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Catalytic CO oxidation

XAS characterization and CO oxidation on zirconia-supported LaFeO₃ perovskite (Colonna, S. (187) 269)

Catalytic mechanism

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Cerium complexes

Cerium complexes with acetato acylbis(pyrazolinone) ligands as an efficient catalyst for the oxidation of cresols by molecular oxygen (Yoshikuni, T. (187) 143)

Characterisation

Ethylation of ethylbenzene with ethanol over substituted medium pore aluminophosphate-based molecular sieves (Rajesh, B. (187) 259)

Chemisorption

Study of the surface acidity of an hematite powder (Ferretto, L. (187) 119)

Chromium

Asymmetric alkene epoxidation with chromium oxo salen complexes. Effect of π -rich and other types of additives (Dalton, C.T. (187) 179)

Comicelle

Phosphodiester hydrolysis by metal ion macrocyclic dioxotetraamine complexes bearing alcohol pendant in comicellar solution (Xiang, Q.-X. (187) 195)

Copper complexes

Organic oxidative reactions mediated by copper (Puzari, A. (187) 149)

Copper containing ferrites

Study of cyclohexanol decomposition reaction over the ferrospinels, $A_{1-x}Cu_xFe_2O_4$ ($A = Ni$ or Co and $x = 0, 0.3, 0.5, 0.7$ and 1), prepared by 'soft' chemical methods (Ramankutty, C.G. (187) 105)

Cresols

Cerium complexes with acetato acylbis(pyrazolinone) ligands as an efficient catalyst for the oxidation of cresols by molecular oxygen (Yoshikuni, T. (187) 143)

Crystal structure

Homogeneous hydrogenation of 1-octene: effect of anion, solvent and ligand on hydrogenation activity and selectivity. Crystal structure of the catalyst precursor $[Ni(o-MeO-dppp)(tfa)_2]$ (Angulo, I.M. (187) 55)

Cyclization

Amino cyclization of terminal (α,ω)-diols over modified ZSM-5 catalysts (Radha Rani, V. (187) 237)

Cyclohexanol decomposition

Study of cyclohexanol decomposition reaction over the ferrospinels, $A_{1-x}Cu_xFe_2O_4$ ($A = Ni$ or Co and $x = 0, 0.3, 0.5, 0.7$ and 1), prepared by 'soft' chemical methods (Ramankutty, C.G. (187) 105)

Diarylethenes

Liquid phase hydroformylation of 1,1-diarylethenes catalyzed by rhodium based heterogeneous catalysts (Lenarda, M. (187) 129)

1,4-Diethylbenzene

Ethylation of ethylbenzene with ethanol over substituted medium pore aluminophosphate-based molecular sieves (Rajesh, B. (187) 259)

Diol

Amino cyclization of terminal (α,ω)-diols over modified ZSM-5 catalysts (Radha Rani, V. (187) 237)

1-Dodecene

Effect of reaction engineering factors on biphasic hydroformylation of 1-dodecene catalyzed by water-soluble rhodium complex (Yang, C. (187) 35)

 π -Donor ligands

Asymmetric alkene epoxidation with chromium oxo salen complexes. Effect of π -rich and other types of additives (Dalton, C.T. (187) 179)

Electron-rich olefins

Palladium catalysed regioselective arylation of electron-rich olefins by aryl halides (Xu, L. (187) 189)

Ethylation

Ethylation of ethylbenzene with ethanol over substituted medium pore aluminophosphate-based molecular sieves (Rajesh, B. (187) 259)

Ethylene oligomerization

ZrCl₄-TEA-EASC three-component catalyst for the oligomerization of ethylene: the role of organoaluminum co-catalysts and additives (Shiraki, Y. (187) 283)

Ethylene trimerization

Silica-supported $Cr[N(SiMe_3)_2]_3$ /isobutylalumoxane catalyst for selective ethylene trimerization (Monoi, T. (187) 135)

Fe₂O₃

Study of the surface acidity of an hematite powder (Ferretto, L. (187) 119)

Fenton-like reaction

Facilitation of pentachlorophenol degradation by the addition of ascorbic acid to aqueous mixtures of tetrakis(sulfonatophenyl)porphyrin and iron(II) (Fukushima, M. (187) 201)

Ferrospinels

Study of cyclohexanol decomposition reaction over the ferrospinels, $A_{1-x}Cu_xFe_2O_4$ ($A = Ni$ or Co and $x = 0, 0.3, 0.5, 0.7$ and 1), prepared by 'soft' chemical methods (Ramankutty, C.G. (187) 105)

Halides

Palladium catalysed regioselective arylation of electron-rich olefins by aryl halides (Xu, L. (187) 189)

Heck reaction

Palladium catalysed regioselective arylation of electron-rich olefins by aryl halides (Xu, L. (187) 189)

Hematite

Study of the surface acidity of an hematite powder (Ferretto, L. (187) 119)

1-Hexene

Silica-supported $Cr[N(SiMe_3)_2]_3$ /isobutylalumoxane catalyst for selective ethylene trimerization (Monoi, T. (187) 135)

Homogeneous catalysis

Homogeneous hydrogenation of 1-octene: effect of anion, solvent and ligand on hydrogenation activity and selectivity. Crystal structure of the catalyst precursor $[Ni(o-MeO-dppp)(tfa)_2]$ (Angulo, I.M. (187) 55)

Homogeneous and heterogeneous catalyzed three-step synthesis of 2-ethylheptanoic acid from carbon dioxide, butadiene and hydrogen (Behr, A. (187) 69)

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

HRTEM

Molybdenum oxide based partial oxidation catalyst . 4. TEM identification of a new oxygen-reduced phase formed during acrolein partial oxidation under reducing conditions (Uchida, Y. (187) 247)

Hydroformylation

Liquid phase hydroformylation of 1,1-diarylethenes catalyzed by rhodium based heterogeneous catalysts (Lenarda, M. (187) 129)

Hydrogen peroxide

Catalytic effects of metal(IV) phosphates on the oxidation of phenol and 2-naphthol (Rocha, G.V.M.S.R.O. (187) 95)

Hydrogenation

Homogeneous hydrogenation of 1-octene: effect of anion, solvent and ligand on hydrogenation activity and selectivity. Crystal structure of the catalyst precursor $[\text{Ni}(o\text{-MeO-dppp})(\text{tfa})_2]$ (Angulo, I.M. (187) 55)

Homogeneous and heterogeneous catalyzed three-step synthesis of 2-ethylheptanoic acid from carbon dioxide, butadiene and hydrogen (Behr, A. (187) 69)

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Catalytic hydrogenolysis of aromatic ketones by a sol-gel entrapped combined $\text{Pd}[\text{Rh}(\text{cod})\text{Cl}]_2$ catalyst (Abu-Reziq, R. (187) 277)

Hydrolysis

Phosphodiester hydrolysis by metal ion macrocyclic dioxotetraamine complexes bearing alcohol pendant in comicellar solution (Xiang, Q.-X. (187) 195)

Hydroxybenzaldehydes

Cerium complexes with acetato acylbis(pyrazolinone) ligands as an efficient catalyst for the oxidation of cresols by molecular oxygen (Yoshikuni, T. (187) 143)

Hydroxylation reactions

Catalytic effects of metal(IV) phosphates on the oxidation of phenol and 2-naphthol (Rocha, G.V.M.S.R.O. (187) 95)

Imidazolium

Comparative kinetic investigations in ionic liquids using the MTO/peroxide system (Owens, G.S. (187) 215)

Ionic liquids

Comparative kinetic investigations in ionic liquids using the MTO/peroxide system (Owens, G.S. (187) 215)

Iridium

Polymerization of phenylacetylene catalyzed by organoiridium compounds (Marigo, M. (187) 169)

Iron

Facilitation of pentachlorophenol degradation by the addition of ascorbic acid to aqueous mixtures of tetrakis(sulfonatophenyl)porphyrin and iron(II) (Fukushima, M. (187) 201)

Isobutylalumoxane

Silica-supported $\text{Cr}[\text{N}(\text{SiMe}_3)_2]_3$ /isobutylalumoxane catalyst for selective ethylene trimerization (Monoi, T. (187) 135)

Isobutyraldehyde

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

Ketones

Catalytic hydrogenolysis of aromatic ketones by a sol-gel entrapped combined $\text{Pd}[\text{Rh}(\text{cod})\text{Cl}]_2$ catalyst (Abu-Reziq, R. (187) 277)

Kinetics

Effect of reaction engineering factors on biphasic hydroformylation of 1-dodecene catalyzed by water-soluble rhodium complex (Yang, C. (187) 35)

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Comparative kinetic investigations in ionic liquids using the MTO/peroxide system (Owens, G.S. (187) 215)

Lactone

Homogeneous and heterogeneous catalyzed three-step synthesis of 2-ethylheptanoic acid from carbon dioxide, butadiene and hydrogen (Behr, A. (187) 69)

Macrocyclic polyamine

Phosphodiester hydrolysis by metal ion macrocyclic dioxotetraamine complexes bearing alcohol pendant in comicellar solution (Xiang, Q.-X. (187) 195)

Medium pore

Ethylation of ethylbenzene with ethanol over substituted medium pore aluminophosphate-based molecular sieves (Rajesh, B. (187) 259)

Metalloporphyrins

Oxidation of styrene by various oxidants with different kinds of metalloporphyrins (Liu, J.-Y. (187) 163)

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

Metallophthalocyanines

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

Methyl isobutyrate

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

Methyltrioxorhenium

Comparative kinetic investigations in ionic liquids using the MTO/peroxide system (Owens, G.S. (187) 215)

Molecular oxygen

Cerium complexes with acetato acylbis(pyrazolinone) ligands as an efficient catalyst for the oxidation of cresols by molecular oxygen (Yoshikuni, T. (187) 143)

Multielement mixed metal oxide catalysts

Molybdenum oxide based partial oxidation catalyst . 4. TEM identification of a new oxygen-reduced phase formed during acrolein partial oxidation under reducing conditions (Uchida, Y. (187) 247)

Nafion

Photoinduced charge separation at polymer-solution interface (Shiroishi, H. (187) 47)

Nickel complexes

Homogeneous hydrogenation of 1-octene: effect of anion, solvent and ligand on hydrogenation activity and selectivity. Crystal structure of the catalyst precursor $[\text{Ni}(o\text{-MeO-dppp})(\text{tfa})_2]$ (Angulo, I.M. (187) 55)

α -Olefin

ZrCl₄-TEA-EASC three-component catalyst for the oligomerization of ethylene: the role of organoaluminum co-catalysts and additives (Shiraki, Y. (187) 283)

Organoaluminum

ZrCl₄-TEA-EASC three-component catalyst for the oligomerization of ethylene: the role of organoaluminum co-catalysts and additives (Shiraki, Y. (187) 283)

Oxidation

Oxidative catalysis by Mn₄O₄⁶⁺ cubane complexes (Carrell, T.G. (187) 3)

Cerium complexes with acetato acylbis(pyrazolinone) ligands as an efficient catalyst for the oxidation of cresols by molecular oxygen (Yoshikuni, T. (187) 143)

Oxidation of styrene by various oxidants with different kinds of metalloporphyrins (Liu, J.-Y. (187) 163)

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

Oxidation reactions

Organic oxidative reactions mediated by copper (Puzari, A. (187) 149)

Oxidative transformation

Facilitation of pentachlorophenol degradation by the addition of ascorbic acid to aqueous mixtures of tetrakis(sulfonatophenyl)porphyrin and iron(II) (Fukushima, M. (187) 201)

Palladium acetate

Total regioselective control of the carbonylative coupling of 1-heptyne with aniline and *N*-methyl aniline catalyzed by palladium(II) and phosphine ligand (El Ali, B. (187) 17)

Palladium

Palladium catalysed regioselective arylation of electron-rich olefins by aryl halides (Xu, L. (187) 189)

Catalytic hydrogenolysis of aromatic ketones by a sol-gel entrapped combined Pd-[Rh(cod)Cl]₂ catalyst (Abu-Reziq, R. (187) 277)

Pentachlorophenol

Facilitation of pentachlorophenol degradation by the addition of ascorbic acid to aqueous mixtures of tetrakis(sulfonatophenyl)porphyrin and iron(II) (Fukushima, M. (187) 201)

Phenylacetylene

Polymerization of phenylacetylene catalyzed by organoiridium compounds (Marigo, M. (187) 169)

Phosphane ligands

Homogeneous hydrogenation of 1-octene: effect of anion, solvent and ligand on hydrogenation activity and selectivity. Crystal structure of the catalyst precursor [Ni(*o*-MeO-dppp)(tfa)₂] (Angulo, I.M. (187) 55)

Phosphodiester

Phosphodiester hydrolysis by metal ion macrocyclic dioxotetraamine complexes bearing alcohol pendant in comicellar solution (Xiang, Q.-X. (187) 195)

Photochemical hydrogen evolution

Photoinduced charge separation at polymer-solution interface (Shiroishi, H. (187) 47)

Platinum catalyst

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Polymer-solution interface

Photoinduced charge separation at polymer-solution interface (Shiroishi, H. (187) 47)

Polymerization

Polymerization of phenylacetylene catalyzed by organoiridium compounds (Marigo, M. (187) 169)

Polynuclear manganese complexes

Oxidative catalysis by Mn₄O₄⁶⁺ cubane complexes (Carrell, T.G. (187) 3)

Polyoxometalates

Homogeneous oxidation of methyl isobutyrate with oxygen catalysed by metal complexes: polyoxometalates versus metalloporphyrins and metallophthalocyanines (Ellis, S. (187) 227)

Polypyridine ruthenium complex

Photoinduced charge separation at polymer-solution interface (Shiroishi, H. (187) 47)

Reaction engineering

Effect of reaction engineering factors on biphasic hydroformylation of 1-dodecene catalyzed by water-soluble rhodium complex (Yang, C. (187) 35)

Reaction mechanism

Organic oxidative reactions mediated by copper (Puzari, A. (187) 149)

Regioselectivity

Palladium catalysed regioselective arylation of electron-rich olefins by aryl halides (Xu, L. (187) 189)

Rhodium

Catalytic hydrogenolysis of aromatic ketones by a sol-gel entrapped combined Pd-[Rh(cod)Cl]₂ catalyst (Abu-Reziq, R. (187) 277)

SAED

Molybdenum oxide based partial oxidation catalyst . 4. TEM identification of a new oxygen-reduced phase formed during acrolein partial oxidation under reducing conditions (Uchida, Y. (187) 247)

Salen

Asymmetric alkene epoxidation with chromium oxo salen complexes. Effect of π -rich and other types of additives (Dalton, C.T. (187) 179)

Saturated cyclic amines

Amino cyclization of terminal (α,ω)-diols over modified ZSM-5 catalysts (Radha Rani, V. (187) 237)

Selectivity

Platinum catalyzed hydrogenation of 2-butyne-1,4-diol (Telkar, M.M. (187) 81)

Silica

Silica-supported Cr[N(SiMe₃)₂]₃/isobutylalumoxane catalyst for selective ethylene trimerization (Monoi, T. (187) 135)

Sol-gel

Catalytic hydrogenolysis of aromatic ketones by a sol-gel entrapped combined Pd-[Rh(cod)Cl]₂ catalyst (Abu-Reziq, R. (187) 277)

Stereoselectivity

Polymerization of phenylacetylene catalyzed by organoiridium compounds (Marigo, M. (187) 169)

Styrene

Oxidation of styrene by various oxidants with different kinds of metalloporphyrins (Liu, J.-Y. (187) 163)

Sulphated ferros spinels

Study of cyclohexanol decomposition reaction over the ferros spinels, $A_{1-x}Cu_xFe_2O_4$ ($A = Ni$ or Co and $x = 0, 0.3, 0.5, 0.7$ and 1), prepared by 'soft' chemical methods (Ramankutty, C.G. (187) 105)

Surface-acidity

Study of the surface acidity of an hematite powder (Ferretto, L. (187) 119)

Surfactant

Effect of reaction engineering factors on biphasic hydroformylation of 1-dodecene catalyzed by water-soluble rhodium complex (Yang, C. (187) 35)

Syngas

Total regioselective control of the carbonylative coupling of 1-heptyne with aniline and *N*-methyl aniline catalyzed by palladium(II) and phosphine ligand (El Ali, B. (187) 17)

Synthesis

Phosphodiester hydrolysis by metal ion macrocyclic dioxotetraamine complexes bearing alcohol pendant in comicellar solution (Xiang, Q.-X. (187) 195)

Tetravalent metal phosphates

Catalytic effects of metal(IV) phosphates on the oxidation of phenol and 2-naphthol (Rocha, G.V.M.S.R.O. (187) 95)

TPPS

Facilitation of pentachlorophenol degradation by the addition of ascorbic acid to aqueous mixtures of tetrakis(sulfonatophenyl)porphyrin and iron(II) (Fukushima, M. (187) 201)

Tris[bis(trimethylsilyl)amido]Cr(III)

Silica-supported $Cr[N(SiMe_3)_2]_3$ /isobutylalumoxane catalyst for selective ethylene trimerization (Monoi, T. (187) 135)

Unsaturated amides

Total regioselective control of the carbonylative coupling of 1-heptyne with aniline and *N*-methyl aniline catalyzed by palladium(II) and phosphine ligand (El Ali, B. (187) 17)

XAS

XAS characterization and CO oxidation on zirconia-supported $LaFeO_3$ perovskite (Colonna, S. (187) 269)

Zirconia-supported La-Fe perovskite

XAS characterization and CO oxidation on zirconia-supported $LaFeO_3$ perovskite (Colonna, S. (187) 269)

Zirconium catalyst

$ZrCl_4$ -TEA-EASC three-component catalyst for the oligomerization of ethylene: the role of organoaluminum co-catalysts and additives (Shiraki, Y. (187) 283)

ZSM-5

Amino cyclization of terminal (α,ω)-diols over modified ZSM-5 catalysts (Radha Rani, V. (187) 237)