

Subject index

Acetophenone

Liquid phase acetophenone hydrogenation on Ru/Cr/B catalysts supported on silica (Casagrande, M. (188) 133)

Acetylene

Catalytic activity of the $[\text{Mo}(\text{NO})_2\text{Cl}_2(\text{MeCN})_2]\text{Cl}$ and $[\text{Mo}(\text{NO})_2\text{Cl}_3(\text{PrOH})]\cdot 3\text{PrOH}$ complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)

Acid–base properties

Calcined Mg–Al, Mg–Cr and Zn–Al hydrotalcite catalysts for *tert*-butylation of phenol with *iso*-butanol—a comparative study (Padmasri, A.H. (188) 255)

Acidic properties

Kinetic approach of surface acidity of W_2N , Mo_2N and NbN catalysts using methylbutynol as molecular probe (Keller, V. (188) 163)

Active catalyst

Kinetic model for synthesizing 4,4'-diethanoxy biphenyl by phase transfer catalysis (Wang, M.-L. (188) 51)

Adsorbates

Trends within the adsorption energy of alcohols over rutile $\text{TiO}_2(1\ 1\ 0)$ and $(0\ 1\ 1)$ clusters (Kieu, L. (188) 153)

Adsorption energy

Trends within the adsorption energy of alcohols over rutile $\text{TiO}_2(1\ 1\ 0)$ and $(0\ 1\ 1)$ clusters (Kieu, L. (188) 153)

AIMCM-41

MCM-41 mesoporous molecular sieves supported nickel—physico-chemical properties and catalytic activity in hydrogenation of benzene (Lewandowska, A. (188) 85)

Aluminiumtrialkyls

Propylene polymerization with a bisiminepyridine iron complex: activation with $\text{Ph}_3\text{C}[\text{B}(\text{C}_6\text{F}_5)_4]$ and AlR_3 ; iron hydride species in the catalytic cycle (Babik, S.T. (188) 245)

Aminobenzoic acid

Catalytic activity of dicarbonylrhodium complexes of aminobenzoic acid ligands on carbonylation of alcohol (Sharma, M. (188) 25)

Bifunctional mechanism

Kinetic study of *n*-heptane conversion on sulfated zirconia-supported platinum catalyst: the metal–proton adduct is the active site (Demirci, U.B. (188) 233)

4,4'-Biphenol

Kinetic model for synthesizing 4,4'-diethanoxy biphenyl by phase transfer catalysis (Wang, M.-L. (188) 51)

Bis(trifluoromethylsulfonyl)amide

Lanthanide bis(trifluoromethylsulfonyl)amides vs. trifluoromethylsulfonates as catalysts for Friedel–Crafts acylations (Duris, F. (188) 97)

Bisiminepyridine iron complex

Propylene polymerization with a bisiminepyridine iron complex: activation with $\text{Ph}_3\text{C}[\text{B}(\text{C}_6\text{F}_5)_4]$ and AlR_3 ; iron hydride species in the catalytic cycle (Babik, S.T. (188) 245)

Bromoethane

Kinetic model for synthesizing 4,4'-diethanoxy biphenyl by phase transfer catalysis (Wang, M.-L. (188) 51)

Butenyl phenols

Calcined Mg–Al, Mg–Cr and Zn–Al hydrotalcite catalysts for *tert*-butylation of phenol with *iso*-butanol—a comparative study (Padmasri, A.H. (188) 255)

Butyl phenols

Calcined Mg–Al, Mg–Cr and Zn–Al hydrotalcite catalysts for *tert*-butylation of phenol with *iso*-butanol—a comparative study (Padmasri, A.H. (188) 255)

Calcined hydrotalcite

Calcined Mg–Al, Mg–Cr and Zn–Al hydrotalcite catalysts for *tert*-butylation of phenol with *iso*-butanol—a comparative study (Padmasri, A.H. (188) 255)

Calorimetry

Enthalpies of reduction–oxidation of alumina-supported platinum (Wang, C.-B. (188) 201)

Carbonylation of alcohol

Catalytic activity of dicarbonylrhodium complexes of aminobenzoic acid ligands on carbonylation of alcohol (Sharma, M. (188) 25)

2-Carbamoylpyridine derivatives

Catalytic mono-oxygenation reactions using mono- and binuclear ruthenium amide complexes as the homogeneous catalysts (Dutta, S. (188) 45)

Catalyst

Catalytic activity of dicarbonylrhodium complexes of aminobenzoic acid ligands on carbonylation of alcohol (Sharma, M. (188) 25)

Catalysts characterisation

Liquid phase acetophenone hydrogenation on Ru/Cr/B catalysts supported on silica (Casagrande, M. (188) 133)

Catalytic epoxidation

Catalytic mono-oxygenation reactions using mono- and binuclear ruthenium amide complexes as the homogeneous catalysts (Dutta, S. (188) 45)

Characterization

MCM-41 mesoporous molecular sieves supported nickel—physico-chemical properties and catalytic activity in hydrogenation of benzene (Lewandowska, A. (188) 85)

C–H bond activation

Activation of a C|H bond by a rhodium A-frame complex under hydroformylation conditions: carbonylation of styrene to 1-indanone (Sanger, A.R. (188) 11)

Copolymerization ethylene-CO catalyst

Unusual stability of hydrosoluble Pd(II)—diphosphine system (Janin, F. (188) 71)

Critical solution temperature

Hydroformylation of diisobutylene using thermoregulated phase-separable phosphine rhodium complex catalyst (Wang, Y. (188) 79)

Cross-linking agent

Spherical MgCl₂-supported MAO pre-catalysts: preparation, characterization and activity in ethylene polymerization (Guan, Z. (188) 123)

Cyclic carbonylation

Activation of a C|H bond by a rhodium A-frame complex under hydroformylation conditions: carbonylation of styrene to 1-indanone (Sanger, A.R. (188) 11)

Cyclopentadienyl

Zirconium *bis*-cyclopentadienyl compounds. An investigation into the influence of substituent effects on the ethene polymerisation behaviour of (CpR)₂ZrCl₂/MAO catalysts (Grimmer, N.E. (188) 105)

Cytochrome P-450

Remarkable solvent effect on the yield and specificity of oxidation of naphthalene catalyzed by iron(III)porphyrins (Khavasi, H.R. (188) 115)

DFT

Issues involved in using MCSCF to investigate catalytic sites involving transition metals (Kim, B.H. (188) 173)

Diisobutylene

Hydroformylation of diisobutylene using thermoregulated phase-separable phosphine rhodium complex catalyst (Wang, Y. (188) 79)

Dinitrosyl complexes

Catalytic activity of the [Mo(NO)₂Cl₂(MeCN)₂]Cl and [Mo(NO)₂Cl₃(^{*i*}PrOH)]·3^{*i*}PrOH complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)

Epoxidation

Manganese-containing MCM-41 for epoxidation of styrene and stilbene (Zhang, Q. (188) 189)

Ethylene

Spherical MgCl₂-supported MAO pre-catalysts: preparation, characterization and activity in ethylene polymerization (Guan, Z. (188) 123)

Friedel–Crafts acylation

Lanthanide bis(trifluoromethylsulfonyl)amides vs. trifluoromethylsulfonates as catalysts for Friedel–Crafts acylations (Duris, F. (188) 97)

Heat of oxide formation

Enthalpies of reduction–oxidation of alumina-supported platinum (Wang, C.-B. (188) 201)

Heat of reduction

Enthalpies of reduction–oxidation of alumina-supported platinum (Wang, C.-B. (188) 201)

Heck reaction

Heck reaction with a silica-supported Pd-TPPTS liquid phase catalyst: effects of reaction conditions and various amines on the reaction rate (Fujita, S.-i. (188) 37)

Heterolysis

Supported iron(III)porphyrins pentafluorophenyl-derivatives as catalysts in epoxidation reactions by H₂O₂: the role of the silica-support and sulfonatophenyl residues in the activation of the peroxidic bond (Vinhado, F.S. (188) 141)

Homogeneous catalysis

Zirconium *bis*-cyclopentadienyl compounds. An investigation into the influence of substituent effects on the ethene polymerisation behaviour of (CpR)₂ZrCl₂/MAO catalysts (Grimmer, N.E. (188) 105)

Hydroformylation

Activation of a C|H bond by a rhodium A-frame complex under hydroformylation conditions: carbonylation of styrene to 1-indanone (Sanger, A.R. (188) 11)

Hydroformylation of diisobutylene using thermoregulated phase-separable phosphine rhodium complex catalyst (Wang, Y. (188) 79)

Hydrogen effect

Kinetic study of *n*-heptane conversion on sulfated zirconia-supported platinum catalyst: the metal–proton adduct is the active site (Demirci, U.B. (188) 233)

Hydrogen peroxide

Supported iron(III)porphyrins pentafluorophenyl-derivatives as catalysts in epoxidation reactions by H₂O₂: the role of the silica-support and sulfonatophenyl residues in the activation of the peroxidic bond (Vinhado, F.S. (188) 141)

Hydrogenation of benzene

MCM-41 mesoporous molecular sieves supported nickel—physico-chemical properties and catalytic activity in hydrogenation of benzene (Lewandowska, A. (188) 85)

Hydrogenation

Liquid phase acetophenone hydrogenation on Ru/Cr/B catalysts supported on silica (Casagrande, M. (188) 133)

A novel preparation method of ZnO/MCM-41 for hydrogenation of methyl benzoate (Lu, W. (188) 225)

Hydrogenolysis

A novel preparation method of ZnO/MCM-41 for hydrogenation of methyl benzoate (Lu, W. (188) 225)

Hydrothermal-impregnation–precipitation

A novel preparation method of ZnO/MCM-41 for hydrogenation of methyl benzoate (Lu, W. (188) 225)

Immobilised catalysts

Supported iron(III)porphyrins pentafluorophenyl-derivatives as catalysts in epoxidation reactions by H₂O₂: the role of the silica-support and sulfonatophenyl residues in the activation of the peroxidic bond (Vinhado, F.S. (188) 141)

- 1-Indanone
Activation of a C|H bond by a rhodium A-frame complex under hydroformylation conditions: carbonylation of styrene to 1-indanone (Sanger, A.R. (188) 11)
- Iron carbonyl
Issues involved in using MCSCF to investigate catalytic sites involving transition metals (Kim, B.H. (188) 173)
- Iron chloride
Issues involved in using MCSCF to investigate catalytic sites involving transition metals (Kim, B.H. (188) 173)
- Iron hydride species
Propylene polymerization with a bisiminepyridine iron complex: activation with $\text{Ph}_3\text{C} [\text{B}(\text{C}_6\text{F}_5)_4]$ and AlR_3 ; iron hydride species in the catalytic cycle (Babik, S.T. (188) 245)
- Iron(III)porphyrins
Supported iron(III)porphyrins pentafluorophenyl-derivatives as catalysts in epoxidation reactions by H_2O_2 : the role of the silica-support and sulfonatophenyl residues in the activation of the peroxidic bond (Vinhado, F.S. (188) 141)
- Iron-porphyrin
Remarkable solvent effect on the yield and specificity of oxidation of naphthalene catalyzed by iron(III)porphyrins (Khavasi, H.R. (188) 115)
- Isobornyl acetate
Alkyl sulphonic acid surface-functionalised silica as heterogeneous acid catalyst in the solvent-free liquid-phase addition of acetic acid to camphene (Dijks, I.J. (188) 209)
- Kinetic coupling.
Kinetic approach of surface acidity of W_2N , Mo_2N and NbN catalysts using methylbutynol as molecular probe (Keller, V. (188) 163)
- Kinetic data
Kinetic study of *n*-heptane conversion on sulfated zirconia-supported platinum catalyst: the metal-proton adduct is the active site (Demirci, U.B. (188) 233)
- Kinetic model
Kinetic model for synthesizing 4,4'-diethanoxy biphenyl by phase transfer catalysis (Wang, M.-L. (188) 51)
- Kinetics
Heck reaction with a silica-supported Pd-TPPTS liquid phase catalyst: effects of reaction conditions and various amines on the reaction rate (Fujita, S.-i. (188) 37)
Alkyl sulphonic acid surface-functionalised silica as heterogeneous acid catalyst in the solvent-free liquid-phase addition of acetic acid to camphene (Dijks, I.J. (188) 209)
- Lanthanides
Novel 2-propenyl cyclopentadienyl lanthanide complexes as single component methyl methacrylate (MMA) polymerization catalysts (Qian, Y. (188) 1)
Lanthanide bis(trifluoromethylsulfonyl)amides vs. trifluoromethylsulfonates as catalysts for Friedel-Crafts acylations (Duris, F. (188) 97)
- Living polymerization
Catalytic activity of the $[\text{Mo}(\text{NO})_2\text{Cl}_2(\text{MeCN})_2]\text{Cl}$ and $[\text{Mo}(\text{NO})_2\text{Cl}_3(^i\text{PrOH})]\cdot 3^i\text{PrOH}$ complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)
- MCSCF
Issues involved in using MCSCF to investigate catalytic sites involving transition metals (Kim, B.H. (188) 173)
- Mesoporous SiMCM-41
MCM-41 mesoporous molecular sieves supported nickel—physico-chemical properties and catalytic activity in hydrogenation of benzene (Lewandowska, A. (188) 85)
- Metachloroperbenzoic acid oxidation
Remarkable solvent effect on the yield and specificity of oxidation of naphthalene catalyzed by iron(III)porphyrins (Khavasi, H.R. (188) 115)
- Metal-proton adduct
Kinetic study of *n*-heptane conversion on sulfated zirconia-supported platinum catalyst: the metal-proton adduct is the active site (Demirci, U.B. (188) 233)
- Metallocene
Zirconium *bis*-cyclopentadienyl compounds. An investigation into the influence of substituent effects on the ethene polymerisation behaviour of $(\text{CpR})_2\text{ZrCl}_2/\text{MAO}$ catalysts (Grimmer, N.E. (188) 105)
- Metathesis
Catalytic activity of the $[\text{Mo}(\text{NO})_2\text{Cl}_2(\text{MeCN})_2]\text{Cl}$ and $[\text{Mo}(\text{NO})_2\text{Cl}_3(^i\text{PrOH})]\cdot 3^i\text{PrOH}$ complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)
- Methyl benzoate
A novel preparation method of $\text{ZnO}/\text{MCM-41}$ for hydrogenation of methyl benzoate (Lu, W. (188) 225)
- Methyl methacrylate
Novel 2-propenyl cyclopentadienyl lanthanide complexes as single component methyl methacrylate (MMA) polymerization catalysts (Qian, Y. (188) 1)
- 2-Methylbut-3-yn-2-ol molecular probe
Kinetic approach of surface acidity of W_2N , Mo_2N and NbN catalysts using methylbutynol as molecular probe (Keller, V. (188) 163)
- Methylaluminoxane
Spherical MgCl_2 -supported MAO pre-catalysts: preparation, characterization and activity in ethylene polymerization (Guan, Z. (188) 123)
- Mn-MCM-41
Manganese-containing MCM-41 for epoxidation of styrene and stilbene (Zhang, Q. (188) 189)
- Modification with Ni
MCM-41 mesoporous molecular sieves supported nickel—physico-chemical properties and catalytic activity in hydrogenation of benzene (Lewandowska, A. (188) 85)
- Molybdenum
Catalytic activity of the $[\text{Mo}(\text{NO})_2\text{Cl}_2(\text{MeCN})_2]\text{Cl}$ and $[\text{Mo}(\text{NO})_2\text{Cl}_3(^i\text{PrOH})]\cdot 3^i\text{PrOH}$ complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)
Kinetic approach of surface acidity of W_2N , Mo_2N and NbN catalysts using methylbutynol as molecular probe (Keller, V. (188) 163)

Naphthalene

Remarkable solvent effect on the yield and specificity of oxidation of naphthalene catalyzed by iron(III)porphyrins (Khavasi, H.R. (188) 115)

NbMCM-41

MCM-41 mesoporous molecular sieves supported nickel—physico-chemical properties and catalytic activity in hydrogenation of benzene (Lewandowska, A. (188) 85)

Non-ionic phosphine ligand

Hydroformylation of diisobutylene using thermoregulated phase-separable phosphine rhodium complex catalyst (Wang, Y. (188) 79)

Olefin

Catalytic activity of the $[\text{Mo}(\text{NO})_2\text{Cl}_2(\text{MeCN})_2]\text{Cl}$ and $[\text{Mo}(\text{NO})_2\text{Cl}_3(\text{PrOH})]\cdot 3\text{PrOH}$ complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)

Oxidation of aldoximes

Participation of self-generated polyaniline support in copper(II) catalysed oxidative reaction of phenyl aldimines (Handique, J.G. (188) 63)

Oxidative addition

Catalytic activity of dicarbonylrhodium complexes of amino-benzoic acid ligands on carbonylation of alcohol (Sharma, M. (188) 25)

Oxido-reduction

Unusual stability of hydrosoluble Pd(II)—diphosphine system (Janin, F. (188) 71)

Oxygen rebound mechanism and lewis acid activity

Catalytic mono-oxygenation reactions using mono- and binuclear ruthenium amide complexes as the homogeneous catalysts (Dutta, S. (188) 45)

Palladium

Heck reaction with a silica-supported Pd-TPPTS liquid phase catalyst: effects of reaction conditions and various amines on the reaction rate (Fujita, S.-i. (188) 37)

Unusual stability of hydrosoluble Pd(II)—diphosphine system (Janin, F. (188) 71)

Pentafluorophenyl-derivatives

Supported iron(III)porphyrins pentafluorophenyl-derivatives as catalysts in epoxidation reactions by H_2O_2 : the role of the silica-support and sulfonatophenyl residues in the activation of the peroxidic bond (Vinhado, F.S. (188) 141)

Phase transfer catalysis

Kinetic model for synthesizing 4,4'-diethanoxy biphenyl by phase transfer catalysis (Wang, M.-L. (188) 51)

Platinum

Enthalpies of reduction—oxidation of alumina-supported platinum (Wang, C.-B. (188) 201)

Polycyclic aromatic hydrocarbon

Remarkable solvent effect on the yield and specificity of oxidation of naphthalene catalyzed by iron(III)porphyrins (Khavasi, H.R. (188) 115)

Propagation-time-profiles

Propylene polymerization with a bisiminepyridine iron com-

plex: activation with $\text{Ph}_3\text{C} [\text{B}(\text{C}_6\text{F}_5)_4]$ and AlR_3 ; iron hydride species in the catalytic cycle (Babik, S.T. (188) 245)

2-Propenylcyclopentadiene

Novel 2-propenyl cyclopentadienyl lanthanide complexes as single component methyl methacrylate (MMA) polymerization catalysts (Qian, Y. (188) 1)

Propylene polymerization

Propylene polymerization with a bisiminepyridine iron complex: activation with $\text{Ph}_3\text{C} [\text{B}(\text{C}_6\text{F}_5)_4]$ and AlR_3 ; iron hydride species in the catalytic cycle (Babik, S.T. (188) 245)

Rhodium A-frame complex

Activation of a C|H bond by a rhodium A-frame complex under hydroformylation conditions: carbonylation of styrene to 1-indanone (Sanger, A.R. (188) 11)

Rhodium complexes

Catalytic activity of dicarbonylrhodium complexes of amino-benzoic acid ligands on carbonylation of alcohol (Sharma, M. (188) 25)

ROMP

Catalytic activity of the $[\text{Mo}(\text{NO})_2\text{Cl}_2(\text{MeCN})_2]\text{Cl}$ and $[\text{Mo}(\text{NO})_2\text{Cl}_3(\text{PrOH})]\cdot 3\text{PrOH}$ complexes in metathesis and polymerization of alkenes and alkynes (Keller, A. (188) 17)

Ruthenium complexes

Catalytic mono-oxygenation reactions using mono- and binuclear ruthenium amide complexes as the homogeneous catalysts (Dutta, S. (188) 45)

Ruthenium/chromium catalysts

Liquid phase acetophenone hydrogenation on Ru/Cr/B catalysts supported on silica (Casagrande, M. (188) 133)

Rutile

Trends within the adsorption energy of alcohols over rutile $\text{TiO}_2(1\ 1\ 0)$ and $(0\ 1\ 1)$ clusters (Kieu, L. (188) 153)

Self-generated support

Participation of self-generated polyaniline support in copper(II) catalysed oxidative reaction of phenyl aldimines (Handique, J.G. (188) 63)

Silica

Alkyl sulphonic acid surface-functionalised silica as heterogeneous acid catalyst in the solvent-free liquid-phase addition of acetic acid to camphene (Dijs, I.J. (188) 209)

Single-component catalyst

Novel 2-propenyl cyclopentadienyl lanthanide complexes as single component methyl methacrylate (MMA) polymerization catalysts (Qian, Y. (188) 1)

Sodium salt of 1,3-bis(dimetatsulphophenylphosphino) propane

Unusual stability of hydrosoluble Pd(II)—diphosphine system (Janin, F. (188) 71)

Spherical MgCl_2

Spherical MgCl_2 -supported MAO pre-catalysts: preparation, characterization and activity in ethylene polymerization (Guan, Z. (188) 123)

Stilbene

Manganese-containing MCM-41 for epoxidation of styrene and stilbene (Zhang, Q. (188) 189)

- Styrene
Manganese-containing MCM-41 for epoxidation of styrene and stilbene (Zhang, Q. (188) 189)
- Sulfated zirconia-supported platinum
Kinetic study of *n*-heptane conversion on sulfated zirconia-supported platinum catalyst: the metal–proton adduct is the active site (Demirci, U.B. (188) 233)
- Sulfonatophenyl groups
Supported iron(III)porphyrins pentafluorophenyl-derivatives as catalysts in epoxidation reactions by H₂O₂: the role of the silica-support and sulfonatophenyl residues in the activation of the peroxidic bond (Vinhado, F.S. (188) 141)
- Sulphonic acid
Alkyl sulphonic acid surface-functionalised silica as heterogeneous acid catalyst in the solvent-free liquid-phase addition of acetic acid to camphene (Dijs, I.J. (188) 209)
- Supported copper(II) catalysis
Participation of self-generated polyaniline support in copper(II) catalysed oxidative reaction of phenyl aldimines (Handique, J.G. (188) 63)
- Supported liquid phase catalyst (SLPC)
Heck reaction with a silica-supported Pd-TPPTS liquid phase catalyst: effects of reaction conditions and various amines on the reaction rate (Fujita, S.-i. (188) 37)
- Supported pre-catalyst
Spherical MgCl₂-supported MAO pre-catalysts: preparation, characterization and activity in ethylene polymerization (Guan, Z. (188) 123)
- Surface modification
Alkyl sulphonic acid surface-functionalised silica as heterogeneous acid catalyst in the solvent-free liquid-phase addition of acetic acid to camphene (Dijs, I.J. (188) 209)
- tert*-Butyl hydroperoxide
Manganese-containing MCM-41 for epoxidation of styrene and stilbene (Zhang, Q. (188) 189)
- tert*-Butylation
Calcined Mg–Al, Mg–Cr and Zn–Al hydrotalcite catalysts for *tert*-butylation of phenol with *iso*-butanol—a comparative study (Padmasri, A.H. (188) 255)
- Thermoregulated phase-separable catalysis
Hydroformylation of diisobutylene using thermoregulated phase-separable phosphine rhodium complex catalyst (Wang, Y. (188) 79)
- Tungsten and niobium nitrides
Kinetic approach of surface acidity of W₂N, Mo₂N and NbN catalysts using methylbutynol as molecular probe (Keller, V. (188) 163)
- Two stage kinetics
Catalytic activity of dicarbonylrhodium complexes of amino-benzoic acid ligands on carbonylation of alcohol (Sharma, M. (188) 25)
- Type of amine
Heck reaction with a silica-supported Pd-TPPTS liquid phase catalyst: effects of reaction conditions and various amines on the reaction rate (Fujita, S.-i. (188) 37)
- Water soluble complex
Unusual stability of hydrosoluble Pd(II)—diphosphine system (Janin, F. (188) 71)
- XPS
Liquid phase acetophenone hydrogenation on Ru/Cr/B catalysts supported on silica (Casagrande, M. (188) 133)
- XRD
Liquid phase acetophenone hydrogenation on Ru/Cr/B catalysts supported on silica (Casagrande, M. (188) 133)
- Zirconium
Zirconium *bis*-cyclopentadienyl compounds. An investigation into the influence of substituent effects on the ethene polymerisation behaviour of (CpR)₂ZrCl₂/MAO catalysts (Grimmer, N.E. (188) 105)
- ZnO/MCM-41
A novel preparation method of ZnO/MCM-41 for hydrogenation of methyl benzoate (Lu, W. (188) 225)