

Subject index

Acylation

Acylation of alcohols and amines with carboxylic acids: a first report catalyzed by iron(III) oxide-containing activated carbon (Sreedhar, B. (191) 141)

Alcohols and amines

Acylation of alcohols and amines with carboxylic acids: a first report catalyzed by iron(III) oxide-containing activated carbon (Sreedhar, B. (191) 141)

Alkene

Hydrogenation of alkenes over palladium and platinum metals supported on a variety of metal(IV) phosphates (Johnstone, R.A.W. (191) 289)

Allylic oxidation reaction

Chiral phenanthrolines as ligands for Cu(I)-catalyzed asymmetric allylic oxidation (Chelucci, G. (191) 29)

Allylic substitution

Chiral 2-(2-phenylthiophenyl)-5,6,7,8-tetrahydroquinolines: new N–S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (191) 1)

Alumina

A parametrical embedding method for catalytic modeling (Poveda, F.M. (191) 101)

Aluminum chloride

Immobilization of aluminum chloride on MCM-41 as a new catalyst system for liquid-phase isopropylation of naphthalene (Zhao, X.S. (191) 67)

Ansa zirconocene complexes

Mono, di and tetranuclear ansa zirconocene complexes as catalysts for the homogeneous and heterogeneous polymerization of ethylene (Alt, H.G. (191) 177)

Arene hydrogenation catalysts

A review of soluble transition-metal nanoclusters as arene hydrogenation catalysts (Widegren, J.A. (191) 187)

Asymmetric

Asymmetric cyclopropanation catalyzed by C₂-symmetric bis-(ephedrine)-Cu(II) complexes (Gao, J. (191) 23)

Asymmetry parameter

A measure of metallocene catalyst shape asymmetry (Siedle, A.R. (191) 167)

Atom economy

Acylation of alcohols and amines with carboxylic acids: a first report catalyzed by iron(III) oxide-containing activated carbon (Sreedhar, B. (191) 141)

Baeyer–Villiger oxidation

Sn-exchanged hydrotalcites as catalysts for clean and selective Baeyer–Villiger oxidation of ketones using hydrogen peroxide (Pillai, U.R. (191) 93)

Carbon covered alumina

Selective hydrogenolysis of dichlorodifluoromethane on carbon covered alumina supported palladium catalyst (Chandra Shekar, S. (191) 45)

Carbon monoxide

Carbon monoxide–ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)

Carbonylation

Hydroesterification of cyclohexene using the complex Pd(PPh₃)₂(TsO)₂ as catalyst precursor. Effect of a hydrogen source (TsOH, H₂O) on the TOF and a kinetic study (TsOH: *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)

Carboxylic acids as acylating agents

Acylation of alcohols and amines with carboxylic acids: a first report catalyzed by iron(III) oxide-containing activated carbon (Sreedhar, B. (191) 141)

Catalysis with molecular oxygen

Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)

Catalysis

Hydroesterification of cyclohexene using the complex Pd(PPh₃)₂(TsO)₂ as catalyst precursor. Effect of a hydrogen source (TsOH, H₂O) on the TOF and a kinetic study (TsOH: *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)

Synthesis and properties of PdSn/Al₂O₃ and PdSn/SiO₂ prepared by solvated metal atom dispersed method (Cárdenas, G. (191) 75)

Catalyst isolation and characterization

Polyoxoanion-supported catalysis: evidence for a P₂W₁₅Nb₃O₆₂⁹⁻-supported iridium cyclohexene oxidation catalyst starting from [*n*-Bu₄N]₅Na₃[(1,5-COD)Ir-P₂W₁₅Nb₃O₆₂] (Weiner, H. (191) 253)

Catalytic oxidation of glucose

Bismuth as an additive modifying the selectivity of palladium catalysts (Karski, S. (191) 87)

Chiral 1,10-phenanthrolines

Chiral phenanthrolines as ligands for Cu(I)-catalyzed asymmetric allylic oxidation (Chelucci, G. (191) 29)

- Chiral ligand
Asymmetric cyclopropanation catalyzed by C₂-symmetric bis-(ephedrine)-Cu(II) complexes (Gao, J. (191) 23)
- Chiral tetrahydroquinolines
Chiral 2-(2-phenylthiophenyl)-5,6,7,8-tetrahydroquinolines: new N-S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (191) 1)
- Cluster model
Ti atom in MFI zeolite framework: a large cluster model study by ONIOM method (Atoguchi, T. (191) 281)
- CO
Selective formation of unsymmetric ureas by selenium-catalyzed oxidative-reductive carbonylation with CO (Mei, J. (191) 135)
- Copolymerization
Carbon monoxide-ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)
- Copper complex
Chiral 2-(2-phenylthiophenyl)-5,6,7,8-tetrahydroquinolines: new N-S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (191) 1)
Chiral phenanthrolines as ligands for Cu(I)-catalyzed asymmetric allylic oxidation (Chelucci, G. (191) 29)
- Copper/chromium
Selective production of hydrogen by partial oxidation of methanol over Cu/Cr catalysts (Wang, Z. (191) 123)
- Cyclohexene autoxidation catalysis
Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)
- Cyclohexene
Hydroesterification of cyclohexene using the complex Pd(PPh₃)₂(TsO)₂ as catalyst precursor. Effect of a hydrogen source (TsOH, H₂O) on the TOF and a kinetic study (TsOH: *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)
- Cyclohexene oxidation catalysis
Polyoxoanion-supported catalysis: evidence for a P₂W₁₅Nb₃O₆₂⁹⁻-supported iridium cyclohexene oxidation catalyst starting from [*n*-Bu₄N]₅Na₃[(1,5-COD)Ir-P₂W₁₅Nb₃O₆₂] (Weiner, H. (191) 253)
- Cyclopropanation
Chiral 2-(2-phenylthiophenyl)-5,6,7,8-tetrahydroquinolines: new N-S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (191) 1)
Asymmetric cyclopropanation catalyzed by C₂-symmetric bis-(ephedrine)-Cu(II) complexes (Gao, J. (191) 23)
product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)
- Diastereomers
A review of soluble transition-metal nanoclusters as arene hydrogenation catalysts (Widegren, J.A. (191) 187)
- Dichlorodifluoromethane
Selective hydrogenolysis of dichlorodifluoromethane on carbon covered alumina supported palladium catalyst (Chandra Shekar, S. (191) 45)
- dppp
Carbon monoxide-ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)
- DRIFTS
A theoretical-experimental study of Wells-Dawson acid. An explanation of their catalytic activity (Sambeth, J.E. (191) 35)
- Embedding
A parametrical embedding method for catalytic modeling (Poveda, F.M. (191) 101)
- Enantioselectivity
Chiral 2-(2-phenylthiophenyl)-5,6,7,8-tetrahydroquinolines: new N-S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (191) 1)
Chiral phenanthrolines as ligands for Cu(I)-catalyzed asymmetric allylic oxidation (Chelucci, G. (191) 29)
- Ephedrine
Asymmetric cyclopropanation catalyzed by C₂-symmetric bis-(ephedrine)-Cu(II) complexes (Gao, J. (191) 23)
- Ethanol oxidation
Catalytic behavior of nanoparticle α-PtO₂ for ethanol oxidation (Zhensheng, J. (191) 61)
- Ethylene
Synthesis of inorganic MgCl₂-alcohol adduct via recrystallization method and its application in supported organometallic catalysts for the polymerization of ethylene with 1-hexene (Cho, H.S. (191) 155)
Carbon monoxide-ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)
- Extended Hückel method (EHMO, ASED)
A theoretical-experimental study of Wells-Dawson acid. An explanation of their catalytic activity (Sambeth, J.E. (191) 35)
- Formic acid
Carbon monoxide-ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)
- Free-radical-chain mechanisms
Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)
- Detection of autoxidation
Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~70 products at higher conversion leading to a simple,

Heteropolyacids

A theoretical–experimental study of Wells–Dawson acid. An explanation of their catalytic activity (Sambeth, J.E. (191) 35)

1-Hexene

Synthesis of inorganic MgCl_2 –alcohol adduct via recrystallization method and its application in supported organometallic catalysts for the polymerization of ethylene with 1-hexene (Cho, H.S. (191) 155)

Homogeneous and heterogeneous ethylene polymerization

Mono, di and tetranuclear ansa zirconocene complexes as catalysts for the homogeneous and heterogeneous polymerization of ethylene (Alt, H.G. (191) 177)

Homogeneous catalysis

Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~ 70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)

Polyoxoanion-supported catalysis: evidence for a $\text{P}_2\text{W}_{15}\text{Nb}_3\text{O}_{62}^{9-}$ -supported iridium cyclohexene oxidation catalyst starting from $[\eta\text{-Bu}_4\text{N}]_5\text{Na}_3[(1,5\text{-COD})\text{Ir-P}_2\text{W}_{15}\text{Nb}_3\text{O}_{62}]$ (Weiner, H. (191) 253)

Hydroesterification

Hydroesterification of cyclohexene using the complex $\text{Pd}(\text{PPh}_3)_2(\text{TsO})_2$ as catalyst precursor. Effect of a hydrogen source (TsOH , H_2O) on the TOF and a kinetic study (TsOH : *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)

Hydrogen peroxide

Sn-exchanged hydrotalcites as catalysts for clean and selective Baeyer–Villiger oxidation of ketones using hydrogen peroxide (Pillai, U.R. (191) 93)

Hydrogen source

Hydroesterification of cyclohexene using the complex $\text{Pd}(\text{PPh}_3)_2(\text{TsO})_2$ as catalyst precursor. Effect of a hydrogen source (TsOH , H_2O) on the TOF and a kinetic study (TsOH : *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)

Hydrogen

Selective production of hydrogen by partial oxidation of methanol over Cu/Cr catalysts (Wang, Z. (191) 123)

Hydrogenation

Activity and selectivity of noble metal colloids for the hydrogenation of polyunsaturated soybean oil (Choo, H.P. (191) 113)

Hydrogenation of alkenes over palladium and platinum metals supported on a variety of metal(IV) phosphates (Johnstone, R.A.W. (191) 289)

Hydrogenolysis

Selective hydrogenolysis of dichlorodifluoromethane on carbon covered alumina supported palladium catalyst (Chandra Shekar, S. (191) 45)

Iron(III) oxide-containing activated carbon catalyst

Acylation of alcohols and amines with carboxylic acids: a first report catalyzed by iron(III) oxide-containing activated carbon (Sreedhar, B. (191) 141)

Isomerization

Activity and selectivity of noble metal colloids for the hydrogenation of polyunsaturated soybean oil (Choo, H.P. (191) 113)

Isopropylation of naphthalene

Immobilization of aluminum chloride on MCM-41 as a new catalyst system for liquid-phase isopropylation of naphthalene (Zhao, X.S. (191) 67)

Ketones

Sn-exchanged hydrotalcites as catalysts for clean and selective Baeyer–Villiger oxidation of ketones using hydrogen peroxide (Pillai, U.R. (191) 93)

Kinetic and mechanistic studies

Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~ 70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)

Kinetics

Hydroesterification of cyclohexene using the complex $\text{Pd}(\text{PPh}_3)_2(\text{TsO})_2$ as catalyst precursor. Effect of a hydrogen source (TsOH , H_2O) on the TOF and a kinetic study (TsOH : *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)

MCM-41

Immobilization of aluminum chloride on MCM-41 as a new catalyst system for liquid-phase isopropylation of naphthalene (Zhao, X.S. (191) 67)

Mechanistic studies

Polyoxoanion-supported catalysis: evidence for a $\text{P}_2\text{W}_{15}\text{Nb}_3\text{O}_{62}^{9-}$ -supported iridium cyclohexene oxidation catalyst starting from $[\eta\text{-Bu}_4\text{N}]_5\text{Na}_3[(1,5\text{-COD})\text{Ir-P}_2\text{W}_{15}\text{Nb}_3\text{O}_{62}]$ (Weiner, H. (191) 253)

Metal phosphate

Hydrogenation of alkenes over palladium and platinum metals supported on a variety of metal(IV) phosphates (Johnstone, R.A.W. (191) 289)

Metallocene catalyst

Synthesis of inorganic MgCl_2 –alcohol adduct via recrystallization method and its application in supported organometallic catalysts for the polymerization of ethylene with 1-hexene (Cho, H.S. (191) 155)

A measure of metallocene catalyst shape asymmetry (Siedle, A.R. (191) 167)

Methanol

Selective production of hydrogen by partial oxidation of methanol over Cu/Cr catalysts (Wang, Z. (191) 123)

MFI zeolite framework

Ti atom in MFI zeolite framework: a large cluster model study by ONIOM method (Atoguchi, T. (191) 281)

 MgCl_2 –alcohol adduct

Synthesis of inorganic MgCl_2 –alcohol adduct via recrystallization method and its application in supported organometallic catalysts for the polymerization of ethylene with 1-hexene (Cho, H.S. (191) 155)

Molecular oxygen

Polyoxoanion-supported catalysis: evidence for a $\text{P}_2\text{W}_{15}\text{Nb}_3\text{O}_{62}^{9-}$ -supported iridium cyclohexene oxidation catalyst starting from $[\eta\text{-Bu}_4\text{N}]_5\text{Na}_3[(1,5\text{-COD})\text{Ir-P}_2\text{W}_{15}\text{Nb}_3\text{O}_{62}]$ (Weiner, H. (191) 253)

Monocyclic aromatic compounds

A review of soluble transition-metal nanoclusters as arene hydrogenation catalysts (Widegren, J.A. (191) 187)

Multinuclear catalysts

Mono, di and tetranuclear ansa zirconocene complexes as catalysts for the homogeneous and heterogeneous polymerization of ethylene (Alt, H.G. (191) 177)

Nanoclusters

A review of soluble transition-metal nanoclusters as arene hydrogenation catalysts (Widegren, J.A. (191) 187)

Nanoparticle α -PtO₂

Catalytic behavior of nanoparticle α -PtO₂ for ethanol oxidation (Zhensheng, J. (191) 61)

Nickel cluster

A parametrical embedding method for catalytic modeling (Poveda, F.M. (191) 101)

ONIOM

Ti atom in MFI zeolite framework: a large cluster model study by ONIOM method (Atoguchi, T. (191) 281)

Oxidation catalysis

Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)

Oxidative–reductive carbonylation

Selective formation of unsymmetric ureas by selenium-catalyzed oxidative–reductive carbonylation with CO (Mei, J. (191) 135)

Oxide catalyst

Catalytic behavior of nanoparticle α -PtO₂ for ethanol oxidation (Zhensheng, J. (191) 61)

Oxide semiconductor

Catalytic behavior of nanoparticle α -PtO₂ for ethanol oxidation (Zhensheng, J. (191) 61)

Palladium catalyst

Carbon monoxide–ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)

Palladium complex

Chiral 2-(2-phenylthiophenyl)-5,6,7,8-tetrahydroquinolines: new N–S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (191) 1)

Palladium

Hydroesterification of cyclohexene using the complex Pd(PPh₃)₂(TsO)₂ as catalyst precursor. Effect of a hydrogen source (TsOH, H₂O) on the TOF and a kinetic study (TsOH: *p*-toluenesulfonic acid) (Vavasori, A. (191) 9)

Hydrogenation of alkenes over palladium and platinum metals supported on a variety of metal(IV) phosphates (Johnstone, R.A.W. (191) 289)

Parametric method

A parametrical embedding method for catalytic modeling (Poveda, F.M. (191) 101)

Partial oxidation

Selective production of hydrogen by partial oxidation of methanol over Cu/Cr catalysts (Wang, Z. (191) 123)

Pd–Bi catalysts

Bismuth as an additive modifying the selectivity of palladium catalysts (Karski, S. (191) 87)

PdSn/Al₂O₃

Synthesis and properties of PdSn/Al₂O₃ and PdSn/SiO₂ prepared by solvated metal atom dispersed method (Cárdenas, G. (191) 75)

PdSn/SiO₂

Synthesis and properties of PdSn/Al₂O₃ and PdSn/SiO₂ prepared by solvated metal atom dispersed method (Cárdenas, G. (191) 75)

Phase transfer catalysis

Selective formation of unsymmetric ureas by selenium-catalyzed oxidative–reductive carbonylation with CO (Mei, J. (191) 135)

Platinum

Hydrogenation of alkenes over palladium and platinum metals supported on a variety of metal(IV) phosphates (Johnstone, R.A.W. (191) 289)

Polyketones

Carbon monoxide–ethylene copolymerization catalyzed by a Pd(OAc)₂/dppp/formic acid system [dppp = 1,3-bis(diphenylphosphino)propane] (Vavasori, A. (191) 209)

Polymerization

Synthesis of inorganic MgCl₂–alcohol adduct via recrystallization method and its application in supported organometallic catalysts for the polymerization of ethylene with 1-hexene (Cho, H.S. (191) 155)

Polyoxoanions in catalysis

Expanded product, plus kinetic and mechanistic, studies of polyoxoanion-based cyclohexene oxidation catalysis: the detection of ~70 products at higher conversion leading to a simple, product-based test for the presence of olefin autoxidation (Weiner, H. (191) 217)

Polyoxoanion-supported catalysis

Polyoxoanion-supported catalysis: evidence for a P₂W₁₅Nb₃O₆₂⁹⁻-supported iridium cyclohexene oxidation catalyst starting from [*n*-Bu₄N]₅Na₃[(1,5-COD)Ir-P₂W₁₅Nb₃O₆₂] (Weiner, H. (191) 253)

Polyoxoanions

Polyoxoanion-supported catalysis: evidence for a P₂W₁₅Nb₃O₆₂⁹⁻-supported iridium cyclohexene oxidation catalyst starting from [*n*-Bu₄N]₅Na₃[(1,5-COD)Ir-P₂W₁₅Nb₃O₆₂] (Weiner, H. (191) 253)

Pt and Pd nanocolloids

Activity and selectivity of noble metal colloids for the hydrogenation of polyunsaturated soybean oil (Choo, H.P. (191) 113)

Recrystallization

Synthesis of inorganic MgCl₂–alcohol adduct via recrystallization method and its application in supported organometallic catalysts for the polymerization of ethylene with 1-hexene (Cho, H.S. (191) 155)

Selective

Selective formation of unsymmetric ureas by selenium-catalyzed oxidative–reductive carbonylation with CO (Mei, J. (191) 135)

Selectivity

Hydrogenation of alkenes over palladium and platinum metals supported on a variety of metal(IV) phosphates (Johnstone, R.A.W. (191) 289)

Selenium

Selective formation of unsymmetric ureas by selenium-catalyzed oxidative–reductive carbonylation with CO (Mei, J. (191) 135)

Silica

Bismuth as an additive modifying the selectivity of palladium catalysts (Karski, S. (191) 87)

Silylation

Immobilization of aluminum chloride on MCM-41 as a new catalyst system for liquid-phase isopropylation of naphthalene (Zhao, X.S. (191) 67)

Sn-exchanged hydrotalcite

Sn-exchanged hydrotalcites as catalysts for clean and selective Baeyer–Villiger oxidation of ketones using hydrogen peroxide (Pillai, U.R. (191) 93)

Solvated metal atom dispersion

Synthesis and properties of PdSn/Al₂O₃ and PdSn/SiO₂ prepared by solvated metal atom dispersed method (Cárdenas, G. (191) 75)

Soybean oil

Activity and selectivity of noble metal colloids for the hydrogenation of polyunsaturated soybean oil (Choo, H.P. (191) 113)

Syndioregulating catalysts

A measure of metallocene catalyst shape asymmetry (Siedle, A.R. (191) 167)

TPR

Selective hydrogenolysis of dichlorodifluoromethane on carbon covered alumina supported palladium catalyst (Chandra Shekar, S. (191) 45)

Tungsten

A theoretical–experimental study of Wells–Dawson acid. An explanation of their catalytic activity (Sambeth, J.E. (191) 35)

Unsymmetric ureas

Selective formation of unsymmetric ureas by selenium-catalyzed oxidative–reductive carbonylation with CO (Mei, J. (191) 135)

Wells–Dawson acid

A theoretical–experimental study of Wells–Dawson acid. An explanation of their catalytic activity (Sambeth, J.E. (191) 35)