

Subject index

Active site

Study of the active site and activation process of Ni-based catalyst for 1,3-butadiene polymerization using X-ray absorption and crystal-field spectroscopies (Kwag, G. (193) 13)

Adsorption

FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and NO + O₂ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntarski, B. (193) 139)

Advanced oxidation technologies

Photocatalytic oxidation of cyanide: kinetic and mechanistic studies (Chiang, K. (193) 285)

Alcohol molecules

Adsorption of alcohols on γ -alumina (1 1 0 C) (Cai, S. (193) 157)

Alkylation

Tertiary butylation of phenol over HY and dealuminated HY zeolites (Anand, R. (193) 251)

Allylic alkylation

Remote substituent effect in palladium/pyridinyl-oxazolines catalyzed asymmetric allylic alkylation (Li, Z.-P. (193) 89)

γ -Alumina

Adsorption of alcohols on γ -alumina (1 1 0 C) (Cai, S. (193) 157)

Aminosilane

Study on aminosilane compounds as external electron donors in isospecific propylene polymerization (Ikeuchi, H. (193) 207)

Anthranilic acid

Reusable polymer-anchored catalyst for carbonylation reaction: kinetics and mechanism for diphenylurea formation (Mukherjee, D.K. (193) 41)

Asymmetric hydrogenation

Dendritic BINAP based system for asymmetric hydrogenation of simple aryl ketones (Deng, G.-J. (193) 21)

Bi-nuclear catalysts

Catalyst precursors for ethylene polymerization based on novel mono- and bi-nuclear pyridylimine-type palladium(II) complexes with long straight chain alkyl substituents at the imino nitrogen (Chen, R. (193) 33)

BINAP

Dendritic BINAP based system for asymmetric hydrogenation of simple aryl ketones (Deng, G.-J. (193) 21)

1,3-Butadiene polymerization

Study of the active site and activation process of Ni-based catalyst for 1,3-butadiene polymerization using X-ray absorption and crystal-field spectroscopies (Kwag, G. (193) 13)

Butene

Dimerization and polymerization of ethylene catalyzed by nickel complexes bearing multidentate amino-functionalized indenyl ligands (Groux, L.F. (193) 51)

Butylation

Tertiary butylation of phenol over HY and dealuminated HY zeolites (Anand, R. (193) 251)

Carbon dioxide

Photocatalytic carbon dioxide photoreduction by Co(bpy)₃²⁺ sensitized by Ru(bpy)₃²⁺ fixed to cation exchange polymer (Hirose, T. (193) 27)

Carbon nanotubes

Effect of CNTs on direct oxidation of cyclohexene catalyzed by ruthenium diaminodiphosphine complex (Li, C.-B. (193) 71)

Carbonylation

Reusable polymer-anchored catalyst for carbonylation reaction: kinetics and mechanism for diphenylurea formation (Mukherjee, D.K. (193) 41)

Catalysis

Ru(III) analogue of model methane monooxygenase in the effective catalytic oxidation of cyclohexane by molecular oxygen (Hussain, A. (193) 1)

(α -Diimine)nickel(II) complexes containing chloro substituted ligands as catalyst precursors for the oligomerization and polymerization of ethylene (Helldörfer, M. (193) 59)

One pot formation of catalyst and double carbonylation of benzyl chloride (Guang-Xing, L. (193) 97)

Catalyst

Reforming of methane with oxygen and carbon dioxide to produce syngas over a novel Pt/CoAl₂O₄/Al₂O₃ catalyst (Mo, L. (193) 177)

Catechol and hydroquinone formation

Oxidation of phenol with H₂O₂ catalysed by Cr(III), Fe(III) or Bi(III) *N,N'*-bis(salicylidene)diethylenetriamine (H₂saldien) complexes encapsulated in zeolite-Y (Maurya, M.R. (193) 165)

Chemisorption

Adsorption of alcohols on γ -alumina (1 1 0 C) (Cai, S. (193) 157)

Chiral ligand

Remote substituent effect in palladium/pyridinyl-oxazolines catalyzed asymmetric allylic alkylation (Li, Z.-P. (193) 89)

Chiral secondary alcohol

Dendritic BINAP based system for asymmetric hydrogenation of simple aryl ketones (Deng, G.-J. (193) 21)

- p*-Chloroaniline
Effect of rare earths on the hydrogenation properties of *p*-chloronitrobenzene over polymer-anchored platinum catalysts (Han, X. (193) 103)
- p*-Chloronitrobenzene
Effect of rare earths on the hydrogenation properties of *p*-chloronitrobenzene over polymer-anchored platinum catalysts (Han, X. (193) 103)
- Coadsorption
FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and NO + O₂ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntsarski, B. (193) 139)
- Cobalt complex
Photocatalytic carbon dioxide photoreduction by Co(bpy)₃²⁺ sensitized by Ru(bpy)₃²⁺ fixed to cation exchange polymer (Hirose, T. (193) 27)
- Cobalt pyridine-2-carboxylate
One pot formation of catalyst and double carbonylation of benzyl chloride (Guang-Xing, L. (193) 97)
- Cobalt
FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and NO + O₂ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntsarski, B. (193) 139)
- Combination CO₂ reforming and partial oxidation of CH₄
Reforming of methane with oxygen and carbon dioxide to produce syngas over a novel Pt/CoAl₂O₄/Al₂O₃ catalyst (Mo, L. (193) 177)
- Crystal field spectroscopy
Study of the active site and activation process of Ni-based catalyst for 1,3-butadiene polymerization using X-ray absorption and crystal-field spectroscopies (Kwag, G. (193) 13)
- Cyanide
Photocatalytic oxidation of cyanide: kinetic and mechanistic studies (Chiang, K. (193) 285)
- Cyclohexane
Ru(III) analogue of model methane monooxygenase in the effective catalytic oxidation of cyclohexane by molecular oxygen (Hussain, A. (193) 1)
- Cyclohexene
Effect of CNTs on direct oxidation of cyclohexene catalyzed by ruthenium diaminodiphosphine complex (Li, C.-B. (193) 71)
- Dealumination
Tertiary butylation of phenol over HY and dealuminated HY zeolites (Anand, R. (193) 251)
- Decomposition of H₂O₂
Oxidation of phenol with H₂O₂ catalysed by Cr(III), Fe(III) or Bi(III) *N,N'*-bis(salicylidene)diethylenetriamine (H₂saldien) complexes encapsulated in zeolite-Y (Maurya, M.R. (193) 165)
- Dehydration
Adsorption of alcohols on γ -alumina (110C) (Cai, S. (193) 157)
- Dendritic catalyst
Dendritic BINAP based system for asymmetric hydrogenation of simple aryl ketones (Deng, G.-J. (193) 21)
- Density functional theory
Adsorption of thiophene on an MoS₂ cluster model catalyst: ab initio density functional study (Orita, H. (193) 197)
- α -Diimine ligands
(α -Diimine)nickel(II) complexes containing chloro substituted ligands as catalyst precursors for the oligomerization and polymerization of ethylene (Helldörfer, M. (193) 59)
- Diphenylurea
Reusable polymer-anchored catalyst for carbonylation reaction: kinetics and mechanism for diphenylurea formation (Mukherjee, D.K. (193) 41)
- Double carbonylation
One pot formation of catalyst and double carbonylation of benzyl chloride (Guang-Xing, L. (193) 97)
- DPEN
Dendritic BINAP based system for asymmetric hydrogenation of simple aryl ketones (Deng, G.-J. (193) 21)
- DRIFTS
Use of iron pentacarbonyl as a novel probe for the characterization of gold supported on silica (Huang, B.-C. (193) 151)
- Enantioselectivity
Remote substituent effect in palladium/pyridinyl-oxazolines catalyzed asymmetric allylic alkylation (Li, Z.-P. (193) 89)
- Encapsulation
Oxidation of phenol with H₂O₂ catalysed by Cr(III), Fe(III) or Bi(III) *N,N'*-bis(salicylidene)diethylenetriamine (H₂saldien) complexes encapsulated in zeolite-Y (Maurya, M.R. (193) 165)
- Ethylene polymerization
Catalyst precursors for ethylene polymerization based on novel mono- and bi-nuclear pyridylimine-type palladium(II) complexes with long straight chain alkyl substituents at the imino nitrogen (Chen, R. (193) 33)
- Ethylene
(α -Diimine)nickel(II) complexes containing chloro substituted ligands as catalyst precursors for the oligomerization and polymerization of ethylene (Helldörfer, M. (193) 59)
- FT-IR spectroscopy
FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and NO + O₂ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntsarski, B. (193) 139)
Preparation of TiO₂ film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy (Kang, M. (193) 273)
- Gas phase
Kinetics and stereoselectivity of *o*-xylene hydrogenation over Pd/Al₂O₃ (Kalantar Neyestanaki, A. (193) 237)
- Gold
Use of iron pentacarbonyl as a novel probe for the characterization of gold supported on silica (Huang, B.-C. (193) 151)
- Heterogeneous catalysis
Kinetics and mechanism of the heterogeneous catalyzed oxidative degradation of indigo carmine (Gemeay, A.H. (193) 109)

Heterogeneous photocatalysis

Photocatalytic oxidation of cyanide: kinetic and mechanistic studies (Chiang, K. (193) 285)

Heterogeneous system

Photocatalytic carbon dioxide photoreduction by $\text{Co}(\text{bpy})_3^{2+}$ sensitized by $\text{Ru}(\text{bpy})_3^{2+}$ fixed to cation exchange polymer (Hirose, T. (193) 27)

Homogeneous catalysis

Hydroformylation studies using Nafion supported rhodium based homogeneous catalysts (Bryant, D.E. (193) 83)

Hydroformylation

Hydroformylation studies using Nafion supported rhodium based homogeneous catalysts (Bryant, D.E. (193) 83)

Propene hydroformylation by supported aqueous-phase Rh-NORBOS catalysts (Riisager, A. (193) 259)

Hydrogen peroxide

Kinetics and mechanism of the heterogeneous catalyzed oxidative degradation of indigo carmine (Gemeay, A.H. (193) 109)

Hydrogenation of acetonitrile

Gas-phase hydrogenation of acetonitrile on zirconium-doped mesoporous silica-supported nickel catalysts (Braos-García, P. (193) 185)

Hydrogenation

Effect of rare earths on the hydrogenation properties of *p*-chloronitrobenzene over polymer-anchored platinum catalysts (Han, X. (193) 103)

Kinetics and stereoselectivity of *o*-xylene hydrogenation over $\text{Pd}/\text{Al}_2\text{O}_3$ (Kalantar Neyestanaki, A. (193) 237)

In situ method

Preparation of TiO_2 film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy (Kang, M. (193) 273)

Indenyl

Dimerization and polymerization of ethylene catalyzed by nickel complexes bearing multidentate amino-functionalized indenyl ligands (Groux, L.F. (193) 51)

Indigo carmine

Kinetics and mechanism of the heterogeneous catalyzed oxidative degradation of indigo carmine (Gemeay, A.H. (193) 109)

Infrared

Use of iron pentacarbonyl as a novel probe for the characterization of gold supported on silica (Huang, B.-C. (193) 151)

Iron pentacarbonyl

Use of iron pentacarbonyl as a novel probe for the characterization of gold supported on silica (Huang, B.-C. (193) 151)

Iron perovskites

Modified iron perovskites as catalysts precursors for the conversion of syngas to low molecular weight alkenes (Goldwasser, M.R. (193) 227)

Isospecific propylene polymerization

Study on aminosilane compounds as external electron donors in isospecific propylene polymerization (Ikeuchi, H. (193) 207)

Kinetics

$\text{Ru}(\text{III})$ analogue of model methane monooxygenase in the effective catalytic oxidation of cyclohexane by molecular oxygen (Hussain, A. (193) 1)

Kinetics and mechanism of the heterogeneous catalyzed oxidative degradation of indigo carmine (Gemeay, A.H. (193) 109)

Low alkenes production

Modified iron perovskites as catalysts precursors for the conversion of syngas to low molecular weight alkenes (Goldwasser, M.R. (193) 227)

Manganese promotion

Modified iron perovskites as catalysts precursors for the conversion of syngas to low molecular weight alkenes (Goldwasser, M.R. (193) 227)

MAO

Dimerization and polymerization of ethylene catalyzed by nickel complexes bearing multidentate amino-functionalized indenyl ligands (Groux, L.F. (193) 51)

MCM-41

Gas-phase hydrogenation of acetonitrile on zirconium-doped mesoporous silica-supported nickel catalysts (Braos-García, P. (193) 185)

Mesoporous solids

Gas-phase hydrogenation of acetonitrile on zirconium-doped mesoporous silica-supported nickel catalysts (Braos-García, P. (193) 185)

Methane monooxygenase

$\text{Ru}(\text{III})$ analogue of model methane monooxygenase in the effective catalytic oxidation of cyclohexane by molecular oxygen (Hussain, A. (193) 1)

Methane

FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsytsarski, B. (193) 139)

Mössbauer spectroscopy

Modified iron perovskites as catalysts precursors for the conversion of syngas to low molecular weight alkenes (Goldwasser, M.R. (193) 227)

Mo(II)

A comparative study of seven co-ordinate $\text{Mo}(\text{II})$ and $\text{W}(\text{II})$ catalysts in the ring opening polymerization of norbornene (Baker, P.K. (193) 77)

MOCVD method

Preparation of TiO_2 film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy (Kang, M. (193) 273)

 MoS_2 catalyst model

Adsorption of thiophene on an MoS_2 cluster model catalyst: ab initio density functional study (Orita, H. (193) 197)

Nafion

Hydroformylation studies using Nafion supported rhodium based homogeneous catalysts (Bryant, D.E. (193) 83)

Nickel

Dimerization and polymerization of ethylene catalyzed by nickel complexes bearing multidentate amino-functionalized indenyl ligands (Groux, L.F. (193) 51)
(α -Diimine)nickel(II) complexes containing chloro substituted ligands as catalyst precursors for the oligomerization and polymerization of ethylene (Helldörfer, M. (193) 59)

Nitrates

FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsytsarski, B. (193) 139)

Nitrogen monoxide

FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsytsarski, B. (193) 139)

NO decomposition

A combined theoretical and experimental study of NO decomposition on Pd and Pd-Mo catalysts (Tonetto, G.M. (193) 121)

NORBOS

Propene hydroformylation by supported aqueous-phase Rh-NORBOS catalysts (Riisager, A. (193) 259)

Oligomers

(α -Diimine)nickel(II) complexes containing chloro substituted ligands as catalyst precursors for the oligomerization and polymerization of ethylene (Helldörfer, M. (193) 59)

Optimized configuration

Adsorption of thiophene on an MoS_2 cluster model catalyst: ab initio density functional study (Orita, H. (193) 197)

Oxidation of phenol

Oxidation of phenol with H_2O_2 catalysed by Cr(III), Fe(III) or Bi(III) N,N' -bis(salicylidene)diethylenetriamine ($\text{H}_2\text{saldien}$) complexes encapsulated in zeolite-Y (Maurya, M.R. (193) 165)

Oxidation

Ru(III) analogue of model methane monooxygenase in the effective catalytic oxidation of cyclohexane by molecular oxygen (Hussain, A. (193) 1)

Effect of CNTs on direct oxidation of cyclohexene catalyzed by ruthenium diaminodiphosphine complex (Li, C.-B. (193) 71)

Oxygen

FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsytsarski, B. (193) 139)

Palladium

Catalyst precursors for ethylene polymerization based on novel mono- and bi-nuclear pyridylimine-type palladium(II) complexes with long straight chain alkyl substituents at the imino nitrogen (Chen, R. (193) 33)

Kinetics and stereoselectivity of *o*-xylene hydrogenation over $\text{Pd}/\text{Al}_2\text{O}_3$ (Kalantar Neyestanaki, A. (193) 237)

Pd catalyst

A combined theoretical and experimental study of NO decomposition on Pd and Pd-Mo catalysts (Tonetto, G.M. (193) 121)

Pd-Mo catalyst

A combined theoretical and experimental study of NO decomposition on Pd and Pd-Mo catalysts (Tonetto, G.M. (193) 121)

Phenol

Tertiary butylation of phenol over HY and dealuminated HY zeolites (Anand, R. (193) 251)

Phenylpyruvic acid

One pot formation of catalyst and double carbonylation of benzyl chloride (Guang-Xing, L. (193) 97)

Photocatalytic reduction

Photocatalytic carbon dioxide photoreduction by $\text{Co}(\text{bpy})_3^{2+}$ sensitized by $\text{Ru}(\text{bpy})_3^{2+}$ fixed to cation exchange polymer (Hirose, T. (193) 27)

Polyethylene

Catalyst precursors for ethylene polymerization based on novel mono- and bi-nuclear pyridylimine-type palladium(II) complexes with long straight chain alkyl substituents at the imino nitrogen (Chen, R. (193) 33)

Dimerization and polymerization of ethylene catalyzed by nickel complexes bearing multidentate amino-functionalized indenyl ligands (Groux, L.F. (193) 51)

Polymerization

(α -Diimine)nickel(II) complexes containing chloro substituted ligands as catalyst precursors for the oligomerization and polymerization of ethylene (Helldörfer, M. (193) 59)

Study on aminosilane compounds as external electron donors in isospecific propylene polymerization (Ikeuchi, H. (193) 207)

Potassium promotion

Modified iron perovskites as catalysts precursors for the conversion of syngas to low molecular weight alkenes (Goldwasser, M.R. (193) 227)

Propene

Propene hydroformylation by supported aqueous-phase Rh-NORBOS catalysts (Riisager, A. (193) 259)

Pt/CoAl₂O₄/Al₂O₃

Reforming of methane with oxygen and carbon dioxide to produce syngas over a novel Pt/CoAl₂O₄/Al₂O₃ catalyst (Mo, L. (193) 177)

Pyridylimine

Catalyst precursors for ethylene polymerization based on novel mono- and bi-nuclear pyridylimine-type palladium(II) complexes with long straight chain alkyl substituents at the imino nitrogen (Chen, R. (193) 33)

Rhodium

Hydroformylation studies using Nafion supported rhodium based homogeneous catalysts (Bryant, D.E. (193) 83)

Propene hydroformylation by supported aqueous-phase Rh-NORBOS catalysts (Riisager, A. (193) 259)

Ring opening polymerization of norbornene

A comparative study of seven co-ordinate Mo(II) and W(II) catalysts in the ring opening polymerization of norbornene (Baker, P.K. (193) 77)

Ru complex

Effect of CNTs on direct oxidation of cyclohexene catalyzed by ruthenium diaminodiphosphine complex (Li, C.-B. (193) 71)

- Ruthenium complex
Photocatalytic carbon dioxide photoreduction by $\text{Co}(\text{bpy})_3^{2+}$ sensitized by $\text{Ru}(\text{bpy})_3^{2+}$ fixed to cation exchange polymer (Hirose, T. (193) 27)
- Selective catalytic reduction
FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntarski, B. (193) 139)
- Semi-empirical model
Adsorption of alcohols on γ -alumina (1 1 0 C) (Cai, S. (193) 157)
- Silica
Use of iron pentacarbonyl as a novel probe for the characterization of gold supported on silica (Huang, B.-C. (193) 151)
- Steaming
Tertiary butylation of phenol over HY and dealuminated HY zeolites (Anand, R. (193) 251)
- Sulfated zirconia
FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntarski, B. (193) 139)
- Supported aqueous-phase
Propene hydroformylation by supported aqueous-phase Rh-NORBOS catalysts (Riisager, A. (193) 259)
- Supported nickel catalysts
Gas-phase hydrogenation of acetonitrile on zirconium-doped mesoporous silica-supported nickel catalysts (Braos-García, P. (193) 185)
- Syngas conversion
Modified iron perovskites as catalysts precursors for the conversion of syngas to low molecular weight alkenes (Goldwasser, M.R. (193) 227)
- Syngas
Reforming of methane with oxygen and carbon dioxide to produce syngas over a novel $\text{Pt}/\text{CoAl}_2\text{O}_4/\text{Al}_2\text{O}_3$ catalyst (Mo, L. (193) 177)
- TCE decomposition
Preparation of TiO_2 film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy (Kang, M. (193) 273)
- Thiophene adsorption
Adsorption of thiophene on an MoS_2 cluster model catalyst: ab initio density functional study (Orita, H. (193) 197)
- TiO_2 thin film
Preparation of TiO_2 film by the MOCVD method and analysis for decomposition of trichloroethylene using in situ FT-IR spectroscopy (Kang, M. (193) 273)
- Titania band gap
Effect of sulfation on the photoactivity of TiO_2 sol-gel derived catalysts (Gómez, R. (193) 217)
- Titania sol-gel
Effect of sulfation on the photoactivity of TiO_2 sol-gel derived catalysts (Gómez, R. (193) 217)
- Titania-sulfated acidity
Effect of sulfation on the photoactivity of TiO_2 sol-gel derived catalysts (Gómez, R. (193) 217)
- Titania-sulfated photoactivity
Effect of sulfation on the photoactivity of TiO_2 sol-gel derived catalysts (Gómez, R. (193) 217)
- Titania-sulfated X-ray diffraction
Effect of sulfation on the photoactivity of TiO_2 sol-gel derived catalysts (Gómez, R. (193) 217)
- Titania-sulfated
Effect of sulfation on the photoactivity of TiO_2 sol-gel derived catalysts (Gómez, R. (193) 217)
- Titanium dioxide
Photocatalytic oxidation of cyanide: kinetic and mechanistic studies (Chiang, K. (193) 285)
- Vibrational frequency
Adsorption of thiophene on an MoS_2 cluster model catalyst: ab initio density functional study (Orita, H. (193) 197)
- W(II)
A comparative study of seven co-ordinate Mo(II) and W(II) catalysts in the ring opening polymerization of norbornene (Baker, P.K. (193) 77)
- Water decolorization
Kinetics and mechanism of the heterogeneous catalyzed oxidative degradation of indigo carmine (Gemeay, A.H. (193) 109)
- X-ray absorption spectroscopy
Study of the active site and activation process of Ni-based catalyst for 1,3-butadiene polymerization using X-ray absorption and crystal-field spectroscopies (Kwag, G. (193) 13)
- o*-Xylene
Kinetics and stereoselectivity of *o*-xylene hydrogenation over $\text{Pd}/\text{Al}_2\text{O}_3$ (Kalantar Neyestanaki, A. (193) 237)
- Zeolite
Tertiary butylation of phenol over HY and dealuminated HY zeolites (Anand, R. (193) 251)
- Zeolite-Y
Oxidation of phenol with H_2O_2 catalysed by Cr(III), Fe(III) or Bi(III) N,N' -bis(salicylidene)diethylenetriamine ($\text{H}_2\text{saldien}$) complexes encapsulated in zeolite-Y (Maurya, M.R. (193) 165)
- Ziegler-Natta catalyst
Study of the active site and activation process of Ni-based catalyst for 1,3-butadiene polymerization using X-ray absorption and crystal-field spectroscopies (Kwag, G. (193) 13)
- Zirconia
FT-IR study of the nature and reactivity of surface NO_x compounds formed after NO adsorption and $\text{NO} + \text{O}_2$ coadsorption on zirconia- and sulfated zirconia-supported cobalt (Tsyntarski, B. (193) 139)
- Zirconium oxide
Gas-phase hydrogenation of acetonitrile on zirconium-doped mesoporous silica-supported nickel catalysts (Braos-García, P. (193) 185)