

## Subject index

### Acidity

On the acid-dealumination of USY zeolite: a solid state NMR investigation (Yan, Z. (194) 153)

### Acylation

Metallic Lewis acids-catalyzed acetylation of alcohols with acetic anhydride and acetic acid in ionic liquids: study on reactivity and reusability of the catalysts (Lee, S.-g. (194) 49)

### ADMET polymerization

Competing ruthenium catalyzed metathesis condensation and isomerization of allylic olefins (Sworen, J.C. (194) 69)

### Alcohol dehydration

Investigation of alcohol dehydration by a cobalt(II) sulfate-promoted  $\gamma$ -alumina catalyst inside a gas chromatograph injection port (Skrdla, P.J. (194) 255)

### Alcohol

Metallic Lewis acids-catalyzed acetylation of alcohols with acetic anhydride and acetic acid in ionic liquids: study on reactivity and reusability of the catalysts (Lee, S.-g. (194) 49)

### Alkylation

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

### Alkynes

The addition of carboxylic acids to 1-alkynes catalysed by a new Ru(II) complex: a very fast route towards the synthesis of enol esters (Melis, K. (194) 39)

### Allyl alcohol

Competing ruthenium catalyzed metathesis condensation and isomerization of allylic olefins (Sworen, J.C. (194) 69)

### Allyl cyanide

Competing ruthenium catalyzed metathesis condensation and isomerization of allylic olefins (Sworen, J.C. (194) 69)

### Alumina catalyst

Investigation of alcohol dehydration by a cobalt(II) sulfate-promoted  $\gamma$ -alumina catalyst inside a gas chromatograph injection port (Skrdla, P.J. (194) 255)

### Aniline

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

### Bentonite

Heterogeneous catalysis in the liquid phase oxidation of alcohols by Cu(II) complexes immobilized between silicate layers of bentonite (Alizadeh, M. (194) 283)

### Biphasic catalysis

Studies on 1-dodecene hydroformylation in biphasic catalytic system containing mixed micelle (Li, M. (194) 13)

### Carbon dioxide

Calcium chloride as co-catalyst of onium halides in the cycloaddition of carbon dioxide to oxiranes (Kossev, K. (194) 29)

### Carboxylic acids

The addition of carboxylic acids to 1-alkynes catalysed by a new Ru(II) complex: a very fast route towards the synthesis of enol esters (Melis, K. (194) 39)

### Catalyst

Metallic Lewis acids-catalyzed acetylation of alcohols with acetic anhydride and acetic acid in ionic liquids: study on reactivity and reusability of the catalysts (Lee, S.-g. (194) 49)

The catalytic methanol synthesis over nanoparticle metal oxide catalysts (Carnes, C.L. (194) 227)

Generating palladium nanoclusters inside very lipophilic gel-type functional resins: preliminary catalytic tests in the hydrogenation of 2-ethyl-anthraquinone to 2-ethylanthrahydroquinone (Bombi, G. (194) 273)

### Catalytic system onium halide–calcium chloride

Calcium chloride as co-catalyst of onium halides in the cycloaddition of carbon dioxide to oxiranes (Kossev, K. (194) 29)

### CeO<sub>2</sub> promoted

Production of hydrogen by steam reforming of methanol on CeO<sub>2</sub> promoted Cu/Al<sub>2</sub>O<sub>3</sub> catalysts (Zhang, X. (194) 99)

### Cobalt(II) sulfate promoter

Investigation of alcohol dehydration by a cobalt(II) sulfate-promoted  $\gamma$ -alumina catalyst inside a gas chromatograph injection port (Skrdla, P.J. (194) 255)

### Comonomer incorporation

Copolymerization characteristics of homogeneous and in situ supported [(CH<sub>2</sub>)<sub>5</sub>(C<sub>3</sub>H<sub>4</sub>)<sub>2</sub>][(C<sub>9</sub>H<sub>7</sub>)ZrCl<sub>2</sub>]<sub>2</sub> catalyst (Lee, H.-W. (194) 19)

### Coordination state

Oxidation activity and stability of homogeneous cobalt-sulphosalen catalyst. Studies with a phenolic and a non-phenolic lignin model compound in aqueous alkaline medium (Sippola, V.O. (194) 89)

### Copper

New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)

## Cracking

On the acid-dealumination of USY zeolite: a solid state NMR investigation (Yan, Z. (194) 153)

## Cu(II) complexes

Heterogeneous catalysis in the liquid phase oxidation of alcohols by Cu(II) complexes immobilized between silicate layers of bentonite (Alizadeh, M. (194) 283)

Cu/Al<sub>2</sub>O<sub>3</sub> catalyst

Production of hydrogen by steam reforming of methanol on CeO<sub>2</sub> promoted Cu/Al<sub>2</sub>O<sub>3</sub> catalysts (Zhang, X. (194) 99)

## Cyclic carbonate

Calcium chloride as co-catalyst of onium halides in the cycloaddition of carbon dioxide to oxiranes (Kossev, K. (194) 29)

## Cyclohexane

Photooxidation of cyclohexane and cyclohexene in BaY (Li, G. (194) 169)

## Cyclohexanol

Heterogeneous catalysis in the liquid phase oxidation of alcohols by Cu(II) complexes immobilized between silicate layers of bentonite (Alizadeh, M. (194) 283)

## Cyclohexene

Photooxidation of cyclohexane and cyclohexene in BaY (Li, G. (194) 169)

## Dealumination

On the acid-dealumination of USY zeolite: a solid state NMR investigation (Yan, Z. (194) 153)

2,4-di-*tert*-Butylaniline

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

## 1-Dodecene

Studies on 1-dodecene hydroformylation in biphasic catalytic system containing mixed micelle (Li, M. (194) 13)

## Dodecatungstophosphoric acid

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

## DRIFTS

Propane and propylene adsorption effects over MoO<sub>x</sub>-based catalysts induced by low levels of alkali doping (Watson, R.B. (194) 115)

## Electrochemical catalytic current

The influence of solvent on the reaction between iron(II), (III) and hydrogen peroxide (Paczeński, T. (194) 1)

## Electrochemical transformations

Electrochemical transformations of metals, metal compounds, and metal complexes: invariably (ligand/solvent)-centered (Sawyer, D.T. (194) 53)

## Encapsulated

New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)

## Epoxidation

New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)

## ESR

Propane and propylene adsorption effects over MoO<sub>x</sub>-based catalysts induced by low levels of alkali doping (Watson, R.B. (194) 115)

## Ethylene/1-hexene copolymerization

Copolymerization characteristics of homogeneous and in situ supported [(CH<sub>2</sub>)<sub>5</sub>(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>][(C<sub>9</sub>H<sub>7</sub>)ZrCl<sub>2</sub>]<sub>2</sub> catalyst (Lee, H.-W. (194) 19)

## Exchanged clay

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

## FCC unit

Evaluation of crystalline structure and SO<sub>2</sub> storage capacity of a series of composition-sensitive De-SO<sub>2</sub> catalysts (Wang, J.A. (194) 181)

## Fenton reagent

The influence of solvent on the reaction between iron(II), (III) and hydrogen peroxide (Paczeński, T. (194) 1)

## GC injection port

Investigation of alcohol dehydration by a cobalt(II) sulfate-promoted  $\gamma$ -alumina catalyst inside a gas chromatograph injection port (Skrdla, P.J. (194) 255)

## Gel-type resins

Generating palladium nanoclusters inside very lipophilic gel-type functional resins: preliminary catalytic tests in the hydrogenation of 2-ethyl-anthraquinone to 2-ethylanthrahydroquinone (Bombi, G. (194) 273)

## Heterogenised

New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)

## Heteropolyacids

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

## Hydrocarbons oxidation

The influence of solvent on the reaction between iron(II), (III) and hydrogen peroxide (Paczeński, T. (194) 1)

## Hydroformylation

Studies on 1-dodecene hydroformylation in biphasic catalytic system containing mixed micelle (Li, M. (194) 13)

## Hydrogen peroxide activation

The influence of solvent on the reaction between iron(II), (III) and hydrogen peroxide (Paczeński, T. (194) 1)

## Hydrogen peroxide

Generating palladium nanoclusters inside very lipophilic gel-type functional resins: preliminary catalytic tests in the

- hydrogenation of 2-ethyl-anthraquinone to 2-ethylanthrahydroquinone (Bombi, G. (194) 273)
- Hydrogen production
- Production of hydrogen by steam reforming of methanol on CeO<sub>2</sub> promoted Cu/Al<sub>2</sub>O<sub>3</sub> catalysts (Zhang, X. (194) 99)
- Hydrogenation of alkyl-substituted phenols
- Hydrogenation of alkyl-substituted phenols over nickel and palladium catalysts (Tobičik, J. (194) 249)
- Hydrothermal dealumination
- Characterization of the acid sites in dealuminated nanosized HZSM-5 zeolite with the probe molecule trimethylphosphine (Zhang, W. (194) 107)
- In situ supporting
- Copolymerization characteristics of homogeneous and in situ supported [(CH<sub>2</sub>)<sub>5</sub>(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>][(C<sub>9</sub>H<sub>7</sub>)ZrCl<sub>2</sub>]<sub>2</sub> catalyst (Lee, H.-W. (194) 19)
- Intermediates
- Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)
- Ionic liquids
- Metallic Lewis acids-catalyzed acetylation of alcohols with acetic anhydride and acetic acid in ionic liquids: study on reactivity and reusability of the catalysts (Lee, S.-g. (194) 49)
- Iron porphyrin thiolate
- The oxidation of styrene in the presence of thiols and iron porphyrin (Kurek, S.S. (194) 237)
- Iron porphyrin
- The oxidation of styrene in the presence of thiols and iron porphyrin (Kurek, S.S. (194) 237)
- Isomerization
- Competing ruthenium catalyzed metathesis condensation and isomerization of allylic olefins (Sworen, J.C. (194) 69)
- K10 clay
- Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- Ketals
- Ketalization of ketones with diols catalyzed by metal(IV) phosphates as solid acid catalysts (Patel, S.M. (194) 267)
- Kinetics
- Oxidation activity and stability of homogeneous cobalt-sulphosalen catalyst. Studies with a phenolic and a non-phenolic lignin model compound in aqueous alkaline medium (Sippola, V.O. (194) 89)
- Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- Lewis acid
- Metallic Lewis acids-catalyzed acetylation of alcohols with acetic anhydride and acetic acid in ionic liquids: study on reactivity and reusability of the catalysts (Lee, S.-g. (194) 49)
- Characterization of the acid sites in dealuminated nanosized HZSM-5 zeolite with the probe molecule trimethylphosphine (Zhang, W. (194) 107)
- Ligand-centered oxidations
- Electrochemical transformations of metals, metal compounds, and metal complexes: invariably (ligand/solvent)-centered (Sawyer, D.T. (194) 53)
- Linalool
- Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)
- Magnesium-aluminate spinel
- Evaluation of crystalline structure and SO<sub>2</sub> storage capacity of a series of composition-sensitive De-SO<sub>2</sub> catalysts (Wang, J.A. (194) 181)
- Manganese
- New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)
- Metal complexes
- Electrochemical transformations of metals, metal compounds, and metal complexes: invariably (ligand/solvent)-centered (Sawyer, D.T. (194) 53)
- Metal oxide
- The catalytic methanol synthesis over nanoparticle metal oxide catalysts (Carnes, C.L. (194) 227)
- Metal phosphates
- Ketalization of ketones with diols catalyzed by metal(IV) phosphates as solid acid catalysts (Patel, S.M. (194) 267)
- Methanol synthesis
- The catalytic methanol synthesis over nanoparticle metal oxide catalysts (Carnes, C.L. (194) 227)
- Mixed micelle
- Studies on 1-dodecene hydroformylation in biphasic catalytic system containing mixed micelle (Li, M. (194) 13)
- Mössbauer spectroscopy
- Magnetic properties and oxidation state of iron in bimetallic Pt-Fe/KL zeolite catalysts (Schmauke, T. (194) 211)
- Molecular modelling
- Hydrogenation of alkyl-substituted phenols over nickel and palladium catalysts (Tobičik, J. (194) 249)
- Molecule
- Electrochemical transformations of metals, metal compounds, and metal complexes: invariably (ligand/solvent)-centered (Sawyer, D.T. (194) 53)
- Molybdenum
- Propane and propylene adsorption effects over MoO<sub>x</sub>-based catalysts induced by low levels of alkali doping (Watson, R.B. (194) 115)
- Montmorillonite clay
- Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

## MQ MAS NMR

On the acid-dealumination of USY zeolite: a solid state NMR investigation (Yan, Z. (194) 153)

## MTBE

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

## N-heterocyclic carbenes

The addition of carboxylic acids to 1-alkynes catalysed by a new Ru(II) complex: a very fast route towards the synthesis of enol esters (Melis, K. (194) 39)

## Nanoparticles

The catalytic methanol synthesis over nanoparticle metal oxide catalysts (Carnes, C.L. (194) 227)

## Nanosized HZSM-5 zeolite

Characterization of the acid sites in dealuminated nanosized HZSM-5 zeolite with the probe molecule trimethylphosphine (Zhang, W. (194) 107)

## Nickel

Hydrogenation of alkyl-substituted phenols over nickel and palladium catalysts (Tobičič, J. (194) 249)

## NMR

Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)

## Non-linear retention

Investigation of alcohol dehydration by a cobalt(II) sulfate-promoted  $\gamma$ -alumina catalyst inside a gas chromatograph injection port (Skrdla, P.J. (194) 255)

## Nucleophilic addition

The addition of carboxylic acids to 1-alkynes catalysed by a new Ru(II) complex: a very fast route towards the synthesis of enol esters (Melis, K. (194) 39)

## Olefin metathesis

Competing ruthenium catalyzed metathesis condensation and isomerization of allylic olefins (Sworen, J.C. (194) 69)

## Outer sphere complex

Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)

## Oxidation of alcohols

Heterogeneous catalysis in the liquid phase oxidation of alcohols by Cu(II) complexes immobilized between silicate layers of bentonite (Alizadeh, M. (194) 283)

## Oxidation state of iron

Magnetic properties and oxidation state of iron in bimetallic Pt-Fe/KL zeolite catalysts (Schmauke, T. (194) 211)

## Oxidation

Oxidation activity and stability of homogeneous cobalt-sulphosalen catalyst. Studies with a phenolic and a non-phenolic lignin model compound in aqueous alkaline medium (Sippola, V.O. (194) 89)

New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)

## Oxirane ring-opening

Calcium chloride as co-catalyst of onium halides in the cycloaddition of carbon dioxide to oxiranes (Kossev, K. (194) 29)

<sup>31</sup>P MAS NMR

Characterization of the acid sites in dealuminated nanosized HZSM-5 zeolite with the probe molecule trimethylphosphine (Zhang, W. (194) 107)

## Palladium nanoclusters

Generating palladium nanoclusters inside very lipophilic gel-type functional resins: preliminary catalytic tests in the hydrogenation of 2-ethyl-anthraquinone to 2-ethylanthrahydroquinone (Bombi, G. (194) 273)

## Palladium

Hydrogenation of alkyl-substituted phenols over nickel and palladium catalysts (Tobičič, J. (194) 249)

## Pentamethylene bridged dinuclear zirconocene

Copolymerization characteristics of homogeneous and in situ supported [(CH<sub>2</sub>)<sub>5</sub>(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>][(C<sub>5</sub>H<sub>7</sub>)ZrCl<sub>2</sub>]<sub>2</sub> catalyst (Lee, H.-W. (194) 19)

## Photooxidation

Photooxidation of cyclohexane and cyclohexene in BaY (Li, G. (194) 169)

## Probe molecule

Characterization of the acid sites in dealuminated nanosized HZSM-5 zeolite with the probe molecule trimethylphosphine (Zhang, W. (194) 107)

## Propane

Propane and propylene adsorption effects over MoO<sub>x</sub>-based catalysts induced by low levels of alkali doping (Watson, R.B. (194) 115)

## Propylene

Propane and propylene adsorption effects over MoO<sub>x</sub>-based catalysts induced by low levels of alkali doping (Watson, R.B. (194) 115)

## Pt-Fe alloy

Magnetic properties and oxidation state of iron in bimetallic Pt-Fe/KL zeolite catalysts (Schmauke, T. (194) 211)

## Pt-Fe/KL zeolite

Magnetic properties and oxidation state of iron in bimetallic Pt-Fe/KL zeolite catalysts (Schmauke, T. (194) 211)

## Ruthenium

The addition of carboxylic acids to 1-alkynes catalysed by a new Ru(II) complex: a very fast route towards the synthesis of enol esters (Melis, K. (194) 39)

## Schiff base catalyst

Oxidation activity and stability of homogeneous cobalt-sulphosalen catalyst. Studies with a phenolic and a non-phenolic lignin model compound in aqueous alkaline medium (Sippola, V.O. (194) 89)

## Selectivity

Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)

- Silica–titania  
Propane and propylene adsorption effects over MoO<sub>x</sub>-based catalysts induced by low levels of alkali doping (Watson, R.B. (194) 115)
- SO<sub>2</sub> emission control  
Evaluation of crystalline structure and SO<sub>2</sub> storage capacity of a series of composition-sensitive De-SO<sub>2</sub> catalysts (Wang, J.A. (194) 181)
- Solid acid catalysts  
Ketalization of ketones with diols catalyzed by metal(IV) phosphates as solid acid catalysts (Patel, S.M. (194) 267)
- Solid-state NMR  
On the acid-dealumination of USY zeolite: a solid state NMR investigation (Yan, Z. (194) 153)
- SQUID magnetization measurements  
Magnetic properties and oxidation state of iron in bimetallic Pt-Fe/KL zeolite catalysts (Schmauke, T. (194) 211)
- Stability  
Oxidation activity and stability of homogeneous cobalt-sulphosalen catalyst. Studies with a phenolic and a non-phenolic lignin model compound in aqueous alkaline medium (Sippola, V.O. (194) 89)
- Steam reforming of methanol  
Production of hydrogen by steam reforming of methanol on CeO<sub>2</sub> promoted Cu/Al<sub>2</sub>O<sub>3</sub> catalysts (Zhang, X. (194) 99)
- Stereoselective epoxidation  
Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)
- Steric effect  
Copolymerization characteristics of homogeneous and in situ supported [(CH<sub>2</sub>)<sub>5</sub>(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>][(C<sub>9</sub>H<sub>7</sub>)ZrCl<sub>2</sub>]<sub>2</sub> catalyst (Lee, H.-W. (194) 19)
- Structure effects  
Hydrogenation of alkyl-substituted phenols over nickel and palladium catalysts (Tobičič, J. (194) 249)
- Styrene oxidation  
The oxidation of styrene in the presence of thiols and iron porphyrin (Kurek, S.S. (194) 237)
- Sulfide  
New Mn(II) and Cu(II) chiral C<sub>2</sub>-multidentate complexes immobilised in zeolites (USY, MCM41). Reusable catalysts for selective oxidation reactions (Alcón, M.J. (194) 137)
- Sulfur-storage capacity  
Evaluation of crystalline structure and SO<sub>2</sub> storage capacity of a series of composition-sensitive De-SO<sub>2</sub> catalysts (Wang, J.A. (194) 181)
- Sulfur-transfer catalyst  
Evaluation of crystalline structure and SO<sub>2</sub> storage capacity of a series of composition-sensitive De-SO<sub>2</sub> catalysts (Wang, J.A. (194) 181)
- Sulphated zirconia  
Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- TBHP  
Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)  
Photooxidation of cyclohexane and cyclohexene in BaY (Li, G. (194) 169)
- Terpenoid ligand  
Stereoselective oxidation of linalool with *tert*-butyl hydroperoxide, catalyzed by a vanadium(V) complex with a chiral terpenoid ligand (Bryliakov, K.P. (194) 79)
- 2-*tert*-Butylaniline  
Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- 4-*tert*-Butylaniline  
Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- tert*-Butanol  
Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- tert*-Butylation  
Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)
- Tetravalent metal acid salts  
Ketalization of ketones with diols catalyzed by metal(IV) phosphates as solid acid catalysts (Patel, S.M. (194) 267)
- TOCO reactions  
The oxidation of styrene in the presence of thiols and iron porphyrin (Kurek, S.S. (194) 237)
- Trimethylphosphine (TMP)  
Characterization of the acid sites in dealuminated nanosized HZSM-5 zeolite with the probe molecule trimethylphosphine (Zhang, W. (194) 107)
- Y zeolite  
On the acid-dealumination of USY zeolite: a solid state NMR investigation (Yan, Z. (194) 153)  
Photooxidation of cyclohexane and cyclohexene in BaY (Li, G. (194) 169)
- Zinc chloride supported on clay  
Alkylation of aniline with methyl-*tert*-butyl ether (MTBE) and *tert*-butanol over solid acids: product distribution and kinetics (Yadav, G.D. (194) 195)