

## Author index

- Aghmiz, A., Orejón, A., Diéguez, M., Miquel-Serrano, M.D., Claver, C., Masdeu-Bultó, A.M., Sinou, D. and Laurenczy, G. Rhodium-sulfonated diphosphine catalysts in aqueous hydroformylation of vinyl arenes: high-pressure NMR and IR studies (195) 113
- Alt, H.G. and Ernst, R.  
Dinuclear ansa zirconocene complexes as dual-site catalysts for the polymerization of ethylene (195) 11
- Alte da Veiga, L., see Rocha Gonsalves, A.M.d'A. (195) 1
- Amani, K., see Firouzabadi, H. (195) 289
- Anandan, S., Ryu, S.Y., Cho, W. and Yoon, M.  
Heteropolytungstic acid ( $H_3PW_{12}O_{40}$ )—encapsulated into the titanium-exchanged HY (TiHY) zeolite: a novel photocatalyst for photoreduction of methyl orange (195) 201
- Angelici, R.J., see Stanger, K.J. (195) 63
- Arakawa, H., see Himeda, Y. (195) 95
- Baibich, I.M., see Sica, A.M. (195) 225
- Baker, K., see Marotta, C.L. (195) 209
- Barkhash, V.A., see Volcho, K.P. (195) 263
- Cavaleiro, A.M.V., see Santos, I.C.M.S. (195) 253
- Cavaleiro, J.A.S., see Santos, I.C.M.S. (195) 253
- Centomo, P., see Kralik, M. (195) 219
- Červený, L., see Kačer, P. (195) 235
- Chen, B. and Chuang, S.S.C.  
 $CuCl_2$  and  $PdCl_2$  catalysts for oxidative carbonylation of aniline with methanol (195) 37
- Cheng, F., see Wang, Y. (195) 133
- Chihara, T., see Kamiguchi, S. (195) 159
- Cho, W., see Anandan, S. (195) 201
- Chuang, S.S.C., see Chen, B. (195) 37
- Claver, C., see Aghmiz, A. (195) 113
- Corain, B., see Kralik, M. (195) 219
- Costantino, U., Curini, M., Montanari, F., Nocchetti, M. and Rosati, O.  
Hydrotalcite-like compounds as catalysts in liquid phase organic synthesis. I. Knoevenagel condensation promoted by  $[Ni_{0.73}Al_{0.27}(OH)_2](CO_3)_{0.135}$  (195) 245
- Csányi, L.J., Jáky, K., Dombi, G., Evanics, F., Dezső, G. and Kóta, Z.  
Onium-decavanadate ion-pair complexes as catalysts in the oxidation of hydrocarbons by  $O_2$  (195) 101
- Curini, M., see Costantino, U. (195) 245
- Cutrupi, C.M.S., see Musolino, M.G. (195) 147
- Dezső, G., see Csányi, L.J. (195) 101
- Diéguez, M., see Aghmiz, A. (195) 113
- Dombi, G., see Csányi, L.J. (195) 101
- Donato, A., see Musolino, M.G. (195) 147
- Echevskii, G.V., see Volcho, K.P. (195) 263
- Ernst, R., see Alt, H.G. (195) 11
- Evanics, F., see Csányi, L.J. (195) 101
- Firouzabadi, H., Iranpoor, N. and Amani, K.  
Heteropoly acid cesium salt/cetyltrimethylammonium bromide a catalytic heterogeneous system which highly controls regioselective bromination of aromatic compounds with bromine (195) 289
- Fu, X., see Ma, X. (195) 47
- Garin, F., see Solladié-Cavallo, A. (195) 181
- Georgieva, M.G., see Kotov, S.V. (195) 83
- Gigola, C.E., see Sica, A.M. (195) 225
- Gozzi, C., see Hassan, J. (195) 125
- Guerriero, P., see Kralik, M. (195) 219
- Hashimoto, K. and Toukai, N.  
Removal of  $NO_x$  with cobalt phthalocyanine supported on Y-type faujasite and alumina (195) 275
- Hassan, J., Schulz, E., Gozzi, C. and Lemaire, M.  
Palladium-catalyzed synthesis of oligo(alkylthiophenes) (195) 125
- Himeda, Y., Onozawa-Komatsuzaki, N., Sugihara, H., Arakawa, H. and Kasuga, K.  
Transfer hydrogenation of a variety of ketones catalyzed by rhodium complexes in aqueous solution and their application to asymmetric reduction using chiral Schiff base ligands (195) 95
- Hoernel, F., see Solladié-Cavallo, A. (195) 181
- Inoue, Y., see Sugawara, S. (195) 55
- Iranpoor, N., see Firouzabadi, H. (195) 289
- Itoh, N., see Orita, H. (195) 173
- Jain, S.L. and Sain, B.  
Metallophthalocyanines as potent catalysts for aziridination of olefins (195) 283

- Jáky, K., see Csányi, L.J. (195) 101  
 Jayakumar, R., see Nawaz Khan, F. (195) 139  
 Jin, Z., see Wang, Y. (195) 133  
 Jun, M., see Zhaoliang, Z. (195) 189
- Kačer, P., Tobičák, J., Kuzma, M. and Červený, L.  
 Molecular structure effects in hydrogenation of allyl and vinyl ethers on platinum and palladium supported catalysts (195) 235
- Kamiguchi, S., Noda, M., Miyagishi, Y., Nishida, S., Kodomari, M. and Chihara, T.  
 Catalytic isomerization of 1-hexene to 2-hexene by halide clusters of Nb, Mo, Ta and W possessing an octahedral metal core (195) 159
- Kasuga, K., see Himeda, Y. (195) 95  
 Keller, A., see Matusiak, R. (195) 29  
 Kodomari, M., see Kamiguchi, S. (195) 159  
 Kolev, T.M., see Kotov, S.V. (195) 83  
 Korzhagina, D.V., see Volcho, K.P. (195) 263  
 Kóta, Z., see Csányi, L.J. (195) 101  
 Kotov, S.V., Kolev, T.M. and Georgieva, M.G.  
 Preparation and use of novel molybdenum-containing organic complexes as catalysts in the epoxidation of cyclohexene (195) 83
- Kralik, M., Kratky, V., Centomo, P., Guerriero, P., Lora, S. and Corain, B.  
 Polymer frameworks as templates for generating size-controlled metal nanoclusters. Active and reusable metal catalysts based on organic resins and on organic/inorganic composites (195) 219
- Kratky, V., see Kralik, M. (195) 219  
 Kurbakova, S.Yu., see Volcho, K.P. (195) 263  
 Kuzma, M., see Kačer, P. (195) 235
- Laurency, G., see Aghmiz, A. (195) 113  
 Lemaire, M., see Hassan, J. (195) 125  
 Lora, S., see Kralik, M. (195) 219
- Ma, X. and Fu, X.  
 Synthesis of a new type of amphiphilic and water-soluble tertiary phosphine ligands substituted by an ethoxylated phosphonic acid chain and their palladium complexes (195) 47
- Marotta, C.L., Terry, R. and Baker, K.  
 The use of a localized heating protocol in heterogeneous catalysis (195) 209
- Martins, R.R.L., see Santos, I.C.M.S. (195) 253  
 Masdeu-Bultó, A.M., see Aghmiz, A. (195) 113  
 Matos Beja, A., see Rocha Gonsalves, A.M.d'A. (195) 1  
 Matusiak, R. and Keller, A.  
 Cyclotrimerization of phenylacetylene and living polymerization of *tert*-butylacetylene by Mo<sub>2</sub>(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>-Lewis acid systems (195) 29
- Miquel-Serrano, M.D., see Aghmiz, A. (195) 113  
 Miyagishi, Y., see Kamiguchi, S. (195) 159  
 Montanari, F., see Costantino, U. (195) 245  
 Murtinho, D., see Rocha Gonsalves, A.M.d'A. (195) 1
- Musolino, M.G., Cutrupi, C.M.S., Donato, A., Pietropaolo, D. and Pietropaolo, R.  
 Liquid phase hydrogenation of 2-butyne-1,4-diol and 2-butene-1,4-diol isomers over Pd catalysts: roles of solvent, support and proton on activity and products distribution (195) 147
- Nawaz Khan, F., Jayakumar, R. and Pillai, C.N.  
 Electrocatalytic oxidative cleavage by electrogenerated periodate (195) 139
- Neves, M.G.P.M.S., see Santos, I.C.M.S. (195) 253  
 Nishida, S., see Kamiguchi, S. (195) 159  
 Nocchetti, M., see Costantino, U. (195) 245  
 Noda, M., see Kamiguchi, S. (195) 159
- Onozawa-Komatsuzaki, N., see Himeda, Y. (195) 95  
 Orejón, A., see Aghmiz, A. (195) 113  
 Orita, H., Uchida, K. and Itoh, N.  
 Ab initio density functional study of the structural and electronic properties of an MoS<sub>2</sub> catalyst model: a real size Mo<sub>27</sub>S<sub>54</sub> cluster (195) 173
- Paixão, J.A., see Rocha Gonsalves, A.M.d'A. (195) 1  
 Pereira, M.M.M.S., see Santos, I.C.M.S. (195) 253  
 Pietropaolo, D., see Musolino, M.G. (195) 147  
 Pietropaolo, R., see Musolino, M.G. (195) 147  
 Pillai, C.N., see Nawaz Khan, F. (195) 139  
 Pruski, M., see Stanger, K.J. (195) 63
- Ramos Silva, M., see Rocha Gonsalves, A.M.d'A. (195) 1  
 Rocha Gonsalves, A.M.d'A., Serra, M.E.S., Murtinho, D., Silva, V.F., Matos Beja, A., Paixão, J.A., Ramos Silva, M. and Alte da Veiga, L.  
 Pyrrolidine-based amino alcohols: novel ligands for the enantioselective alkylation of benzaldehyde (195) 1
- Rosati, O., see Costantino, U. (195) 245  
 Ryu, S.Y., see Anandan, S. (195) 201
- Sain, B., see Jain, S.L. (195) 283  
 Salakhutdinov, N.F., see Volcho, K.P. (195) 263  
 Santos, I.C.M.S., Simões, M.M.Q., Pereira, M.M.M.S., Martins, R.R.L., Neves, M.G.P.M.S., Cavaleiro, J.A.S. and Cavaleiro, A.M.V.  
 Oxidation of monoterpenes with hydrogen peroxide catalysed by Keggin-type tungstoborates (195) 253
- Schmitt, M., see Solladié-Cavallo, A. (195) 181  
 Schulz, E., see Hassan, J. (195) 125  
 Serra, M.E.S., see Rocha Gonsalves, A.M.d'A. (195) 1  
 Sica, A.M., Baibich, I.M. and Gigola, C.E.  
 Preparation and characterization of alumina supported Pd-W and Pd-Mo catalysts photogenerated from group VI metal carbonyls (195) 225
- Silva, V.F., see Rocha Gonsalves, A.M.d'A. (195) 1  
 Simões, M.M.Q., see Santos, I.C.M.S. (195) 253  
 Sinou, D., see Aghmiz, A. (195) 113

- Solladié-Cavallo, A., Hoernel, F., Schmitt, M. and Garin, F.  
Heterogeneous asymmetric hydrogenation and deuteration of 2-methyl-2-pentenoic acid over Pd supported catalysts: proton/deuterium exchange (195) 181
- Stanger, K.J., Wiench, J.W., Pruski, M. and Angelici, R.J.  
<sup>31</sup>P NMR and IR characterization of enantioselective olefin and arene hydrogenation catalysts containing a rhodium–chiral phosphine complex tethered on silica (195) 63
- Sugawara, S., Uemura, K., Tsukada, N. and Inoue, Y.  
Palladium-catalyzed 1,6- and 1,5-diyne-carbon monoxide reaction for preparation of alkylidenecyclopentenones and -butenolides (195) 55
- Sugihara, H., see Himeda, Y. (195) 95
- Suslov, E.V., see Volcho, K.P. (195) 263
- Terry, R., see Marotta, C.L. (195) 209
- Tobičák, J., see Kačer, P. (195) 235
- Toktarev, A.V., see Volcho, K.P. (195) 263
- Toukai, N., see Hashimoto, K. (195) 275
- Tsukada, N., see Sugawara, S. (195) 55
- Uchida, K., see Orita, H. (195) 173
- Uemura, K., see Sugawara, S. (195) 55
- Volcho, K.P., Kurbakova, S.Yu., Korchagina, D.V., Suslov, E.V., Salakhutdinov, N.F., Toktarev, A.V., Echevskii, G.V. and Barkhash, V.A.  
Competing Michael and Knoevenagel reactions of terpenoids with malononitrile on basic Cs-beta zeolite (195) 263
- Wang, Y., Wu, X., Cheng, F. and Jin, Z.  
Thermoregulated phase-separable phosphine ruthenium complex for hydrogenation catalysis (195) 133
- Wiench, J.W., see Stanger, K.J. (195) 63
- Wu, X., see Wang, Y. (195) 133
- Xiyao, Y., see Zhaoliang, Z. (195) 189
- Yoon, M., see Anandan, S. (195) 201
- Zhaoliang, Z., Jun, M. and Xiyao, Y.  
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over TiO<sub>2</sub>-promoted cobalt sulfides (195) 189