

## Subject index

### $\gamma$ -Al<sub>2</sub>O<sub>3</sub>

Effects of CuO/CeO<sub>2</sub> and CuO/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts on NO + CO reaction (Xiaoyuan, J. (197) 193)

### Al co-catalyst

Novel nickel(II) and cobalt(II) catalysts based on poly-salen type ligands for the dimerization of propylene (Wu, S. (197) 51)

### Aldehyde

Gold catalyzed oxidation of aldehydes in liquid phase (Biella, S. (197) 207)

### Alkali cations

Direct catalytic conversion of chloromethane to higher hydrocarbons over a series of ZSM-5 zeolites exchanged with alkali cations (Jaumain, D. (197) 263)

### Alkanes

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

### Alkenes

Dihydrogen reduction of nitroaromatics, alkenes, alkynes using Pd(II) complexes both in normal and high pressure conditions (Santra, P.K. (197) 37)

### Alkynes

Dihydrogen reduction of nitroaromatics, alkenes, alkynes using Pd(II) complexes both in normal and high pressure conditions (Santra, P.K. (197) 37)

### Allyl lanthanide complexes

In situ-DRIFTS investigations of the gas phase polymerisation of 1,3-butadiene on supported Nd and La allyl complexes (Berndt, H. (197) 245)

### Allylic substitution

Chiral thienylpyridines as *N*-S ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (197) 27)

### Al-MCM-41

Al-MCM-41 catalysed alkylation of phenol with methanol (Bhattacharyya, K.G. (197) 255)

### Aluminium organic cocatalysts

In situ-DRIFTS investigations of the gas phase polymerisation of 1,3-butadiene on supported Nd and La allyl complexes (Berndt, H. (197) 245)

### Anisole

Al-MCM-41 catalysed alkylation of phenol with methanol (Bhattacharyya, K.G. (197) 255)

### Arenes

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

### Biomimetics

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

### Biphasic catalysis

Palladium-catalyzed telomerization of butadiene with ethylene glycol in liquid single phase and biphasic systems: control of selectivity and catalyst recycling (Behr, A. (197) 101)

### Biphenyl

Shape-selective alkylation of biphenyl catalyzed by H-[Al]-SSZ-31 zeolite (Ahedi, R.K. (197) 133)

### *N*-Bromoacetamide

Mechanism of Pd(II) and Hg(II) co-catalyzed oxidation of D-mannose and maltose by acidic solution of *N*-bromoacetamide (Singh, A.K. (197) 91)

### Butadiene polymerisation

In situ-DRIFTS investigations of the gas phase polymerisation of 1,3-butadiene on supported Nd and La allyl complexes (Berndt, H. (197) 245)

### Butadiene

Palladium-catalyzed telomerization of butadiene with ethylene glycol in liquid single phase and biphasic systems: control of selectivity and catalyst recycling (Behr, A. (197) 101)

### Butylation

Shape-selective alkylation of biphenyl catalyzed by H-[Al]-SSZ-31 zeolite (Ahedi, R.K. (197) 133)

### Carbonylation

New efficient catalytic system for hydroxycarbonylation without CO gas (Simonato, J.-P. (197) 61)

Palladium-catalyzed carbonylation of 2-butyne-1,4-diol derivatives: formation of fulgide or lactone (Kiji, J. (197) 127)

### Carboxylic acid

Gold catalyzed oxidation of aldehydes in liquid phase (Biella, S. (197) 207)

### Catalysed quaternization

Catalysed quaternization of coordinated triethylamine by ethyl iodide: further developments in the kinetic analysis (Santos, M. Soledade C.S. (197) 73)

### Catalyst regeneration

Rhodium-catalysed synthesis of branched fatty compounds in temperature-dependent solvent systems (Behr, A. (197) 115)

### Catalytic conversion

Direct catalytic conversion of chloromethane to higher hydrocarbons over a series of ZSM-5 zeolites exchanged with alkali cations (Jaumain, D. (197) 263)

## Catalytic hydrogenation

Dihydrogen reduction of nitroaromatics, alkenes, alkynes using Pd(II) complexes both in normal and high pressure conditions (Santra, P.K. (197) 37)

## Cationic silica nanoparticles

Polyoxometalates on cationic silica. Highly selective and efficient O<sub>2</sub>/air-based oxidation of 2-chloroethyl ethyl sulfide at ambient temperature (Okun, N.M. (197) 283)

CeO<sub>2</sub>

Effects of CuO/CeO<sub>2</sub> and CuO/γ-Al<sub>2</sub>O<sub>3</sub> catalysts on NO + CO reaction (Xiaoyuan, J. (197) 193)

## Chiral amine ruthenium hydrogenation catalyst

Preparation and use of a chiral amine ruthenium hydrogenation catalyst supported on mesoporous silica (Pérez, C. (197) 275)

## Chiral thienylpyridines

Chiral thienylpyridines as *N-S* ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (197) 27)

## Chloromethane

Direct catalytic conversion of chloromethane to higher hydrocarbons over a series of ZSM-5 zeolites exchanged with alkali cations (Jaumain, D. (197) 263)

## Complexes

Role of Fe<sup>3+</sup>/Fe<sup>2+</sup> as TiO<sub>2</sub> dopant ions in photocatalytic degradation of carboxylic acids (Araña, J. (197) 157)

## Cooligomerization

Rhodium-catalysed synthesis of branched fatty compounds in temperature-dependent solvent systems (Behr, A. (197) 115)

## Copper complex

Chiral thienylpyridines as *N-S* ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (197) 27)

*m*-Cresol

Al-MCM-41 catalysed alkylation of phenol with methanol (Bhattacharyya, K.G. (197) 255)

*o*-Cresol

Al-MCM-41 catalysed alkylation of phenol with methanol (Bhattacharyya, K.G. (197) 255)

*p*-Cresol

Al-MCM-41 catalysed alkylation of phenol with methanol (Bhattacharyya, K.G. (197) 255)

CuO/γ-Al<sub>2</sub>O<sub>3</sub>

Effects of CuO/CeO<sub>2</sub> and CuO/γ-Al<sub>2</sub>O<sub>3</sub> catalysts on NO + CO reaction (Xiaoyuan, J. (197) 193)

CuO/CeO<sub>2</sub>

Effects of CuO/CeO<sub>2</sub> and CuO/γ-Al<sub>2</sub>O<sub>3</sub> catalysts on NO + CO reaction (Xiaoyuan, J. (197) 193)

## Cycloaddition

Transition metal catalyzed cycloaddition reactions of chiral ketimines with alkenes and carbon monoxide: reaction conditions, substrate variations and stereoselectivity (Imhof, W. (197) 15)

## Cyclopropanation

Chiral thienylpyridines as *N-S* ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (197) 27)

## Degradation mechanism

Role of Fe<sup>3+</sup>/Fe<sup>2+</sup> as TiO<sub>2</sub> dopant ions in photocatalytic degradation of carboxylic acids (Araña, J. (197) 157)

## Dichlorocarbene

Phase-transfer catalysis: kinetics and mechanism of dichlorocyclopropane formation in liquid/liquid and solid/liquid systems (Sirovski, F. (197) 213)

## Dichlorocyclopropane

Phase-transfer catalysis: kinetics and mechanism of dichlorocyclopropane formation in liquid/liquid and solid/liquid systems (Sirovski, F. (197) 213)

## (α-Diimine)nickel(II) complexes

The influence of halogen substituents at the ligand framework of (α-diimine)nickel(II) catalyst precursors on their behavior in ethylene oligomerization and polymerization (Helldörfer, M. (197) 1)

## 4,4'-Diisopropylbiphenyl

Shape-selective alkylation of biphenyl catalyzed by H-[Al]-SSZ-31 zeolite (Ahedí, R.K. (197) 133)

## Dimerization of propylene

Novel nickel(II) and cobalt(II) catalysts based on poly-salen type ligands for the dimerization of propylene (Wu, S. (197) 51)

## 2,3DMB

Novel nickel(II) and cobalt(II) catalysts based on poly-salen type ligands for the dimerization of propylene (Wu, S. (197) 51)

## Enantioselectivity

Chiral thienylpyridines as *N-S* ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (197) 27)

## Ethylene

The influence of halogen substituents at the ligand framework of (α-diimine)nickel(II) catalyst precursors on their behavior in ethylene oligomerization and polymerization (Helldörfer, M. (197) 1)

Metallocene catalyst supported on chemically modified silica for production of ethylene-propylene copolymers (Haag, M.C. (197) 223)

## Fe/Ti oxide

Synthesis of Fe/TiO<sub>2</sub> photocatalyst with nanometer size by solvothermal method and the effect of H<sub>2</sub>O addition on structural stability and photodecomposition of methanol (Kang, M. (197) 173)

## Formic acid

New efficient catalytic system for hydroxycarbonylation without CO gas (Simonato, J.-P. (197) 61)

## FTIR

Role of Fe<sup>3+</sup>/Fe<sup>2+</sup> as TiO<sub>2</sub> dopant ions in photocatalytic degradation of carboxylic acids (Araña, J. (197) 157)

## Gold catalyst

Gold catalyzed oxidation of aldehydes in liquid phase (Biella, S. (197) 207)

## Halogen substituent

The influence of halogen substituents at the ligand framework of ( $\alpha$ -diimine)nickel(II) catalyst precursors on their behavior in ethylene oligomerization and polymerization (Helldörfer, M. (197) 1)

HClO<sub>4</sub>

Mechanism of Pd(II) and Hg(II) co-catalyzed oxidation of D-mannose and maltose by acidic solution of *N*-bromoacetamide (Singh, A.K. (197) 91)

## Hg(II) co-catalyzed

Mechanism of Pd(II) and Hg(II) co-catalyzed oxidation of D-mannose and maltose by acidic solution of *N*-bromoacetamide (Singh, A.K. (197) 91)

## Higher hydrocarbons

Direct catalytic conversion of chloromethane to higher hydrocarbons over a series of ZSM-5 zeolites exchanged with alkali cations (Jaumain, D. (197) 263)

## Homogeneous catalysis

New efficient catalytic system for hydroxycarbonylation without CO gas (Simonato, J.-P. (197) 61)

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

Palladium-catalyzed telomerization of butadiene with ethylene glycol in liquid single phase and biphasic systems: control of selectivity and catalyst recycling (Behr, A. (197) 101)

Rhodium-catalysed synthesis of branched fatty compounds in temperature-dependent solvent systems (Behr, A. (197) 115)

## Hydrogenation catalysis

Silica-supported palladium nanoparticles show remarkable hydrogenation catalytic activity (Domínguez-Quintero, O. (197) 185)

## Hydroxycarbonylation

New efficient catalytic system for hydroxycarbonylation without CO gas (Simonato, J.-P. (197) 61)

## In situ-DRIFTS

In situ-DRIFTS investigations of the gas phase polymerisation of 1,3-butadiene on supported Nd and La allyl complexes (Berndt, H. (197) 245)

## Iron

Transition metal catalyzed cycloaddition reactions of chiral ketimines with alkenes and carbon monoxide: reaction conditions, substrate variations and stereoselectivity (Imhof, W. (197) 15)

## Isopropylation

Shape-selective alkylation of biphenyl catalyzed by H-[Al]-SSZ-31 zeolite (Ahedi, R.K. (197) 133)

## Kinetic study

Catalysed quaternization of coordinated triethylamine by ethyl iodide: further developments in the kinetic analysis (Santos, M. Soledade C.S. (197) 73)

LaCoO<sub>3</sub> perovskites

Catalytic activity of LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskites towards VOCs combustion (Spinicci, R. (197) 147)

## Lactames

Transition metal catalyzed cycloaddition reactions of chiral ketimines with alkenes and carbon monoxide: reaction conditions, substrate variations and stereoselectivity (Imhof, W. (197) 15)

## Lactonization

Palladium-catalyzed carbonylation of 2-butyne-1,4-diol derivatives: formation of fulgide or lactone (Kiji, J. (197) 127)

LaMnO<sub>3</sub>

Catalytic activity of LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskites towards VOCs combustion (Spinicci, R. (197) 147)

## Mechanism

Mechanism of Pd(II) and Hg(II) co-catalyzed oxidation of D-mannose and maltose by acidic solution of *N*-bromoacetamide (Singh, A.K. (197) 91)

## Mesoporous silica

Preparation and use of a chiral amine ruthenium hydrogenation catalyst supported on mesoporous silica (Pérez, C. (197) 275)

## Molecular oxygen

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

## Nanocatalyst

Silica-supported palladium nanoparticles show remarkable hydrogenation catalytic activity (Domínguez-Quintero, O. (197) 185)

## Ni(II) and Co(II) complexes

Novel nickel(II) and cobalt(II) catalysts based on poly-salen type ligands for the dimerization of propylene (Wu, S. (197) 51)

## Nitrocompounds

Dihydrogen reduction of nitroaromatics, alkenes, alkynes using Pd(II) complexes both in normal and high pressure conditions (Santra, P.K. (197) 37)

## NO + CO reaction

Effects of CuO/CeO<sub>2</sub> and CuO/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts on NO + CO reaction (Xiaoyuan, J. (197) 193)

O<sub>2</sub>

Polyoxometalates on cationic silica. Highly selective and efficient O<sub>2</sub>/air-based oxidation of 2-chloroethyl ethyl sulfide at ambient temperature (Okun, N.M. (197) 283)

## Oligomer

The influence of halogen substituents at the ligand framework of ( $\alpha$ -diimine)nickel(II) catalyst precursors on their behavior in ethylene oligomerization and polymerization (Helldörfer, M. (197) 1)

## Organosilanes

Metallocene catalyst supported on chemically modified silica for production of ethylene-propylene copolymers (Haag, M.C. (197) 223)

Influence of PMHS loading on the silica surface, on catalyst activity and on properties of resulting polymers (Greco, P.P. (197) 233)

## Oxidation

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

- Gold catalyzed oxidation of aldehydes in liquid phase (Biella, S. (197) 207)
- Oxygen adsorption on perovskites  
Catalytic activity of LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskites towards VOCs combustion (Spinicci, R. (197) 147)
- Oxygen desorption on perovskites  
Catalytic activity of LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskites towards VOCs combustion (Spinicci, R. (197) 147)
- Oxygenation  
Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)
- Palladium catalyst  
Palladium-catalyzed carbonylation of 2-butyne-1,4-diol derivatives: formation of fulgide or lactone (Kiji, J. (197) 127)
- Palladium complex  
Chiral thienylpyridines as *N-S* ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation and copper-catalyzed cyclopropanation reactions (Chelucci, G. (197) 27)
- Palladium nanoparticles  
Silica-supported palladium nanoparticles show remarkable hydrogenation catalytic activity (Domínguez-Quintero, O. (197) 185)
- Palladium  
Palladium-catalyzed telomerization of butadiene with ethylene glycol in liquid single phase and biphasic systems: control of selectivity and catalyst recycling (Behr, A. (197) 101)
- Pd(II) complexes  
Dihydrogen reduction of nitroaromatics, alkenes, alkynes using Pd(II) complexes both in normal and high pressure conditions (Santra, P.K. (197) 37)
- Pd(II)  
Mechanism of Pd(II) and Hg(II) co-catalyzed oxidation of D-mannose and maltose by acidic solution of *N*-bromoacetamide (Singh, A.K. (197) 91)
- Phase-transfer catalysis  
Phase-transfer catalysis: kinetics and mechanism of dichloro-cyclopropane formation in liquid/liquid and solid/liquid systems (Sirovski, F. (197) 213)
- Phenol methylation  
Al-MCM-41 catalysed alkylation of phenol with methanol (Bhattacharyya, K.G. (197) 255)
- Phosphine ligand  
Novel nickel(II) and cobalt(II) catalysts based on poly-salen type ligands for the dimerization of propylene (Wu, S. (197) 51)
- Photocatalysis  
Role of Fe<sup>3+</sup>/Fe<sup>2+</sup> as TiO<sub>2</sub> dopant ions in photocatalytic degradation of carboxylic acids (Araña, J. (197) 157)
- Photochromic fulgide  
Palladium-catalyzed carbonylation of 2-butyne-1,4-diol derivatives: formation of fulgide or lactone (Kiji, J. (197) 127)
- Poly-salen type ligand  
Novel nickel(II) and cobalt(II) catalysts based on poly-salen type ligands for the dimerization of propylene (Wu, S. (197) 51)
- Polymerization  
The influence of halogen substituents at the ligand framework of ( $\alpha$ -diimine)nickel(II) catalyst precursors on their behavior in ethylene oligomerization and polymerization (Helldörfer, M. (197) 1)
- Influence of PMHS loading on the silica surface, on catalyst activity and on properties of resulting polymers (Greco, P.P. (197) 233)
- Polyoxometalates (POMs)  
Polyoxometalates on cationic silica. Highly selective and efficient O<sub>2</sub>/air-based oxidation of 2-chloroethyl ethyl sulfide at ambient temperature (Okun, N.M. (197) 283)
- Propargylic alcohol  
Palladium-catalyzed carbonylation of 2-butyne-1,4-diol derivatives: formation of fulgide or lactone (Kiji, J. (197) 127)
- Propylene  
Metallocene catalyst supported on chemically modified silica for production of ethylene-propylene copolymers (Haag, M.C. (197) 223)
- Reaction kinetics  
Phase-transfer catalysis: kinetics and mechanism of dichloro-cyclopropane formation in liquid/liquid and solid/liquid systems (Sirovski, F. (197) 213)
- Recycling  
Rhodium-catalysed synthesis of branched fatty compounds in temperature-dependent solvent systems (Behr, A. (197) 115)
- Reducing sugars  
Mechanism of Pd(II) and Hg(II) co-catalyzed oxidation of D-mannose and maltose by acidic solution of *N*-bromoacetamide (Singh, A.K. (197) 91)
- Rhodium  
New efficient catalytic system for hydroxycarbonylation without CO gas (Simonato, J.-P. (197) 61)
- Rhodium-catalysed synthesis of branched fatty compounds in temperature-dependent solvent systems (Behr, A. (197) 115)
- Ruthenium  
Transition metal catalyzed cycloaddition reactions of chiral ketimines with alkenes and carbon monoxide: reaction conditions, substrate variations and stereoselectivity (Imhof, W. (197) 15)
- Selective catalytic oxidation  
Polyoxometalates on cationic silica. Highly selective and efficient O<sub>2</sub>/air-based oxidation of 2-chloroethyl ethyl sulfide at ambient temperature (Okun, N.M. (197) 283)
- Shape-selectivity  
Shape-selective alkylation of biphenyl catalyzed by H-[Al]-SSZ-31 zeolite (Ahedi, R.K. (197) 133)
- Silica  
Influence of PMHS loading on the silica surface, on catalyst activity and on properties of resulting polymers (Greco, P.P. (197) 233)
- Solution and surface rate constants  
Catalysed quaternization of coordinated triethylamine by ethyl iodide: further developments in the kinetic analysis (Santos, M. Soledade C.S. (197) 73)
- Solvent systems  
Rhodium-catalysed synthesis of branched fatty compounds in temperature-dependent solvent systems (Behr, A. (197) 115)

**Solvothermal method**

Synthesis of Fe/TiO<sub>2</sub> photocatalyst with nanometer size by solvothermal method and the effect of H<sub>2</sub>O addition on structural stability and photodecomposition of methanol (Kang, M. (197) 173)

**SSZ-31**

Shape-selective alkylation of biphenyl catalyzed by H-[Al]-SSZ-31 zeolite (Ahedi, R.K. (197) 133)

**Structural change**

Synthesis of Fe/TiO<sub>2</sub> photocatalyst with nanometer size by solvothermal method and the effect of H<sub>2</sub>O addition on structural stability and photodecomposition of methanol (Kang, M. (197) 173)

**Sulfoxide**

Polyoxometalates on cationic silica. Highly selective and efficient O<sub>2</sub>/air-based oxidation of 2-chloroethyl ethyl sulfide at ambient temperature (Okun, N.M. (197) 283)

**Superficial molecular arrangement**

Catalysed quaternization of coordinated triethylamine by ethyl iodide: further developments in the kinetic analysis (Santos, M. Soledade C.S. (197) 73)

**Supplication of OH radical**

Synthesis of Fe/TiO<sub>2</sub> photocatalyst with nanometer size by solvothermal method and the effect of H<sub>2</sub>O addition on structural stability and photodecomposition of methanol (Kang, M. (197) 173)

**Supported metallocenes**

Influence of PMHS loading on the silica surface, on catalyst activity and on properties of resulting polymers (Greco, P.P. (197) 233)

**Supported zirconocenes**

Metallocene catalyst supported on chemically modified silica for production of ethylene-propylene copolymers (Haag, M.C. (197) 223)

**Telomerization**

Palladium-catalyzed telomerization of butadiene with ethylene glycol in liquid single phase and biphasic systems: control of selectivity and catalyst recycling (Behr, A. (197) 101)

**Thioether**

Polyoxometalates on cationic silica. Highly selective and efficient O<sub>2</sub>/air-based oxidation of 2-chloroethyl ethyl sulfide at ambient temperature (Okun, N.M. (197) 283)

**TPRS**

In situ-DRIFTS investigations of the gas phase polymerisation of 1,3-butadiene on supported Nd and La allyl complexes (Berndt, H. (197) 245)

 **$\alpha,\beta$ -Unsaturated carboxylic acid**

Preparation and use of a chiral amine ruthenium hydrogenation catalyst supported on mesoporous silica (Pérez, C. (197) 275)

**Vanadium complexes**

Aerobic hydroxylation of hydrocarbons catalysed by vanadate ion (Shul'pin, G.B. (197) 65)

**VOCs catalytic oxidation**

Catalytic activity of LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskites towards VOCs combustion (Spinicci, R. (197) 147)

**X-ray diffraction**

Transition metal catalyzed cycloaddition reactions of chiral ketimines with alkenes and carbon monoxide: reaction conditions, substrate variations and stereoselectivity (Imhof, W. (197) 15)

**XPS**

Role of Fe<sup>3+</sup>/Fe<sup>2+</sup> as TiO<sub>2</sub> dopant ions in photocatalytic degradation of carboxylic acids (Araña, J. (197) 157)

Metallocene catalyst supported on chemically modified silica for production of ethylene-propylene copolymers (Haag, M.C. (197) 223)

**Zirconocenes**

Influence of PMHS loading on the silica surface, on catalyst activity and on properties of resulting polymers (Greco, P.P. (197) 233)

**ZSM-5 zeolites**

Direct catalytic conversion of chloromethane to higher hydrocarbons over a series of ZSM-5 zeolites exchanged with alkali cations (Jaumain, D. (197) 263)