

Subject index

Ab initio calculations

o-Alkyl-substituted aromatic phosphanes for hydroformylation studies: synthesis, spectroscopic characterization and ab initio investigations (Riihimäki, H. (200) 69)

Synthesis of new *o*-alkyl substituted arylalkylphosphanes: study of their molecular structure and influence on rhodium-catalyzed propene and 1-hexene hydroformylation (Riihimäki, H. (200) 81)

ab initio Calculations

Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)

Acrolein

Effect of promoter Ce on silver-molybdenum-phosphate catalysts for selective oxidation of propane to acrolein (Zhang, X. (200) 291)

Air oxidation

Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)

Sol-gel encapsulated cobalt(III) acetylacetonate for air oxidation of penicillin derivatives (Hu, Q. (200) 271)

Aldehydes

Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)

Alkoxides

(*R*)-bis-Binaphthoxy iodo lanthanides as catalysts for Diels–Alder reactions (Collin, J. (200) 185)

Alkyl groups

Synthesis of new *o*-alkyl substituted arylalkylphosphanes: study of their molecular structure and influence on rhodium-catalyzed propene and 1-hexene hydroformylation (Riihimäki, H. (200) 81)

Alkylperoxy complexes of titanium(IV)

Formation, solution structure and reactivity of alkylperoxy complexes of titanium (Babushkin, D.E. (200) 165)

o-Alkyl-substituents

o-Alkyl-substituted aromatic phosphanes for hydroformylation studies: synthesis, spectroscopic characterization and ab initio investigations (Riihimäki, H. (200) 69)

Allylic oxidation

Catalytic oxidation of α -pinene by transition metal using *t*-butyl hydroperoxide and hydrogen peroxide (Allal, B.A. (200) 177)

Aqueous systems

Micellar effect in hydroformylation of high olefin catalysed by water-soluble rhodium complexes associated with sulfonated diphosphines (Giménez-Pedros, M. (200) 157)

Arenes

Direct synthesis of phenols by iron-catalyzed biphasic oxidation of aromatic hydrocarbons with hydrogen peroxide (Bianchi, D. (200) 111)

Aromaticity

Hydroformylation of styrene in the presence of rhodium-2,4,6-trialkylphenyl-phosphole in situ catalytic systems (Keglevich, G. (200) 131)

Arylphospholes

Hydroformylation of styrene in the presence of rhodium-2,4,6-trialkylphenyl-phosphole in situ catalytic systems (Keglevich, G. (200) 131)

Asymmetric catalysis

(*R*)-bis-Binaphthoxy iodo lanthanides as catalysts for Diels–Alder reactions (Collin, J. (200) 185)

Binaphthol

(*R*)-bis-Binaphthoxy iodo lanthanides as catalysts for Diels–Alder reactions (Collin, J. (200) 185)

1-Butanol

Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids (Arabi, M. (200) 105)

t-Butyl hydroperoxide

Catalytic oxidation of α -pinene by transition metal using *t*-butyl hydroperoxide and hydrogen peroxide (Allal, B.A. (200) 177)

Catalysis

Zwitterionic titanoxanes $\{\text{Cp}[\eta^5\text{-C}_5\text{H}_4\text{B}(\text{C}_6\text{F}_5)_3]\text{Ti}\}_2\text{O}$ and $\{(\eta^5\text{-}^i\text{PrC}_5\text{H}_4)[\eta^5\text{-}1,3\text{-}^i\text{PrC}_5\text{H}_3\text{B}(\text{C}_6\text{F}_5)_3]\text{Ti}\}_2\text{O}$ as catalysts for cationic ring-opening polymerization (Burlakov, V.V. (200) 63)

Catalyst

Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)

Supported metallocene catalysts—interactions of (*n*-BuCp)₂-HfCl₂ with methylaluminoxane and silica (Mäkelä-Vaare, N.I. (200) 323)

Catalytic behaviour

Silica-supported PtSn alloy doped with Ga, In or, Tl. Characterization and catalytic behaviour in *n*-hexane dehydrogenation (Homs, N. (200) 251)

p-Chloronitrobenzene

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

- 2-Chromanol
Synthesis of 2-chromanol by hydroformylation of 2-hydroxystyrene derivatives (Botteghi, C. (200) 147)
- Chromium(IV)
Superoxometal-catalyzed co-oxidation of alcohols and nitrous acid with molecular oxygen (Pestovsky, O. (200) 21)
- CO oxidation
Influence of pretreatment conditions on low-temperature CO oxidation over Au/MO_x/Al₂O₃ catalysts (Wang, D. (200) 229)
- Cocatalyst
Effect of “topotactic” reduction product of molybdenum disulfide on catalytic activity of metallocene catalyst for olefin polymerization (Yamada, S. (200) 239)
- Composite oxide support
Influence of pretreatment conditions on low-temperature CO oxidation over Au/MO_x/Al₂O₃ catalysts (Wang, D. (200) 229)
- Condensation of methanol with higher alcohols
Selective synthesis of isobutanol by means of the Guerbet reaction. Part 2. Reaction of methanol/ethanol and methanol/ethanol/*n*-propanol mixtures over copper based/MeONa catalytic systems (Carlini, C. (200) 137)
- Copper chromite
Selective synthesis of isobutanol by means of the Guerbet reaction. Part 2. Reaction of methanol/ethanol and methanol/ethanol/*n*-propanol mixtures over copper based/MeONa catalytic systems (Carlini, C. (200) 137)
- Copper
Catalytic oxidation of α -pinene by transition metal using *t*-butyl hydroperoxide and hydrogen peroxide (Allal, B.A. (200) 177)
- Cracking
Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates (Albertazzi, S. (200) 261)
- n*-Decane
Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)
- DFT calculations
Hydroformylation of styrene in the presence of rhodium-2,4,6-trialkylphenyl-phosphole in situ catalytic systems (Keglevich, G. (200) 131)
Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)
- Diels–Alder reactions
(*R*)-bis-Binaphthoxy iodo lanthanides as catalysts for Diels–Alder reactions (Collin, J. (200) 185)
- Diesel fuel
Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)
- N,N*-Dimethylanilinium salt of molybdenum disulfide
Effect of “topotactic” reduction product of molybdenum disulfide on catalytic activity of metallocene catalyst for olefin polymerization (Yamada, S. (200) 239)
- Diphenylsulfoxide
Application of metalloporphyrins and methylviologen-pendent iron porphyrin to reduction of diphenylsulfoxide (Koga, H. (200) 223)
- 1-Dodecene
Phosphinoethyl-sulfonatoalkylthioethers and diphenyl- ω -sulfonatoalkyl-phosphines as ligands and polyoxyethylene–polyoxypropylene–polyoxyethylene triblock co-polymers as promoters in the rhodium-catalyzed hydroformylation of 1-dodecene in aqueous two-phase systems (Paetzold, E. (200) 95)
- Doped PtSn alloy
Silica-supported PtSn alloy doped with Ga, In or, Tl. Characterization and catalytic behaviour in *n*-hexane dehydrogenation (Homs, N. (200) 251)
- Enantio-differentiating
Study of the parameters controlling the enantio-differentiating ability of asymmetrically modified solid catalysts for the hydrogenation of γ -ketoesters (Osawa, T. (200) 315)
- Epoxidation
Epoxidation reactions with urea–hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)
- Esterification
Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids (Arabi, M. (200) 105)
- Ethanol reactions
Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)
- 2-Ethylhexanol
Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids (Arabi, M. (200) 105)
- EXAFS
Supported metallocene catalysts—interactions of (*n*-BuCp)₂-HfCl₂ with methylaluminoxane and silica (Mäkelä-Vaarne, N.I. (200) 323)
- Fe ion-exchanged mordenite
Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)
- FI Catalysts
Ethylene and propylene polymerization behavior of a series of bis(phenoxy–imine)titanium complexes (Furuyama, R. (200) 31)
- FT–IR
Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)
- Gasoline
Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)
- D-Glucitol
Liquid phase glucose hydrogenation to D-glucitol over an ultrafine Ru-B amorphous alloy catalyst (Guo, H. (200) 213)
- Glucose
Liquid phase glucose hydrogenation to D-glucitol over an ultrafine Ru-B amorphous alloy catalyst (Guo, H. (200) 213)
- Gold catalyst
Influence of pretreatment conditions on low-temperature CO oxidation over Au/MO_x/Al₂O₃ catalysts (Wang, D. (200) 229)

Gold nanoparticle

Influence of pretreatment conditions on low-temperature CO oxidation over Au/MO_x/Al₂O₃ catalysts (Wang, D. (200) 229)

Guerbet isobutanol synthesis

Selective synthesis of isobutanol by means of the Guerbet reaction. Part 2. Reaction of methanol/ethanol and methanol/ethanol/*n*-propanol mixtures over copper based/MeONa catalytic systems (Carlini, C. (200) 137)

Hafnocene

Supported metallocene catalysts—interactions of (*n*-BuCp)₂-HfCl₂ with methylaluminoxane and silica (Mäkelä-Vaarna, N.I. (200) 323)

¹H and ¹³C NMR spectroscopy

Formation, solution structure and reactivity of alkylperoxo complexes of titanium (Babushkin, D.E. (200) 165)

Heteropolyacid

Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids (Arabi, M. (200) 105)

Hexanes

Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)

H-Mordenite

Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)

n-hexane dehydrogenation

Silica-supported PtSn alloy doped with Ga, In or, Tl. Characterization and catalytic behaviour in *n*-hexane dehydrogenation (Homs, N. (200) 251)

Hydroformylation

o-Alkyl-substituted aromatic phosphanes for hydroformylation studies: synthesis, spectroscopic characterization and ab initio investigations (Riihimäki, H. (200) 69)

Synthesis of new *o*-alkyl substituted arylalkylphosphanes: study of their molecular structure and influence on rhodium-catalyzed propene and 1-hexene hydroformylation (Riihimäki, H. (200) 81)

Phosphinoethyl-sulfonatoalkylthioethers and diphenyl- ω -sulfonatoalkyl-phosphines as ligands and polyoxyethylene-polyoxypropylene-polyoxyethylene triblock co-polymers as promoters in the rhodium-catalyzed hydroformylation of 1-dodecene in aqueous two-phase systems (Paetzold, E. (200) 95)

Hydroformylation of styrene in the presence of rhodium-2,4,6-trialkylphenyl-phosphole in situ catalytic systems (Keglevich, G. (200) 131)

Synthesis of 2-chromanol by hydroformylation of 2-hydroxystyrene derivatives (Botteghi, C. (200) 147)

Micellar effect in hydroformylation of high olefin catalysed by water-soluble rhodium complexes associated with sulfonated diphosphines (Giménez-Pedros, M. (200) 157)

Hydrogen peroxide

Direct synthesis of phenols by iron-catalyzed biphasic oxidation of aromatic hydrocarbons with hydrogen peroxide (Bianchi, D. (200) 111)

Catalytic oxidation of α -pinene by transition metal using *t*-butyl hydroperoxide and hydrogen peroxide (Allal, B.A. (200) 177)

Hydrogenation

Liquid phase glucose hydrogenation to D-glucitol over an ultra-fine Ru-B amorphous alloy catalyst (Guo, H. (200) 213)

Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates (Albertazzi, S. (200) 261)

Study of the parameters controlling the enantio-differentiating ability of asymmetrically modified solid catalysts for the hydrogenation of γ -ketoesters (Osawa, T. (200) 315)

Hydroxystyrene

Synthesis of 2-chromanol by hydroformylation of 2-hydroxystyrene derivatives (Botteghi, C. (200) 147)

Initiators

Benchmarking of ruthenium initiators for the ROMP of a norbornenedicarboxylic acid ester (Demel, S. (200) 11)

Interaction energy

Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)

Intermediates of selective epoxidation

Formation, solution structure and reactivity of alkylperoxo complexes of titanium (Babushkin, D.E. (200) 165)

Iron

Direct synthesis of phenols by iron-catalyzed biphasic oxidation of aromatic hydrocarbons with hydrogen peroxide (Bianchi, D. (200) 111)

Isobutane

Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)

 γ -Ketoesters

Study of the parameters controlling the enantio-differentiating ability of asymmetrically modified solid catalysts for the hydrogenation of γ -ketoesters (Osawa, T. (200) 315)

Kinetics

Benchmarking of ruthenium initiators for the ROMP of a norbornenedicarboxylic acid ester (Demel, S. (200) 11)

L-H kinetics

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Lanthanides

(*R*)-bis-Binaphthoxy iodo lanthanides as catalysts for Diels-Alder reactions (Collin, J. (200) 185)

Liquid-liquid PTC

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

Liquid-liquid-liquid PTC

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

MCM-41 aluminosilicates

Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates (Albertazzi, S. (200) 261)

Metallocene catalyst

Effect of "topotactic" reduction product of molybdenum disulfide on catalytic activity of metallocene catalyst for olefin polymerization (Yamada, S. (200) 239)

Metalloporphyrin

Application of metalloporphyrins and methylviologen-pendent iron porphyrin to reduction of diphenylsulfoxide (Koga, H. (200) 223)

Methyl 4-oxopentanoate

Study of the parameters controlling the enantio-differentiating ability of asymmetrically modified solid catalysts for the hydrogenation of γ -ketoesters (Osawa, T. (200) 315)

Methyltrioxorhenium

Epoxidation reactions with urea-hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)

Methylviologen-pendent

Application of metalloporphyrins and methylviologen-pendent iron porphyrin to reduction of diphenylsulfoxide (Koga, H. (200) 223)

Micellar effect

Micellar effect in hydroformylation of high olefin catalysed by water-soluble rhodium complexes associated with sulfonated diphosphines (Giménez-Pedros, M. (200) 157)

Mössbauer spectroscopy

Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)

Model of sulfite reductase

Application of metalloporphyrins and methylviologen-pendent iron porphyrin to reduction of diphenylsulfoxide (Koga, H. (200) 223)

MTO

Epoxidation reactions with urea-hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)

Multiphase reactions

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

N₂ adsorption

Sol-gel encapsulated cobalt(III) acetylacetonate for air oxidation of penicillin derivatives (Hu, Q. (200) 271)

N₂- and NH₃-sorption

Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)

Naphthalene

Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates (Albertazzi, S. (200) 261)

New water-soluble ligands

Phosphinoethyl-sulfonatoalkylthioethers and diphenyl- ω -sulfonatoalkyl-phosphines as ligands and polyoxyethylene-polyoxypropylene-polyoxyethylene triblock co-polymers as promoters in the rhodium-catalyzed hydroformylation of 1-dodecene in aqueous two-phase systems (Paetzold, E. (200) 95)

Niobia

Epoxidation reactions with urea-hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)

Nitric oxide

Superoxometal-catalyzed co-oxidation of alcohols and nitrous acid with molecular oxygen (Pestovsky, O. (200) 21)

Nitrous acid

Superoxometal-catalyzed co-oxidation of alcohols and nitrous acid with molecular oxygen (Pestovsky, O. (200) 21)

NMR spectroscopy

o-Alkyl-substituted aromatic phosphanes for hydroformylation studies: synthesis, spectroscopic characterization and ab initio investigations (Riihimäki, H. (200) 69)

Synthesis of new *o*-alkyl substituted arylalkylphosphanes: study of their molecular structure and influence on rhodium-catalyzed propene and 1-hexene hydroformylation (Riihimäki, H. (200) 81)

Noble-metals

Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates (Albertazzi, S. (200) 261)

Non-metallocene

Ethylene and propylene polymerization behavior of a series of bis(phenoxy-imine)titanium complexes (Furuyama, R. (200) 31)

Olefin polymerization catalyst

Ethylene and propylene polymerization behavior of a series of bis(phenoxy-imine)titanium complexes (Furuyama, R. (200) 31)

Oxidation

Superoxometal-catalyzed co-oxidation of alcohols and nitrous acid with molecular oxygen (Pestovsky, O. (200) 21)

Direct synthesis of phenols by iron-catalyzed biphasic oxidation of aromatic hydrocarbons with hydrogen peroxide (Bianchi, D. (200) 111)

Palladium

Catalytic oxidation of α -pinene by transition metal using *t*-butyl hydroperoxide and hydrogen peroxide (Allal, B.A. (200) 177)

Pd/C

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Penicillin derivatives

Sol-gel encapsulated cobalt(III) acetylacetonate for air oxidation of penicillin derivatives (Hu, Q. (200) 271)

Phase transfer catalysis (PTC)

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

 β -Phenethyl alcohol

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Phenols

Direct synthesis of phenols by iron-catalyzed biphasic oxidation of aromatic hydrocarbons with hydrogen peroxide (Bianchi, D. (200) 111)

Phenoxy-imine ligand

Ethylene and propylene polymerization behavior of a series of bis(phenoxy-imine)titanium complexes (Furuyama, R. (200) 31)

Phosphane ligands

o-Alkyl-substituted aromatic phosphanes for hydroformylation studies: synthesis, spectroscopic characterization and ab initio investigations (Riihimäki, H. (200) 69)

Phosphane

Synthesis of new *o*-alkyl substituted arylalkylphosphanes: study of their molecular structure and influence on rhodium-catalyzed propene and 1-hexene hydroformylation (Riihimäki, H. (200) 81)

Phthalic anhydride

Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids (Arabi, M. (200) 105)

 α -Pinene

Catalytic oxidation of α -pinene by transition metal using *t*-butyl hydroperoxide and hydrogen peroxide (Allal, B.A. (200) 177)

Platinum complexes

Synthesis of 2-chromanol by hydroformylation of 2-hydroxystyrene derivatives (Botteghi, C. (200) 147)

Polymerization

Effect of "topotactic" reduction product of molybdenum disulfide on catalytic activity of metallocene catalyst for olefin polymerization (Yamada, S. (200) 239)

Polynorbornenes

Benchmarking of ruthenium initiators for the ROMP of a norbornenedicarboxylic acid ester (Demel, S. (200) 11)

Pretreatment conditions

Influence of pretreatment conditions on low-temperature CO oxidation over Au/MO_x/Al₂O₃ catalysts (Wang, D. (200) 229)

Propane

Effect of promoter Ce on silver-molybdenum-phosphate catalysts for selective oxidation of propane to acrolein (Zhang, X. (200) 291)

Rate equation

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Redox cycle

Effect of promoter Ce on silver-molybdenum-phosphate catalysts for selective oxidation of propane to acrolein (Zhang, X. (200) 291)

Rhodium complexes

Phosphinoethyl-sulfonatoalkylthioethers and diphenyl- ω -sulfonatoalkyl-phosphines as ligands and polyoxyethylene-polyoxypropylene-polyoxyethylene triblock co-polymers as promoters in the rhodium-catalyzed hydroformylation of 1-dodecene in aqueous two-phase systems (Paetzold, E. (200) 95)

Hydroformylation of styrene in the presence of rhodium-2,4,6-trialkylphenyl-phosphole in situ catalytic systems (Keglevich, G. (200) 131)

Synthesis of 2-chromanol by hydroformylation of 2-hydroxystyrene derivatives (Botteghi, C. (200) 147)

Ring-closing metathesis

Easily accessible and robust olefin-metathesis catalysts based on ruthenium vinylidene complexes (Opstal, T. (200) 49)

Ring-opening

Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates (Albertazzi, S. (200) 261)

Ring-opening polymerization

Zwitterionic titanoxanes {Cp[η^5 -C₅H₄B(C₆F₅)₃]Ti}₂O and {(η^5 -*i*PrC₅H₄)[η^5 -1,3-*i*PrC₅H₃B(C₆F₅)₃]Ti}₂O as catalysts for cationic ring-opening polymerization (Burlakov, V.V. (200) 63)

ROMP

Benchmarking of ruthenium initiators for the ROMP of a norbornenedicarboxylic acid ester (Demel, S. (200) 11)

Easily accessible and robust olefin-metathesis catalysts based on ruthenium vinylidene complexes (Opstal, T. (200) 49)

Ru-B amorphous catalyst

Liquid phase glucose hydrogenation to D-glucitol over an ultra-fine Ru-B amorphous alloy catalyst (Guo, H. (200) 213)

Ruthenium

Easily accessible and robust olefin-metathesis catalysts based on ruthenium vinylidene complexes (Opstal, T. (200) 49)

Ruthenium(II) carbene complexes

Benchmarking of ruthenium initiators for the ROMP of a norbornenedicarboxylic acid ester (Demel, S. (200) 11)

Schiff-base

Easily accessible and robust olefin-metathesis catalysts based on ruthenium vinylidene complexes (Opstal, T. (200) 49)

Selective adsorption

Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)

Selective catalytic hydrogenation

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Selective oxidation

Effect of promoter Ce on silver-molybdenum-phosphate catalysts for selective oxidation of propane to acrolein (Zhang, X. (200) 291)

Selectivity engineering

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

Silica-supported PtSn

Silica-supported PtSn alloy doped with Ga, In or, Tl. Characterization and catalytic behaviour in *n*-hexane dehydrogenation (Homs, N. (200) 251)

Sodium methoxide

Selective synthesis of isobutanol by means of the Guerbet reaction. Part 2. Reaction of methanol/ethanol and methanol/ethanol/*n*-propanol mixtures over copper based/MeONa catalytic systems (Carlini, C. (200) 137)

Sodium sulphide

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

Sol-gel

Sol-gel encapsulated cobalt(III) acetylacetonate for air oxidation of penicillin derivatives (Hu, Q. (200) 271)

Solid acid

Esterification of phthalic anhydride with 1-butanol and 2-ethylhexanol catalyzed by heteropolyacids (Arabi, M. (200) 105)

Solid-liquid PTC

Selectivity engineered phase transfer catalysis in the synthesis of fine chemicals: reactions of *p*-chloronitrobenzene with sodium sulphide (Yadav, G.D. (200) 117)

Soybean oil

Epoxidation reactions with urea–hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)

Steric hindrance

Theoretical study of the adsorption of isobutane over H-mordenite zeolite by ab initio and DFT methods (García-Serrano, L.A. (200) 205)

Styrene oxide

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Substrate inhibition

Reaction kinetics of the selective liquid phase hydrogenation of styrene oxide to β -phenethyl alcohol (Rode, C.V. (200) 279)

Sulfonated diphosphines

Micellar effect in hydroformylation of high olefin catalysed by water-soluble rhodium complexes associated with sulfonated diphosphines (Giménez-Pedros, M. (200) 157)

Sulfoxide

Sol–gel encapsulated cobalt(III) acetylacetonate for air oxidation of penicillin derivatives (Hu, Q. (200) 271)

Superoxochromium

Superoxometal-catalyzed co-oxidation of alcohols and nitrous acid with molecular oxygen (Pestovsky, O. (200) 21)

Supported catalyst

Epoxidation reactions with urea–hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)

Supported

Supported metallocene catalysts—interactions of (*n*-BuCp)₂-HfCl₂ with methylaluminumoxane and silica (Mäkelä-Vaarne, N.I. (200) 323)

Tartaric acid

Study of the parameters controlling the enantio-differentiating ability of asymmetrically modified solid catalysts for the hydrogenation of γ -ketoesters (Osawa, T. (200) 315)

TGA

Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)

Titanium

Ethylene and propylene polymerization behavior of a series of bis(phenoxy–imine)titanium complexes (Furuyama, R. (200) 31)
Zwitterionic titanoxanes {Cp[η^5 -C₅H₄B(C₆F₅)₃]Ti}₂O and {(η^5 -1-PrC₅H₄)[η^5 -1,3-1-PrC₅H₃B(C₆F₅)₃]Ti}₂O as catalysts for cationic ring-opening polymerization (Burlakov, V.V. (200) 63)

Topotactic reduction product

Effect of “topotactic” reduction product of molybdenum disulfide on catalytic activity of metallocene catalyst for olefin polymerization (Yamada, S. (200) 239)

Two-electron reduction

Application of metalloporphyrins and methylviologen-pendent iron porphyrin to reduction of diphenylsulfoxide (Koga, H. (200) 223)

Two-phase systems

Phosphinoethyl-sulfonatoalkylthioethers and diphenyl- ω -sulfonatoalkyl-phosphines as ligands and polyoxyethylene–polyoxypropylene–polyoxyethylene triblock co-polymers as promoters in the rhodium-catalyzed hydroformylation of 1-dodecene in aqueous two-phase systems (Paetzold, E. (200) 95)

UHP

Epoxidation reactions with urea–hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (Bouh, A.O. (200) 43)

Unsaturated alcohols

Catalytic air oxidation of ambient temperature hydrocarbons (Carter, M.K. (200) 191)

UV-Vis

Supported metallocene catalysts—interactions of (*n*-BuCp)₂-HfCl₂ with methylaluminumoxane and silica (Mäkelä-Vaarne, N.I. (200) 323)

Vinylidene

Easily accessible and robust olefin-metathesis catalysts based on ruthenium vinylidene complexes (Opstal, T. (200) 49)

XRD

Catalytic properties of Fe ion-exchanged mordenite toward the ethanol transformation: influence of the methods of preparation (Mohamed, M.M. (200) 301)

Zwitterionic metallocenes

Zwitterionic titanoxanes {Cp[η^5 -C₅H₄B(C₆F₅)₃]Ti}₂O and {(η^5 -1-PrC₅H₄)[η^5 -1,3-1-PrC₅H₃B(C₆F₅)₃]Ti}₂O as catalysts for cationic ring-opening polymerization (Burlakov, V.V. (200) 63)