

Subject index

Ab initio

Interaction of N_2O with Ag^+ ion-exchanged zeolites: an FT-IR spectroscopy and quantum chemical ab initio and DFT studies (Zhanpeisov, N.U. (201) 237)

Acetone

The “one-pot” synthesis of 4-methyl-2-pentanone (methyl isobutyl ketone) from acetone over PdCu catalysts prepared from layered double hydroxides (de Jesús Martínez-Ortiz, M. (201) 199)

Acidic alumina

Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyanil)acetylacetonate complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)

Adsorption of benzonitrile

Selective hydroisomerization of *n*-pentane to isopentane over highly dispersed Pd- $H_4SiW_{12}O_{40}/SiO_2$ (Miyaji, A. (201) 145)

Ag^+ ion-exchanged zeolite

Interaction of N_2O with Ag^+ ion-exchanged zeolites: an FT-IR spectroscopy and quantum chemical ab initio and DFT studies (Zhanpeisov, N.U. (201) 237)

Alkali

Selective oligomerization of nitriles having α -hydrogen catalyzed by alkali (Tao, X. (201) 155)

Alkyl viologen

Electrochemical hydrogen evolution by catalyst membrane composed of platinum, alkyl viologen and Nafion: consideration of the kinetically dominant factor based on understanding of electron-mediating ability of the viologen molecule (Abe, T. (201) 55)

Amine additives

$RuCl_2(PPh_3)_2$ (triazol-5-ylidene): an active catalyst for controlled radical polymerization of methyl methacrylate in the presence of primary or secondary amines (Melis, K. (201) 33)

Aminocarbohydrate

Catechol oxidase model compounds based on aminocarbohydrates: new structure types and investigations on the catalytic reaction (Wegner, R. (201) 93)

Ammonium acetate

Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebello, S.L.H. (201) 9)

4-Aminopyrimidine

Selective oligomerization of nitriles having α -hydrogen catalyzed by alkali (Tao, X. (201) 155)

Asymmetric allylic alkylation

Asymmetric allylic alkylation using a polymer-supported palladium catalyst in the presence of chiral ligands (Dell'Anna, M.M. (201) 131)

Atom transfer radical polymerization (ATRP)

$RuCl_2(PPh_3)_2$ (triazol-5-ylidene): an active catalyst for controlled radical polymerization of methyl methacrylate in the presence of primary or secondary amines (Melis, K. (201) 33)

Benzoyl peroxide

Benzoyl peroxide oxidation route to polyaniline salt and its use as catalyst in the esterification reaction (Sai Ram, M. (201) 289)

Benzylic oxidation

Nitrogen oxides/selenium dioxide-mediated benzylic oxidations (Remias, J.E. (201) 63)

Bifunctional catalyst

Selective hydroisomerization of *n*-pentane to isopentane over highly dispersed Pd- $H_4SiW_{12}O_{40}/SiO_2$ (Miyaji, A. (201) 145)

bis(2-Hydroxyanil)acetylacetonate

Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyanil)acetylacetonate complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)

Bisulfate species

A discussion of a mechanism for isomerization of *n*-butane on sulfated zirconia (García, E. (201) 263)

n-Butane isomerization mechanism

A discussion of a mechanism for isomerization of *n*-butane on sulfated zirconia (García, E. (201) 263)

Catalysis

Cyclopropanation of alkenes with diisopropyl diazomethylphosphonate catalysed by ruthenium porphyrin complexes (Paul-Roth, C. (201) 79)

Selective oligomerization of nitriles having α -hydrogen catalyzed by alkali (Tao, X. (201) 155)

Catalyst

Effect of promoter thallium for a novel selectivity oxidation catalyst studied by X-ray photoelectron spectroscopy (Chen, M. (201) 161)

Catechol and hydroquinone formation

Oxidation of phenol with H_2O_2 catalysed by Cu(II), Ni(II) and Zn(II) complexes of *N,N'*-bis-(salicylidene)diethylenetriamine (H_2 saldien) encapsulated in Y-zeolite (Maurya, M.R. (201) 119)

- CO coupling
Kinetics of the catalytic coupling reaction of carbon monoxide to diethyl oxalate over Pd-Fe/ α -Al₂O₃ catalyst (Meng, F. (201) 283)
- Cobalt catalysts
Cobalt catalyzed autoxidation of monoterpenes in acetic acid and acetonitrile solutions (da Silva, M.J. (201) 71)
- Confinement of benzene molecules
Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)
- Cu
The "one-pot" synthesis of 4-methyl-2-pentanone (methyl isobutyl ketone) from acetone over PdCu catalysts prepared from layered double hydroxides (de Jesús Martínez-Ortiz, M. (201) 199)
- Cumene
Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebelo, S.L.H. (201) 9)
- Cyclohexane oxidation
Fe-containing Y as a host for the preparation of a ship-in-a-bottle catalyst (Fan, B. (201) 137)
- Cyclohexene
Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyani)acetylacetone complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)
- Cyclopropanation
Cyclopropanation of alkenes with diisopropyl diazomethylphosphonate catalysed by ruthenium porphyrin complexes (Paul-Roth, C. (201) 79)
- Decomposition of H₂O₂
Oxidation of phenol with H₂O₂ catalysed by Cu(II), Ni(II) and Zn(II) complexes of *N,N'*-bis-(salicylidene)diethylenetriamine (H₂saldien) encapsulated in Y-zeolite (Maurya, M.R. (201) 119)
- DFT
Interaction of N₂O with Ag⁺ ion-exchanged zeolites: an FT-IR spectroscopy and quantum chemical ab initio and DFT studies (Zhanpeisov, N.U. (201) 237)
- Diazomethylphosphonate
Cyclopropanation of alkenes with diisopropyl diazomethylphosphonate catalysed by ruthenium porphyrin complexes (Paul-Roth, C. (201) 79)
- 3,5-Di-*t*-butyl-catechol
Catechol oxidase model compounds based on aminocarbohydrates: new structure types and investigations on the catalytic reaction (Wegner, R. (201) 93)
- Diethyl oxalate
Kinetics of the catalytic coupling reaction of carbon monoxide to diethyl oxalate over Pd-Fe/ α -Al₂O₃ catalyst (Meng, F. (201) 283)
- Dioxygen
Nitrogen oxides/selenium dioxide-mediated benzylic oxidations (Remias, J.E. (201) 63)
- Effect of hydrogen
Kinetics of the catalytic coupling reaction of carbon monoxide to diethyl oxalate over Pd-Fe/ α -Al₂O₃ catalyst (Meng, F. (201) 283)
- Electrocatalysis
Electrochemical hydrogen evolution by catalyst membrane composed of platinum, alkyl viologen and Nafion: consideration of the kinetically dominant factor based on understanding of electron-mediating ability of the viologen molecule (Abe, T. (201) 55)
- Encapsulation
Fe-containing Y as a host for the preparation of a ship-in-a-bottle catalyst (Fan, B. (201) 137)
- Encapsulation
Oxidation of phenol with H₂O₂ catalysed by Cu(II), Ni(II) and Zn(II) complexes of *N,N'*-bis-(salicylidene)diethylenetriamine (H₂saldien) encapsulated in Y-zeolite (Maurya, M.R. (201) 119)
- Esterification
Benzoyl peroxide oxidation route to polyaniline salt and its use as catalyst in the esterification reaction (Sai Ram, M. (201) 289)
- Ethene metathesis
Mechanistic implications of the unprecedented transformations of ethene into propene and butene over Phillips CrO_x/SiO₂ catalyst during induction period (Liu, B. (201) 189)
- Ethene polymerization
Mechanistic implications of the unprecedented transformations of ethene into propene and butene over Phillips CrO_x/SiO₂ catalyst during induction period (Liu, B. (201) 189)
- Ethylbenzene
Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebelo, S.L.H. (201) 9)
- Fe(phen)₃
Fe-containing Y as a host for the preparation of a ship-in-a-bottle catalyst (Fan, B. (201) 137)
- FeY
Fe-containing Y as a host for the preparation of a ship-in-a-bottle catalyst (Fan, B. (201) 137)
- FT-IR
Interaction of N₂O with Ag⁺ ion-exchanged zeolites: an FT-IR spectroscopy and quantum chemical ab initio and DFT studies (Zhanpeisov, N.U. (201) 237)
- FTIR study
Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)
- Ga species
Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)
- H-ZSM zeolite
Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of

- pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)
- Heck reaction
The first synthesis of stable palladium(II) PCP-type catalysts supported on silica—application to the Heck reaction (Chanthateyanonth, R. (201) 23)
- Heterogeneous catalyst
Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyanil)acetylacetonate complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)
- Heteropolyacid
Selective hydroisomerization of *n*-pentane to isopentane over highly dispersed Pd-H₄SiW₁₂O₄₀/SiO₂ (Miyaji, A. (201) 145)
- Hybrid catalysis
Asymmetric allylic alkylation using a polymer-supported palladium catalyst in the presence of chiral ligands (Dell'Anna, M.M. (201) 131)
- Hydrocarbon co-oxidation
Co-oxidation of styrene and *iso*-butyraldehyde in the presence of polyaniline-supported metalloporphyrins (Haber, J. (201) 167)
- Hydrogen evolution
Electrochemical hydrogen evolution by catalyst membrane composed of platinum, alkyl viologen and Nafion: consideration of the kinetically dominant factor based on understanding of electron-mediating ability of the viologen molecule (Abe, T. (201) 55)
- Hydrogen peroxide
Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebelo, S.L.H. (201) 9)
Monoterpenes oxidation in the presence of Y zeolite-entrapped manganese(III) tetra(4-*N*-benzylpyridyl)porphyrin (Skrobot, F.C. (201) 211)
- Hydroisomerization of *n*-pentane
Selective hydroisomerization of *n*-pentane to isopentane over highly dispersed Pd-H₄SiW₁₂O₄₀/SiO₂ (Miyaji, A. (201) 145)
- Induction period
Mechanistic implications of the unprecedented transformations of ethene into propene and butene over Phillips CrO_x/SiO₂ catalyst during induction period (Liu, B. (201) 189)
- Kinetics
Kinetics of the catalytic coupling reaction of carbon monoxide to diethyl oxalate over Pd-Fe/ α -Al₂O₃ catalyst (Meng, F. (201) 283)
- Layered double hydroxides
The “one-pot” synthesis of 4-methyl-2-pentanone (methyl isobutyl ketone) from acetone over PdCu catalysts prepared from layered double hydroxides (de Jesús Martínez-Ortiz, M. (201) 199)
- Limonene
Cobalt catalyzed autoxidation of monoterpenes in acetic acid and acetonitrile solutions (da Silva, M.J. (201) 71)
- Lineweaver–Burk plot
Catechol oxidase model compounds based on aminocarbohydrates: new structure types and investigations on the catalytic reaction (Wegner, R. (201) 93)
- Manganese(III) porphyrin
Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebelo, S.L.H. (201) 9)
- Manganese(III)
Monoterpenes oxidation in the presence of Y zeolite-entrapped manganese(III) tetra(4-*N*-benzylpyridyl)porphyrin (Skrobot, F.C. (201) 211)
- Metal–polymer complex
Electrochemical hydrogen evolution by catalyst membrane composed of platinum, alkyl viologen and Nafion: consideration of the kinetically dominant factor based on understanding of electron-mediating ability of the viologen molecule (Abe, T. (201) 55)
- Metalloporphyrins
Co-oxidation of styrene and *iso*-butyraldehyde in the presence of polyaniline-supported metalloporphyrins (Haber, J. (201) 167)
- Metathesis
Metathesis of unsaturated fatty acid esters derived from South African sunflower oil in the presence of a 3 wt.% Re₂O₇/SiO₂–Al₂O₃/SnBu₄ catalyst (Marvey, B.B. (201) 297)
- Methyl isobutyl ketone
The “one-pot” synthesis of 4-methyl-2-pentanone (methyl isobutyl ketone) from acetone over PdCu catalysts prepared from layered double hydroxides (de Jesús Martínez-Ortiz, M. (201) 199)
- Methyl methacrylate
RuCl₂(PPh₃)₂(triazol-5-ylidene): an active catalyst for controlled radical polymerization of methyl methacrylate in the presence of primary or secondary amines (Melis, K. (201) 33)
- Modification by Ga and Pt
Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)
- Molybdenum
NO decomposition on PdMo/ γ -Al₂O₃ catalysts (Eberhardt, A.M. (201) 247)
- Monoterpenes
Monoterpenes oxidation in the presence of Y zeolite-entrapped manganese(III) tetra(4-*N*-benzylpyridyl)porphyrin (Skrobot, F.C. (201) 211)
- Multifunctional catalysis
The “one-pot” synthesis of 4-methyl-2-pentanone (methyl isobutyl ketone) from acetone over PdCu catalysts prepared from layered double hydroxides (de Jesús Martínez-Ortiz, M. (201) 199)
- N₂O adsorption
Interaction of N₂O with Ag⁺ ion-exchanged zeolites: an FT-IR spectroscopy and quantum chemical ab initio and DFT studies (Zhanpeisov, N.U. (201) 237)

Nitriles

Selective oligomerization of nitriles having α -hydrogen catalyzed by alkali (Tao, X. (201) 155)

Nitrogen oxides

Nitrogen oxides/selenium dioxide-mediated benzylic oxidations (Remias, J.E. (201) 63)

NO decomposition

NO decomposition on PdMo/ γ -Al₂O₃ catalysts (Eberhardt, A.M. (201) 247)

OH groups

Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)

Oligomerization

Selective oligomerization of nitriles having α -hydrogen catalyzed by alkali (Tao, X. (201) 155)

Oxidation of phenol

Oxidation of phenol with H₂O₂ catalysed by Cu(II), Ni(II) and Zn(II) complexes of *N,N'*-bis-(salicylidene)diethylenetriamine (H₂saldien) encapsulated in Y-zeolite (Maurya, M.R. (201) 119)

Oxidation

Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebelo, S.L.H. (201) 9)

Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyanil)acetylacetonate complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)

Cobalt catalyzed autoxidation of monoterpenes in acetic acid and acetonitrile solutions (da Silva, M.J. (201) 71)

PCP-type Pd(II) catalysts

The first synthesis of stable palladium(II) PCP-type catalysts supported on silica—application to the Heck reaction (Chanthateyanonth, R. (201) 23)

Pd catalyst

NO decomposition on PdMo/ γ -Al₂O₃ catalysts (Eberhardt, A.M. (201) 247)

Pd

The “one-pot” synthesis of 4-methyl-2-pentanone (methyl isobutyl ketone) from acetone over PdCu catalysts prepared from layered double hydroxides (Martínez-Ortiz, M.d.J. (201) 199)

Phillips CrO_x/SiO₂ catalyst

Mechanistic implications of the unprecedented transformations of ethene into propene and butene over Phillips CrO_x/SiO₂ catalyst during induction period (Liu, B. (201) 189)

 α -Pinene

Cobalt catalyzed autoxidation of monoterpenes in acetic acid and acetonitrile solutions (da Silva, M.J. (201) 71)

 β -Pinene

Cobalt catalyzed autoxidation of monoterpenes in acetic acid and acetonitrile solutions (da Silva, M.J. (201) 71)

Polyaniline catalyst

Benzoyl peroxide oxidation route to polyaniline salt and its use as catalyst in the esterification reaction (Sai Ram, M. (201) 289)

Polymer-coated electrode

Electrochemical hydrogen evolution by catalyst membrane composed of platinum, alkyl viologen and Nafion: consideration of the kinetically dominant factor based on understanding of electron-mediating ability of the viologen molecule (Abe, T. (201) 55)

Polymer-supported palladium complex

Asymmetric allylic alkylation using a polymer-supported palladium catalyst in the presence of chiral ligands (Dell'Anna, M.M. (201) 131)

Porphyrin

Cyclopropanation of alkenes with diisopropyl diazomethylphosphonate catalysed by ruthenium porphyrin complexes (Paul-Roth, C. (201) 79)

Monoterpenes oxidation in the presence of Y zeolite-entrapped manganese(III) tetra(4-*N*-benzylpyridyl)porphyrin (Skrobot, F.C. (201) 211)

Pre-treatment

Propane as alkylating agent for benzene alkylation on bimetal Ga and Pt modified H-ZSM-5 catalysts: FTIR study of effect of pre-treatment conditions and the benzene adsorption (Todorova, S. (201) 223)

Re₂O₇/SiO₂Al₂O₃/SnBu₄

Metathesis of unsaturated fatty acid esters derived from South African sunflower oil in the presence of a 3 wt.% Re₂O₇/SiO₂-Al₂O₃/SnBu₄ catalyst (Marvey, B.B. (201) 297)

Ruthenium complex

RuCl₂(PPh₃)₂(triazol-5-ylidene): an active catalyst for controlled radical polymerization of methyl methacrylate in the presence of primary or secondary amines (Melis, K. (201) 33)

Ruthenium

Cyclopropanation of alkenes with diisopropyl diazomethylphosphonate catalysed by ruthenium porphyrin complexes (Paul-Roth, C. (201) 79)

Schiff-base

Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyanil)acetylacetonate complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)

Selective oxidation

Effect of promoter thallium for a novel selectivity oxidation catalyst studied by X-ray photoelectron spectroscopy (Chen, M. (201) 161)

Selenium dioxide

Nitrogen oxides/selenium dioxide-mediated benzylic oxidations (Remias, J.E. (201) 63)

Ship-in-a-bottle material

Fe-containing Y as a host for the preparation of a ship-in-a-bottle catalyst (Fan, B. (201) 137)

Silica-immobilized catalysts

The first synthesis of stable palladium(II) PCP-type catalysts supported on silica—application to the Heck reaction (Chanthateyanonth, R. (201) 23)

South African sunflower oil

Metathesis of unsaturated fatty acid esters derived from South African sunflower oil in the presence of a 3 wt.% $\text{Re}_2\text{O}_7/\text{SiO}_2\text{-Al}_2\text{O}_3/\text{SnBu}_4$ catalyst (Marvey, B.B. (201) 297)

Spectral studies

Benzoyl peroxide oxidation route to polyaniline salt and its use as catalyst in the esterification reaction (Sai Ram, M. (201) 289)

Styrene

Co-oxidation of styrene and *iso*-butyraldehyde in the presence of polyaniline-supported metalloporphyrins (Haber, J. (201) 167)

Sulfated zirconia

A discussion of a mechanism for isomerization of *n*-butane on sulfated zirconia (García, E. (201) 263)

TBHP

Alumina-supported Mn(II), Co(II), Ni(II) and Cu(II) bis-(2-hydroxyanil)acetylacetone complexes as catalysts for the oxidation of cyclohexene with *tert*-butylhydroperoxide (Salavati-Niasari, M. (201) 43)

Temperature-programmed desorption (TPD)

Mechanistic implications of the unprecedented transformations of ethene into propene and butene over Phillips $\text{CrO}_x/\text{SiO}_2$ catalyst during induction period (Liu, B. (201) 189)

Thallium promoter

Effect of promoter thallium for a novel selectivity oxidation catalyst studied by X-ray photoelectron spectroscopy (Chen, M. (201) 161)

Toluene

Oxidation of alkylaromatics with hydrogen peroxide catalysed by manganese(III) porphyrins in the presence of ammonium acetate (Rebello, S.L.H. (201) 9)

Triazol-5-ylidene

$\text{RuCl}_2(\text{PPh}_3)_2(\text{triazol-5-ylidene})$: an active catalyst for controlled radical polymerization of methyl methacrylate in the presence of primary or secondary amines (Melis, K. (201) 33)

Unsaturated fatty esters

Metathesis of unsaturated fatty acid esters derived from South African sunflower oil in the presence of a 3 wt.% $\text{Re}_2\text{O}_7/\text{SiO}_2\text{-Al}_2\text{O}_3/\text{SnBu}_4$ catalyst (Marvey, B.B. (201) 297)

XPS

Effect of promoter thallium for a novel selectivity oxidation catalyst studied by X-ray photoelectron spectroscopy (Chen, M. (201) 161)

Y zeolite supported catalysts

Monoterpenes oxidation in the presence of Y zeolite-entrapped manganese(III) tetra(4-*N*-benzylpyridyl)porphyrin (Skrobot, F.C. (201) 211)

Zeolite-Y

Oxidation of phenol with H_2O_2 catalysed by Cu(II), Ni(II) and Zn(II) complexes of *N,N'*-bis-(salicylidene)diethylenetriamine ($\text{H}_2\text{saldien}$) encapsulated in Y-zeolite (Maurya, M.R. (201) 119)