

Author index

- Abdulkadir, H.K., see Gupta, K.C. (202) 253
- Akioka, T., Inoue, Y., Yanagawa, A., Hiyamizu, M., Takagi, Y. and Sugimori, A.
A comparative study on photocatalytic hydrogen transfer and catalytic hydrogenation of norbornadiene and quadricyclane catalyzed by $[\text{Rh}_6(\text{CO})_{16}]$ (202) 31
- Amal, R., see Tan, T.T.Y. (202) 73
- Anderegg, J., see Stanger, K.J. (202) 147
- Angelici, R.J., see Stanger, K.J. (202) 147
- Angulo, I.M., Bouwman, E., van Gorkum, R., Lok, S.M., Lutz, M. and Spek, A.L.
New nickel-containing homogeneous hydrogenation catalysts. Structures of $[\text{Ni}(o\text{-MeO-dppol})\text{Cl}_2]$ and $[\text{Ni}(\text{dcpe})\text{Cl}_2]$ (202) 97
- Bajaj, H.C., see Parmar, D.U. (202) 9
- Bajaj, H.C., see Srivastava, V.K. (202) 65
- Balázsik, K., see Felföldi, K. (202) 163
- Bartók, M., see Felföldi, K. (202) 163
- Battistel, E., Tassinari, R., Fornaroli, M. and Bonoldi, L.
Oxidation of benzene by molecular oxygen catalysed by vanadium (202) 107
- Bennazha, J., Zahouilly, M., Boukhari, A. and Holt, E.M.
Investigation of the basis of catalytic activity of solid state phosphate complexes in the Knoevenagel condensation (202) 247
- Beydoun, D., see Tan, T.T.Y. (202) 73
- Bhatt, S.D., see Parmar, D.U. (202) 9
- Bianchini, D., see Franceschini, F.C. (202) 127
- Bonoldi, L., see Battistel, E. (202) 107
- Borbáth, I., see Margitfalvi, J.L. (202) 313
- Boukhari, A., see Bennazha, J. (202) 247
- Bouwman, E., see Angulo, I.M. (202) 97
- Červený, L., see Kačer, P. (202) 269
- Červený, L., see Kurc, L. (202) 327
- Chand, S., see Gupta, K.C. (202) 253
- Chen, D.A., see Liu, G. (202) 215
- Chen, J., see Ling, G. (202) 23
- Constantin, C., see Parvulescu, V. (202) 171
- Damiani, D.E., see Tonetto, G.M. (202) 289
- da R. Tavares, T.T., see Franceschini, F.C. (202) 127
- Deng, F., see Yang, J. (202) 239
- dos Santos, J.H.Z., see Franceschini, F.C. (202) 127
- Dutta, D.K., see Phukan, A. (202) 279
- Elaabar, B., see Saber, A. (202) 229
- Felföldi, K., Balázsik, K. and Bartók, M.
Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (202) 163
- Feng Yao, W., Wang, H., Hong Xu, X., Zhang, Y., Na Yang, X., Xia Shang, S., Hui Liu, Y., Tao Zhou, J. and Wang, M.
Characterization and photocatalytic properties of Ba doped $\text{Bi}_{12}\text{TiO}_{20}$ (202) 305
- Ferreira, M.L., Nichio, N.N. and Ferretti, O.A.
A semiempirical theoretical study of $\text{Ni}/\alpha\text{-Al}_2\text{O}_3$ and $\text{NiSn}/\alpha\text{-Al}_2\text{O}_3$ catalysts for CH_4 reforming (202) 197
- Ferretti, O.A., see Ferreira, M.L. (202) 197
- Fierro, J.L.G., see Ojeda, M. (202) 179
- Fornaroli, M., see Battistel, E. (202) 107
- Franceschini, F.C., da R. Tavares, T.T., Greco, P.P., Bianchini, D., Stedile, F.C., Galland, G.B., dos Santos, J.H.Z. and Soares, J.B.P.
Polypropylene obtained with in situ supported metallocene catalysts (202) 127
- Galland, G.B., see Franceschini, F.C. (202) 127
- Ganguli, J.N., see Phukan, A. (202) 279
- Greco, P.P., see Franceschini, F.C. (202) 127
- Gupta, K.C., Abdulkadir, H.K. and Chand, S.
Synthesis of polymer anchored N,N' -bis(3-allyl salicylidene)-*o*-phenylenediamine cobalt(II) Schiff base complex and its catalytic activity for decomposition of hydrogen peroxide (202) 253
- Hiyamizu, M., see Akioka, T. (202) 31
- Holt, E.M., see Bennazha, J. (202) 247
- Hong Xu, X., see Feng Yao, W. (202) 305
- Hrbek, J., see Liu, G. (202) 215
- Hui Liu, Y., see Feng Yao, W. (202) 305
- Inoue, Y., see Akioka, T. (202) 31
- Jasra, R.V., see Parmar, D.U. (202) 9
- Jasra, R.V., see Srivastava, V.K. (202) 65
- Ji, S.-J. and Wu, L.
Acetalization of carbonyl compounds catalyzed by polymer-bound metal complexes (202) 41
- Kačer, P., Spurná, P. and Červený, L.
Coadsorption effect of the alkenic bond on the hydrogenation of the alkynic substrate on platinum and palladium catalysts (202) 269

- Kurc, L., Páter, M. and Červený, L.
Activity of basic catalysts in oxidation of 2-ethyl-5,6,7,8-tetrahydro-9,10-anthrahydroquinone (202) 327
- Li, W., see Shang, J. (202) 187
- Ling, G., Chen, J. and Lu, S.
Selenium-catalyzed carbonylation of substituted nitrobenzenes with aminomethylpyrimidines as co-reagents to synthesize *N*-phenyl-*N'*-methylpyrimidylurea derivatives (202) 23
- Liu, G., Rodriguez, J.A., Hrbek, J., Long, B.T. and Chen, D.A.
Interaction of thiophene with stoichiometric and reduced rutile TiO₂(1 1 0) surfaces: role of Ti³⁺ sites in desulfurization activity (202) 215
- Lok, S.M., see Angulo, I.M. (202) 97
- Long, B.T., see Liu, G. (202) 215
- López Granados, M., see Ojeda, M. (202) 179
- Lu, S., see Ling, G. (202) 23
- Luo, Q., see Yang, J. (202) 239
- Lutz, M., see Angulo, I.M. (202) 97
- Maizi, M., see Saber, A. (202) 229
- Marafi, M. and Stanislaus, A.
Studies on rejuvenation of spent residue hydroprocessing catalysts by leaching of metal foulants (202) 117
- Margitfalvi, J.L. and Borbáth, I.
Time dependence of tin anchoring to supported platinum (202) 313
- Meyer, R.J., see Reeves, C.T. (202) 135
- Mullins, C.B., see Reeves, C.T. (202) 135
- Na Yang, X., see Feng Yao, W. (202) 305
- Nazih, R., see Saber, A. (202) 229
- Nichio, N.N., see Ferreira, M.L. (202) 197
- Ojeda, M., López Granados, M., Rojas, S., Terreros, P. and Fierro, J.L.G.
Influence of residual chloride ions in the CO hydrogenation over Rh/SiO₂ catalysts (202) 179
- Parmar, D.U., Bhatt, S.D., Bajaj, H.C. and Jasra, R.V.
Hydrogenation of alkenes and aromatic hydrocarbons using water-soluble RuCl₂(TPPTS)₃ in aqueous medium (202) 9
- Parvulescu, V., Constantin, C. and Su, B.L.
Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (202) 171
- Páter, M., see Kurc, L. (202) 327
- Phukan, A., Ganguli, J.N. and Dutta, D.K.
ZnCl₂-Zn²⁺-Montmorillonite composite: efficient solid acid catalyst for benzylation of benzene (202) 279
- Ram, R.N., see Valodkar, V.B. (202) 47
- Rama, H.S., see Valodkar, V.B. (202) 47
- Ravindranathan, M., see Valodkar, V.B. (202) 47
- Reeves, C.T., Meyer, R.J. and Mullins, C.B.
Dissociative adsorption and hydrodechlorination of CCl₄ on Ir (1 1 0) (202) 135
- Rida, M.A. and Smith, A.K.
A bimetallic hydroformylation catalyst: high regioselectivity through heterobimetallic cooperativity (202) 87
- Rodriguez, J.A., see Liu, G. (202) 215
- Rojas, S., see Ojeda, M. (202) 179
- Saber, A., Smahi, A., Solhy, A., Nazih, R., Elaabar, B., Maizi, M. and Sebti, S.
Heterogeneous catalysis of Friedel-Crafts alkylation by the fluorapatite alone and doped with metal halides (202) 229
- Sebti, S., see Saber, A. (202) 229
- Shang, J., Li, W. and Zhu, Y.
Structure and photocatalytic characteristics of TiO₂ film photocatalyst coated on stainless steel webnet (202) 187
- Shukla, R.S., see Srivastava, V.K. (202) 65
- Smahi, A., see Saber, A. (202) 229
- Smith, A.K., see Rida, M.A. (202) 87
- Soares, J.B.P., see Franceschini, F.C. (202) 127
- Solhy, A., see Saber, A. (202) 229
- Spek, A.L., see Angulo, I.M. (202) 97
- Spurná, P., see Kačer, P. (202) 269
- Srivastava, V.K., Shukla, R.S., Bajaj, H.C. and Jasra, R.V.
RuCl₂(PPh₃)₃ catalyzed liquid phase hydroformylation of propene under mild pressure conditions in alcoholic media: isolation and characterization of species separated out during the reaction (202) 65
- Stanger, K.J., Tang, Y., Anderegg, J. and Angelici, R.J.
Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]₄, [Rh(COD)₂]⁺BF₄⁻, and [Rh(COD)Cl]₂ adsorbed on SiO₂ and Pd-SiO₂ (202) 147
- Stanislaus, A., see Marafi, M. (202) 117
- Stedile, F.C., see Franceschini, F.C. (202) 127
- Su, B.L., see Parvulescu, V. (202) 171
- Su, X.-Y., see You, J.-S. (202) 17
- Sugimori, A., see Akioka, T. (202) 31
- Takagi, Y., see Akioka, T. (202) 31
- Tan, T.T.Y., Beydoun, D. and Amal, R.
Photocatalytic reduction of Se(VI) in aqueous solutions in UV/TiO₂ system: importance of optimum ratio of reactants on TiO₂ surface (202) 73
- Tang, Y., see Stanger, K.J. (202) 147
- Tao Zhou, J., see Feng Yao, W. (202) 305
- Tassinari, R., see Battistel, E. (202) 107
- Tembe, G.L., see Valodkar, V.B. (202) 47
- Terreros, P., see Ojeda, M. (202) 179
- Tonetto, G.M. and Damiani, D.E.
Performance of Pd-Mo/γ-Al₂O₃ catalysts for the selective reduction of NO by methane (202) 289
- Valodkar, V.B., Tembe, G.L., Ravindranathan, M., Ram, R.N. and Rama, H.S.
A study of synthesis, characterization and catalytic hydrogenation by polymer anchored Pd(II)-amino acid complexes (202) 47
- van Gorkum, R., see Angulo, I.M. (202) 97
- Wang, H., see Feng Yao, W. (202) 305
- Wang, M., see Feng Yao, W. (202) 305

- Wang, T., see You, J.-S. (202) 17
Wu, L., see Ji, S.-J. (202) 41
- Xia Shang, S., see Feng Yao, W. (202) 305
Xiang, Q.-X., see You, J.-S. (202) 17
Xie, R.-G., see You, J.-S. (202) 17
- Yanagawa, A., see Akioka, T. (202) 31
Yang, J., Deng, F., Zhang, M., Luo, Q. and Ye, C.
 W/HZSM-5 catalyst for methane dehydroaromatization: a multinuclear MAS NMR study (202) 239
Yang, M., see You, J.-S. (202) 17
- Ye, C., see Yang, J. (202) 239
You, J.-S., Yu, X.-Q., Su, X.-Y., Wang, T., Xiang, Q.-X., Yang, M. and Xie, R.-G.
 Hydrolytic metalloenzyme models. Enantioselective hydrolysis of long chain α -amino acid esters by chiral metallomicelles composed of lipophilic L-histidinol (202) 17
Yu, X.-Q., see You, J.-S. (202) 17
- Zahouilly, M., see Bennazha, J. (202) 247
Zhang, M., see Yang, J. (202) 239
Zhang, Y., see Feng Yao, W. (202) 305
Zhu, Y., see Shang, J. (202) 187