

## Subject index

### $\alpha$ -Amino acid esters

Hydrolytic metalloenzyme models. Enantioselective hydrolysis of long chain  $\alpha$ -amino acid esters by chiral metallomicelles composed of lipophilic L-histidinol (You, J.-S. (202) 17)

### Acetalization

Acetalization of carbonyl compounds catalyzed by polymer-bound metal complexes (Ji, S.-J. (202) 41)

### Activation temperature

ZnCl<sub>2</sub>-Zn<sup>2+</sup>-Montmorillonite composite: efficient solid acid catalyst for benzylation of benzene (Phukan, A. (202) 279)

### Active metal phase

W/HZSM-5 catalyst for methane dehydroaromatization: a multinuclear MAS NMR study (Yang, J. (202) 239)

### Adsorption

Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)

### Adsorptivity

Coadsorption effect of the alkenic bond on the hydrogenation of the alkylic substrate on platinum and palladium catalysts (Kačer, P. (202) 269)

### AES

Structure and photocatalytic characteristics of TiO<sub>2</sub> film photocatalyst coated on stainless steel webnet (Shang, J. (202) 187)

### Alkene-alkyne coadsorption

Coadsorption effect of the alkenic bond on the hydrogenation of the alkylic substrate on platinum and palladium catalysts (Kačer, P. (202) 269)

### Amino acid supported Pd catalysts

A study of synthesis, characterization and catalytic hydrogenation by polymer anchored Pd(II)-amino acid complexes (Valodkar, V.B. (202) 47)

### Arene hydrogenation

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

### Ascorbate

Oxidation of benzene by molecular oxygen catalysed by vanadium (Battistel, E. (202) 107)

### Basicity

Activity of basic catalysts in oxidation of 2-ethyl-5,6,7,8-tetrahydro-9,10-anthrahydroquinone (Kurc, L. (202) 327)

### Benzene

Oxidation of benzene by molecular oxygen catalysed by vanadium (Battistel, E. (202) 107)

### Bifunctional catalyst

W/HZSM-5 catalyst for methane dehydroaromatization: a multinuclear MAS NMR study (Yang, J. (202) 239)

### Bimetallic catalysis

A bimetallic hydroformylation catalyst: high regioselectivity through heterobimetallic cooperativity (Rida, M.A. (202) 87)

### Biphasic catalytic system and benzene

Hydrogenation of alkenes and aromatic hydrocarbons using water-soluble RuCl<sub>2</sub>(TPPTS)<sub>3</sub> in aqueous medium (Parmar, D.U. (202) 9)

### Bismuth titanate

Characterization and photocatalytic properties of Ba doped Bi<sub>12</sub>TiO<sub>20</sub> (Feng Yao, W. (202) 305)

### Carbonyl compounds

Acetalization of carbonyl compounds catalyzed by polymer-bound metal complexes (Ji, S.-J. (202) 41)

### Carbonylation

Selenium-catalyzed carbonylation of substituted nitrobenzenes with aminomethylpyrimidines as co-reagents to synthesize *N*-phenyl-*N*'-methylpyrimidylurea derivatives (Ling, G. (202) 23)

### Catalyst modification

Time dependence of tin anchoring to supported platinum (Margitfalvi, J.L. (202) 313)

### Catalyst

Activity of basic catalysts in oxidation of 2-ethyl-5,6,7,8-tetrahydro-9,10-anthrahydroquinone (Kurc, L. (202) 327)

### Catalytic activity

A study of synthesis, characterization and catalytic hydrogenation by polymer anchored Pd(II)-amino acid complexes (Valodkar, V.B. (202) 47)

### Chiral metallomicelles

Hydrolytic metalloenzyme models. Enantioselective hydrolysis of long chain  $\alpha$ -amino acid esters by chiral metallomicelles composed of lipophilic L-histidinol (You, J.-S. (202) 17)

### Cinchona alkaloid

Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (Felföldi, K. (202) 163)

### CO hydrogenation

Influence of residual chloride ions in the CO hydrogenation over Rh/SiO<sub>2</sub> catalysts (Ojeda, M. (202) 179)

- Cobalt(II) Schiff base complex  
 Synthesis of polymer anchored *N,N'*-bis(3-allyl salicylidene) *o*-phenylenediamine cobalt(II) Schiff base complex and its catalytic activity for decomposition of hydrogen peroxide (Gupta, K.C. (202) 253)
- Competitive hydrogenation  
 Coadsorption effect of the alkenic bond on the hydrogenation of the alkynic substrate on platinum and palladium catalysts (Kačer, P. (202) 269)
- Controlled surface reactions  
 Time dependence of tin anchoring to supported platinum (Margitfalvi, J.L. (202) 313)
- Copolymerization  
 Synthesis of polymer anchored *N,N'*-bis(3-allyl salicylidene) *o*-phenylenediamine cobalt(II) Schiff base complex and its catalytic activity for decomposition of hydrogen peroxide (Gupta, K.C. (202) 253)
- Crystal structures  
 New nickel-containing homogeneous hydrogenation catalysts. Structures of [Ni(*o*-MeO-dppol)Cl<sub>2</sub>] and [Ni(dcpe)Cl<sub>2</sub>] (Angulo, I.M. (202) 97)
- CSD method  
 Characterization and photocatalytic properties of Ba doped Bi<sub>12</sub>TiO<sub>20</sub> (Feng Yao, W. (202) 305)
- Density-functional theory  
 Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)
- Desulfurization  
 Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)
- Diethyl 2-oxoglutarate  
 Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (Felföldi, K. (202) 163)
- Enantioselective hydrolysis  
 Hydrolytic metalloenzyme models. Enantioselective hydrolysis of long chain  $\alpha$ -amino acid esters by chiral metallo-micelles composed of lipophilic L-histidinol (You, J.-S. (202) 17)
- Enantioselective  
 Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (Felföldi, K. (202) 163)
- Ethyl (*E*)- $\alpha$ -cyanocinnamate  
 Investigation of the basis of catalytic activity of solid state phosphate complexes in the Knoevenagel condensation (Benazha, J. (202) 247)
- 2-Ethyl-5,6,7,8-tetrahydro-9,10-anthrahydroquinone  
 Activity of basic catalysts in oxidation of 2-ethyl-5,6,7,8-tetrahydro-9,10-anthrahydroquinone (Kurc, L. (202) 327)
- Extended Hückel  
 A semiempirical theoretical study of Ni/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> and NiSn/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalysts for CH<sub>4</sub> reforming (Ferreira, M.L. (202) 197)
- Fischer-Tropsch  
 Influence of residual chloride ions in the CO hydrogenation over Rh/SiO<sub>2</sub> catalysts (Ojeda, M. (202) 179)
- Fluorapatite  
 Heterogeneous catalysis of Friedel-Crafts alkylation by the fluorapatite alone and doped with metal halides (Saber, A. (202) 229)
- Formaldehyde  
 Structure and photocatalytic characteristics of TiO<sub>2</sub> film photocatalyst coated on stainless steel webnet (Shang, J. (202) 187)
- Formate  
 Photocatalytic reduction of Se(VI) in aqueous solutions in UV/TiO<sub>2</sub> system: importance of optimum ratio of reactants on TiO<sub>2</sub> surface (Tan, T.T.Y. (202) 73)
- Friedel-Crafts alkylation  
 Heterogeneous catalysis of Friedel-Crafts alkylation by the fluorapatite alone and doped with metal halides (Saber, A. (202) 229)
- Halogenated methanes  
 Dissociative adsorption and hydrodechlorination of CCl<sub>4</sub> on Ir(1 1 0) (Reeves, C.T. (202) 135)
- Heterogeneous catalysis  
 Heterogeneous catalysis of Friedel-Crafts alkylation by the fluorapatite alone and doped with metal halides (Saber, A. (202) 229)  
 Investigation of the basis of catalytic activity of solid state phosphate complexes in the Knoevenagel condensation (Benazha, J. (202) 247)  
 Synthesis of polymer anchored *N,N'*-bis(3-allyl salicylidene)*o*-phenylenediamine cobalt(II) Schiff base complex and its catalytic activity for decomposition of hydrogen peroxide (Gupta, K.C. (202) 253)
- High pressure kinetics  
 A study of synthesis, characterization and catalytic hydrogenation by polymer anchored Pd(II)-amino acid complexes (Valodkar, V.B. (202) 47)
- L-Histidinol  
 Hydrolytic metalloenzyme models. Enantioselective hydrolysis of long chain  $\alpha$ -amino acid esters by chiral metallo-micelles composed of lipophilic L-histidinol (You, J.-S. (202) 17)
- Homogeneous catalysis  
 New nickel-containing homogeneous hydrogenation catalysts. Structures of [Ni(*o*-MeO-dppol)Cl<sub>2</sub>] and [Ni(dcpe)Cl<sub>2</sub>] (Angulo, I.M. (202) 97)
- Hydrocarbons oxidation  
 Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (Parvulescu, V. (202) 171)
- Hydrodechlorination  
 Dissociative adsorption and hydrodechlorination of CCl<sub>4</sub> on Ir(1 1 0) (Reeves, C.T. (202) 135)

## Hydroformylation

RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> catalyzed liquid phase hydroformylation of propene under mild pressure conditions in alcoholic media: isolation and characterization of species separated out during the reaction (Srivastava, V.K. (202) 65)

A bimetallic hydroformylation catalyst: high regioselectivity through heterobimetallic cooperativity (Rida, M.A. (202) 87)

## Hydrogen peroxide

Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (Parvulescu, V. (202) 171)

## Hydrogen spillover

Influence of residual chloride ions in the CO hydrogenation over Rh/SiO<sub>2</sub> catalysts (Ojeda, M. (202) 179)

## Hydrogen transfer reaction

A comparative study on photocatalytic hydrogen transfer and catalytic hydrogenation of norbornadiene and quadricyclane catalyzed by [Rh<sub>6</sub>(CO)<sub>16</sub>] (Akioka, T. (202) 31)

## Hydrogenation

Hydrogenation of alkenes and aromatic hydrocarbons using water-soluble RuCl<sub>2</sub>(TPPTS)<sub>3</sub> in aqueous medium (Parmar, D.U. (202) 9)

A study of synthesis, characterization and catalytic hydrogenation by polymer anchored Pd(II)-amino acid complexes (Valodkar, V.B. (202) 47)

New nickel-containing homogeneous hydrogenation catalysts. Structures of [Ni(*o*-MeO-dppol)Cl<sub>2</sub>] and [Ni(dcpce)Cl<sub>2</sub>] (Angulo, I.M. (202) 97)

Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (Felföldi, K. (202) 163)

## Hydroprocessing catalysts

Studies on rejuvenation of spent residue hydroprocessing catalysts by leaching of metal foulants (Marafi, M. (202) 117)

## Immobilized metal catalysts

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## Knoevenagel condensation

Investigation of the basis of catalytic activity of solid state phosphate complexes in the Knoevenagel condensation (Benazha, J. (202) 247)

## Liquid phase

RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> catalyzed liquid phase hydroformylation of propene under mild pressure conditions in alcoholic media: isolation and characterization of species separated out during the reaction (Srivastava, V.K. (202) 65)

## MAO

Polypropylene obtained with in situ supported metallocene catalysts (Franceschini, F.C. (202) 127)

## Mercury poisoning

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## Metal foulants

Studies on rejuvenation of spent residue hydroprocessing catalysts by leaching of metal foulants (Marafi, M. (202) 117)

## Methane activation

W/HZSM-5 catalyst for methane dehydroaromatization: a multinuclear MAS NMR study (Yang, J. (202) 239)

## Methane

Performance of Pd-Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for the selective reduction of NO by methane (Tonetto, G.M. (202) 289)

## Methylpyrimidylurea

Selenium-catalyzed carbonylation of substituted nitrobenzenes with aminomethylpyrimidines as co-reagents to synthesize *N*-phenyl-*N'*-methylpyrimidylurea derivatives (Ling, G. (202) 23)

## Modified MCM-41

Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (Parvulescu, V. (202) 171)

## Molecular beam techniques

Dissociative adsorption and hydrodechlorination of CCl<sub>4</sub> on Ir(1 1 0) (Reeves, C.T. (202) 135)

## Molybdenum

Performance of Pd-Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for the selective reduction of NO by methane (Tonetto, G.M. (202) 289)

## Montmorillonite

ZnCl<sub>2</sub>-Zn<sup>2+</sup>-Montmorillonite composite: efficient solid acid catalyst for benzylation of benzene (Phukan, A. (202) 279)

## Nickel catalyst characterisation

A semiempirical theoretical study of Ni/α-Al<sub>2</sub>O<sub>3</sub> and NiSn/α-Al<sub>2</sub>O<sub>3</sub> catalysts for CH<sub>4</sub> reforming (Ferreira, M.L. (202) 197)

## Nickel complexes

New nickel-containing homogeneous hydrogenation catalysts. Structures of [Ni(*o*-MeO-dppol)Cl<sub>2</sub>] and [Ni(dcpce)Cl<sub>2</sub>] (Angulo, I.M. (202) 97)

## Nickel supported catalysts

A semiempirical theoretical study of Ni/α-Al<sub>2</sub>O<sub>3</sub> and NiSn/α-Al<sub>2</sub>O<sub>3</sub> catalysts for CH<sub>4</sub> reforming (Ferreira, M.L. (202) 197)

## Niobium

Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (Parvulescu, V. (202) 171)

## Niobium-cobalt

Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (Parvulescu, V. (202) 171)

## Nitrogen oxide

Performance of Pd-Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for the selective reduction of NO by methane (Tonetto, G.M. (202) 289)

## Norbornadiene

A comparative study on photocatalytic hydrogen transfer and catalytic hydrogenation of norbornadiene and quadricyclane catalyzed by [Rh<sub>6</sub>(CO)<sub>16</sub>] (Akioka, T. (202) 31)

## 1-Octene

A bimetallic hydroformylation catalyst: high regioselectivity through heterobimetallic cooperativity (Rida, M.A. (202) 87)

## Olefin/paraffin ratio

Influence of residual chloride ions in the CO hydrogenation over Rh/SiO<sub>2</sub> catalysts (Ojeda, M. (202) 179)

## Oxidation

Activity of basic catalysts in oxidation of 2-ethyl-5,6,7,8-tetrahydro-9,10-anthrahydroquinone (Kurc, L. (202) 327)

## Oxygen

Oxidation of benzene by molecular oxygen catalysed by vanadium (Battistel, E. (202) 107)

## Palladium catalyst

Coadsorption effect of the alkenic bond on the hydrogenation of the alkynic substrate on platinum and palladium catalysts (Kačer, P. (202) 269)

## Palladium

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## Pd catalyst

Performance of Pd-Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for the selective reduction of NO by methane (Tonetto, G.M. (202) 289)

## Phosphane ligands

New nickel-containing homogeneous hydrogenation catalysts. Structures of [Ni(*o*-MeO-dppppol)Cl<sub>2</sub>] and [Ni(dcpo)Cl<sub>2</sub>] (Angulo, I.M. (202) 97)

## Phosphate catalysts

Investigation of the basis of catalytic activity of solid state phosphate complexes in the Knoevenagel condensation (Benazha, J. (202) 247)

## Phosphine complexes

A bimetallic hydroformylation catalyst: high regioselectivity through heterobimetallic cooperativity (Rida, M.A. (202) 87)

## Phosphine

RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> catalyzed liquid phase hydroformylation of propene under mild pressure conditions in alcoholic media: isolation and characterization of species separated out during the reaction (Srivastava, V.K. (202) 65)

## Photocatalyst

A comparative study on photocatalytic hydrogen transfer and catalytic hydrogenation of norbornadiene and quadricyclane catalyzed by [Rh<sub>6</sub>(CO)<sub>16</sub>] (Akioka, T. (202) 31)

Characterization and photocatalytic properties of Ba doped Bi<sub>12</sub>TiO<sub>20</sub> (Feng Yao, W. (202) 305)

## Photocatalytic activity

Structure and photocatalytic characteristics of TiO<sub>2</sub> film photocatalyst coated on stainless steel webnet (Shang, J. (202) 187)

## Photocatalytic reduction

Photocatalytic reduction of Se(VI) in aqueous solutions in UV/TiO<sub>2</sub> system: importance of optimum ratio of reactants on TiO<sub>2</sub> surface (Tan, T.T.Y. (202) 73)

## Platinum catalyst

Coadsorption effect of the alkenic bond on the hydrogenation of the alkynic substrate on platinum and palladium catalysts (Kačer, P. (202) 269)

## Platinum-alumina

Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (Felföldi, K. (202) 163)

## Polymer-bound metal complex

Acetalization of carbonyl compounds catalyzed by polymer-bound metal complexes (Ji, S.-J. (202) 41)

## Polypropylene

Polypropylene obtained with in situ supported metallocene catalysts (Franceschini, F.C. (202) 127)

## Propene

RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> catalyzed liquid phase hydroformylation of propene under mild pressure conditions in alcoholic media: isolation and characterization of species separated out during the reaction (Srivastava, V.K. (202) 65)

## Pyruvaldehyde dimethyl acetal

Heterogeneous asymmetric reactions. Part 32. High enantioselectivities in the hydrogenation of activated ketones on cinchona alkaloid modified platinum-alumina catalysts (Felföldi, K. (202) 163)

## Quadricyclane

A comparative study on photocatalytic hydrogen transfer and catalytic hydrogenation of norbornadiene and quadricyclane catalyzed by [Rh<sub>6</sub>(CO)<sub>16</sub>] (Akioka, T. (202) 31)

## Reduction

Selenium-catalyzed carbonylation of substituted nitrobenzenes with aminomethylpyrimidines as co-reagents to synthesize *N*-phenyl-*N'*-methylpyrimidylurea derivatives (Ling, G. (202) 23)

## Rejuvenation

Studies on rejuvenation of spent residue hydroprocessing catalysts by leaching of metal foulants (Marafi, M. (202) 117)

## Reusable catalysts

A study of synthesis, characterization and catalytic hydrogenation by polymer anchored Pd(II)-amino acid complexes (Valodkar, V.B. (202) 47)

## Rh carbonyl cluster catalyst

A comparative study on photocatalytic hydrogen transfer and catalytic hydrogenation of norbornadiene and quadricyclane catalyzed by [Rh<sub>6</sub>(CO)<sub>16</sub>] (Akioka, T. (202) 31)

## Rhodium

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## Ruthenium

RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> catalyzed liquid phase hydroformylation of propene under mild pressure conditions in alcoholic media: isolation and characterization of species separated out during the reaction (Srivastava, V.K. (202) 65)

## Selective catalytic reduction

Performance of Pd-Mo/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for the selective reduction of NO by methane (Tonetto, G.M. (202) 289)

## Selectivity

A bimetallic hydroformylation catalyst: high regioselectivity through heterobimetallic cooperativity (Rida, M.A. (202) 87)

## Selenate

Photocatalytic reduction of Se(VI) in aqueous solutions in UV/TiO<sub>2</sub> system: importance of optimum ratio of reactants on TiO<sub>2</sub> surface (Tan, T.T.Y. (202) 73)

## Selenium

Selenium-catalyzed carbonylation of substituted nitrobenzenes with aminomethylpyrimidines as co-reagents to synthesize *N*-phenyl-*N'*-methylpyrimidylurea derivatives (Ling, G. (202) 23)

## Silica

Polypropylene obtained with in situ supported metallocene catalysts (Franceschini, F.C. (202) 127)

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## Silica-supported Rh catalysts

Influence of residual chloride ions in the CO hydrogenation over Rh/SiO<sub>2</sub> catalysts (Ojeda, M. (202) 179)

Sn-Pt/Al<sub>2</sub>O<sub>3</sub>

Time dependence of tin anchoring to supported platinum (Margitfalvi, J.L. (202) 313)

Sn-Pt/SiO<sub>2</sub>

Time dependence of tin anchoring to supported platinum (Margitfalvi, J.L. (202) 313)

## Solid acid catalyst

ZnCl<sub>2</sub>-Zn<sup>2+</sup>-Montmorillonite composite: efficient solid acid catalyst for benzylation of benzene (Phukan, A. (202) 279)

## Solid-state NMR

W/HZSM-5 catalyst for methane dehydroaromatization: a multinuclear MAS NMR study (Yang, J. (202) 239)

## Stainless steel webnet

Structure and photocatalytic characteristics of TiO<sub>2</sub> film photocatalyst coated on stainless steel webnet (Shang, J. (202) 187)

## Stoichiometry

Photocatalytic reduction of Se(VI) in aqueous solutions in UV/TiO<sub>2</sub> system: importance of optimum ratio of reactants on TiO<sub>2</sub> surface (Tan, T.T.Y. (202) 73)

## Supported zirconocenes

Polypropylene obtained with in situ supported metallocene catalysts (Franceschini, F.C. (202) 127)

## Synthesis

Hydrolytic metalloenzyme models. Enantioselective hydrolysis of long chain  $\alpha$ -amino acid esters by chiral metallomolecules composed of lipophilic L-histidinol (You, J.-S. (202) 17)

Liquid phase oxidation of aromatic hydrocarbons using highly ordered Nb and NbCo-MCM-41 nanoreactors (Parvulescu, V. (202) 171)

## TCSM

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## TDS

Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)

## TEM

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

## Thermal desorption

ZnCl<sub>2</sub>-Zn<sup>2+</sup>-Montmorillonite composite: efficient solid acid catalyst for benzylation of benzene (Phukan, A. (202) 279)

## Thiophene

Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)

## Tin tetraalkyls

Time dependence of tin anchoring to supported platinum (Margitfalvi, J.L. (202) 313)

TiO<sub>2</sub> film

Structure and photocatalytic characteristics of TiO<sub>2</sub> film photocatalyst coated on stainless steel webnet (Shang, J. (202) 187)

TiO<sub>2</sub>(1 1 0)

Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)

## Vanadium

Oxidation of benzene by molecular oxygen catalysed by vanadium (Battistel, E. (202) 107)

## W/HZSM-5

W/HZSM-5 catalyst for methane dehydroaromatization: a multinuclear MAS NMR study (Yang, J. (202) 239)

## Water-soluble ruthenium complex

Hydrogenation of alkenes and aromatic hydrocarbons using water-soluble RuCl<sub>2</sub>(TPPTS)<sub>3</sub> in aqueous medium (Parmar, D.U. (202) 9)

## XPS

Arene hydrogenation using supported rhodium metal catalysts prepared from [Rh(COD)H]<sub>4</sub>, [Rh(COD)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, and [Rh(COD)Cl]<sub>2</sub> adsorbed on SiO<sub>2</sub> and Pd-SiO<sub>2</sub> (Stanger, K.J. (202) 147)

Interaction of thiophene with stoichiometric and reduced rutile TiO<sub>2</sub>(1 1 0) surfaces: role of Ti<sup>3+</sup> sites in desulfurization activity (Liu, G. (202) 215)

## Zinc bromide

Heterogeneous catalysis of Friedel-Crafts alkylation by the fluorapatite alone and doped with metal halides (Saber, A. (202) 229)

## Zinc chloride

Heterogeneous catalysis of Friedel-Crafts alkylation by the fluorapatite alone and doped with metal halides (Saber, A. (202) 229)