

## Author index

- Abe, T., Shoji, K. and Tajiri, A.  
Electrocatalysis of molecular aggregate composed of an osmium complex and a polymer membrane for dioxygen reduction (208) 11
- Aghmiz, A., Claver, C., Masdeu-Bultó, A.M., Maillard, D. and Sinou, D.  
Hydroformylation of 1-octene with rhodium catalysts in fluoros systems (208) 97
- Albuquerque, F., see Carone, C. (208) 285
- Amir-Ebrahimi, V. and Rooney, J.J.  
Methylaluminumoxane as a novel catalyst and cocatalyst for ring-opening metathesis polymerisation of norbornene (208) 103  
Remarkable alternating effect in metathesis copolymerization of norbornene and cyclopentene using modified Grubbs ruthenium initiators (208) 115
- Antoniotti, S. and Duñach, E.  
Studies on the catalytic oxidation of epoxides to  $\alpha$ -diketones by  $\text{Bi}^{(0)}/\text{O}_2$  in DMSO (208) 135
- Baricelli, P.J., Izaguirre, L., López, J., Lujano, E. and López-Linares, F.  
Synthesis, characterization and catalytic hydrogenation in aqueous-biphasic system of a new water soluble complex  $\text{RuH}(\text{CO})(\text{NCMe})(\text{TPPMS})_3[\text{BF}_4]$  (208) 67
- Belelli, P.G., Damiani, D.E. and Castellani, N.J.  
Effect of a Lewis acid additive on active sites formation in zirconocene catalyst systems: a DFT study (208) 147
- Bertolini, J.C., see Khanra, B.C. (208) 167
- Bronstein, L.M., see Semagina, N.V. (208) 273
- Bujor, A., see Constantin, C. (208) 245
- Bykov, A.V., see Semagina, N.V. (208) 273
- Cai, M., Huang, Y., Hu, R. and Song, C.  
Synthesis of silica-supported poly- $\gamma$ -diphenylarsinopropylsiloxane palladium complex and its catalytic behavior for Heck carbonylation of aryl halides (208) 17
- Carone, C., de Lima, V., Albuquerque, F., Nunes, P., de Lemos, C., dos Santos, J.H.Z., Galland, G.B., Stedile, F.C., Einloft, S. and de S. Basso, N.R.  
Zirconium alkoxide complexes as catalysts for ethylene polymerization (208) 285
- Castellani, N.J., see Belelli, P.G. (208) 147
- Çetinkaya, B., see Özdemir, İ. (208) 109
- Chen, D., Xue, Z. and Su, Z.  
Dual role study of 12-molybdophosphoric acid on styrene polymerization (208) 91
- Chen, J.G., see Khan, N.A. (208) 225
- Cheng, P., see Sun, Y.-J. (208) 83
- Chojnowski, J., see Michalska, Z.M. (208) 187
- Claver, C., see Aghmiz, A. (208) 97
- Constantin, C., Pârvulescu, V., Bujor, A., Popescu, G. and Su, B.L.  
Mesoporous nickelsilicate membranes on porous alumina supports. I. Effect of nature and surface pretreatment of alumina supports on the catalytic membrane formation (208) 245
- Constantin, C., see Pârvulescu, V. (208) 253
- Crestini, C., Pastorini, A. and Tagliatesta, P.  
Metalloporphyrins immobilized on motmorillonite as biomimetic catalysts in the oxidation of lignin model compounds (208) 195
- Crocoll, M., see Djerad, S. (208) 257
- Damiani, D.E., see Belelli, P.G. (208) 147
- de Lemos, C., see Carone, C. (208) 285
- de Lima, V., see Carone, C. (208) 285
- De Maio, P., see Musolino, M.G. (208) 219
- de S. Basso, N.R., see Carone, C. (208) 285
- Demir, S., see Özdemir, İ. (208) 109
- Ding, Y., see He, D. (208) 267
- Djerad, S., Tifouti, L., Crocoll, M. and Weisweiler, W.  
Effect of vanadia and tungsten loadings on the physical and chemical characteristics of  $\text{V}_2\text{O}_5\text{-WO}_3/\text{TiO}_2$  catalysts (208) 257
- Donato, A., see Musolino, M.G. (208) 219
- dos Santos, J.H.Z., see Carone, C. (208) 285
- Dubrovina, L.V., see Semagina, N.V. (208) 273
- Duñach, E., see Antoniotti, S. (208) 135
- Einloft, S., see Carone, C. (208) 285
- Espenson, J.H., see Li, M. (208) 123
- Fási, A., Pálinkó, I., Gömöry, Á. and Kiricsi, I.  
Ring opening, dimerisation and oligomerisation reactions of methyloxirane on solid acid and base catalysts (208) 307
- Fortuniak, W., see Michalska, Z.M. (208) 187
- Fu, Z., Yin, D., Xie, Q., Zhao, W., Lv, A., Yin, D., Xu, Y. and Zhang, L.  
Ti complexes assembled HMS as effective catalysts for epoxidation of alkene (208) 159
- Funabiki, T., see Teramura, K. (208) 299
- Galland, G.B., see Carone, C. (208) 285
- Gömöry, Á., see Fási, A. (208) 307
- Gorte, R.J., see Kresnawahjuesa, O. (208) 175
- Hamada, R., see Kanzaki, H. (208) 203
- He, D., Ding, Y., Luo, H. and Li, C.  
Effects of zirconia phase on the synthesis of higher alcohols over zirconia and modified zirconia (208) 267
- Hosokawa, T., see Teramura, K. (208) 299
- Hu, R., see Cai, M. (208) 17
- Huang, J., see Qian, Y. (208) 45
- Huang, Y., see Cai, M. (208) 17
- Itoh, T., see Yamada, S. (208) 55
- Izaguirre, L., see Baricelli, P.J. (208) 67
- Jiang, H., Lu, W. and Wan, H.  
The effect of  $\text{MoV}_{0.3}\text{Te}_{0.23}\text{P}_x\text{O}_n$  catalysts with different phosphorus content for selective oxidation of propane to acrolein (208) 213
- Jiang, Z.-H., see Sun, Y.-J. (208) 83
- Jugnet, Y., see Khanra, B.C. (208) 167
- Kani, M., see Teramura, K. (208) 299
- Kanzaki, H., Kitamura, T., Hamada, R., Nishiyama, S. and Tsuruya, S.  
Activities for phenol formation using Cu catalysts supported on  $\text{Al}_2\text{O}_3$  in the liquid-phase oxidation of benzene in aqueous solvent with high acetic acid concentration (208) 203

- Kaskel, S., Schlichte, K. and Kratzke, T.  
Catalytic properties of high surface area titanium nitride materials (208) 291
- Khan, N.A. and Chen, J.G.  
Thiophene HDS chemistry on monolayer Ni films on W(1 1 0) and Ru(0 0 1) (208) 225
- Khanra, B.C., Jugnet, Y. and Bertolini, J.C.  
Energetics of acrolein hydrogenation on Pt(1 1 1) and Ag(1 1 1) surfaces: a BOC-MP model study (208) 167
- Khokhlov, A.R., see Semagina, N.V. (208) 273
- Kiricsi, I., see Fási, A. (208) 307
- Kiselyova, O.I., see Semagina, N.V. (208) 273
- Kitamura, T., see Kanzaki, H. (208) 203
- Kratzke, T., see Kaskel, S. (208) 291
- Kresnawahjuesa, O., Gorte, R.J. and White, D.  
Characterization of acylating intermediates formed on H-ZSM-5 (208) 175
- Kumar, A. and Pawar, S.S.  
AlCl<sub>3</sub>-catalysed dimerization of 1,3-cyclopentadiene in the chloroaluminate room temperature ionic liquid (208) 33
- Kuwabara, J., Takeuchi, D. and Osakada, K.  
MAO-catalyzed Friedel–Crafts reactions of toluene with chloroalkanes and with propylene (208) 39
- Lashbrook, S.L., see Watson, R.B. (208) 233
- Li, C., see He, D. (208) 267
- Li, M. and Espenson, J.H.  
Kinetic study of epoxidations by urea–hydrogen peroxide catalyzed by methyltrioxorhenium(VII) on niobia (208) 123
- Liao, D.-Z., see Sun, Y.-J. (208) 83
- Lin, H.-K., see Sun, Y.-J. (208) 83
- López, J., see Baricelli, P.J. (208) 67
- López-Linares, F., see Baricelli, P.J. (208) 67
- Lu, W., see Jiang, H. (208) 213
- Lujano, E., see Baricelli, P.J. (208) 67
- Luo, H., see He, D. (208) 267
- Lv, A., see Fu, Z. (208) 159
- Maillard, D., see Aghmiz, A. (208) 97
- Masdeu-Bultó, A.M., see Aghmiz, A. (208) 97
- Matveeva, V.G., see Semagina, N.V. (208) 273
- Michalska, Z.M., Rogalski, Ł., Różga-Wijas, K., Chojnowski, J., Fortuniak, W. and Ścibiorek, M.  
Synthesis and catalytic activity of the transition metal complex catalysts supported on the branched functionalized polysiloxanes grafted on silica (208) 187
- Musikabhumma, K., Spaniol, T.P. and Okuda, J.  
Tritylpyridinium tetrakis(pentafluorophenyl)borate as an efficient activator for “constrained-geometry” catalysts in ethylene polymerization (208) 73
- Musolino, M.G., De Maio, P., Donato, A. and Pietropaolo, R.  
Hydrogenation versus isomerization in  $\alpha,\beta$ -unsaturated alcohols reactions over Pd/TiO<sub>2</sub> catalysts (208) 219
- Nishiyama, S., see Kanzaki, H. (208) 203
- Nunes, P., see Carone, C. (208) 285
- Okuda, J., see Musikabhumma, K. (208) 73
- Osakada, K., see Kuwabara, J. (208) 39
- Özdemir, İ., Çetinkaya, B. and Demir, S.  
Synthesis of novel 1-alkylimidazoline and 1-alkylbenzimidazole palladium(II) complexes as efficient catalysts for Heck and Suzuki reactions involving arylchlorides (208) 109
- Ozkan, U.S., see Watson, R.B. (208) 233
- Pálinkó, I., see Fási, A. (208) 307
- Pârvulescu, V., Constantin, C., Popescu, G. and Su, B.L.  
Mesoporous nickelsilicate membranes on porous alumina supports. II. Catalytic reactor for oxidation of aromatic hydrocarbons (208) 253
- Pârvulescu, V., see Constantin, C. (208) 245
- Pastorini, A., see Crestini, C. (208) 195
- Pawar, S.S., see Kumar, A. (208) 33
- Pietropaolo, R., see Musolino, M.G. (208) 219
- Popescu, G., see Constantin, C. (208) 245
- Popescu, G., see Pârvulescu, V. (208) 253
- Qian, Y., Zhang, H., Zhou, J., Zhao, W., Sun, X. and Huang, J.  
Synthesis and polymerization behavior of various substituted half-sandwich titanium complexes Cp<sup>\*</sup>TiCl<sub>2</sub>(OR<sup>\*</sup>) as catalysts for syndiotactic polystyrene (208) 45
- Ram, R.N., see Valodkar, V.B. (208) 21
- Rama, H.S., see Valodkar, V.B. (208) 21
- Ravindranathan, M., see Valodkar, V.B. (208) 21
- Rogalski, Ł., see Michalska, Z.M. (208) 187
- Rooney, J.J., see Amir-Ebrahimi, V. (208) 103, 115
- Różga-Wijas, K., see Michalska, Z.M. (208) 187
- Sato, M., see Yamada, S. (208) 55
- Schlichte, K., see Kaskel, S. (208) 291
- Ścibiorek, M., see Michalska, Z.M. (208) 187
- Semagina, N.V., Bykov, A.V., Sulman, E.M., Matveeva, V.G., Sidorov, S.N., Dubrovina, L.V., Valetsky, P.M., Kiselyova, O.I., Khokhlov, A.R., Stein, B. and Bronstein, L.M.  
Selective dehydrolinool hydrogenation with poly(ethylene oxide)-*block*-poly-2-vinylpyridine micelles filled with Pd nanoparticles (208) 273
- Shen, P.-W., see Sun, Y.-J. (208) 83
- Shoji, K., see Abe, T. (208) 11
- Sidorov, S.N., see Semagina, N.V. (208) 273
- Sinou, D., see Aghmiz, A. (208) 97
- Song, C., see Cai, M. (208) 17
- Spaniol, T.P., see Musikabhumma, K. (208) 73
- Stedile, F.C., see Carone, C. (208) 285
- Stein, B., see Semagina, N.V. (208) 273
- Su, B.L., see Constantin, C. (208) 245
- Su, B.L., see Pârvulescu, V. (208) 253
- Su, Z., see Chen, D. (208) 91
- Sulman, E.M., see Semagina, N.V. (208) 273
- Sun, X., see Qian, Y. (208) 45
- Sun, Y.-J., Zhang, L.Z., Cheng, P., Lin, H.-K., Yan, S.-P., Liao, D.-Z., Jiang, Z.-H. and Shen, P.-W.  
Experimental and theoretical studies of the dehydration kinetics of two inhibitor-containing half-sandwich cobalt(II) complexes (208) 83
- Tagliatesta, P., see Crestini, C. (208) 195
- Tajiri, A., see Abe, T. (208) 11
- Takeuchi, D., see Kuwabara, J. (208) 39
- Tanaka, T., see Teramura, K. (208) 299
- Tembe, G.L., see Valodkar, V.B. (208) 21
- Teramura, K., Tanaka, T., Kani, M., Hosokawa, T. and Funabiki, T.  
Selective photo-oxidation of neat cyclohexane in the liquid phase over V<sub>2</sub>O<sub>5</sub>/Al<sub>2</sub>O<sub>3</sub> (208) 299
- Tifouti, L., see Djerad, S. (208) 257
- Tsuruya, S., see Kanzaki, H. (208) 203
- Valetsky, P.M., see Semagina, N.V. (208) 273
- Valodkar, V.B., Tembe, G.L., Ravindranathan, M., Ram, R.N. and Rama, H.S.  
Catalytic oxidation by polymer-supported copper(II)–L-valine complexes (208) 21

- Wan, H., see Jiang, H. (208) 213
- Watson, R.B., Lashbrook, S.L. and Ozkan, U.S.  
Chlorine modification of Mo/silica-titania mixed-oxide catalysts for the oxidative dehydrogenation of ethane (208) 233
- Weisweiler, W., see Djerad, S. (208) 257
- White, D., see Kresnawahjuesa, O. (208) 175
- Xuebing, M. and Xiangkai, F.  
Synthesis of the novel layered amorphous and crystalline zirconium phosphate–phosphonates  $Zr(HPO_4)[O_3PCH_2N(CH_2CH_2)_2O] \cdot nH_2O$ ,  $Zr(HPO_4)[O_3PCH_2N(CH_2CO_2H)_2] \cdot nH_2O$ , zirconium phosphonates  $Zr[(O_3PCH_2)NCH_2CO_2H] \cdot nH_2O$  and the catalytic activities of their palladium complexes in hydrogenation (208) 129
- Xiangkai, F., see Xuebing, M. (208) 129
- Xie, Q., see Fu, Z. (208) 159
- Xu, Y., see Fu, Z. (208) 159
- Xue, Z., see Chen, D. (208) 91
- Yamada, S., Yano, A., Sato, M. and Itoh, T.  
Effect of “topotactic” reduction product of tungsten disulfide on catalytic activity of metallocene catalyst for olefin polymerization (208) 55
- Yan, S.-P., see Sun, Y.-J. (208) 83
- Yano, A., see Yamada, S. (208) 55
- Yin, D., see Fu, Z. (208) 159
- Zhang, H., see Qian, Y. (208) 45
- Zhang, L., see Fu, Z. (208) 159
- Zhang, L.Z., see Sun, Y.-J. (208) 83
- Zhao, W., see Fu, Z. (208) 159
- Zhao, W., see Qian, Y. (208) 45
- Zhou, J., see Qian, Y. (208) 45