

Subject index

Additives

Effect of additives on properties of vanadia-based catalysts for oxidative dehydrogenation of propane. Experimental and quantum chemical studies (Klisińska, A. (210) 87)

Alkali metal and alkaline earth ions

Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)

Alkyl aluminum cocatalyst

Polymerization of ethylene with $(C_3Me_5)_2Zr(NMe_2)_2$ cocatalyzed by common alkyl aluminums (Kim, I. (210) 47)

Alkylation

Alkylation of *p*-cresol with *tert*-butanol catalyzed by heteropoly acid supported on zirconia catalyst (Devassy, B.M. (210) 125)

Alkylsiloxanes

Rhodium phosphine complexes immobilized on silica as active catalysts for 1-hexene hydroformylation and arene hydrogenation (Standfest-Hauser, C.M. (210) 179)

α -amino phosphonate

In(OTf)₃ catalysed simple one-pot synthesis of α -amino phosphonates (Ghosh, R. (210) 53)

Aminopentene

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Amorphous alloy

Production of hydrogen peroxide from carbon monoxide, water and oxygen over alumina-supported Ni catalysts (Ma, Z.-L. (210) 157)

Aromatization

Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana-zirconia catalyst. Part I. Catalytic experiments (Klepel, O. (210) 211)

ASF distribution

Promotion of hydrocarbon selectivity in CO₂ hydrogenation by Ru component (Lee, S.-C. (210) 131)

Biphasic catalytic system

A spectroscopic study on the reaction-controlled phase transfer catalyst in the epoxidation of cyclohexene (Gao, J. (210) 197)

1,4-bis(Triethylmethylammonium)benzene dichloride

Kinetic study of dichlorocyclopropanation of 4-vinyl-1-cyclohexene by a novel multisite phase transfer catalyst (Wang, M.-L. (210) 59)

Bridge-connecting ligand

Metallomicellar catalysis: effects of bridge-connecting ligands on the hydrolysis of PNPP catalyzed by Cu(II) complexes of ethoxyl-diamine ligands in micellar solution (Fubin, J. (210) 9)

Bromination

Regioselective side-chain as well as nuclear monobromination of aromatic substrates with *N*-bromosuccinimide using phosphotungstic acid supported on zirconia as a heterogeneous catalyst (Rajagopal, R. (210) 165)

N-Bromosuccinimide

Regioselective side-chain as well as nuclear monobromination of aromatic substrates with *N*-bromosuccinimide using phosphotungstic acid supported on zirconia as a heterogeneous catalyst (Rajagopal, R. (210) 165)

tert-Butanol

Alkylation of *p*-cresol with *tert*-butanol catalyzed by heteropoly acid supported on zirconia catalyst (Devassy, B.M. (210) 125)

Caprolactam

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Carbon dioxide

Chemical fixation of carbon dioxide to cyclic carbonates under extremely mild conditions with highly active bifunctional catalysts (Lu, X.-B. (210) 31)

Role of carbon dioxide in the ethylbenzene dehydrogenation coupled with reverse water–gas shift (Sun, A. (210) 189)

Carbon monoxide

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Production of hydrogen peroxide from carbon monoxide, water and oxygen over alumina-supported Ni catalysts (Ma, Z.-L. (210) 157)

Carbonylation

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Carboxylic acid ester hydrolysis

Catalytic hydrolysis of carboxylic acid esters by Cu(II) and Zn(II) complexes containing a tetracoordinate macrocyclic Schiff base ligand in Brij35 micellar solution (Kou, X. (210) 23)

Catalysed

In(OTf)₃ catalysed simple one-pot synthesis of α -amino phosphonates (Ghosh, R. (210) 53)

Catalysis

Catalytic hydrolysis of carboxylic acid esters by Cu(II) and Zn(II) complexes containing a tetracoordinate macrocyclic Schiff base ligand in Brij35 micellar solution (Kou, X. (210) 23)

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana-zirconia catalyst. Part I. Catalytic experiments (Klepel, O. (210) 211)

Chromia/lanthana-zirconia

Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana-zirconia catalyst. Part I. Catalytic experiments (Klepel, O. (210) 211)

CO₂ hydrogenation

Promotion of hydrocarbon selectivity in CO₂ hydrogenation by Ru component (Lee, S.-C. (210) 131)

Cobalt

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Copolymerization

Ethylene homo- and copolymerization using $(nBuCp)_2ZrCl_2$ grafted on silica modified with different spacers (Galland, G.B. (210) 149)

Coupling

Chemical fixation of carbon dioxide to cyclic carbonates under extremely mild conditions with highly active bifunctional catalysts (Lu, X.-B. (210) 31)

- p*-Cresol
Alkylation of *p*-cresol with *tert*-butanol catalyzed by heteropoly acid supported on zirconia catalyst (Devassy, B.M. (210) 125)
- Cyclic carbonates
Chemical fixation of carbon dioxide to cyclic carbonates under extremely mild conditions with highly active bifunctional catalysts (Lu, X.-B. (210) 31)
- Cyclohexene
A spectroscopic study on the reaction-controlled phase transfer catalyst in the epoxidation of cyclohexene (Gao, J. (210) 197)
- Deactivation
Production of hydrogen peroxide from carbon monoxide, water and oxygen over alumina-supported Ni catalysts (Ma, Z.-L. (210) 157)
- Dealumination
Transesterification over various zeolites under liquid-phase conditions (Sasidharan, M. (210) 93)
- DFT cluster model calculations
Effect of additives on properties of vanadia-based catalysts for oxidative dehydrogenation of propane. Experimental and quantum chemical studies (Klisińska, A. (210) 87)
- 2,6-Di-*tert*-butyl-*p*-cresol
Alkylation of *p*-cresol with *tert*-butanol catalyzed by heteropoly acid supported on zirconia catalyst (Devassy, B.M. (210) 125)
- Dichlorocyclopropanation
Kinetic study of dichlorocyclopropanation of 4-vinyl-1-cyclohexene by a novel multisite phase transfer catalyst (Wang, M.-L. (210) 59)
- Dicyano-functionalized mesoporous materials
Dicyano-functionalized MCM-41 anchored-palladium complexes as recoverable catalysts for Heck reaction (Yang, H. (210) 143)
- 2,6-Diisopropylaniline
GC-MS analysis and reaction mechanism of the gas-phase amination of 2,6-diisopropylphenol (Jiang, R. (210) 79)
- 2,6-Diisopropylphenol
GC-MS analysis and reaction mechanism of the gas-phase amination of 2,6-diisopropylphenol (Jiang, R. (210) 79)
- 1,*n*-diols
Ultrasound and microwave activated preparation of ZrO₂-pillared clay composite: catalytic activity for selective, solventless acylation of 1,*n*-diols (Singh, V. (210) 119)
- Dipyridyl
Preparation of palladium complexes of 1,3-di(2-pyridyl)propane derivatives and their use in norbornene polymerization (Shin, D.M. (210) 35)
- Effect of pH
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
- Epoxidation
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
A spectroscopic study on the reaction-controlled phase transfer catalyst in the epoxidation of cyclohexene (Gao, J. (210) 197)
- Epoxide
Chemical fixation of carbon dioxide to cyclic carbonates under extremely mild conditions with highly active bifunctional catalysts (Lu, X.-B. (210) 31)
- EPR
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
- Ethylbenzene dehydrogenation
Role of carbon dioxide in the ethylbenzene dehydrogenation coupled with reverse water-gas shift (Sun, A. (210) 189)
- Ethylene polymerization
Polymerization of ethylene with (C₅Me₅)₂Zr(NMe₂)₂ cocatalyzed by common alkyl aluminums (Kim, I. (210) 47)
- Ex situ/in situ activation
Comparative study of MoS₂ and Co/MoS₂ catalysts prepared by ex situ/in situ activation of ammonium and tetraalkylammonium thiomolybdates (Alvarez, L. (210) 105)
- Fe-K/γ-Al₂O₃
Promotion of hydrocarbon selectivity in CO₂ hydrogenation by Ru component (Lee, S.-C. (210) 131)
- Fluorous biphasic system
Performance of octene in fluorous biphasic hydroformylation: octene distribution and reversible transfer between perfluoromethylcyclohexane and nonanal (Huang, Y. (210) 17)
- Gas-phase amination
GC-MS analysis and reaction mechanism of the gas-phase amination of 2,6-diisopropylphenol (Jiang, R. (210) 79)
- GC-MS analysis
GC-MS analysis and reaction mechanism of the gas-phase amination of 2,6-diisopropylphenol (Jiang, R. (210) 79)
- Heck reaction
Dicyano-functionalized MCM-41 anchored-palladium complexes as recoverable catalysts for Heck reaction (Yang, H. (210) 143)
- Heteropoly acid
Alkylation of *p*-cresol with *tert*-butanol catalyzed by heteropoly acid supported on zirconia catalyst (Devassy, B.M. (210) 125)
- 1-Hexene
Ethylene homo- and copolymerization using (*n*BuCp)₂ZrCl₂ grafted on silica modified with different spacers (Galland, G.B. (210) 149)
- Homoallyl alcohols
Eco-friendly heterogeneous solid acids as novel and recyclable catalysts in ionic medium for tetrahydropyrans (Yadav, J.S. (210) 99)
- Hydrodesulfurization
Comparative study of MoS₂ and Co/MoS₂ catalysts prepared by ex situ/in situ activation of ammonium and tetraalkylammonium thiomolybdates (Alvarez, L. (210) 105)
- Hydroformylation
Performance of octene in fluorous biphasic hydroformylation: octene distribution and reversible transfer between perfluoromethylcyclohexane and nonanal (Huang, Y. (210) 17)
Rhodium phosphine complexes immobilized on silica as active catalysts for 1-hexene hydroformylation and arene hydrogenation (Standfest-Hauser, C.M. (210) 179)
- Hydrogen peroxide
Production of hydrogen peroxide from carbon monoxide, water and oxygen over alumina-supported Ni catalysts (Ma, Z.-L. (210) 157)
- Hydrogenation
Heterogeneous diastereoselective hydrogenation of pyridine and corresponding enamine covalently bound to pantolactone (Douja, N. (210) 205)
Rhodium phosphine complexes immobilized on silica as active catalysts for 1-hexene hydroformylation and arene hydrogenation (Standfest-Hauser, C.M. (210) 179)
- Hydrolysis of PNPP
Metallomicellar catalysis: effects of bridge-connecting ligands on the hydrolysis of PNPP catalyzed by Cu(II) complexes of ethoxyl-diamine ligands in micellar solution (Fubin, J. (210) 9)
- In(OTf)₃
In(OTf)₃ catalyzed simple one-pot synthesis of α-amino phosphonates (Ghosh, R. (210) 53)
- β-keto esters
Transesterification over various zeolites under liquid-phase conditions (Sasidharan, M. (210) 93)

Kinetics

Metallomicellar catalysis: effects of bridge-connecting ligands on the hydrolysis of PNPP catalyzed by Cu(II) complexes of ethoxyl-diamine ligands in micellar solution (Fubin, J. (210) 9)

Catalytic hydrolysis of carboxylic acid esters by Cu(II) and Zn(II) complexes containing a tetracoordinate macrocyclic Schiff base ligand in Brij35 micellar solution (Kou, X. (210) 23)

Kinetic study of dichlorocyclopropanation of 4-vinyl-1-cyclohexene by a novel multisite phase transfer catalyst (Wang, M.-L. (210) 59)

Liquid-phase

Transesterification over various zeolites under liquid-phase conditions (Sasidharan, M. (210) 93)

LLDPE

Ethylene homo- and copolymerization using $(n\text{BuCp})_2\text{ZrCl}_2$ grafted on silica modified with different spacers (Galland, G.B. (210) 149)

Macrocyclic Schiff base complex

Catalytic hydrolysis of carboxylic acid esters by Cu(II) and Zn(II) complexes containing a tetracoordinate macrocyclic Schiff base ligand in Brij35 micellar solution (Kou, X. (210) 23)

Metal complex

Metallomicellar catalysis: effects of bridge-connecting ligands on the hydrolysis of PNPP catalyzed by Cu(II) complexes of ethoxyl-diamine ligands in micellar solution (Fubin, J. (210) 9)

Metallocene

Polymerization of ethylene with $(\text{C}_5\text{Me}_5)_2\text{Zr}(\text{NMe}_2)_2$ cocatalyzed by common alkyl aluminums (Kim, I. (210) 47)

Metallomicellar catalysis

Metallomicellar catalysis: effects of bridge-connecting ligands on the hydrolysis of PNPP catalyzed by Cu(II) complexes of ethoxyl-diamine ligands in micellar solution (Fubin, J. (210) 9)

Metallomicelle

Catalytic hydrolysis of carboxylic acid esters by Cu(II) and Zn(II) complexes containing a tetracoordinate macrocyclic Schiff base ligand in Brij35 micellar solution (Kou, X. (210) 23)

Microenvironment

Metallomicellar catalysis: effects of bridge-connecting ligands on the hydrolysis of PNPP catalyzed by Cu(II) complexes of ethoxyl-diamine ligands in micellar solution (Fubin, J. (210) 9)

Microwave irradiation

Ultrasound and microwave activated preparation of ZrO_2 -pillared clay composite: catalytic activity for selective, solventless acylation of 1,*n*-diols (Singh, V. (210) 119)

Mono-acylation

Ultrasound and microwave activated preparation of ZrO_2 -pillared clay composite: catalytic activity for selective, solventless acylation of 1,*n*-diols (Singh, V. (210) 119)

MoS₂

Comparative study of MoS₂ and Co/MoS₂ catalysts prepared by ex situ/ in situ activation of ammonium and tetraalkylammonium thiomolybdates (Alvarez, L. (210) 105)

Neutral palladium(II) complexes

Preparation of palladium complexes of 1,3-di(2-pyridyl)propane derivatives and their use in norbornene polymerization (Shin, D.M. (210) 35)

Ni-B catalyst

Production of hydrogen peroxide from carbon monoxide, water and oxygen over alumina-supported Ni catalysts (Ma, Z.-L. (210) 157)

Nicotinic

Heterogeneous diastereoselective hydrogenation of pyridine and corresponding enamine covalently bound to pantolactone (Douja, N. (210) 205)

Norbornene

Preparation of palladium complexes of 1,3-di(2-pyridyl)propane derivatives and their use in norbornene polymerization (Shin, D.M. (210) 35)

Nylon-6

Cobalt-catalyzed synthesis of ϵ -caprolactam and nylon-6 from aminopentene and carbon monoxide (Liu, S. (210) 69)

Octene

Performance of octene in fluoros biphasic hydroformylation: octene distribution and reversible transfer between perfluoromethylcyclohexane and nonanal (Huang, Y. (210) 17)

One-pot synthesis

In(OTf)₃ catalysed simple one-pot synthesis of α -amino phosphonates (Ghosh, R. (210) 53)

Pantolactone

Heterogeneous diastereoselective hydrogenation of pyridine and corresponding enamine covalently bound to pantolactone (Douja, N. (210) 205)

Phase behaviour

Performance of octene in fluoros biphasic hydroformylation: octene distribution and reversible transfer between perfluoromethylcyclohexane and nonanal (Huang, Y. (210) 17)

Phase transfer catalysis

Kinetic study of dichlorocyclopropanation of 4-vinyl-1-cyclohexene by a novel multisite phase transfer catalyst (Wang, M.-L. (210) 59)

Phosphotungstic acid

Regioselective side-chain as well as nuclear monobromination of aromatic substrates with *N*-bromosuccinimide using phosphotungstic acid supported on zirconia as a heterogeneous catalyst (Rajagopal, R. (210) 165)

Polymerization

Preparation of palladium complexes of 1,3-di(2-pyridyl)propane derivatives and their use in norbornene polymerization (Shin, D.M. (210) 35)

Polyoxometalates (POMs)

A spectroscopic study on the reaction-controlled phase transfer catalyst in the epoxidation of cyclohexene (Gao, J. (210) 197)

Preparation of ZrO₂-pillared clay catalyst

Ultrasound and microwave activated preparation of ZrO₂-pillared clay composite: catalytic activity for selective, solventless acylation of 1,*n*-diols (Singh, V. (210) 119)

Promotion

Comparative study of MoS₂ and Co/MoS₂ catalysts prepared by ex situ/ in situ activation of ammonium and tetraalkylammonium thiomolybdates (Alvarez, L. (210) 105)

Propane oxidative dehydrogenation

Effect of additives on properties of vanadia-based catalysts for oxidative dehydrogenation of propane. Experimental and quantum chemical studies (Klisińska, A. (210) 87)

Pyridine

Heterogeneous diastereoselective hydrogenation of pyridine and corresponding enamine covalently bound to pantolactone (Douja, N. (210) 205)

Reaction coupling

Role of carbon dioxide in the ethylbenzene dehydrogenation coupled with reverse water-gas shift (Sun, A. (210) 189)

Reaction mechanism

GC-MS analysis and reaction mechanism of the gas-phase amination of 2,6-diisopropylphenol (Jiang, R. (210) 79)

Investigation of the aromatization of C₆₊ hydrocarbons on chromia/lanthana-zirconia catalyst. Part I. Catalytic experiments (Klepel, O. (210) 211)

Reaction-controlled phase transfer catalysis

A spectroscopic study on the reaction-controlled phase transfer catalyst in the epoxidation of cyclohexene (Gao, J. (210) 197)

Regioselective

Regioselective side-chain as well as nuclear monobromination of aromatic substrates with *N*-bromosuccinimide using phosphotungstic acid supported on zirconia as a heterogeneous catalyst (Rajagopal, R. (210) 165)

- Reusability
Dicyano-functionalized MCM-41 anchored-palladium complexes as recoverable catalysts for Heck reaction (Yang, H. (210) 143)
- Rhodium complexes
Rhodium phosphine complexes immobilized on silica as active catalysts for 1-hexene hydroformylation and arene hydrogenation (Standfest-Hauser, C.M. (210) 179)
- Ruthenium component
Promotion of hydrocarbon selectivity in CO₂ hydrogenation by Ru component (Lee, S.-C. (210) 131)
- Schiff-base aluminum complexes
Chemical fixation of carbon dioxide to cyclic carbonates under extremely mild conditions with highly active bifunctional catalysts (Lu, X.-B. (210) 31)
- Silica
Ethylene homo- and copolymerization using (*n*BuCp)₂ZrCl₂ grafted on silica modified with different spacers (Galland, G.B. (210) 149)
- Solid acids
Eco-friendly heterogeneous solid acids as novel and recyclable catalysts in ionic medium for tetrahydropyrans (Yadav, J.S. (210) 99)
- Solventless conditions
Ultrasound and microwave activated preparation of ZrO₂-pillared clay composite: catalytic activity for selective, solventless acylation of 1,*n*-diols (Singh, V. (210) 119)
- Sonication
Ultrasound and microwave activated preparation of ZrO₂-pillared clay composite: catalytic activity for selective, solventless acylation of 1,*n*-diols (Singh, V. (210) 119)
- Styrene
Role of carbon dioxide in the ethylbenzene dehydrogenation coupled with reverse water–gas shift (Sun, A. (210) 189)
- Superoxo-Ti
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
- Supported metallocenes
Ethylene homo- and copolymerization using (*n*BuCp)₂ZrCl₂ grafted on silica modified with different spacers (Galland, G.B. (210) 149)
- Surface confined catalysts
Rhodium phosphine complexes immobilized on silica as active catalysts for 1-hexene hydroformylation and arene hydrogenation (Standfest-Hauser, C.M. (210) 179)
- 2-*tert*-Butyl-*p*-cresol
Alkylation of *p*-cresol with *tert*-butanol catalyzed by heteropoly acid supported on zirconia catalyst (Devassy, B.M. (210) 125)
- Tetrahydropyrans
Eco-friendly heterogeneous solid acids as novel and recyclable catalysts in ionic medium for tetrahydropyrans (Yadav, J.S. (210) 99)
- TiMCM-41
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
- Titanosilicates
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
- Transesterification
Transesterification over various zeolites under liquid-phase conditions (Sasidharan, M. (210) 93)
- Transition metal chemistry
Polymerization of ethylene with (C₅Me₅)₂Zr(NMe₂)₂ cocatalyzed by common alkyl aluminums (Kim, I. (210) 47)
- TS-1
Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions (Shetti, V.N. (210) 171)
- Unsupported
Comparative study of MoS₂ and Co/MoS₂ catalysts prepared by ex situ/ in situ activation of ammonium and tetraalkylammonium thiomolybdates (Alvarez, L. (210) 105)
- Vanadia catalysts
Effect of additives on properties of vanadia-based catalysts for oxidative dehydrogenation of propane. Experimental and quantum chemical studies (Klisińska, A. (210) 87)
- Water–gas shift
Role of carbon dioxide in the ethylbenzene dehydrogenation coupled with reverse water–gas shift (Sun, A. (210) 189)
- Zeolites
Transesterification over various zeolites under liquid-phase conditions (Sasidharan, M. (210) 93)
- Zirconia
Regioselective side-chain as well as nuclear monobromination of aromatic substrates with *N*-bromosuccinimide using phosphotungstic acid supported on zirconia as a heterogeneous catalyst (Rajagopal, R. (210) 165)